SHOUT
SHARE
IT

Digitized by the Internet Archive
in 2008 with funding from
Microsoft Corporation

http://www.archive.org/details/synonymiccatalog02brituoft

nsecta British Museum (Nat. Hist.). Dept. of

A SYNONYMIC CATALOGUE

OF

ORTHOPTERA.

BY

W. F. KIRBY.

VOL. II.

ORTHOPTERA SALTATORIA.

PART I.

(ACHETIDÆ ET PHASGONURIDÆ.)

82260
17/5/0

LONDON:
PRINTED BY ORDER OF THE
TRUSTEES OF THE BRITISH MUSEUM.
SOLD BY
LONGMANS & Co., 39 PATERNOSTER ROW, E.C.;
B. QUARITCH, 15 PICCADILLY; DULAU & CO., 37 SOHO SQUARE, W.;
KEGAN PAUL & Co., 43 GERRARD STREET, W.;
AND AT THE
BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.
1906.

All rights reserved.

LIBRARY
NOV 13 1969
UNIVERSITY OF TORONTO

ALERE FLAMMAM.

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

QL
506
B85
V.2

PREFACE.

Vol. I. of Mr. Kirby's "Synonymic Catalogue of Orthoptera" was issued in November 1904. Vol. II. now issued has occupied just two years in its completion. The collection of Orthoptera in the Museum is now in excellent order, although all the specimens in every family are not yet fully worked out.

E. RAY LANKESTER,
Director.

British Museum (Natural History),
London, S.W.
November 12th, 1906.

INTRODUCTION TO VOL. II.

THERE is little to add to the Introduction issued with the first volume of this work.

Since that time various small, but interesting collections of Orthoptera have been received for the Museum, of which that formed by the Tibet Expedition (few in number, but of considerable scientific interest) and a series collected by Mr. W. Foster in Sapucay, Paraguay, deserve special mention. The collection now fills 774 drawers (40 Cabinets), exclusive of the British Collection and Dr. F. D. Godman's Central-American Collection, which occupy 5 and 15 additional drawers respectively.

The present volume includes the *Achetidæ* or Crickets and the *Phasgonuridæ* or Long-horned Grasshoppers, often improperly called *Locustidæ*. The true *Locustidæ*, or Short-horned Grasshoppers (often called *Acridiidæ*), will form the third and concluding volume of this work.

The *Achetidæ* have hitherto been somewhat neglected, but our classification is based on that employed by H. de Saussure in his monograph, "Mélanges Orthoptérologiques, 5^{me} et 6^{me} Fascicules," published in the 'Mémoires de la Société de Physique et d'Histoire Naturelle de Genève,' tome xxv. (1876–1878), the most comprehensive work on this family which has yet appeared.

The *Phasgonuridæ* have been classified in accordance with

Brunner von Wattenwyl's "Révision du Système des Orthoptères" published in the 'Annali del Museo Civico di Storia Naturale di Genova,' series 2, vol. xiii. (1893), supplemented by monographs of various subfamilies published elsewhere by Brunner himself, de Saussure, Redtenbacher, and others.

The Museum collections of *Achetidæ* and *Phasgonuridæ* were arranged by Adam White in 1850, and rearranged by F. Walker in 1869 and 1870, and have again been rearranged by myself before and during the progress of the present Catalogue.

W. F. KIRBY.

NATURAL HISTORY MUSEUM,
SOUTH KENSINGTON.
November, 1906.

CONTENTS.

Page
PREFACE iii
INTRODUCTION v
CONTENTS vii
ACHETIDÆ 1
  Curtillinæ. A 1
  Curtillinæ. B 7
  Curtillinæ. C 7
  Gryllinæ. A 13
  Gryllinæ. B 20
  Gryllinæ. C 27
  Gryllinæ. D 50
  Myrmecophilinæ. A 53
  Myrmecophilinæ. B 55
  Myrmecophilinæ. C 60
  Myrmecophilinæ. D 61
  Œcanthinæ. A 62
  Œcanthinæ. B 63
  Œcanthinæ. C 72
  Trigonidiinæ 77
  Eneopterinæ. A 87
  Eneopterinæ. B 91
  Eneopterinæ. C 92
  Eneopterinæ. D 109
PHASGONURIDÆ 111
  Stenopelmatinæ 111
  Rhaphidophorinæ 123
  Gryllacrinæ 139
  Hetrodinæ 153
  Pycnogastrinæ 161
  Bradyporinæ 175
  Deracanthinæ 177

PHASGONURIDÆ (*continued*).

Page
Decticinæ 179
Phasgonurinæ 216
Saginæ 222
Tympanophorinæ 229
Conocephalinæ 229
Agrœciinæ 255
Salomoninæ 263
Xiphidiinæ 271
Listroscelinæ 284
Eumegalodontinæ 289
Prophalangopsinæ 290
Pseudophyllinæ 290
Prochilinæ 355
Mecopodinæ 355
Phyllophorinæ 367
Meconeminæ 370
Phaneropterinæ 374

INDEX 407

CATALOGUE

OF

ORTHOPTERA.

VOL. II.

FAM. VI.

ACHETIDÆ.

SUBFAM. I.

CURTILLINÆ A.

Genus 1. **Scapteriscus.** (*Type* no. 1.)

Scudd. Proc. Boston Soc. Nat. Hist. xi. p. 385 (1868); Mem. Peabody Acad. i. p. 6 (1869); Sauss. Miss. Mex., Orth. p. 336 (1874); Mém. Soc. Genève, xxv. p. 36 (1877); Giglio-Tos, Boll. Mus. Torino, ix. (184) p. 43 (1894).

*1. **S. Oxydactyla, Perty,** (*Gryllotalpa O.*) Del. Anim. Art. p. 118, pl. 23. f. 9 (1832); Burm. Handb. Ent. ii. p. 740. n. 8 (1838); Serv. Ins. Orth. p. 307 (1839). *S. Oxydactylus, Scudd.* Mem. Peabody Acad. i. p. 7, pl. 1. ff. 2, 21 (1869). *S. Oxydactyla, Sauss.* Miss. Mex., Orth. p. 337 (1874).	Brazil.
2. **S. Tenuis, Scudd.** l. c. p. 8, pl. 1. f. 7 (1869); Sauss. l. c. p. 338 (1874).	id.
3. **S. Borellii, Giglio-Tos,** l. c. p. 45 (1894).	Paraguay.
*4. **S. Mexicanus, Burm.** (*Gryllotalpa Mexicana*) l. c. p. 740. n. 9 (1838). *S. Mexicanus, Scudd.* l. c. p. 9, pl. 1. ff. 6, 18 (1869); Sauss. l. c. p. 337 (1874).	Mexico, Colombia, Brazil.

*5. **S. Didactylus, Latr.** (*Gryllotalpa Didactyla*) Gen. Crust. Ins. xii. p. 122 (1804); Burm. l. c. p. 740. n. 10 (1838); Serv. l. c. p. 309 (1839). *Gryllotalpa Didactylus*, *Guér.* Icon. R. Anim., Ins. p. 335, pl. 34. f. 3 (1829–1844); Gray, Griffith's Anim. Kingd. xv. p. 788, pl. 113. f. 3 (1832). *S. Didactylus*, *Scudd.* l. c. p. 10, pl. 1. ff. 1, 14 (1869); Sauss. l. c. p. 338, pl. 8. f. 20 (1874). *Gryllotalpa Tetradactyla*, *Perty*, l. c. p. 118, pl. 23. f. 8 (1832).	Mexico, S. & Central America, W. Indies.
6. **S. Vicinus, Scudd.** l. c. p. 12, pl. 1. ff. 4, 23 (1869).	S. & Central America.
*7. **S. Camerani, Giglio-Tos,** l. c. p. 45 (1894).	Paraguay.
8. **S. Agassizii, Scudd.** l. c. p. 13, pl. 1. ff. 3, 19 (1869); Sauss. l. c. p. 337 (1874).	Brazil, W. Indies.
*9. **S. Variegatus, Burm.** (*Gryllotalpa Variegata*) l. c. p. 740. n. 11 (1838). *S. Variegatus*, pt., *Scudd.* l. c. p. 14 (1869); Sauss. l. c. p. 339 (1874).	Colombia, Trinidad, Brit. Honduras, Fernando Noronha.
10. **S. Parvipennis, Serv.** l. c. p. 309 (1839).	Colombia.
*11. **S. Abbreviatus, Scudd.** l. c. p. 14, pl. 1. ff. 8, 20 (1869); Sauss. l. c. p. 339 (1874).	Pernambuco.

Genus 2. **Neocurtilla, Kirb.** (n. n.). (*Type* no. 4.)

‖ *Curtilla*, *Sauss.* (*nec Oken*) Miss. Mex., Orth. p. 341 (1874); Mém. Soc. Genève, xxv. pp. 24, 25 (1877).

1. **N. Devia, Sauss.** (*Gryllotalpa D.*) Mém. Soc. Genève, xxv. p. 25, pl. 11 (i.) f. 10 (1877).	Cape.
2. **N. Macilenta, Sauss.** (*Gryllotalpa M.*) Miss. Mex., Orth. p. 343, pl. viii. ff. 23, 23 *a* (1874).	Surinam.
3. **N. Major, Sauss.** (*Gryllotalpa M.*) l. c. p. 343 (1874).	Illinois.
*4. **N. Hexadactyla, Perty,** (*Gryllotalpa H.*) Del. Anim. Art. p. 119, pl. 23. f. 9 (1832); Burm. Handb. Ent. ii. p. 740. n. 7 (1838);	Brazil, Mexico, W. Indies,

Serv. Ins. Orth. p. 307 (1839); Ramon de la Sagra. Hist. Cuba. Ins. p. 352, pl. 12. f. 8 (1857); Scudd. Mem. Peabody Acad. Sci. i. p. 27, pl. 1. ff. 17. 37. 38 (1869): Sauss. l. c. p. 344. pl. 8 f. 22 (1874); Biol. Centr.-Amer., Orth. i. p. 199 (1894).	Colombia, Guiana. Peru.
Var. *Gryllotalpa Azteca, Sauss.* Rev. Zool. (2) xi. p. 316 (1859).	
Gryllotalpa Hexadactyla, var. *Azteca, Sauss.* Miss. Mex., Orth p. 345 (1874); Biol. Centr.-Amer., Orth. i. p. 200 (1894).	
*5. **N. Columbia, Scudd.** (*Gryllotalpa C.*) l. c. p. 26, pl. 1. ff. 15, 36 (1869); Beut. Bull. Amer. Mus. Nat. Hist. vi. p. 269, pl. 5. f. 5 (1891).	Massachusetts, Maryland.
Gryllotalpa Columbiana, Blatchl. Proc. Indiana Acad. Sci. 1891, p. 131. n. 3.	
Gryllotalpa Columbiæ, Sauss. Miss. Mex., Orth. p. 345 (1874).	
‖ *Gryllotalpa Longipennis, Scudd.* Boston Journ. Nat. Hist. vii. p. 426. n. 2 (1863).	
[Catesby, Nat. Hist. Carolina, i. pl. 8.]	
*6. **N. Intermedia, Sauss.** (*Gryllotalpa I.*) l. c. p. 345 (1874); Biol. Centr.-Amer., Orth. i. p. 200 (1894).	Mexico. Guatemala.
*7. **N. Borealis, Burm.** (*Gryllotalpa B.*) l. c. p. 740. n. 6 (1838); Uhler, Harris, Ins. Injur. Veget. (ed. 3) p. 149. note (1862); Scudd. Mem. Peabody Acad. i. p. 25, pl. 1. ff. 9, 34, 35 (1862); Sauss. Miss. Mex., Orth. p. 346 (1874): Blatchl. l. c. p. 130. n. 2 (1891); Rep. Indiana Dept. Geol. xxvii. p. 411. n. 120, f. 104 (1903); Beut. l. c. p. 294 (1894); E. M. Walker, Can. Ent. xxxvi. p. 143. n. 1 (1904).	United States, Cuba.
Gryllotalpa Brevipennis, Serv. l. c. p. 308 (1839); Harris, Rep. Ins. Mass. p. 120 (1841); Ins. Injur. Veget. (ed. 3) p. 149, f. 68 (1862).	
8. **N. Ponderosa, Bruner,** (*Gryllotalpa P.*) Bull. Washburn Coll. i. p. 126 (1885).	Kansas.
9. **N. Claraziana, Sauss.** (*Gryllotalpa C.*) l. c. p. 346, pl. 8. f. 21 (1874).	Argentine Republic.

Genus 3. **Curtilla.** (*Type* no. 1.)

Oken, Lehrb. Nat. iii. p. 445 (1815).

Acheta, pt., *Linn.* Syst. Nat. (ed. x.) i. p. 428 (1758).

Gryllotalpa, *Latr.* Hist. Nat. Crust. Ins. iii. p. 275 (1802), xii. p. 121 (1804); Zett. Orth. Suec. p. 60 (1821); Phil. Orth. Berol. p. 11 (1830); Curt. Brit. Ent. x. pl. 456 (1833); Steph. Ill. Brit. Ent., Mand. vi. p. 37 (1835); Burm. Handb. Ent. ii. p. 737 (1838); Wesm. Bull. Acad. Brux. v. p. 590 (1838); Serv. Ins. Orth. p. 300 (1839); Fisch. Waldh. Orth. Ross. p. 109 (1846); Borck. Skand. Rätv. Ins. p. 46 (1848); Fisch. Orth. Eur. p. 156 (1853); Fieb. Lotos, iii. p. 237 (1853); Syn. Eur. Orth. p. 68 (1854); Friv. Értek. Termész. Kör. i. (12) pp. 67, 69 (1867); Sauss. Miss. Mex., Orth. p. 340 (1874); Mém. Soc. Genève. xxv. p. 23 (1877); Bol. Ortópt. Españ. p. 288 (1876); An. Soc. Españ. vii. p. 84 (1878); Ann. Sci. Nat. Porto, v. p. 38 (1898); Brunn. Prodr. Orth. Eur. p. 450 (1882); Finot, Orth. France, p. 131 (1883); Faune France, Orth. pp. 231, 246 (1889); Blatchl. Proc. Indiana Acad. Sci. 1891, pp. 128, 129; Rep. Ind. Dept. Geol. xxvii. p. 410 (1903); Beut. Bull. Amer. Mus. Nat. Hist. vi. p. 264 (1894); Burr, Brit. Orth. p. 66 (1897); Auriv. Ent. Tidskr. xxi. p. 254 (1900); Tümp. Geradfl. Mitteleurop. pp. 228, 276 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 444, 462 (1904). *Type* no. 1 (*nom. spec.*).

*1. **C. Gryllotalpa, Linn.** (*Gryllus* (*Acheta*) *G.*) l. c. p. 428. n. 19 (1758); Mus. Ludov. Ulr. p. 123 (1764); Schrank. Enum. Ins. Austr. p. 243. n. 463 (1781); Stoll, Spectres, Grill. p. 3, pl. 2 *c.* ff. 6, 7 (1813).

Europe,
N. Africa,
W. Asia.

Gryllus Gryllotalpa, *Linn.* Faun. Suec. (ed. ii.) p. 236. n. 866 (1762).

Acheta Gryllotalpa, *Fabr.* Syst. Ent. p. 276. n. 1 (1775); Panz. Faun. Germ. fasc. 88. pl. 5 (1805); Schrank. Fauna Boica, ii. p. 33 (1801).

Gryllus Talpa, *Oliv.* Enc. Méth., Ins. vi. p. 633. n. 1 (1791).

Gryllotalpa Vulgaris, *Latr.* l. c. xii. p. 122 (1804); Zett. l. c. p. 61 (1821); Charp. Hor. Ent. p. 83 (1825); Guér. Icon. R. Anim., Ins. p. 335. pl. 54. f. 4 (1829–1844); Gray, Griffith, Anim. Kingd. xv. p. 788, pl. 130. f. 2 (1832); Phil. l. c. p. 12

(1830); Curt. l. c. pl. 456 (1833); Steph. l. c. p. 38 (1835); Burm. l. c. p. 738. n. 2 (1838); Wesm. l. c. p. 590. n. 1 (1838); Serv. l. c. p. 306 (1839); Fisch. Waldh. l. c. p. 112. pl. 3. ff. 1, 2 (1846); Borck, l. c. p. 40, pl. 2. f. 1 (1848): Fisch. l. c. p. 157, pl. 9. ff. 1, 1 *a–i* (1853); Fieb. ll. cc. p. 238. n. 1 (1853); p. 68. n. 1 (1854); Friv. l. c. p. 70. n. 1 (1867); Scudd. Mem. Peabody Acad. Sci. i. p. 19 (1869); Bol. ll. cc. p. 289 (1876); p. 85. n. 1 (1878); p. 40. n. 1 (1898); Sauss. Mém. Soc. Genève, xxv. pp. 25, 27, pl. 11 (i.) ff. 1–8 (1877); Brunn. l. c. p. 451, pl. 11. ff. 107 A–C (1882); Finot, ll. cc. p 140 (1883); p. 246, pl. 12. f. 159 (1889); Auriv. l. c. p. 297 (1900); Tümp. l. c. p. 276, pl. 22 (1900).	
Gryllotalpa Gryllotalpa, Burr, l. c. p. 67, pl. 5. f. 7 (1897); Jacobs. & Bianchi, l. c. p. 462, pl. 9 (1904).	
*2. **C. Cophta, Haan,** (*Gryllus* (*Gryllotalpa*) *Cophtus*) Temminck, Verhandel., Orth. p. 237 (1842).	S. Europe, N. Africa.
Gryllotalpa Cophta, Scudd. l. c. p. 18 (1869).	
[Sav. Descr. Égypte, Orth. pl. 3. f. 3 (1809)].	
*3. **C. Hirsuta, Burm.** (*Gryllotalpa H.*) l. c. p. 739. n. 4 (1838).	Java, Borneo.
Gryllus (*Gryllotalpa*) *Longipennis, Haan*, l. c. p. 237 (1842); Scudd. l. c. p. 21 (1869); Sauss. l. c. p. 29 (1877).	
***Gryllotalpa Grandis, Walk.* Cat. Derm. Salt. B. M. i. p. 5. n. 15 (1869).	
*4. **C. Siamensis, Gieb.** (*Gryllotalpa S.*) Zeitsch. Ges. Naturw. xxxv. p. 48 (1870); Sauss. l. c. p. 35 (1877).	Siam, China, Malacca.
‖ *Gryllotalpa Hirsuta, Sauss.* l. c. p. 34, pl. 11 (i.) ff. 12, 13 (1877), *nec Burm.*	
*5. **C. Fulvipes, Sauss.** (*Gryllotalpa F.*) l. c. p. 35 (1877).	Singapore.
6. **C. Unispina, Sauss.** (*Gryllotalpa U.*) Fedchenko, Reise Turk., Orth. p. 24, pl. 1. f. 9 (1874); Mém. Soc. Genève, xxv. p. 29 (1877); Jacobs. & Bianchi, l. c. p. 462 (1904).	Turkestan.
7. **C. Ornata, Walk. (*Gryllotalpa O.*) l. c. p. 5. n. 16 (1869).	India.

*8. **C. Africana, Beauv.** (*Gryllotalpa A.*) Ins. Afr. Amér. p. 229. pl. 2 *c*. f. 6 (1805); Serv. l. c. p. 307 (1839); Scudd. l. c. p. 20, pl. 1. ff. 10, 26, 27 (1869); Sauss. Mém. Soc. Genève, xxv. p. 31 (1877); Jacobs. & Bianchi, l. c. p. 462 (1904). *Gryllotalpa Orientalis, Burm.* l. c. p. 739. n. 3 (1839).	Africa. Asia, Australia. N. Zealand (introd.?).
9. **C. Colini, Rochebr.** (*Gryllotalpa C.*) Bull. Soc. Philom. (7) viii. p. 30 (1884).	Senegambia
10. **C. Fossor, Scudd.** (*Gryllotalpa F.*) l. c. p. 21. pl. 1. ff. 11. 28. 29 (1869).	S. & W. Africa.
11. **C. Oryctes, Scudd.** (*Gryllotalpa O.*) l. c. p. 22. pl. 1. ff. 12. 30. 31 (1869).	China.
*12. **C. Minuta, Burm.** (*Gryllotalpa M.*) l. c. p. 740. n. 5 (1839); Scudd. l. c. p. 24 (1869); Sauss. l. c. p. 30 (1877).	Africa, Asia.
*13. **C. Debilis, Gerst.** (*Gryllotalpa D.*) Arch. f. Naturg. xxxv. p. 211. n. 29 (1869); Von der Decken, Reisen in Ost-Afrika, Ins. p. 19. pl. 1. f. 13 (1873); Sauss. l. c. p. 31 (1877).	Africa.
14. **C. Coarctata, Walk. (*Gryllotalpa C.*) l. c. p. 6. n. 19 (1869); Sauss. l. c. p. 32 (1877); Froggatt, Agric. Gaz. N. S. Wales, xvi. p. 479, f. 2 (1905).	Australia.
*15. **C. Australis, Erichs.** (*Gryllotalpa A.*) Arch. f. Naturg. viii. p. 249 (1842); Scudd. l. c. p. 16, pl. 1. ff. 5, 16, 24, 25 (1869); Sauss. l. c. p. 33 (1877).	id., Tasmania. N. Zealand (introd.?).
*16. **C. Nitidula, Serv.** (*Gryllotalpa N.*) l. c. p. 307 (1839); D'Orbigny, Dict. d'Hist. Nat. iv. p. 307. Atl. ii. Orth. pl. 3. f. 4 (1849–1861); Scudd. l. c. p. 17 (1869); Sauss. l. c. p. 35 (1877).	Australia.
*17. **C. Cultriger, Uhl.** (*Gryllotalpa C.*) Proc. Ent. Soc. Philad. ii. p. 343 (1864); Scudd. l. c. p. 23, pl. 1. ff. 13, 32, 33 (1869); Sauss. Miss. Mex., Orth. p. 342 (1874).	California.
18. **C. Chiliensis, Sauss.** (*Gryllotalpa C.*) Rev. Zool. (2) xiii. p. 130 (1861); Miss. Mex., Orth. p. 341 (1874); Scudd. l. c. p. 24 (1877).	Chile.

CURTILLINÆ B.

Genus 4. **Cylindracheta, Kirb.** (n. n.). (*Type* no. 1.)

(*Cylindrodes*, *Gray* (*nec Hübn.*), Griffith, Anim. Kingd. xv. p. 785 (1832); Mag. Nat. Hist. (2) i. p. 141 (1837); Brullé, Hist. Nat. Ins. ix. p. 191 (1835); Serv. Ins. Orth. p. 310 (1839); Blanch. Hist. Nat. Ins. iii. p. 34 (1840); Sauss. Mém. Soc. Genève, xxv. p. 38 (1877); Sauss. & Zehntn. Rev. Suisse Zool. ii. pp. 421, 422 (1895).

1. **C. Campbellii, Gray,** (*Cylindrodes C.*) ll. cc. p. 785, pl. 131 (1832); p. 142, f. 15 (1837); Brullé, l. c. p. 191 (1835); Serv. l. c. p. 311 (1839); Blanch. l. c. p. 34 (1840); Sauss. l. c. p. 40 (1877); Sauss. & Zehntn. l. c. p. 429. nn. 2 (?) 3, pl. 16. ff. 17–19 (?) (1895).	Melville Island.
*2. **C. Kochii, Sauss.** (*Cylindrodes K.*) l. c. p. 40, pl. 11. f. 3 (1877); Sauss. & Zehntn. l. c. p. 428 (1895).	Adelaide. Swan River.

CURTILLINÆ C.

Genus 5. **Tridactylus.** (*Type* no. 6.)

Oliv. Enc. Méth., Ins. iv. p. 26 (1789); Latr. Hist. Nat. Crust. Ins. iii. p. 276 (1802), xii. p. 119 (1804); Gen. Crust. Ins. iii. p. 96 (1807); Serv. Ins. Orth. p. 311 (1839); Sauss. Miss. Mex., Orth. p. 349 (1874); Mém. Soc. Genève. xxv. p. 44 (1877); Biol. Centr.-Amer., Orth. i. p. 202 (1896); Bol. Ortópt. Españ. pp. 288, 289 (1876); An. Soc. Españ. vii. pp. 84, 85 (1878); Ann. Sci. Nat. Porto, v. p. 38 (1898); Brunn. Prodr. Eur. Orth. p. 453 (1882); Finot, Orth. France, p. 131 (1883); Faune France, Orth. pp. 231, 247 (1890); Blatchl. Proc. Indiana Acad. Sci. 1891, p. 128; Rep. Indiana Dept. Geol. xxvii. pp. 410, 413 (1903); Sauss. & Zehntn. Rev. Suisse Zool. ii. p. 411 (1895); iv. p. 407 (1896); Beut. Bull. Amer. Mus. Nat. Hist. vi. p. 263 (1894); Tümp. Geradfl. Mitteleurop. pp. 228, 276 (1900); Jacobs. & Bianchi, Prem. i Lohzn. Ross. Imp. p. 463 (1904).

Xya, *Latr.* Gen. Crust. Ins. iv. p. 383 (1809); Règne Anim. iii. p. 378 (1817); Burm. Handb. Ent. ii. p. 741 (1838); Fisch. Waldh. Orth. Ross. iv. pp. 109, 115 (1846); Fisch. Orth. Eur. p. 152 (1853); Fieb. Lotos, iii. pl 238 (1853); Syn. Eur. Orth. p. 69 (1854); Friv. Értek. Termész. Kör. i. (12) pp. 67, 68 (1867). (*Type* no. 11.)

Heteropus, *Beauv.* Ins. Afr. Amér. p. 231 (1805). (*Type* no. 6.)

1. **T. Thoracicus, Guér.** Icon. R. Anim. iii. p. 336 (1844).	Neilgherries.
2. **T. Inflata, Brunn.** (*Xya I.*) Ann. Mus. Genova, xxxiii. p. 195, pl. 6. f. 65 (1893).	Burma, Java.
‖ *T. Thoracicus*, *Sauss.* (*nec Guér.*) Mém. Soc. Genève, xxv. p. 50 (1877); Rev. Suisse Zool. iv. p. 412 (1896).	
*3. **T. Major, Scudd.** Proc. Boston Soc. Nat. Hist. xii. p. 139 (1868); Sauss. Mém. Soc. Genève, xxv. p. 50 (1877).	India, Malacca.
4. **T. Brunneri, Sauss.** Rev. Suisse Zool. iv. p. 413 (1896).	Burma.
‖ *Xya Apicalis*, *Brunn.* (*nec Say*) l. c. p. 195, pl. 6. f. 64 (1895).	
5. **T. Fossor, Fabr.** (*Acheta F.*) Suppl. Ent. Syst. p. 191 (1798).	S. Africa.
*6. **T. Digitatus, Coq.** (*Acheta Digitata*) Ill. Icon. Ins. iii. p. 91, pl. 21. f. 3 (1804).	W. Africa.
T. Digitatus, *Sauss.* Mém. Soc. Genève, xxv. p. 52 (1877).	
Heteropus Africanus, *Beauv.* l. c. p. 230, pl. 2 c. f. 7 (1805).	
T. Paradoxus, *Latr.* ll. cc. p. 276 (1802); p. 120 (1804); p. 97 (1807); Nouv. Dict. d'Hist. Nat. xxxiv. p. 434 (1819); Serv. l. c. p. 314 (1839); Gray, Griffith. Anim. Kingd. xv. p. 795, pl. 130. f. 5 (1832).	
‖ *Xya Fossor*, *Burm.* l. c. p. 742. n. 2 (1838).	
7. **T. Galla, Sauss.** Ann. Mus. Genova, xxxv. p. 92 (1895).	Galla Land.
8. **T. Tartarus, Sauss.** Fedchenko, Reise Turk., Orth. p. 27, pl. 1. f. 4 (1874); Mém. Soc. Genève, xxv. p. 53, pl. 11 (iv.) ff. 1–8 (1877); Rev. Suisse Zool. iv. p. 415 (1896); Brunn. Prodr. Eur. Orth. p. 455. n. 2, pl. 11. f. 108 c (1882); Jacobs. & Bianchi, l. c. p. 463, pl. 10 (1904).	Sarepta, Kirghis Steppes, Turkestan.

‖*Xya Variegata, Kitt.* Bull. Mosc. xxii. (2) p. 450. n. 17, pl. 7. ff. 10, 11, 14–16 (1849); Eversm. Bull. Mosc. xxxii. (1) p. 126 (1859).	
9. **T. Madecassus, Sauss.** Rev. Suisse Zool. iv. p. 415 (1896).	Madagascar
10. **T. Castetsi, Bol.** Ann. Soc. Ent. France, lviii. p. 792 (1900).	Trichinopoly.
*11. **T. Variegatus, Latr.** (*Xya Variegata*) Gen. Crust. Ins. iv. p. 383 (1809); Règne Anim. iii. p. 378 (1817); Charp Hor. Ent. p. 84, pl. 2. ff. 2, 5 (1825); Burm. l. c. p. 742. n. 3 (1838); Fisch. Waldh. l. c. p. 117, pl. 3. f. 3 (1846); Fisch. l. c. p. 154, pl. 9. ff. 2. 2 *a–l* (1853); Kitt. l. c. p. 450, pl. 7. ff. 12–13 (1849); Costa, Faun. Nap., Orth. Grill. p. 30, pl. 9. f. 1 (1852); Fieb. ll. cc. p. 238. n. 1 (1853); p. 69. n. 1 (1854); Friv. l. c. p. 67 (1867).	S. Europe, N. Africa, W. Asia, Java (eadem ?).
T. Variegatus, Brullé, Hist. Nat. Ins. ix. p. 197, pl. 18. f. 6 (1835); Serv. l. c. p. 315 (1839); Sauss. Fedchenko, Reise Turk., Orth. p. 28 (1874); Mém. Soc. Genève, xxv. p. 47, pl. 11 (iv.) f. 9 (1877); Rev. Suisse Zool. iv. p. 416 (1896); Bol. ll. cc. p. 290, pl. 7. ff. 9, 9 *a*. (1876); p. 86. n. 1, pl. 3. ff. 9, 9 *a* (1878); p. 40. n. 1 (1898): Brunn. Prodr. Eur. Orth. p. 454. pl. 11. f. 108 A, B (1882); Finot, ll. cc. p. 141 (1883); p. 248, pl. 12. f. 160 (1900); Tümp. l. c. p. 277 (1900); Jacobs. & Bianchi, l. c. p. 463 (1904).	
*12. **T. Riparius, Sauss.** Mém. Soc. Genève, xxv. p. 48, pl. 11 (iv.) f. 11 (1877).	Sunda Isl., Banka.
13. **T. Nigroæneus, Walk. (*T. Nigræneus*) Cat. Derm. Salt. B. M. v. Suppl. p. 1 (1871).	Ceylon.
14. **T. Opacus, Walk. l. c. (1871).	id.
15. **T. Japonicus, Haan,** (*Gryllus (Xya) J.*) Temminck, Verhandel., Orth. p. 238 (1842).	Japan.
T. Japonicus, Sauss. l. c. p. 49 (1877).	
Xya Obscura, Motsch. Bull. Mosc. xxxix. p. 182 (1866).	
16. **T. Capensis, Sauss.** l. c. p. 50 (1877); Ann. Mus. Genov. xxxv. p. 93 (1895): Rev. Suisse Zool. iv. p. 417 (1896).	S. Africa.

17. **T. Fasciatus, Guér.** Icon. R. Anim., Ins. p. 335. pl. 54. ff. 5, 5 *a–c* (1829–1844); Gray, l. c. p. 795. pl. 113. f. 5 (1832).	Egypt.
[*Savigny*, Descr. Égypte, Orth. pl. 3. f. 2 (1809).]	
18. **T. Savignyi, Guér.** l. c. p. 336 (1844); Sauss. Mém. Soc. Genève, xxv. p. 53 (1877); Rev. Suisse Zool. iv. p. 418 (1896); Jacobs. & Bianchi, l. c. p. 462 (1904).	id., S. Russia, W. Asia.
[*Savigny*, l. c. pl. 3. f. 1 (1809).]	
T. Savignyi, var. *Obscura*, *Sauss.* Rev. Suisse Zool. iv. p. 419 (1896).	Pegu.
T. Savignyi, *Brunn.* Ann. Mus. Genova, xxxiii. pp. 195, 196 (1893).	
19. **T. Pulex, Sauss.** l. c. p. 419 (1896).	Java.
*20. **T. Apicalis, Say,** Journ. Acad. Nat. Sci. Philad. iv. p. 310, f. 1 (1825); Scudd. Bost. Journ. Nat. Hist. vii. pp. 424, 425, f. 1 (1862); Psyche, ix. p. 309 (1902); Sauss. Miss. Mex., Orth. p. 351 (1874); Rev. Suisse Zool. iv. p. 418 (1896); Biol. Centr.-Amer., Orth. i. p. 204. pl. 11. f. 7 (1896); Morse, Psyche, iv. pp. 198, 199, ff. 1–5 (1901); Blatchl. ll. cc. p. 129. n. 1 (1891); p. 414. n. 121, f. 105 (1903); E. M. Walker, Canad. Ent. xxxvi. p. 143. n. 2 (1904).	N. America, Guatemala.
Xya Apicalis, *Burm.* l. c. p. 741. n. 1 (1838).	
21. **T. Tibialis, Guér.** l. c. p. 336 (1844).	New Orleans.
22. **T. Illinoiensis, Thom.** Proc. Ent. Soc. Philad. i. p. 104 (1863).	Illinois.
23. **T. Mixtus, Hald.** (*Xya Mixta*) Proc. Acad. Nat. Sci. Philad. vi. p. 364 (1853).	Southern States,
T. Mixtus, *Sauss.* ll. cc. p. 353 (1874); p. 415 (1896).	Mexico.
24. **T. Terminalis, Scudd.** ll. cc. p. 425 (1862); p. 309 (1901); Sauss. Miss. Mex., Orth. p. 352 (1874); Beut. l. c. p. 263, pl. 5. f. 15 (1894); Morse, l. c. p. 198, ff. 1–5 (1901).	N. America, Mexico.
25. **T. Fissipes, Sauss.** ll. cc. p. 352, pl. 8. ff. 25, 25 *a* (1874); p. 418 (1896); p 205 (1896).	S. States, Mexico.
26. **T. Incertus, Sauss.** Rev. Suisse Zool. iv. p. 418 (1896); Biol. Centr.-Amer., Orth. i. p. 206. pl. 11. f. 6 (1896).	Texas, Mexico.

Genus 6. **Ellipes.** (*Type* no. 1.)

Scudd. Psyche, ix. p. 309 (1902); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 410, 415 (1903).

‖ *Heteropus, Sauss.* (*nec Beauv.*) Miss. Mex., Orth. p. 351 (1874); Mém. Soc. Genève, xxv. p. 47 (1877); Rev. Suisse Zool. iv. p. 419 (1896); Biol. Centr.-Amer., Orth. i. pp. 204, 207 (1896).

*1. **E. Minutus, Scudd.** (*Tridactylus M.*) Southern
Bost. Journ. Nat. Hist. vii. p. 425 (1862); States.
Sauss. Miss. Mex., Orth. p. 353 (1874).
Ellipes Minuta, Scudd. Psyche, ix. pp. 309, 310 (1902); Blatchl. l. c. p. 415. n. 122 (1903).

2. **E. Histrionicus, Sauss. (*Tridactylus H.*) Texas,
Rev. Suisse Zool. iv. p. 419 (1896). Mexico.
Tridactylus (*Heteropus*) *Histrionicus, Sauss.* Biol. Centr.-Amer., Orth. i. p. 207, pl. 7. ff. 1–5 (1896).

3. **E. Histrio, Sauss.** (*Tridactylus* (*Hete- Texas,
ropus*) *H.*) l. c. p. 207 (1896). Cuba.

4. **E. Denticulatus, Sauss.** (*Tridactylus D.*) Para.
Miss. Mex., Orth. p. 353, pl. 8. ff. 26, 26 *a* (1874); Mém. Soc. Genève, xxv. p. 54 (1877); Rev. Suisse Zool. iv. p. 419 (1896).
Tridactylus (*Heteropus*) *Denticulatus, Sauss.* Biol. Centr.-Amer., Orth. i. p. 208 (1896).

Genus 7. **Rhipipteryx.** (*Type* no. 9.)

Ripipteryx, Newm. Ent. Mag. ii. p. 204 (1834); Brullé, Hist. Nat. Ins. ix. p. 198 (1835); Burm. Handb. Ent. ii. p. 742 (1838); Blanch. Hist. Ins. iii. p 35 (1840).

Rhipipteryx, Serv. Ins. Orth. p. 316 (1839); Sauss. Miss. Mex., Orth. p. 354 (1874); Mém. Soc. Genève, xxv. p. 55 (1877); Biol. Centr.-Amer., Orth. i. p. 208 (1896); Sauss. & Zehntn. Rev. Suisse Zool. ii. p. 413 (1894).

1. **R. Forceps, Sauss.** Biol. Centr.-Amer., Colombia.
Orth. i. p. 210. n. 1, pl. 11. f. 23 (1896).
‖ *Rhipipteryx Atra, Sauss.*, Miss. Mex., Orth. p. 361 (1874).

2. **R. Atra, Serv.** l. c. p. 318 (1839); Guér. Bogota.
Icon. R. Anim., Ins p. 338 (1844).

3. **R. Carbonaria, Sauss. Biol. Centr.- Panama.
Amer., Orth. i. p. 211. n. 2 (1896).

4. **R. Brullei, Serv.** l. c. p. 318 (1839); Sauss. Miss. Mex., Orth. p. 357 (1874); Biol. Centr.-Amer., Orth. i. p. 211. n. 3, pl. 11. f. 21 (1896).	Brazil.
‖ *R. Marginatus, Brullé*, l. c. p. 198 (1835), *nec Newm.*	
‖ *Tridactylus Marginatus, Perch.* Gen. Ins., Orth. pl. 1 (1834).	
Xya Notata, Burm. l. c. p. 742. n. 6 (1838).	
*5. **R. Cyanipennis, Sauss.** Miss. Mex., Orth. p. 358 (1874); Biol. Centr.-Amer., Orth. i. p. 211. n. 4, pl. 11. f. 22 (1896).	Guiana, Venezuela.
6. **R. Rivularia, Sauss.** Biol. Centr.-Amer., Orth. i. p. 212. n. 5, pl. 11. f. 20 (1896).	Colombia.
*7. **R. Trilobata, Sauss.** Miss. Mex., Orth. p. 357 (1874).	Guiana.
*8. **R. Limbata, Burm.** (*Xya L.*) l. c. p. 742. n. 5 (1838).	Cayenne, Brazil,
R. Limbata, Sauss. l. c. p. 356 (1874); Biol. Centr.-Amer., Orth. i. p. 212. n. 6 (1896).	Nicaragua.
‖ *R. Marginatus, Serv.* l. c. p. 317 (1839); Blanch. l. c. p. 35 (1840). *nec Newm.*	
9. **R. Marginata, Newm.** l. c. p. 205, pl. 7. f. 1 (1834); Sauss. Miss. Mex., Orth. p. 359 (1874).	Para.
Xya Marginata, Burm. l. c. p. 742. n. 4 (1839).	
*10. **R. Circumcincta, Sauss.** l. c. p. 358 (1874).	S. America.
11. **R. Hydrodroma, Sauss. Biol. Centr.-Amer., Orth. i. p. 213. n. 7 (1896).	id., Nicaragua.
*12. **R. Mexicana, Sauss.** Rev. Zool. (2) xi. p. 316 (1859); Miss. Mex., Orth. p. 359 (1874); Biol. Centr.-Amer., Orth. i. p. 213. n. 8, pl. 11. ff. 8–19 (1896).	Mexico.
13. **R. Fraterna, Sauss.** Biol. Centr.-Amer., Orth. i. p. 214. n. 8 *a* (1896).	id., Guatemala.
Var. *R. Fraterna*, var. *Rufescens, Sauss.* l. c. p. 214 (1896).	
14. **R. Tricolor, Sauss.** l. c. p. 214. n. 8 *b* (1896).	Mexico, Costa
Var. *R. Tricolor*, var. *Saltator, Sauss.* l. c. p. 214 (1896).	Rica.
15. **R. Biolleyi, Sauss. l. c. p. 215. n. 9 (1896).	Costa Rica.
Var. *R. Biolleyi*. var. *Intermedia, Sauss.* l. c. p. 215 (1896).	

16. **R. Scrofulosa, Sauss. l. c. p. 215. n. 10 (1896). Mexico.

17. **R. Pulicaria, Sauss. l. c. p. 215. n. 11, pl. 11. f. 24 (1896). id.
Var. *R. Pulicaria*, var. *Peruviana*, *Sauss.* l. c. p. 216 (1896). Peru.

SUBFAM. II.

GRYLLINÆ A.

Genus 8. **Caconemobius, Kirb.** (n. n.).

‖*Paranemobius*, *Alfk.* (*nec Sauss.*) Abhandl. Nat. Ver. Bremen, xvii. p. 145 (1901).

1. **C. Schauinslandi, Alfk.** l. c. p. 146 (1901); Zool. Jahrb. Syst. xix. p. 567, pl. 32. ff. 1–4 (1904). Molokai.

Genus 9. **Paranemobius.**

Sauss. Mém. Soc. Genève, xxv. pp. 63. 66 (1877).
Pseudonemobius, *Sauss.* l. c. pp. 66, 336, 370 (1877–1878).

1. **P. Pictus, Sauss.** (*Pseudonemobius P.*) l. c. p. 67, pl. 11 (vi.) ff. 1–3 (1877); Bol. Ann. Soc. Ent. France, lxviii. p. 793 (1900). Cashmir, S. India.

Genus 10. **Nemobius.** (*Type* no. 1.)

Serv. Ins. Orth. p. 345 (1839); Fisch. Orth. Eur. p. 183 (1853); Fieb. Abhandl. Böhm. Ges. (5) iii. p. 404 (1845); Friv. Értek. Termész. Kör. i. (12) pp. 67, 77 (1867); Sauss. Miss. Mex., Orth. p. 380 (1872); Mém. Soc. Genève, xxv. p. 68 (1877); Biol. Centr.-Amer., Orth. i. p. 221 (1897); Scudd. Psyche, vii. p. 431 (1876); Bol. Ortópt. Españ. pp. 275, 276 (1876); An. Soc. Españ. viii. pp. 71, 72 (1878); Ann. Sci. Porto, v. pp. 38, 40 (1898); Brunn. Prodr. Eur. Orth. p. 424 (1882); Finot, Orth. France, pp. 130, 132 (1883); Faune France, Orth. pp. 231, 233 (1889); Blatchley, Proc. Indiana Acad. Sci. 1891, pp. 128, 134; Rep. Indiana Dept. Geol. xxvii. p. 419 (1903); Beut. Bull. Amer. Mus. Nat. Hist. vi. p. 266 (1894); Burr, Brit. Orth. p. 63 (1897); Tümp. Geradfl. Mitteleurop. p. 274 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 449 (1904); E. M. Walker, Canad. Ent. xxxvi. p. 181 (1904).

Pronemobius, *Bol.* Ann. Sci. Nat. Porto, v. p. 41 (1898). (*Type* no. 1.)

Argizala, *Walk.* Cat. Derm. Salt. B. M. i. p. 60 (1869). (*Type* no. 80.)

Pteronemobius, *Jacobs. & Bianchi*, l. c. p. 450 (1904). (*Type* no. 4.)

*1. **N. Sylvestris, Bosc,** (*Acheta S.*) Actes Soc. d'Hist. Nat. Paris, i. p. 44, pl. 10. ff. 4 A, B, *b* (1792); Fabr. Ent. Syst. ii. p. 33. n. 18 (1793); Coqueb. Icon. Ins. p. 5, pl. 1. ff. 2 A, B (1799); Charp. Hor. Ent. p. 82 (1825); Curt. Brit. Ent. vii. pl. 293 (1830); Steph. Ill. Brit. Ent., Mand. vi. p. 40 (1835). *Gryllus Sylvestris*, *Latr.* Hist. Nat. Crust. Ins. xii. p. 124 (1804); Brullé, Hist. Nat. Ins. ix. p. 178. n. 3, pl. 18. f. 4 (1835); Wesm. Bull. Acad. Brux. v. p. 590. n. 3 (1838); Burm. Handb. Ent. ii. p. 734. n. 9 (1838); Blanch. Hist. Nat. Ins. iii. p. 53. n. 5 (1840); Fieb. Abhandl. Böhm. Ges. (5) iii. p. 404. n. 1, pl. 10. f. 10 (1845); Lotos, iii. p. 235. n. 9 (1853); Syn. Eur. Orth. p. 65. n. 9 (1854); Fisch. Waldh. Orth. Ross. p. 131 (1846); Fisch. l. c. p. 183, pl. 9. ff. 6, 6 *a–h* (1853). *N. Sylvestris*, *Serv.* l. c. p. 348. n. 1 (1839); Friv. l. c. p. 77. n. 1 (1867); Bol. ll. cc. pp. 276, 277. n. 1. pl. 7. f. 10 (1876); pp. 72, 73. n. 1, pl. 3. f. 10 (1878); p. 41. n. 1 (1898); Sauss. Mém. Soc. Genève, xxv. p. 77, pl. 11 (vii.) ff. 1, 1 *a*, *e*, *r* (1877); Brunn. l. c. p. 424. n. 1. pl. 11. f. 98 A, B (1882); Finot, ll. cc. p. 133 (1883); p. 234, pl. 12. f. 151 (1889); Burr, l. c. p. 64, pl. 5. f. 4 (1897); Tümp. l. c. p. 275 (1900); Jacobs. & Bianchi, l. c. p. 449 (1904).	Europe, Algeria.
*2. **N. Heydenii, Fisch.** (*Gryllus H.*) l. c. p. 185 (1853); Yersin, Ann. Soc. Ent. France, (3) v. p. 761, pl. 15 (i.) ff. 1–9 (1857). *N. Heydenii*, *Friv.* l. c. p. 78. n. 2 (1867); Bol. ll. cc. p. 277. n. 2 (1876); p. 73. n. 2 (1878); p. 41. n. 2 (1898); Sauss. l. c. p. 90. n. 21 (1877); Brunn. l. c. pp. 424, 425. n. 2 (1882); Finot, Faune France, Orth. pp. 234, 235 (1889); Tümp.	S. Europe, Algeria, W. Asia.

l. c. p. 274 (1900); Jacobs. & Bianchi, l. c. p. 449 (1904). *N. Lateralis*, *Costa*, Faun. Nap., Ort. Grill. p. 37, pl. 8. f. 4 (1855); Sauss. l. c. p. 81, pl. 11 (vii.) f. 11 (1877).	
*3. **N. Lineolatus, Brullé,** (*Gryllus L.*) l. c. p. 179. n. 4, pl. 18. f. 5 (1835); Fieb. Abhandl. Böhm. Ges. (5) iii. p. 405. n. 2 (1845); Fisch. l. c. p. 184 (1853). *N. Lineolatus*, *Serv.* l. c. p. 349 (1839); Sauss. Fedchenko, Reise Turk., Orth. p. 37 (1874); Mém. Soc. Genève, xxv. p. 78 (1877); Brunn. l. c. p. 426 (1882); Finot, Orth. France, p. 133 (1883); Faune France, Orth. pp. 234, 235 (1889); Jacobs. & Bianchi, l. c. p. 450 (1904); Dominique, Bull. Soc. Ouest de France, 1894, p. 31; 1897, p. 265. *Gryllus Hirticollis*, *Duf.* Rech. Anat. Orthop. p. 327 (1841).	S. Europe.
4. **N. Tartarus, Sauss.** ll. cc. p. 36, pl. 1. f. 15 (1874); p. 80, pl. 11 (vii.) ff. 7, 9 (1877); Jac. & Bi. l. c. p. 450 (1904).	Caucasus, Turkestan.
5. **N. Tomentosus, Eversm.** (*Gryllus T.*) Bull. Mosc. 1859, p. 127.	Kirghis Steppes.
6. **N. Gracilis, Jacobs. & Bianchi,** l. c. p. 450 (1904).	Astrachan.
7. **N. Saussurei, Burr,** Trans. Ent. Soc. Lond. 1898, p. 52; Jac. & Bi. l. c. p. 450 (1904).	Roumania.
8. **N. Mayeti, Fin.** Bull. Soc. Ent. France, 1893, p. cclii.	Algeria.
9. **N. Obscurus, Afzel. & Brann.** (*Acheta Obscura*) Achet. Guin. p. 25, f. 7 (1804). *N. Obscurus*, *Sauss.* Mém. Soc. Genève, xxv. p. 93 (1877).	Guinea.
10. **N. Varius, Afzel. & Brann.** (*Acheta Varia*) l. c. p. 25. f. 6 *a*, *b* (1804). *N. Varius*, *Sauss.* l. c. p. 97 (1877).	id.
11. **N. Dumosus, Karsch,** Berlin. Ent. Zeitschr. xxxviii. p. 147 (1893).	W. Africa.
12. **N. Acrobatus, Sauss.** l. c. p. 98 (1877).	SierraLeone
13. **N. Camarensis, Sjöst.** Bihang Svenska Akad. xxv. (4 : 6) p. 27 (1900).	Cameroons.
14. **N. Æthiops, Sauss.** l. c. p. 82 (1877).	Congo.
15. **N. Malgachus, Sauss.** l. c. p. 94 (1877).	Madagascar.
16. **N. Grandidieri, Sauss.** l. c. p. 82 (1877).	id.

17. **N. Maculosus, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 600 (1899).	Nossi Bé.
18. **N. Luteolus, Butl. Ann. Nat. Hist. (4) xvii. p. 409 (1878); Phil. Trans. clxviii. p. 547, pl. 54. ff. 2. 2 *a* (1879).	Rodriguez.
19. **N. Nitidus, Bol.** Zichy, Zool. Ergebn. ii. p. 242 (1901); Jacobs. & Bianchi, l. c. p. 449 (1904).	China: Pekin.
20. **N. Csikii, Bol.** l. c. p. 243 (1901); Jacobs. & Bianchi, l. c. p. 450 (1904).	id.: Daba.
21. **N. Bicolor, Sauss.** Mém. Soc. Genève, xxv. p. 98, pl. 11 (vii.) ff. 5, 6 (1877).	India.
22. **N. Indicus, Walk. l. c. i. p. 58. n. 12 (1869); Sauss. l. c. p. 76 (1877).	id.
23. **N. Vagus, Walk. l. c. v. Suppl. p. 10 (1871).	Bombay.
24. **N. Monomorphus, Bol.** Ann. Soc. Ent. France, lxviii. p. 794 (1900).	S. India.
25. **N. Ceylonicus, Sauss. l. c. p. 86 (1877).	Ceylon.
26. **N. Taprobanensis, Walk. (*Trigonidium Taprobanense*) l. c. i. p. 102. n. 6 (1869). *N. Taprobanensis, Sauss.* l. c. p. 87 (1877).	id.
27. **N. Nigrosignatus, Brunn.** Ann. Mus. Genova, xxxiii. p. 196, pl. 6. f. 67 (1893).	Burma.
28. **N. Tagalicus, Bol.** An. Soc. Esp. xviii. p. 417 (1889).	Philippines.
29. **N. Luzonicus, Bol.** l. c. p. 418 (1889).	Luzon.
30. **N. Nigritus, Sauss.** l. c. p. 94 (1877).	Java.
*31. **N. Histrio, Sauss.** l. c. p. 95 (1877).	id., Ceylon, Singapore.
32. **N. Infernalis, Sauss.** l. c. p. 83 (1877).	Java.
33. **N. Novaræ, Sauss.** l. c. pl. 11 (vii.) f. 10 (1877).	id.
34. **N. Javanus, Sauss.** l. c. p. 85 (1877); Brunn. l. c. p. 196, pl. 6. f. 66 (1893).	id., Burma.
35. **N. Annulipes, Sauss.** l. c. p. 77 (1877).	Australia.
36. **N. Australis, Walk. l. c. i. p. 59. n. 14 (1869); Sauss. l. c. p. 78 (1877).	id.
37. **N. Regulus, Sauss.** l. c. p. 87 (1877).	Adelaide.
38. **N. Truncatus, Sauss.** l. c. p. 91 (1877).	Australia.
39. **N. Femoratus, Sauss.** l. c. p. 92, pl. 11 (vii.) ff. 2–4 (1877).	Sydney.
40. **N. Heteropus, Walk. l. c. i. p. 60. n. 15 (1869); Sauss l. c. p. 93 (1877).	Australia.
41. **N. Pulex, Sauss.** l. c. p. 96 (1877).	N. Australia.
42. **N. Bivittatus, Walk. l. c. i. p. 59. n. 13 (1877); Sauss. l. c. p. 97 (1877).	Swan River.
43. **N. Larapintæ, Tepp.** Horn Exped. Centr. Austr. ii. p. 378 (1896).	Central Australia.

44. **N. Dentatus, Sauss.** l. c. p. 91 (1877).	Samoa.
45. **N. Tigrinus, Sauss.** l. c. p. 96 (1877).	Tahiti.
46. **N. Hastatus, Sauss. Biol. Centr.-Amer., Orth. i. p. 222. n. 2 (1897).	Mexico.
47. **N. Distinguendus, Scudd.** Journ. N. York Ent. Soc. iv. p. 101 (1896); Sauss. l. c. p. 222. n. 3 (1897).	id., Orizaba.
48. **N. Delicatus, Scudd.** Psyche, vii. p. 433 (1896).	Mexico.
49. **N. Ensifer, Scudd.** Journ. N. York Ent. Soc. iv. p. 101 (1896); Sauss. l. c. p. 224. n. 9 (1897).	Central America.
50. **N. Pictus, Scudd.** Psyche, vii. p. 433 (1896).	New Mexico.
*51. **N. Fasciatus, De Geer,** (*Gryllus F.*) Mém. Ins. iii. p. 522. pl. 43. f. 5 (1773). *N. Fasciatus, Scudd.* Bost. Journ. Nat. Hist. vii. p. 430 (1862); Journ. N. York Ent. Soc. iv. p. 102 (1896); Sauss. Miss. Mex., Orth. p. 389 (1874); Mém. Soc. Genève, xxv. p. 75 (1877); Biol. Centr.-Amer., Orth. i. p. 221. n. 1 (1897); Beut. l. c. p. 266. pl. 5. f. 9 (1896); Blatchl. ll. cc. p. 136. n. 9 (1891); pp. 420–423, f. 107 (1903); E. M. Walker, l. c. pp. 182. 183, pl. 4. f. 3 (1904). *Acheta Hospes, Fabr.* Syst. Ent. p. 281. n. 8 (1775). *Var. *Acheta Vittata, Harr.* Ins. Injur. Veget. p. 123 (1841); (ed. 3) p. 153, f. 70 (1862); Ruthv. Rep. U.S. Dep. Agric. 1862, p. 380, f. 16 (1862). *N. Vittatus, Scudd.* Bost. Journ. Nat. Hist. vii. p. 430 (1862); Sauss. Miss. Mex., Orth. p. 389 (1874); Blatchl. Proc. Indiana Acad. Sci. 1891, p. 135. n. 7. *N. Fasciatus,* form *Vittatus, Beut.* l. c. p. 267, pl. 5. f. 10 (1894). (?) *N. Marginata, Murtf.* Ins. Life, v. p. 155 (1893). ‖Var. *N. Exiguus, Sauss.* (*nec Say*) l. c. p. 391 (1874).	N. America.
52. **N. Griseus, E. M. Walker,** l. c. pp. 181. 182, pl. 4. ff. 1, 2 (1904).	Ontario.
53. **N. Maculatus, Blatchl.** Psyche, ix. p. 52 (1900); Rep. Indiana Dept. Geol. xxvii.	Indiana, Ontario,

pp. 420–424. n. 126 (1903); (?) E. M. Walker, l. c. pp. 182, 185, pl. 4. f. 4 (1904).	(eadem?)
54. **N. Palustris, Blatchl.** ll. cc. p. 53 (1900); pp. 421, 427. n. 130, f. 108 (1903); E. M. Walker, l. c. pp. 182, 185, pl. 4. ff. 11, 12 (1904).	Indiana, Ontario.
55. **N. Angusticollis, E. M. Walker,** l. c. pp. 182, 186, pl. 4. ff. 9, 10 (1904).	Ontario.
56. **N. Canus, Scudd.** Journ. N. York Ent. Soc. iv. p. 103 (1896); Blatchl. Rep. Ind. Dept. Geol. xxvii. p. 423. n. 125 (1903); E. M. Walker, l. c. pp. 182, 184 (1904).	Texas.
57. **N. Abortivus, Caud.** (*N. Fasciatus*, var. *Abortivus*) Canad. Ent. xxxvi. p. 248 (1904).	Assiniboia.
58. **N. Melleus, Scudd.** Psyche, vii. p. 434 (1896).	Mexico.
59. **N. Socius, Scudd.** Proc. Bost. Soc. Nat. Hist. xix. p. 37 (1877); Journ. N. York Ent. Soc. iv. p. 103 (1896).	Georgia, Florida, Texas, &c.
60. **N. Utahensis, Scudd.** Journ. N. York Ent. Soc. iv. p. 103 (1896).	Utah.
61. **N. Ambitiosus, Scudd.** Proc. Bost. Soc. N. H. xix. p. 81 (1877); Journ. N. York Ent. Soc. iv. p. 104 (1896).	Florida.
*62. **N. Neomexicanus, Scudd.** Journ. N. York Ent. Soc. iv. p. 105 (1896); Sauss. Biol. Centr.-Amer., Orth. i. p. 223. n. 6 (1897).	Southern States, Mexico.
N. Denticulatus, Sauss. l. c. pl. 11. f. 25 (1897).	
63. **N. Trinitatis, Scudd.** l. c. p. 104 (1896).	Trinidad.
64. **N. Aterrimus, Scudd.** l. c. p. 105 (1896).	Florida.
*65. **N. Cubensis, Sauss.** Miss. Mex., Orth. p. 384, pl. 7. f. 5 (1874); Biol. Centr.-Amer., Orth. i. p. 222. n. 4 (1897); Scudd. l. c. p. 105 (1896); Blatchl. l. c. pp. 420, 425. n. 127 (1903).	Cuba, Mexico.
N. Volaticus, Scudd. Proc. Bost. Soc. Nat. Hist. xix. p. 37 (1877).	
66. **N. Comanchus, Sauss. Biol. Centr.-Amer., Orth. i. p. 222. n. 5 (1897).	Mexico.
67. **N. Mormonius, Scudd.** Journ. N. York Ent. Soc. iv. p. 106 (1896).	Utah.
*68. **N. Toltecus, Sauss.** Rev. Zool. (2) xi. p. 316 (1859); Miss. Mex., Orth. p. 386	Mexico.

(1874); Biol. Centr.-Amer., Orth. i. p. 223. n. 7 (1897); Scudd. l. c. p. 106 (1896).	
69. **N. Mexicanus, Walk. l. c. i. p. 57. n. 8 (1869); Scudd. l. c. p. 106 (1896); Sauss. Biol. Centr.-Amer., Orth. i. p. 224. n. 8 (1897).	Mexico.
70. **N. Carolinus, Scudd.** Proc. Bost. Soc. N. H. xix. p. 36 (1877); Journ. N. York Ent. Soc. iv. p. 107 (1896); Blatchl. l. c. pp. 421, 427. n. 129 (1903).	North Carolina, Connecticut New York.
N. Affinis, Beut. l. c. pp. 249, 267, pl. 5. f. 11 (1894).	
71. **N. Brevicaudus, Brun.** Bull. Agric. Exper. Stat. Colorado, xxiv. p. 57 (1904).	Colorado.
72. **N. Janus, Kirb.** (n. n.).	Indiana.
‖*N. Exiguus, Blatchl.* (*nec Say*) Psyche, ix. p. 53 (1900); Proc. Indiana Acad. Sci. 1891, p. 136. n. 8; Rep. Indiana Dept. Geol. xxvii. pp. 420, 426. n. 128 (1903); E. M. Walker, l. c. p. 187, pl. 4. ff. 5, 6 (1904).	
73. **N. Confusus, Blatchl.** Rep. Indiana Dept. Geol. xxvii. pp. 421, 428. n. 131 (1903); E. M. Walker, l. c. p. 187, pl. 4. ff. 7, 8 (1904).	id.
74. **N. Exiguus, Say** (*Acheta Exigua*) Proc. Acad. Nat. Sci. Philad. iv. p. 309 (1825).	Missouri.
75. **N. Basalis, Walk.** l. c. i. p. 58. n. 10 (1869); Sauss. Miss. Mex., Orth. p. 385 (1874).	Para.
76. **N. Picinus, Walk.** l. c. i. p. 58. n. 11 (1869); Sauss. l. c. p. 385 (1874).	Amazons.
77. **N. Ortonii, Scudd.** Proc. Bost. Soc. Nat. Hist. xii. p. 330. n. 1 (1868); Sauss. l. c. p. 390 (1874).	Napo.
78. **N. Nemoralis, Sauss.** l. c. (1874).	S. America.
79. **N. Dissimilis, Sauss.** l. c. p. 387 (1874).	Brazil.
80. **N. Brasiliensis, Walk. (*Argizala B.*) l. c. i. p. 61. n. 1 (1869).	id.
N. Brasiliensis, Sauss. Mém. Soc. Genève, xxv. p. 87 (1877).	
81. **N. Rufus, Sauss.** l. c. p. 88 (1877).	id.
82. **N. Albipalpus, Sauss.** l. c. p. 89 (1877).	id.
83. **N. Major, Sauss.** l. c. p. 75 (1877).	id.

84. **N. Longipennis, Sauss.** Miss. Mex., Orth. p. 383 (1874).	Buenos Aires.
85. **N. Paranæ, Sauss.** l. c. p. 386 (1874).	Argentina.
86. **N. Araucanus, Sauss.** l. c. p. 388 (1874).	Chili.
87. **N. Hirsutulus, Walk. (*Gryllus H.*) l. c. i. p. 50. n. 99 (1869).	Hab. ——?
88. **N. Speculi, McNeill,** Proc. Washington Acad. Sci. iii. pp. 503–505, ff. 43, 44 (1901).	Galapagos.

Genus 11. **Clearidas.**

Stål, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 64 (1876).

1. **C. Nigriceps, Stål,** l. c. p. 65 (1876).	Damara L.

Genus 12. **Hemigryllus.**

Sauss. Mém. Soc. Genève, xxv. p. 100 (1877).

*1. **H. Kriechbaumeri, Sauss.** l. c. p. 101, pl. 12 (viii.) ff. 1–6 (1877).	Brazil.

GRYLLINÆ B.

Genus 13. **Apiotarsus.**

Brunn. Mitth. Schweiz. ent. Ges. iv. p. 168 (1873); Sauss. Mém. Soc. Genève, xxv. p. 105 (1877).

1. **A. Gryllacroides, Sauss.** l. c. p. 107, pl. 14 (xxiii.) ff. 1–7 (1877).	Viti.

Genus 14. **Apterogryllus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 109 (1877).

1. **A. Pedestris, Walk. (*Brachytrypes P.*) Cat. Derm. Salt. B. M. i. p. 13. n. 8 (1869). *A. Brunnerianus, Sauss.* l. c. p. 109, pl. 14 (xxi.) ff. 1–4 (1877).	N. Australia.
2. **A. Deplanatus, Brunn.** Ann. Mus. Genova, xxxiii. p. 197 (1893).	Rangoon.

Genus 15. **Macrogryllus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 113 (1877).

1. **M. Ephippium, Sauss.** (*Brachytrypus E.*) l. c. p. 113, pl. 14 (xix.) ff. 5, 5 *a*, *e* (1877). — Java (?). Africa (?).

2. **M. Consocius, Walk. (*Gryllus C.*) Cat. Derm. Salt. B. M. i. p. 31. n. 52 (1869). — S. Africa.
Brachytrypus Consocius, Sauss. l. c. p. 115 (1877).

Genus 16. **Brachytrypes.** (*Type* no. 2.)

Brachytrupes, Serv. Ins. Orth. p. 323 (1839); Bol. Ortópt. Españ. p. 276 (1876); An. Soc. Españ. viii. p. 72 (1898).
Brachytrypes, Agass. Nom. Zool. Ind. Univ. p. 52 (1846); Fisch. Orth. Eur. p. 186 (1853); Brunn. Prodr. Eur. Orth. p. 438 (1882); Fieb. Syn. Eur. Orth. p. 64 (1854); Lotos, v. p. 66 (1855).
Brachytrypus, Sauss. Mém. Soc. Genève, xxv. p. 115 (1877).

*1. **B. Megacephalus, Lef.** (*Gryllus M.*) Ann. Soc. Linn. Paris, vi. p. 10, pl. 5. f. 4 (1827). — Sicily, N. Africa.
Brachytrupes Megacephalus, Serv. l. c. p. 326 (1839).
Brachytrypes Megacephalus, Fisch. l. c. p. 186, pl. 9. f. 10 (1853); Fieb. ll. cc. p. 64 (1854); p. 66 (1855); Costa, Faun. Nap., Ort. Grill. p. 44 (1855); Brunn. l. c. p. 438, pl. 11. f. 101 A, B (1882).
Brachytrypus Megacephalus, Sauss. l. c. p. 117 (1877).

*2. **B. Membranaceus, Dru.** (*Gryllus M.*) Ill. Exot. Ent. ii. pl. 43. f. 2 (1773). — E. & W. Africa.
Gryllus Acheta Membranacea, Stoll, Spectres, Gryll. Achet. p. 4, pl. 2 c. f. 9 (1813).
Brachytrypus Membranaceus, Sauss. l. c. p. 118, pl. 14 (xix.) ff. 1–3 (1877).
‖*Acheta Campestris, Müll.* (*nec Linn.*) Syst. Nat., Ins. i. p. 426, pl. 10. f. 3 (1774).
Acheta Prodigiosa, Licht. Cat. Mus. Zool. Hamburg, iii. p. 86. n. 107 (1796).
Gryllus Acuminipennis, Fairm. Arch. Ent. ii. p. 257 (1858).

*Var. *Acheta Gigas, Sulz.* Gesch. Ins. p. 83, pl. 8. f. 8 (1776).	
*Var. *Acheta Vastatrix, Afzel.* Achet. Guin. p. 15. n. 1. f. 2 *a, b* (1804).	
Gryllus Vastator, Burm. Handb. Ent. ii. p. 735. n. 118 (1838).	
Var. *Brachytrypus Membranaceus*, var. *Colossea, Sauss.* Abh. Senckenb. Ges. xxi. p. 601 (1899).	Madagascar
3. **B. Politus, Bol.** An. Soc. Españ. xix. p. 328 (1890).	E. Africa.
4. **B. Caviceps, Karsch,** Berlin. Ent. Zeitschr. xxviii. p. 148 (1893).	W. Africa, Adeli.
5. **B. Grandidieri, Sauss.** l. c. p. 119 (1877).	Madagascar
6. **B. Madagascariensis, Walk. (*Gryllus M.*) Cat. Derm. Salt. B. M. i. p. 32. n. 55 (1869).	id.
*7. **B. Portentosus, Licht.** (*Acheta Portentosa*) l. c. p. 85. n. 106 (1796).	Coromandel, Malay Peninsula, Formosa, Java.
Gryllus Acheta Achatina, Stoll, l. c. p. 4, pl. 2 c. f. 8 (1813).	
Brachytrypus Achatinus, Sauss. l. c. p. 121, pl. 14 (xix.) ff. 4, 4 *e* (1877).	
Brachytrupes Ustulatus, Serv. l. c. p. 326 (1839).	
Gryllus Acheta Fuliginosa, Stoll, l. c. p. 5, pl. 3 c. f. 10 (1813).	
**Var. *B. Terrificus, Walk.* Cat. Derm. Salt. B. M. i. p. 10. n. 3 (1869).	Madras.
**Var. *B. Truculentus, Walk.* l. c. i. p. 12. n. 5 (1869).	India.
**Var. *B. Signatipes, Walk.* l. c. v. Suppl. p. 2 (1871).	Bombay.
**Var. *B. Ferreus, Walk.* l. c. i. p. 11. n. 4 (1869).	Madras.
**Var. *B. Fulvus, Walk.* l. c. i. p. 12. n. 7 (1869).	Hab. —— ?
8. **B. Bisignatus, Walk. l. c. i. p. 11. n. 5 (1869).	India.
9. **B. Orientalis, Burm.** (*Gryllus O.*) l. c. p. 735. n. 16 (1838).	id.
Brachytrypus Orientalis, Sauss. Mém. Soc. Genève, xxv. p. 122 (1877).	
10. **B. Robustus, Walk. l. c. i. p. 12. n. 6 (1869).	Philippines.

Genus 17. **Gymnogryllus.** (*Type* no. 3.)

Sauss. Mém. Soc. Genève, xxv. p. 123 (1877).

1. **G. Pulvillatus, Sauss.** (*Brachytrypus P.*) l. c. p. 124 (1877).	Madras.
2. **G. Angustus, Sauss.** (*Brachytrypus A.*) l. c. p. 126, pl. 14 (xx.) ff. 1, 1 *i* (1877).	Java.
*3. **G. Elegans, Guér.** (*Gryllus E.*) Bélanger. Voy. Ind. Orient., Zool. p. 495, pl. 9. f. 1 (1834) ; Serv. Ins. Orth. p. 340 (1839). *Brachytrypus Elegans, Sauss.* l. c. p. 127, pl. 14 (xx.) ff. 1, 1 *e* (1877). *Gryllus Leucostictus, Charp.* Orth. pl. 18. (1842).	id., Sumatra.
4. **G. Humeralis, Walk. (*Gryllus H.*) Cat. Derm. Salt. B. M. v. Suppl. p. 5 (1871). *Brachytrypus Humeralis, Sauss.* l. c. p. 129, pl. 14 (xx.) f. 2 (1877).	Bombay, Nilghiris, Ceylon.
5. **G. Facialis, Walk. (*Gryllus F.*) l. c. p. 5 (1871).	Bombay.
6. **G. Erythrospilus, Walk. (*Gryllus E.*) l. c. i. p. 49. n. 97 (1869).	Hab. —— ?
*7. **G. Erythrocephalus, Serv.** (*Gryllus E.*) l. c. p. 339 (1839). *Brachytrypus Erythrocephalus, Sauss.* l. c. p. 130, pl. 14 (xx.) f. 3 (1877).	India, Ceylon, Sunda Isl.
8. **G. Miurus, Sauss.** (*Brachytrypus M.*) l. c. p. 131 (1877).	Gaboon.

Genus 18. **Acanthogryllus.**

Sauss. Mém. Soc. Genève, xxv. p. 132 (1877).

1. **A. Fortipes, Walk.** (*Gryllus F.*) Cat. Derm. Salt. B. M. i. p. 26. n. 42 (1869). *A. Fortipes, Sauss.* l. c. p. 133, pl. 14 (xxii.) ff. 1–5 (1877).	S. Africa.

Genus 19. **Anurogryllus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 283 (1877).

1. **A. Muticus, De Geer,** (*Gryllus M.*) Mém. Ins. iii. p. 520. n. 2, pl. 43. f. 2 (1773). *Gryllodes Muticus, Sauss.* Miss. Mex., Orth. p. 411, pl. 7. f. 9 (1874).	Mexico, W. Indies, Colombia, Guiana.

A. Muticus, Sauss. Mém. Soc. Genève, xxv. p. 284 (1877).	
Acheta Guadeloupensis, Fabr. Ent. Syst. ii. p. 32. n. 15 (1793).	
Gryllodes Guadelupensis, Sauss. Miss. Mex., Orth. p. 413 (1872).	
***Gryllus Angustulus, Walk.* Cat. Derm. Salt. B. M. i. p. 21. n. 27 (1869).	
Var. *Gryllodes Caraibeus, Sauss.* l. c. p. 413 (1874).	
*2. **A. Clarazianus, Sauss.** (*Gryllodes C.*) l. c. p. 412. pl. 8. f. 31 (1874).	Argentine Republic.
A. Clarazianus, Sauss. Mém. Soc. Genève, xxv. p. 285 (1877).	
3. **A. Australis, Sauss.** l. c. (1877).	Australia.
4. **A. Antillarum, Sauss.** (*Gryllodes A.*) Miss. Mex., Orth. p. 414, pl. 7. ff. 10, 13 (1874).	Cuba.
A. Antillarum, Sauss. Mém. Soc. Genève, xxv. p. 285 (1877).	
5. **A. Abortivus, Sauss.** (*Gryllodes A.*) Miss. Mex., Orth. p. 415, pl. 7. f. 11 (1874).	Cuba.
A. Abortivus, Sauss. Mém. Soc. Genève, xxv. p. 286 (1877).	
6. **A. Brevicaudatus, Sauss.** l. c. (1877).	Bahia.

Genus 20. **Acheta.** (*Type* no. 3.)

Gryllus Acheta, Linn. Syst. Nat. (ed. x.) i. p. 428 (1758).

Acheta, Fabr. Syst. Ent. p. 279 (1775) ; Leach, Edinb. Encycl. ix. p. 119 (1815) ; Phil. Orth. Berol. p. 13 (1835) ; Steph. Ill. Brit. Ent., Mand. vi. p. 39 (1835).

Gryllus, Latr. Hist. Nat. Crust. Ins. iii. p. 276 (1802), xii. p. 122 (1804).

Liogryllus, Sauss. Mém. Soc. Genève. xxv. p. 134 (1877) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 451 (1904). (*Type* no. 3.)

1. **A. Ritsemæ, Sauss.** (*Liogryllus R.*) l. c. p. 136 (1877).	Japan.
Liogryllus Ritsemai, Jacobs. & Bianchi, l. c. p. 451 (1904).	
2. **A. Morio, Fabr. Spec. Ins. i. p. 354. n. 9 (1781).	W. & E. Africa.

Gryllus Morio, Oliv. Enc. Méth., Ins. vi. p. 636. n. 11 (1791).

Liogryllus Morio, Sauss. l. c. p. 136, pl. 12 (ix.) f. 9 *bis* (1877).

A. Maurus, Afz. & Brunn. Achet. Guin. p. 22. n. 3, f. 4 (1804).

***Gryllus Atratus, Walk.* Cat. Derm. Salt. B. M. i. p. 30. n. 49 (1869),

*3. **A. Campestris, Linn.** (*Gryllus Acheta C.*) l. c. p. 428. n. 21 (1758); Stoll, Spectres, Gryll. Ach. p. 2, pl. 1 c. ff. 4, 5 (1813).	Europe, W. Asia, N. Africa.

A. Campestris, Fabr. Syst. Ent. p. 281. n. 7 (1775); Steph. l. c. p. 39 (1835); Schrank, Fauna Boica, ii. p. 34. n. 1027 (1801); Charp. Hor. Ent. p. 81 (1825); Phil. l. c. p. 14. n. 1 (1830).

Gryllus Campestris, Schrank, Enum. Ins. Austr. p. 244. n. 465 (1784); Oliv. l. c. p. 636. n. 12 (1791); Latr. l. c. xii. p. 124. n. 4 (1804); Brullé, Hist. Nat. Ins. ix. p. 178. n. 2, pl. 18. f. 2 (1835); Wesm. Bull. Acad. Brux. v. p. 590. n. 2 (1838); Burm. Handb. Ent. ii. p. 734. n. 13 (1838); Serv. Ins. Orth. p. 336 (1839); Blanch. Hist. Nat. Ins. iii. p. 32. n. 2 (1840); Fisch. Waldh. Orth. Ross. p. 127, pl. 24. ff. 4, 5 (1846); Costa, Ent. Nap., Orth. Grill. p. 8, pl. 6. f. 1 (1852); Fisch. Orth. Eur. p. 178 (1853); Fieb. Lotos, iii. p. 234. n. 2 (1853); Syn. Eur. Orth. p. 65. n. 2 (1854); Friv. Értek. Termész. Kör. p. 73. n. 6 (1867); Bol. Ortópt. Españ. pp. 281, 282, pl. 7. f. 1 (1876); An. Soc. Españ. viii. pp. 77, 78, pl. 3. f. 1 (1878); Brunn. Prodr. Eur. Orth. p. 428 (1882); Finot, Orth. France, pp. 134, 135 (1883); Faune France, Orth. p. 237, pl. 12. f. 152 (1889); Burr, Brit. Orth. p. 65, pl. 5. f. 5 (1897); Tümp. Geradfl. Mitteleurop. p. 274, pl. 22 (1900).

Liogryllus Campestris, Sauss. l. c. p. 137, pl. 12 (ix.) ff. 1–3, 5–9 (1877); Bol. Ann. Sci. Nat. Porto, v. p. 42. n. 1 (1867); Jacobs. & Bianchi, l. c. p. 451, pl. 9 (1904).

Gryllus Campestris, var. *Caudata*, *Krauss*, Verh. zool.-bot. Ges. Wien, xxxvi. p. 147, pl. 5. f. 6 (1886); Pant. An. Soc. Españ. xv. p. 284 (1886).	
*4. **A. Bimaculata, De Geer,** (*Gryllus Bimaculatus*) Mém. Ins. iii. p. 521. n. 4, pl. 43. f. 4 (1773); Bol. Ortópt. Españ. pp. 281, 283. n. 2, pl. 7. f. 2 (1876); An. Soc. Españ. viii. pp. 77, 79, pl. 3. f. 2 (1878); Brunn. l. c. pp. 427, 429. n. 2 (1882); Finot, ll. cc. pp. 134, 135 (1883); pp. 237, 238, pl. 12. ff. 153, 154 (1889).	S. Europe, Africa.
A. Bimaculata, *Herbst*, Fuessly, Archiv, p. 192, pl. 53. f. 1 (1788); Afzel. & Brann. Achet. Guin. p. 18. n. 2, f. 3 (1804).	
Liogryllus Bimaculatus, *Sauss.* l. c. p. 139 (1877); Bol. Ann. Sci. Nat. Porto, v. p. 42 (1898); Jacobs. & Bianchi, l. c. p. 451 (1904).	
A. Capensis, *Fabr.* l. c. p. 281. n. 6 (1775); Cyr. Ent. Neap. pl. 5. f. 5 (1791); Ramb. Faune Andal. ii. p. 28, pl. 2. ff. 4, 5 (1839).	
Gryllus Capensis, *Oliv.* l. c. p. 635. n. 10 (1791); Burm. l. c. p. 734. n. 14 (1838); Serv. l. c. p. 337 (1839); Costa, l. c. pp. 10, 45, pl. 6. f. 2 A, B, pl. 8. f. 1 A, B (1852–5); Fisch. l. c. p. 182 (1853); Walk. Cat. Derm. Salt. B. M. i. p. 16. n. 14 (1869).	
Gryllus Acheta Rubricollis, *Stoll*, l. c. p. 6, pl. 3 c. f. 15 (1813).	
‖*Gryllus Campestris*, *Blanch.* Cuv. Règne Anim., Ins. xiii. p. 18; xiv. pl. 81. f. 3 (1836 ?).	
***Gryllus Interruptus*, *Walk.* Cat. Derm. Salt. B. M. i. p. 35. n. 63 (1869).	
**Var. *Gryllus Ater*, *Walk.* l. c. p. 33. n. 56 (1869).	Syria.
5. **A. Lugubris, Stål,** (*Gryllus L.*) Œfv. Vet.-Akad. Förh. xii. p. 351 (1855); Sauss. l. c. p. 159 (1877).	Sennaar.

GRYLLINÆ C.

Genus 21. **Gryllus.** (*Type* no. 3.)

Linn. Syst. Nat. (ed. x.) p. 425 (1758) ; Faun. Suec. (ed. 2) p. 235 (1761) ; Schrank, Enum. Ins. Austr. p. 242 (1781) ; Latr. Hist. Nat. Crust. Ins. iii. p. 122 (1802) ; Burm. Handb. Ent. ii. p. 730 (1838) ; Wesm. Bull. Acad. Brux. v. p. 590 (1838) ; Serv. Ins. Orth. p. 327 (1839) ; Fisch. Waldh. Orth. Ross. p. 123 (1846) ; Borck, Skand. Rätv. Ins. p. 45 (1848) ; Costa, Faun. Nap., Grill. p. 8 (1852) ; Fisch. Orth. Eur. p. 170 (1853) ; Fieb. Lotos, iii. p. 234 (1853) ; Syn. Eur. Orth. p. 64 (1854) ; Friv. Értek. Termész. Kör. i. (12) pp. 67, 72 (1867) ; Sauss. Miss. Mex., Orth. p. 391 (1874) ; Mém. Soc. Genève, xxv. p. 144 (1877) ; Bol. Ortópt. Españ. pp. 276, 280 (1876) ; An. Soc. Españ. viii. pp. 72, 76 (1878) ; Ann. Sci. Nat. Porto, v. pp. 39, 43 (1898) ; Brunn. Prodr. Eur. Orth. pp. 419, 426 (1882) ; Finot, Orth. France, pp. 131, 134 (1883) ; Faune France, Orth. pp. 231, 236 (1889) ; McNeill, Ent. Amer. v. p. 101 (1889) ; Beut. Bull. Amer. Mus. Nat. Hist. vi. p. 264 (1894) ; Burr, Brit. Orth. pp. 63, 64 (1897) ; Auriv. Ent. Tidskr. xxi. p. 254 (1900) ; Tümp. Geradfl. Mitteleurop. pp. 228, 274 (1900) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 452 (1904).

Acheta, pt., *Fabr.* Syst. Ent. p. 279 (1775) ; Schrank, Faun. Boica, ii. p. 30 (1801) ; Thunb. Mém. Acad. Pétersb. v. p. 214 (1815) ; Zett. Orth. Suec. p. 53 (1821) ; Curt. Brit. Ent. vii. pl. 293 (1830) ; Phil. Orthopt. Berol. p. 13 (1830) ; Steph. Ill. Brit. Ent., Mand. vi. p. 39 (1835) ; Westw. Mod. Classif. Ins., ii. Synopsis Gen. p. 44 (1840).

*1. **G. Desertus, Pall.** Reis. Russ. Reichs, i. p. 468. n. 33 (1771) ; Fisch. Waldh. l. c. p. 130, pl. 24. ff. 6, 7 (1846) ; Fieb. Lotos, v. p. 66. n. 3 (1855) ; Sauss. Fedchenko, Reise Turk., Orth. p. 32, pl. 1. f. 12 (1874) ; Mém. Soc. Genève, xx. p. 162 (1877) ; Brunn. l. c. p. 430 (1882) ; Finot, ll. cc. pp. 134, 136 (1883) ; pp. 237, 238 (1889) ; Bol. Ann. Sci. Nat. Porto, v. p. 43 (1898) ; Jacobs. & Bianchi, l. c. p. 452, pl. 10 (1904). *Var. *Acheta Melas, Charp.* Hor. Ent. p. 81 (1825).	S. Europe, N. Africa, W. Asia.

Gryllus Melas, *Burm.* l. c. p. 734. n. 11 (1838); Serv. l. c. p. 338 (1839); Fisch. Waldh. l. c. p. 132 (1846); Lucas, Expl. Alg. iii. p. 22, pl. 1. f. 7 (1849); Fisch. l. c. p. 177 (1853); Costa, Faun. Nap., Grill. p. 33, pl. 9. f. 2 (1855); Fieb. l. c. p. 66. n. 33 (1855); Friv. l. c. p. 74, pl. 1. f. 1 (1867); Sauss. Fedchenko, Reise Turk., Orth. p. 34 (1874); Bol. Ortópt. Españ. pp. 282, 283. n. 3 (1876); An. Soc. Españ. viii. pp. 78, 79. n. 3 (1878).

Acheta Agricola, *Ramb.* Faune Andal. p. 32, pl. 2. f. 6 (1839).

Var. *Gryllus Tristis*, *Serv.* l. c. p. 338 (1839); Fisch. l. c. p. 178 (1853); Fieb. l. c. p. 67. n. 5 (1855); Costa, l. c. p. 44 (1855).

*2. **G. Hispanicus, Ramb.** (*Acheta Hispanica*) l. c. p. 33, pl. 2. f. 3 (1839).

Spain,
Madeira,
Tenerife,
S. Africa.

G. Hispanicus, *Fisch.* l. c. p. 180 (1853); Fieb. l. c. p. 67. n. 6 (1855); Sauss. Mém. Soc. Genève, xxv. p. 175 (1877); Bol. Ortópt. Españ. pp. 281, 285. n. 5 (1876); An. Soc. Españ. viii. pp. 77, 81. n. 5 (1878); Ann. Sci. Nat. Porto, v. p. 43 (1898); Brunn. l. c. p. 431 (1882).

**Var. *G. Marginalis*, *Walk.* Cat. Derm. Salt. B. M. i. p. 25. n. 38 (1869). Madeira.

Var. *G. Guanchicus*, *Krauss*, Zool. Anz. xv. p. 171 (1892). Tenerife.

*3. **G. Domesticus, Linn.** (*Gryllus Acheta D.*) Syst. Nat. (ed .x.) i. p. 428. n. 20 (1758).

Europe,
N. Africa.

Gryllus Domesticus, *Linn.* Faun. Suec. (ed. 2) p. 236. n. 867 (1761); De Geer, Mém. Ins. iii. p. 509, pl. 24. ff. 1, 2 (1773); Schrank, Enum. Ins. Austr. p. 244. n. 464 (1781); Oliv. Enc. Méth., Ins. vi. p. 634. n. 3 (1791); Latr. l. c. xii. p. 123. n. 1 (1804); Burm. l. c. p. 733. n. 7 (1838); Wesm. l. c. p. 590. n. 1 (1838); Serv. l. c. p. 340 (1839); Fisch. Waldh. l. c. p. 129, pl. 24. ff. 8, 9 (1846); Borck, l. c. p. 46. n. 1, pl. 1. ff. 8, 9 (1848); Fieb. l. c. iii. p. 236. n. 13 (1853); Syn. Eur. Orth. p. 66. n. 13 (1854); Fisch. Orth. Eur. p. 180, pl. 9. f. 9 *a–c* (1853); Friv. l. c. p. 76.

n. 5 (1867); Glover, Ill. N. Amer. Orth. pl. 6. f. 14 (1872); Sauss. Miss. Mex., Orth. p. 400 (1874); Mém. Soc. Genève, xxv. p. 173 (1877); Bol. ll. cc. pp. 281, 285. n. 6 (1876); pp. 71, 81. n. 6 (1878); p. 43 (1898); Brunn. Prodr. Eur. Orth. p. 432, pl. 11. f. 99 (1882); Finot, ll. cc. pp. 135, 136 (1883); pp. 237, 239 (1889); Beut. l. c. p. 266, pl. 5. f. 8 (1894); Burr. l. c. p. 66, pl. 5. f. 6 (1897); Auriv. l. c. p. 254. n. 1 (1900); Tümp. l. c. p. 274, pl. 22 (1900); Blatchl. Rep. Ind. Dept. Geol. xxvii. pp. 431, 439. n. 137, f. 111 (1903); Jacobs. & Bianchi, l. c. p. 452, pl. 9 (1904); E. M. Walker, Canad. Ent. xxxvi. pp. 249, 252. n. 11 (1904).	
Gryllus Acheta Domestica, *Stoll*, Spectres, Gryll. Achet. p. 5, pl. 3 c. ff. 12, 13 (1813).	
Acheta Domestica, *Fabr.* Syst. Ent. p. 280. n. 2 (1775); Schrank, Fauna Boica, ii. p. 34. n. 1026 (1801); Panz. Faun. Germ. fasc. 88. pls. 6, 7 (1805); Thunb. l. c. p. 271 (1815); Zett. l. c. p. 55 (1821); Phil. l. c. p. 18. n. 2 (1830); Ramb. l. c. p. 33 (1839); Charp. l. c. p. 80 (1825).	
Acheta Domesticus, *Steph.* l. c. p. 40 (1835).	
** *Gryllus Transversalis*, *Walk.* l. c. v. Suppl. p. 6 (1871).	Bombay.
4. **G. Gossypii, Costa,** l. c. p. 46, pl. 9. f. 6 (1855); Sauss. Mém. Soc. Genève, xxv. p. 180 (1877).	Otranto.
5. **G. Tartarus, Sauss.** Fedchenko, Reise Turk., Orth. p. 34. n. 8, pl. 1. f. 14 (1874); Mém. Soc. Genève, xxv. p. 181. n. 39 (1877); Jacobs. & Bianchi, l. c. p. 455 (1904).	Turkestan, Caucasus.
*6. **G. Chinensis, Weber,** (*Acheta C.*) Obs. Ent. p. 97 (1801).	China, India,
** *G. Minusculus*, *Walk.* l. c. i. p. 36. n. 66 (1869).	S.Europe, Africa,
** *G. Aspersus*, *Walk.* l. c. i. p. 39. n. 72 (1869).	Madagascar
*Var. *G. Cerisyi*, *Serv.* l. c. p. 342 (1839); Fisch. l. c. p. 176 (1853); Sauss. Fedchenko, Reise Turk. p. 33, pl. 1. f. 13 (1874).	S.Europe.

G. Burdigalensis, var. *Cerisyi, Sauss.* Mém. Soc. Genève, xxv. p. 185, pl. 12 (xi.) f. 3 (1877); Bol. ll. cc. p. 284. n. 4 (1876); p. 80. n. 4 (1878); p. 44 (1898); Brunn. l. c. p. 434 (1882); Finot, Faune France, Orth. p. 240 (1889); Jacobs. & Bianchi, l. c. p. 455 (1904).	
G. Cinereus, Costa, l. c. p. 32, pl. 8. f. 3 A–C (1855).	
***G. Pygmæus, Walk.* l. c. i. p. 25. n. 40 (1869).	Egypt.
G. Marginatus, Eversm. Bull. Mosc. xxxii. (1) p. 127 (1859).	
G. Eversmanni, Jakovl. Trud. Russk. Ent. Obshch. vi. p. 19, pl. 1. ff. 2, 2 *a* (1871).	
Var. *Acheta Arvensis, Ramb.* l. c. p. 30, pl. 2. ff. 7, 8 (1839).	S. Europe.
Gryllus Arvensis, Fisch. l. c. p. 176 (1853); Fieb. Lotos, v. p. 67. n. 7 (1855); Friv. l. c. p. 75, pl. 1. f. 2 (1868).	
G. Burdigalensis, var. *Arvensis, Sauss.* l. c. p. 186 (1877); Bol. ll. cc. p. 284. n. 4 (1876); p. 80. n. 4 (1878); p. 44 (1898); Brunn. l. c. p. 434 (1882); Jacobs. & Bianchi, l. c. p. 455 (1904).	
G. Geminus, Serv. l. c. p. 343 (1839).	
Var. *G. Bordigalensis, Latr.* l. c. xii. p. 124. n. 3 (1804); Burm. l. c. p. 734. n. 10 (1838); Fieb. l. c. v. p. 67. n. 14 (1855).	id., Africa, Madagascar Asia.
Acheta Bordigalensis, Charp. l. c. p. 82 (1825); Herr.-Schäff. Faun. Ins. Germ. fasc. 157. taf. 13 (1838).	
Gryllus Burdigalensis, Serv. l. c. p. 341 (1839); Costa, l. c. p. 44 (1852); Fisch. l. c. p. 135. n. 4 (1853); Bol. ll. cc. pp. 282, 284. n. 4 (1876); pp. 78, 80. n. 4 (1878); pp. 43, 44. n. 5 (1898); Sauss. Mém. Soc. Genève, xxv. p. 185 (1877); Brunn. l. c. p. 433 (1882); Finot, ll. cc. pp. 135, 137 (1883); pp. 237, 240 (1889); Jacobs. & Bianchi, l. c. p. 455 (1904).	
7. **G. Ægyptiacus, Haan,** Temminck, Verhandel., Orth. p. 229. n. 14, *b* (1842); Sauss. l. c. p. 196 (1877).	Egypt.
8. **G. Cyprius, Sauss.** l. c. p. 190 (1877).	Cyprus.

9. **G. Algirius, Sauss.** l. c. p. 191, pl. 12. (xi.) f. 5 (1877). *G. Algericus, Brunn.* l. c. p. 435 (1882).	Algeria, Asia Minor.
10. **G. Syriacus, Bol.** Rev. Biol. Nord France, v. p. 488 (1893).	Mt. of Olives.
*11. **G. Frontalis, Fieb.** Abhandl. Böhm. Ges. (5) iii. p. 405. n. 3, pl. 10. f. 11 (1845); Lotos, iii. p. 235. n. 8 (1853); Syn. Eur. Orth. p. 65. n. 8 (1854); Fisch. l. c. p. 176, pl. 9. f. 7 (1853); Friv. l. c. p. 75 (1867); Sauss. Fedchenko, Reise Turk., Orth. p. 35 (1874); Mém. Soc. Genève, xxv. p. 177 (1877); Brunn. l. c. p. 435 (1882); Arnold, Hor. Soc. Ent. Ross. xvi. p. 38, pl. 9 (1882); Tümp. l. c. p. 274 (1900); Jacobs. & Bianchi, l. c. p. 454, pl. 10 (1904). *Gryllus Pubescens, Eversm.* l. c. p. 127 (1859). *G. Hermsdorfensis, Zell.* Stett. Ent. Zeit. xvii. p. 23 (1856). *Nemobius Fasciatus, Walk.* Cat. Derm. Salt. v. Suppl. p. 9 (1871). *G. Frontalis*, var. *Alata, Jacobs. & Bianchi*, l. c. p. 454 (1904).	Germany, E. Europe.
12. **G. Tomentosus, Eversm.** l. c. p. 127 (1859); Sauss. Fedchenko, Reise Turk., Orth. p. 35 (1874); Mém. Soc. Genève, xxv. p. 197 (1877).	Kirghis Steppes.
13. **G. Palmetorum, Krauss,** Verh. zool.-bot. Ges. Wien, lii. pp. 250, 251, f. 11 (1902).	Algeria.
14. **G. Hygrophilus, Krauss,** l. c. p. 251 (1902).	id.
15. **G. Afer, Sauss.** Mém. Soc. Genève, xxv. p. 159 (1877).	Mozambique, Madagascar
16. **G. Lineaticeps, Walk.** l. c. i. p. 28. n. 45 (1869). (?) *G. Consobrinus*, var., *Sauss.* l. c. pp. 188, 189 (1877).	S. Leone.
*17. **G. Quadristrigatus, Sauss.** l. c. p. 166 (1877).	W. & E. Africa, Coromandel
18. **G. Longecaudatus, Schulth.** Zool. Jahrb. Syst. viii. p. 82 (1894).	Somali.
19. **G. Notabilis, Walk. l. c. i. p. 28. n. 46 (1869).	S. Leone.

20. **G. Latifrons, Karsch,** Berlin. Ent. Zeitschr. xxxviii. p. 150 (1896).	W. Africa, Togo.
*21. **G. Leucostomus, Serv.** l. c. p. 342 (1839); Sauss. l. c. p. 167 (1877).	E. & W. Africa.
***G. Guttatus, Walk.* l. c. i. p. 27. n. 43 (1869).	
22. **G. Adustus, Karsch,** l. c. p. 151 (1893).	Togo.
23. **G. Ambiguus, Karsch,** l. c. (1893).	id.
24. **G. Ignobilis, Walk. l. c. i. p. 29. n. 47 (1869).	Natal.
25. **G. Typographicus, Sauss.** l. c. p. 168 (1877).	Zanzibar.
26. **G. Xanthoneurus, Gerst.** Arch. f. Nat. xxxv. (1) p. 212. n. 34 (1869); Decken's Reise Ost-Afrika, Ins. p. 22, pl. 1. ff. 10, 10 *a* (1873): Sauss. l. c. p. 169 (1877).	E. Africa (Wanga).
27. **G. Æquipennis, Sauss.** Abh. Senckenb. Ges. xxi. p. 602 (1899).	Zanzibar.
*28. **G. Brunneri, Selys,** Ann. Soc. Ent. Belge, xi. p. 27 (1867); Sauss. Mém. Soc. Genève, xxv. p. 170 (1877).	Africa, India, Australia.
G. Contaminatus, Gerst. ll. cc. p. 213. n. 38 (1869); p. 26. n. 38 (1873), *larva.*	
29. **G. Macrurus, Walk. l. c. i. p. 29. n. 48 (1869).	Fantee.
30. **G. Posticus, Walk. l. c. i. p. 30. n. 50 (1869).	S. Leone.
*31. **G. Gracilipes, Sauss.** l. c. p. 160, pl. 12 (x.) f. 4 (1877).	Africa, India, &c.
32. **G. Plagiceps, Walk. l. c. i. p. 27. n. 44 (1869) (♀ *nec* ♂ !).	W. Africa.
32 *a*. **G. Ornaticeps, Sauss.** l. c. p. 178 (1877).	Gold Coast.
33. **G. Conspersus, Schaum,** Ber. Akad. Berl. 1853. p. 776. n. 6: Peters' Reise Mossamb. v. p. 117 (1862); Sauss. l. c. p. 183 (1877).	E. Africa; India (?).
♂. *G. Laqueatus, Gerst.* ll. cc. p. 212. n. 36 (1869); p. 24, pl. 1. f. 12 (1873).	
34. **G. Consobrinus, Sauss.** l. c. p. 188, pl. 12 (xi.) f. 4 (1877); Brunn. Ann. Mus. Genova, xxxiii. p. 198 (1893).	Senegal, E. Africa, E. Indies.
35. **G. Pachycephalus, Karsch,** Ent. Nachr. xix. p. 200 (1893).	Cameroons.
*36. **G. Viator, Kirb.** (n. n.).	Abyssinia, Nyassa, India.
G. Melanocephalus, Sauss. (*nec Serv.*) l. c. p. 174, pl. 12 (x.) ff. 1, 2 (1877).	

37. **G. Pulchriceps, Gerst.** ll. cc. p. 212 (1869); p. 22, pl. 1. f. 9 (1873); Sauss. l. c. p. 179 (1877).	Zanzibar.
38. **G. Lucens, Walk. l. c. i. p. 32. n. 54 (1869).	Sierra Leone.
39. **G. Compactus, Walk. l. c. p. 31. n. 51 (1869).	Natal.
40. **G. Testaceus, Walk. l. c. p. 38. n. 70 (1869). ‖ *G. Chinensis, Sauss.* (*nec Weber*) l. c. p. 153, pl. 12 (ix.) f. 4 (1877). ‖ *G. Membranaceus, Serv.* (*nec Dru.*) l. c. p. 334 (1839).	China, Japan, India, Ceylon, Malacca, &c.
***G. Consimilis, Walk.* l. c. p. 41. n. 78 (1869).	Philippines.
41. **G. Infernalis, Sauss.** l. c. p. 156 (1877).	China.
*42. **G. Mitratus, Burm.** l. c. p. 734. n. 12 (1838); Sauss. l. c. p. 154 (1877). *G. Occipitalis, Serv.* l. c. p. 339 (1839). Var. *G. Mitratus*, var. *Albifrons, Sauss.* l. c. p. 155 (1877).	Java, Nepal, Malacca.
*43. **G. Perspicillatus, Serv.** l. c. p. 338 (1839). *G. Mitratus*, var., *Sauss.* l. c. p. 165 (1877).	India, Java.
44. **G. Supplicans, Walk. (*Acheta S.*) Ann. Nat. Hist. (3) iv. p. 221 (1859). *G. Supplicans, Walk.* Cat. Derm. Salt. B. M. i. p. 36. n. 65 (1869).	Ceylon.
*45. **G. Orientalis, Fabr.** (*Acheta O.*) Syst. Ent. p. 281. n. 5 (1775). *Gryllus Orientalis, Oliv.* l. c. p. 635. n. 8 (1791); Sauss. l. c. p. 196. n. 3 (1877).	Tranquebar, Tonkin.
*46. **G. Oceanicus, Le Guill.** Rev. Zool. 1841, p. 293. n. 10. *G. Innotabilis, Walk.* l. c. i. p. 47. n. 92 (1869); Sauss. Mém. Soc. Genève, xxv. p. 158 (1877).	Penang, Java, Tahiti, Fiji, Hawaiian Is.
47. **G. Configuratus, Walk. l. c. v. Suppl. p. 8 (1871).	Bombay.
48. **G. Longipennis, Sauss.** l. c. p. 161, pl. 12 (x.) f. 3 (1877).	E. Indies.
49. **G. Conscitus, Walk. l. c. i. p. 35. n. 64 (1869).	Nepal.
49 *a*. **G. Niger, Sauss.** l. c. p. 164 (1877).	Ind., Java.
50. **G. Tenellus, Walk. l. c. i. p. 37. n. 67 (1869).	Ceylon.

*51.	**G. Melanocephalus, Serv.** l. c. p. 342 (1839).	Bengal.
**52.	**G. Spurcatus, Walk.** l. c. i. p. 35. n. 62 (1869).	HongKong, Macao.
**53.	**G. Guttiventris, Walk.** l. c. v. Suppl. p. 6 (1871).	Bombay.
**54.	**G. Signipes, Walk.** l. c. p. 8 (1871).	id.
**55.	**G. Concisus, Walk.** l. c. i. p. 34. n. 61 (1869).	Burma.
**56.	**G. Miser, Walk.** l. c. i. p. 41. n. 79 (1869).	Borneo.
**57.	**G. Lineiceps, Walk.** l. c. v. Suppl. p. 7 (1871).	Bombay.
**58.	**G. Confirmatus, Walk.** (*Acheta Confirmata*) Ann. Nat. Hist. (3) iv. p. 221 (1859).	Ceylon.
	G. Confirmatus, Walk. Cat. Derm. Salt. B. M. i. p. 37. n. 68 (1869).	
**59.	**G. Angustulus, Walk.** l. c. v. Suppl. p. 7 (1871).	id.
**60.	**G. Ferricollis, Walk.** l. c. p. 6 (1871).	Bombay.
**61.	**G. Signifrons, Walk.** l. c. i. p. 38. n. 70 (1869).	N. India.
62.	**G. Plebejus, Sauss.** l. c. p. 165 (1877).	Burm., Phil.
*63.	**G. Quadrimaculatus, Sauss.** l. c. p. 172 (1877).	Philippines.
64.	**G. Dorsalis, Burm.** Handb. Ent. ii. p. 733. n. 5 (1838); Sauss. l. c. p. 196. n. 1 (1877).	Java.
**65.	**G. Atratulus, Walk.** l. c. i. p. 40. n. 77 (1869).	Philippines.
*66.	**G. Nefandus, Kirb.** (n. n.).	Java, Amboina.
	‖ *G. Ignobilis, Sauss.* (*nec Walk.*) l. c. p. 165 (1877).	
67.	**G. Vaginalis, Sauss.** l. c. p. 188 (1877).	Java.
68.	**G. Clarellus, Sauss.** l. c. p. 192 (1877).	Java, Burm.
69.	**G. Conjunctus, Stål,** Eugenie's Resa, Orth. p. 315 (1858); Sauss. l. c. p. 175. n. 33 (1877).	Java.
70.	**G. Carbonarius, Serv.** l. c. p. 335 (1839).	Hab. —— ?
*71.	**G. Commodus, Walk.** l. c. i. p. 45. n. 87 (1869).	Australia, New Caledonia, New Zealand.
	‖ *G. Fuliginosus, Serv.* (*nec Stoll*) l. c. p. 334 (1839).	
	G. Serrillei, Sauss. l. c. p. 156 (1877).	
**72.	**G. Comparatus, Walk.** l. c. i. p. 44. n. 85 (1869).	Australia.

(?) *G. Diminuens*, var. (?) & ♀ (?), *Walk.* l. c. p. 43. n. 83 (1869).	
73. **G. Regulus, Macl.** King, Surv. Coasts Austral. ii. p. 456. n. 116 (1827).	Australia.
74. **G. Lepidus, Walk. l. c. p. 40. n. 89 (1869); Sauss. l. c. p. 182 (1877).	id.
75. **G. Diminuens, Walk. (♂) l. c. p. 43. n. 83 (1869).	Tasmania.
76. **G. Luctuosus, Serv.** l. c. p. 335 (1839); Scudd. Bost. Journ. Nat. Hist. vii. p. 427 (1862); Glover, Ill. N. Amer. Orth. pl. 9. ff. 10, 11 (1872); Sauss. Miss. Mex., Orth. p. 396 (1874); Mém. Soc. Genève, xxv. p. 149 (1877); Biol. Centr.-Amer., Orth. i. p. 226. n. 4 (1897); Blatchl. Proc. Indiana Acad. Sci. 1891, p. 133. n. 5.	N. America, Mexico, Guatemala.
*77. **G. Abbreviatus, Serv.** l. c. p. 336 (1839); Scudd. l. c. p. 427 (1862); Psyche, ix. p. 291 (1902); Glov. l. c. pl. 7. f. 17 (1872); Sauss. ll. cc. p. 400 (1874); p. 149 (1877); p. 225 (1897); Blatchl. l. c. p. 132. n. 4 (1891); Rep. Indiana Dept. Geol. pp. 431, 435. n. 135 (1903); Beut. l. c. p. 265 (1894); E. M. Walker, l. c. xxxvi. p. 248. n. 9 (1904).	N. America, Mexico.
Acheta Abbreviata, Harr. Ins. Injur. Veget. p. 122 (1841); (ed. 3) p. 152. f. 69 (1862).	
‖ *G. Pensylvanicus, Sauss. (nec Burm.)* Miss. Mex., Orth. p. 401 (1874).	
Var. *G. Scudderianus, Sauss.* l. c. p. 402 (1874).	
Var. *G. Angustus, Scudd.* Bost. Journ. Nat. Hist. vii. p. 427 (1862).	
*78. **G. Niger, Harr.** (*Acheta Nigra*) ll. cc. p. 123 (1841); p. 152 (1862).	Northern U. States, Canada.
G. Neglectus, Scudd. l. c. p. 428 (1862).	
(?) *G. Niger, Scudd.* l. c. (1862).	
***G. Nigerrimus, Walk.* l. c. i. p. 49. n. 96 (1869).	
G. Pennsylvanicus, var. *Neglectus, Caud.* Proc. U.S. Nat. Mus. xxviii. p. 477 (1905).	
*79. **G. Pennsylvanicus, Burm.** l. c. p. 734 (1838); Glov. l. c. pl. 1. ff. 13, 14 (1872); Blatchl. ll. cc. p. 134. n. 6 (1891); pp. 432,	United States, Mexico.

437. n. 136, f. 110 (1903); Beut. l. c. p. 265, pl. 5. ff. 6, 7 (1894); E. M. Walker, l. c. pp. 249, 251. n. 10 (1904); Rehn, Entom. News, xv. p. 269 (1904).	
G. Neglectus, var., *Sauss.* Biol. Centr.-Amer., Orth. i. p. 225. n. 2 (1897).	
80. **G. Americanus, Blatchl.** Rep. Indiana Dept. Geol. xxvii. pp. 431, 433. n. 133 (1903).	Indiana.
81. **G. Arenaceus, Blatchl.** l. c. pp. 431, 434. n. 134 (1903).	id.
82. **G. Armatus, Scudd.** Psyche, ix. p. 293 (1902).	Utah, Arizona.
83. **G. Alogus, Rehn,** Proc. Acad. Nat. Sci. Philad. liv. p. 725 (1902).	New Mexico.
*84. **G. Integer, Scudd.** l. c. p. 268 (1901).	S.W.States.
85. **G. Vocalis, Scudd.** l. c. (1901).	California.
86. **G. Firmus, Scudd.** l. c. p. 295 (1902); Blatchl. l. c. pp. 431, 432. n. 132 (1903).	S.E.States.
87. **G. Personatus, Uhler,** Proc. Ent. Soc. Philad. ii. p. 547 (1864); Sauss. Miss. Mex., Orth. p. 400 (1874); Scudd. l. c. p. 293 (1902).	Kansas, Colorado, Texas.
88. **G. Bermudensis, Caud.** Proc. Ent. Soc. Washington, v. p. 330 (1903).	Bermuda.
89. **G. Rubens, Scudd.** l. c. p. 295 (1902).	Alabama.
90. **G. Insularis, Scudd.** Proc. Boston Soc. Nat. Hist. xviii. p. 268 (1876); Sauss. Biol. Centr.-Amer., Orth. i. p. 225 (1897).	Lower California: Guadalupe I
91. **G. Lineaticeps, Stål,** Eugenie's Resa, Orth. p. 314 (1858).	San Francisco.
92. **G. Similaris, Walk. l. c. i. p. 20. n. 26 (1869).	Haiti.
*93. **G. Capitatus, Sauss.** Miss. Mex., Orth. p. 405 (1874); Mém. Soc. Genève, xxv. p. 150 (1877).	Peru, Chili, Ecuador; W. Indies (ead. ?).
*94. **G. Verticalis, Serv.** l. c. p. 343 (1839).	Cayenne, Colombia.
95. **G. Debilis, Walk. l. c. v. Suppl. p. 4 (1871).	Chontales.
*96. **G. Fulvipennis, Blanch.** Hist. Chile, Zool. vi. p. 32, pl. 1. ff. 8, 9 (1854); Sauss. ll. cc. p. 404 (1874); p. 152 (1877).	Chile, Argentina, Fernando Noronha, Venezuela, Demerara.
G. Signatus, ♀, *Walk.* l. c. p. 24. n. 36 (1869).	

*97. **G. Argentinus, Sauss.** ll. cc. p. 399 (1874); p. 152 (1877).	Argentina, Brazil.
*98. **G. Assimilis, Fabr.** Syst. Ent. p. 280. n. 3 (1775); Oliv. Enc. Méth. vi. p. 634. n. 4 (1791); Burm. l. c. p. 733. n. 8 (1838); Sauss. ll. cc. p. 396, pl. 8. ff. 27–29 (1874); p. 150 (1877); Biol. Centr.-Amer., Orth. i. p. 226, pl. 11. f. 20 (1897).	W.Indies, California, Mexico, Cent.Amer., Brazil.
G. Aztecus, Sauss. Rev. Zool. (2) xi. p. 316 (1859).	
G. Cubensis, Sauss. l. c. (1859).	
***G. Septentrionalis, Walk.* l. c. i. p. 18. n. 22 (1869).	
G. Oajacanus, Walk. l. c. p. 19 (1869).	
***G. Determinatus, Walk.* l. c. n. 24 (1869).	
***G. Parilis, Walk.* l. c. p. 20. n. 25 (1869).	
***G. Contingens, Walk.* l. c. p. 21. n. 28 (1869); Sauss. Miss. Mex., Orth. p. 404 (1874).	
***G. Signatipes, Walk.* l. c. p. 22. n. 29 (1869).	
***G. Mundus, Walk.* l. c. p. 23. n. 35 (1869).	
***G. Vicarius, Walk.* l. c. p. 24. n. 37 (1869).	
***G. Collocatus, Walk.* l. c. p. 49. n. 98 (1869).	
G. Assimilis, var. *Pallida, Sauss.* Biol. Centr.-Amer., Orth. i. p. 226 (1897).	
*99. **G. Mexicanus, Sauss.** Rev. Zool. (2) xi. p. 316 (1859); Miss. Mex., Orth. p. 402, pl. 8. ff. 30, 30 *a* (1874); Mém. Soc. Genève, xxv. p. 151 (1877); Biol. Centr.-Amer., Orth. i. p. 227 (1897).	Mexico, Centr. America.
100. **G. Luridus, Walk.** l. c. i. p. 18. n. 23 (1869).	Vera Cruz.
101. **G. Barretti, Rehn,** Trans. Amer. Ent. Soc. xxvii. p. 221 (1901).	Mexico (Morelos).
102. **G. Chichimecus, Sauss. Biol. Centr.-Amer., Orth. i. p. 226 (1897).	Mexico.
103. **G. Signatus, Walk. (♂ nec ♀) l. c. i. p. 24. n. 36 (1869).	Venezuela.
104. **G. Bicolor, Sauss.** Miss. Mex., Orth. p. 405 (1874); Mém. Soc. Genève, xxv. p. 151 (1877).	Guiana.

105. **G. Comptus, Walk. l. c. i. p. 23. n. 34 (1869).	Brazil, Demerara.
*106. **G. Forticeps, Sauss.** ll. cc. p. 407 (1874); p. 151 (1877).	iid.
107. **G. Peruviensis, Sauss.** ll. cc. p. 406 (1874); p. 153 (1877).	Peru.
108. **G. Miopteryx, Sauss.** Mém. Soc. Genève, xxv. p. 152, pl. 12 (x.) f. 5 (1877).	id.
109. **G. Galapageius, Scudd.** Bull. Mus. Harvard, xxxv. p. 22, pl. 3. f. 8 (1893); McNeill, Proc. Washington Acad. Sci. iii. p. 502 (1901).	Galapagos.
110. **G. Simplex, Walk. l. c. i. p. 48. n. 95 (1869).	Hab. —— ?

Genus 22. **Miogryllus.** (*Type* no. 7.)

Sauss. Mém. Soc. Genève, xxv. p. 194 (1877); Biol. Centr.-Amer., Orth. i. p. 227 (1897); Scudd. Psyche, ix. p. 256 (1901); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 419, 442 (1903).

1. **M. Capitatus, Scudd.** l. c. p. 257 (1901).	Texas.
2. **M. Lineatus, Scudd.** (*Gryllodes L.*) Wheeler, Ann. Rep. Geogr. Surv. W. 100th Merid. 1876, p. 279. *Gryllus Lineatus, Sauss.* Mém. Soc. Genève, xxv. p. 195, pl. 12 (xi.) f. 3 (1877).	Arizona.
3. **M. Saussurei, Scudd.** (*Gryllus S.*) Proc. Boston Soc. Nat. Hist. xix. p. 35 (1877); Blatchl. l. c. p. 442. n. 138, f. 112 (1903).	Georgia, Florida.
4. **M. Transversalis, Scudd.** Psyche, ix. p. 257 (1901).	Florida.
5. **M. Sicarius, Scudd.** l. c. p. 258 (1901).	San Diego.
6. **M. Oklahomæ, Caud.** Trans. Amer. Ent. Soc. xxviii. p. 90 (1902).	Oklahoma.
*7. **M. Pusillus, Burm.** (*Gryllus P.*) Handb. Ent. ii. p. 733. n. 6 (1838). *Gryllodes Pusillus, Sauss.* Miss. Mex., Orth. p. 416, pl. 7. f. 6 (1874).	Mexico, Guiana, Brazil, Peru.

Gryllus Pusillus, *Sauss.* Mém. Soc. Genève, xxv. p. 194, pl. 12 (xi.) ff. 7, 7 *c*, *f* (1877). *M. Pusillus*, *Sauss.* Biol. Centr.-Amer., Orth. i. p. 227 (1897).	
*8. **M. Micromegas, Sauss.** (*Gryllodes M.*) Miss. Mex., Orth. p. 418 (1874). *Gryllus Micromegas*, *Sauss.* Mém. Soc. Genève, xxv. p. 196 (1877). *M. Micromegas*, *Sauss.* Biol. Centr.-Amer., Orth. i. p. 227 (1897).	Mexico, Nicaragua.
*9. **M. Brevipennis, Sauss.** (*Gryllodes B.*) Miss. Mex., Orth. p. 418 (1874). *Gryllus Brevipennis*, *Sauss.* Mém. Soc. Genève, xxv. p. 195 (1877). *M. Brevipennis*, *Sauss.* Biol. Centr.-Amer., Orth. i. p. 227 (1897).	Mexico, Peru.
10. **M. Ater, De Geer,** (*Gryllus A.*) Mém. Ins. iii. p. 520. n. 3, pl. 43. f. 3 (1773). ‖ *Gryllus Convolutus*, pt., *Oliv.* Enc. Méth. vi. p. 638. n. 20 (1791). *Gryllodes* (?) *Convolutus*, *Sauss.* Miss. Mex., Orth. p. 413 (1874).	Surinam.
11. **M. (?) Convolutus, Joh.** (*Gryllus C.*) Amœn. Acad. vi. p. 399. n. 38 (1763).	id.
12. **M. Nitidulus, Stål,** (*Gryllus N.*) Eugenie's Resa, Orth. p. 315 (1858); Sauss. Mém. Soc. Genève, xxv. p. 196 (1877). *Gryllodes Nitidulus*, *Sauss.* Miss. Mex., Orth. p. 417 (1874).	Buenos Aires.
13. **M. Tucumanensis, Giglio-Tos,** (*Gryllus* (*Miogryllus*) *T.*) Boll. Mus. Torino, ix. (184) p. 41 (1894).	Tucuman.
14. **M. (?) Argyropterus, Rochebr.** Bull. Soc. Philom. (7) vii. p. 176 (1883).	Senegambia

Genus 23. **Grylloderes.**

Bol. Actas Soc. Españ. xxiii. p. 46 (1894).

1. **G. Brunneri, Riggio,** (*Gryllodes B.*) Nat. Sicil. vii. p. 110, pl. 1. ff. 1, 2 (1888); Atti Accad. Palermo, (2) x. p. 33, pl. 1. ff. 15, 15 *a*, *a* (1889).	Sicily.

Genus 24. **Gryllodes.** (*Type* no. 28.)

Sauss. Miss. Mex., Orth. p. 409 (1874); Mém. Soc. Genève, xxv. p. 197 (1877); Biol. Centr.-Amer., Orth. i. p. 228 (1897); Brunn. Prodr. Eur. Orth. pp. 419, 436 (1882); Riggio, Nat. Sicil. vii. p. 112 (1888); Finot, Faune France, Orth. pp. 231, 241 (1889); Bol. Actas Soc. Españ. xxiii. p. 44 (1894); Ann. Sci. Nat. Porto, v. p. 39 (1898); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 455 (1904).

1. **G. Macropterus, Fuente,** Act. Soc. Españ. xxii. p. 137 (1894); Bol. ll. cc. p. 48 (1894); p. 45 (1898).	Spain.
2. **G. Ferdinandi, Bol.** Ann. Soc. Ent. Belg. xliii. p. 606 (1899); Jacobs. & Bianchi, l. c. p. 456 (1904).	Alexandretta.
3. **G. Kerkennensis, Finot,** (♀), Bull. Soc. Ent. France, lxii. p. cclii (1893); Ann. Soc. Ent. France, lxv. p. 596 (1897); Bol. Actas Soc. Españ. xxiii. p. 49 (1894); Krauss, Verh. zool.-bot. Ges. Wien, lii. p. 252 (1902).	Tunis.
4. **G. Finoti, Krauss,** l. c. p. 253 (1902). *Gryllodes Kerkennensis*, ♂, *Finot*, ll. cc. p. cclii (1893); p. 596, pl. 14. f. 18 (1897); Bol. l. c. p. 49 (1894).	Algeria (Biskra).
5. **G. Niloticus, Sauss.** Mém. Soc. Genève, xxv. p. 221 (1897).	Egypt.
6. **G. Lateralis, Fieb.** (*Gryllus L.*) Lotos, iii. p. 235. n. 12 (1853); Syn. Eur. Orth. p. 66. n. 12 (1854). *G. Lateralis, Sauss.* l. c. p. 222 (1877); Brunn. l. c. p. 437 (1882); Riggio, l. c. p. 113 (1888); Bol. l. c. pp. 49, 51 (1894); Jacobs. & Bianchi, l. c. p. 456 (1904). ‖ *Gryllus Pipiens, Sauss.* (*nec Duf.*) Fedchenko, Reise Turk., Orth. p. 31, pl. 1. f. 11 (1874).	Caspian, Turkestan, Tunis.
7. **G. Ibericus, Brunn.** l. c. p. 438, pl. 11. f. 100 A–B (1882); Riggio, l. c. p. 113 (1888); Bol. l. c. p. 52 (1894); Ann. Sci. Nat. Porto, v. p. 45 (1898).	Spain.
8. **G. Pipiens, Duf.** (*Gryllus P.*) Ann. Sci. Phys. Brux. vi. p. 315 (1820); Serv. Ins. Orth. p. 344 (1839); Fisch. Orth. Eur. p. 175 (1853); Fieb. Lotos, v. p. 67. n. 10 (1855); Bol. Ortópt. Españ.	id., S. France.

p. 286, pl. 7. ff. 6, 6 *a* (1876) : An. Soc. Españ. pp. 78, 82. n. 7, pl. 3. ff. 6, 6 *a* (1878).	
G. Pipiens, *Sauss.* Mém. Soc. Genève, xxv. p. 223 (1877); Cazurro, An. Soc. Españ. xvii. p. 462 (1888) ; Riggio, l. c. p. 113 (1888) ; Bol. Actas Soc. Españ. xxiii. p. 52 (1894) ; Ann. Sci. Nat. Porto, v. p. 45 (1898) ; Finot, Faune France, Orth. p. 241 (1889).	
G. Pipiens, var. *Castellanus*, *Bol.* Actas Soc. Españ. xxiii. p. 53 (1894).	
G. Pipiens, var. *Lusitanus*, *Bol.* l. c. (1894).	
G. Pipiens, var. *Valentinus*, *Bol.* l. c. p. 54 (1894).	
9. **G. Panteli, Cazurro,** l. c. p. 461 (1888) ; Bol. l. c. p. 54 (1894) ; Ann. Sci. Nat. Porto, v. p. 45 (1898) ; Pant. An. Soc. Españ. xix. p. 416 (1890).	Spain.
‖ *G. Pipiens*, *Brunn.* l. c. p. 437 (1882).	
10. **G. Boscai, Bol.** Ann. Sci. Nat. Porto, v. p. 47 (1898).	Valencia.
11. **G. Escaleræ, Bol.** Actas Soc. Españ. xxiii. p. 55 (1894) ; Ann. Sci. Nat. Porto, v. p. 46 (1898).	Spain.
12. **G. Littoreus, Bol.** Le Nat. vii. p. 174 (1885) ; An. Soc. Españ. xvi. p. 109, pl. 4. f. 13 (1887) ; Actas Soc. Españ. xxiii. p. 57 (1894) ; Ann. Sci. Nat. Porto, v. p. 46 (1898) ; Riggio, l. c. p. 113 (1888).	Spain ; Toledo.
*13. **G. Apricus, Sauss.** l. c. p. 203 (1877).	Egypt, Somali.
14. **G. Terrestris, Sauss.** l. c. p. 224 (1877) ; Jacobs. & Bianchi, l. c. p. 457 (1904).	Turkestan.
15. **G. Saltator, Sauss.** l. c. p. 226 (1877).	Bahr El Abiad.
16. **G. Hebræus, Sauss.** l. c. p. 206, pl. 13 (xii.) f. 3 (1877); Jacobs. & Bianchi, l. c. p. 456 (1904).	Palestine.
17. **G. Hofmanni, Sauss.** l. c. p. 211 (1877).	Bahr El Ghazal.
*18. **G. Scenicus, Gerst.** (*Gryllus S.*) Arch. f. Nat. xxxv. p. 212. n. 35 (1869) ; Von der Decken, Reisen in Ost-Afrika, iii. (2) p. 23, pl. 1. f. 11 (1873).	E. Africa.
G. Scenicus, *Sauss.* l. c. p. 204 (1877).	

*19. **G. Teres, Schaum,** (*Gryllus T.*) Ber. Akad. Berlin, 1853, p. 777. n. 7 ; Peters' Reise Mossamb., Ins. p. 118, pl. 7. f. 6 (1862). *G. Teres, Sauss.* l. c. p. 230 (1877).	E. Africa.
20. **G. Episcopus, Sauss.** l. c. p. 201, pl. 13 (xii.) f. 1 (1877).	Gold Coast.
21. **G. Viridis, Sjöst.** Bihang Svenska Akad. xxv. (4 : 6) p. 29 (1900).	W. Africa.
22. **G. Microcephalus, Bol.** Ann. Soc. Ent. France, lxii. p. 181 (1893).	W. Africa (Assinie).
23. **G. Hiulcus, Karsch,** Berlin. Ent. Zeitschr. xxxviii. p. 152 (1896).	W. Africa (Adeli).
24. **G. Cantans, Sauss.** l. c. p. 221 (1877).	India (?).
*25. **G. Falconneti, Sauss.** l. c. p. 230 (1877).	India, Ceylon.
26. **G. Subopacus, Bol.** l. c. lxviii. p. 798 (1900).	S. India.
*27. **G. Berthellus, Sauss.** l. c. p. 205 (1877) ; Bol. An. Soc. Españ. xviii. p. 420 (1889) ; Brunn. Ann. Mus. Genova, xxxiii. p. 199 (1893) ; Jacobs. & Bianchi, l. c. p. 456 (1904).	China, Ind., Burma, Ceylon, Java, Amboina.
28. **G. Sigillatus, Walk. (*Gryllus S.*) Cat. Derm. Salt. B. M. i. p. 46. n. 90 (1869). *G. Sigillatus, Sauss.* l. c. p. 210 (1877). ***Gryllus Pustulipes, Walk.* l. c. p. 51. n. 102 (1869). *G. Pustulipes, Sauss.* l. c. p. 210 (1877). *G. Poeyi, Sauss.* Miss. Mex., Orth. p. 420, pl. 7. f. 8 (1874) : Mém. Soc. Genève, xxv. p. 219 (1877).	India, Mauritius, Hawaiian Islands, Australia, Mexico, S. America, W. Indies.
29. **G. Parviceps, Walk. (*Gryllus P.*) l. c. v. Suppl. p. 8 (1871). *G. Parviceps, Sauss.* Mém. Soc. Genève. xxv. p. 227 (1877). ?*G. Parvipennis, Sauss.* l. c. pl. 13 (xii.) ff. 2, 2 *a* (1877).	Bombay, Bengal.
30. **G. Histrio, Sauss.** l. c. p. 229 (1877).	India (?).
30 *bis.* **G. Virgulatus, Bol.** Ann. Soc. Ent. France, lxviii. p. 797 (1900).	S. India.
*31. **G. Furcatus, Sauss.** l. c. p. 231, pl. 13 (xii.) f. 4 (1877).	India.
32. **G. Blennus, Sauss.** l. c. p. 215 (1877) ; Bol. l. c. p. 797 (1900).	S. India, Java.
33. **G. Nigrifrons, Brunn.** l. c. xxxiii. p. 199, pl. 6. f. 68 (1893).	Tenasserim.

34. **G. Mandibularis, Brunn.** l. c. p. 200 pl. 6. f. 69 (1893).	Burma.
*35. **G. Hemelytrus, Sauss.** l. c. p. 208 (1877).	Java.
36. **G. Kirschii, Sauss.** l. c. p. 209 (1877).	id.
37. **G. Debilis, Sauss.** l. c. p. 217 (1877).	Borneo.
38. **G. Imbecillus, Sauss.** l. c. p. 218 (1877).	id.
39. **G. Extraneus, Sauss.** l. c. p. 214 (1877).	Flores.
40. **G. Lineiceps, Walk. l. c. i. p. 44. n. 86 (1869).	Australia.
41. **G. Parvulus, Walk. (*Gryllus P.*) l. c. i. p. 43. n. 84 (1869).	id.
*42. **G. Fistulator, Sauss.** l. c. p. 212 (1877).	Melbourne.
43. **G. Flavispina, Sauss.** l. c. p. 213 (1877).	W. Australia.
44. **G. Nanus, Walk. (*Gryllus N.*) l. c. i. p. 214 (1869).	Australia.
Piestodactylus Nanus, Sauss. l. c. p. 531 (1878).	
‖ *Gryllus Minusculus, Walk.* l. c. p. 47. n. 91 (1869).	
45. **G. Maorius, Sauss.** l. c. p. 209 (1877).	N. Zealand.
46. **G. Toltecus, Sauss.** Miss. Mex., Orth. p. 446, pl. 7. ff. 7, 7 E (1874); Mém. Soc. Genève, xxv. p. 228 (1877); Biol. Centr.-Amer., Orth. i. p. 229, pl. 11. ff. 27, 28 (1897).	Mexico.
47. **G. Forcipatus, Sauss. Biol. Centr.-Amer., Orth. i. p. 229, pl. 11. ff. 29–34 (1897).	id.
48. **G. Rufipes, Redt. Proc. Zool. Soc. Lond. 1892, p. 217, pl. 17. f. 15.	St. Vincent.
*49. **G. Guyennensis, Sauss.** Mém. Soc. Genève, xxv. p. 216 (1877).	Surinam.
*50. **G. Parvipennis, Sauss.** Miss. Mex., Orth. p. 419 (1874); Mém. Soc. Genève, xxv. p. 216 (1877).	Brazil.
51. **G. Patagonus, Sauss.** ll. cc. p. 421, pl. 7. f. 12 (1874); p. 218 (1877).	Argentina, Patagonia.
*52. **G. Laplatæ, Sauss.** (*Gryllus L.*) Miss. Mex., Orth. p. 408 (1874).	Argentina.
G. Laplatæ, Sauss. Mém. Soc. Genève, xxv. p. 215 (1877).	
53. **G. Carrascoi, Bol.** Bol. Soc. Españ. Hist. Nat. i. p. 87 (1902).	Santiago de la Espada.

54. **G. Incertus, Giglio-Tos,** Boll. Mus. Torino, ix. (184) p. 42 (1894).	Paraguay.
55. **G. Bohlsii, Giglio-Tos,** Zool. Jahrb. Syst. viii. p. 817 (1895).	id.
56. **G. Ambulator, Sauss.** (*Gryllus A.*) l. c. p. 193, pl. 12 (xi.) f. 6 (1877).	Hab. —— ?

Genus 25. **Cophogryllus.** (*Type* no. 4.)

Sauss. Mém. Soc. Genève, xxv. p. 232 (1877).

*1. **C. Physomerus, Gerst.** (*Gryllus P.*) Arch. f. Naturg. xxxv. p. 211. n. 31 (1869); Von der Decken, Reisen in Ost-Afrika, iii. (2) p. 21 (1873). *C. Physomerus, Sauss.* l. c. p. 233 (1877).	E. Africa (Lake Jipe).
*2. **C. Boromensis, Brancs.** Jahresh. Ver. Trencsin. Com. xvii. p. 260, pl. 9. f. 6 (1897).	Zambesi, Cape.
3. **C. Walkeri, Sauss. l. c. p. 233 (1877). *Gryllus Pustulipes*, ♀ (?), *Walk.* Cat. Derm. Salt. B. M. i. p. 51. n. 102 (1869).	Natal.
4. **C. Delalandi, Sauss.** l. c. p. 234, pl. 13 (xiii.) f. 2 (1877).	S. Africa.
5. **C. Fasciatus, Walk. l. c. i. p. 50. n. 101 (1869).	Natal.
6. **C. Martini, Bol.** Ann. Soc. Ent. France, lxviii. p. 798 (1900).	Trichinopoly.
7. **C. (?) Albipalpus, Sauss.** l. c. p. 236, pl. 13 (xiii.) f. 3 (1877).	India (?).
8. **C. Euzonus, Sauss.** l. c. p. 235, pl. 13 (xiii.) ff. 1, 1 *a* (1877).	Java.

Genus 26. **Podogryllus.**

Karsch, Berl. Ent. Zeitschr. xxxviii. p. 153 (1893).

1. **P. Desultorius, Karsch,** l. c. p. 154 (1893).	W. Africa (Togo).

Genus 27. **Scapsipedus.** (*Type* no. 4.)

Sauss. Mém. Soc. Genève, xxv. p. 239 (1877); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 457 (1904).

1. **S. Fuscoirroratus, Bol.** Ann. Soc. Ent. France, 1895, p. 386.	Réunion.
2. **S. Limbatus, Sauss.** l. c. p. 241, pl. 13 (xiv.) ff. 2, 2 *a* (1877).	Madagascar
3. **S. Felderi, Sauss.** l. c. p. 242 (1877).	id., Sennaar (eadem ?).
*4. **S. Marginatus, Afzel. & Brann.** (*Acheta Marginata*) Achet. Guin. p. 23. n. 4, ff. 1 *a–hh*, 5 *a* (1804).	W. & E. Africa.
♀. *Acheta Vittata, Afzel. & Brann.* l. c. p. 28, ff. 5 *b*, 10 *a*, *b* (1804).	
** *Gryllus Parallelus, Walk.* Cat. Derm. Salt. B. M. i. p. 31. n. 53 (1869).	
Gryllus Diadematus, Gerst. Arch. f. Nat. xxxv. p. 213. n. 37 (1869); Von der Decken, Reisen in Ost-Afrika, iii. (2) p. 25 (1873).	
S. Marginatus, Sauss. l. c. p. 243, pl. 13 (xiv.) ff. 1, 1 *a* (1877).	
5. **S. Africanus, Sauss.** l. c. p. 244, pl. 13 (xvi.) f. 7 (1877).	S. Africa.
6. **S. Orientalis, Bol.** l. c. lxviii. p. 799 (1900).	S. India.
S. Orientalis, var. *Bilineatus, Bol.* l. c. (1900).	
7. **S. Hastatus, Sauss.** l. c. p. 245 (1877).	Himalaya.
*8. **S. Mandibularis, Sauss.** l. c. p. 246 (1877).	Ind., Ceylon, Japan.
9. **S. Micado, Sauss.** l. c p. 247 (1877); Jacobs. & Bianchi, l. c. p. 457 (1904).	id., Celebes.

Genus 28. **Homaloblemmus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 247 (1877).

1. **H. Zambesi, Sauss.** l. c. p. 248, pl. 13 (xv.) ff. 1–3 (1877).	Zambesi.
2. **H. Maroccanus, Sauss.** Rev. Suisse Zool. v. p. 217 (1898).	Morocco.
3. **H. Vaucheri, Sauss.** l. c. (1898).	id.
4. **H. Mauretanicus, Sauss.** l. c. p. 218 (1898).	id.
5. **H. Indicus, Bol.** Ann. Soc. Ent. France, lxviii. p. 800 (1900).	S. India.

Genus 29. **Œdiblemmus.**

Sauss. Rev. Suisse Zool. v. p. 795 (1898).

1. **Œ. Olcesii, Bol.** (*Homaloblemmus O.*) Le Nat. vii. p. 117 (1885); An. Soc. Españ. xvi. p. 112. pl. 4. f. 14 (1887); Sauss. l. c. p. 216 (1898). *Œ. Olcesei*, *Sauss.* l. c. p. 796 (1898).	Tangiers.

Genus 30. **Loxoblemmus.** (*Type* no. 3.)

Sauss. Mém. Soc. Genève, xxv. p. 249 (1877); Jacobs. & Bianchi, Prem. i Lozhn. Imp. Ross. p. 457 (1904).

1. **L. Lativertex, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 603, pl. 27. ff. 5, 6 (1899).	Nossi Bé.
2. **L. Obtusus, Sauss.** l. c. p. 604, pl. 27. f. 7 (1899).	id.
3. **L. Equestris, Sauss.** Mém. Soc. Genève, xxv. p. 252, pl. 13 (xvi.) ff. 4, 4 *a–c* (1877).	Burma, Java, Celebes.
4. **L. Truncatus, Brunn.** Ann. Mus. Genova. xxxiii. p. 200 (1893).	Burma.
5. **L. Arietulus, Sauss.** l. c. p. 253 (1877); Jacobs. & Bianchi, l. c. p. 458 (1904).	Jap., Java, Sumatra.
6. **L. Pallens, Serv.** (*Gryllus P.*) Ins. Orth. p. 344 (1839). *L. Pallens*, *Sauss.* l. c. p. 254, pl. 13 (xvi.) ff. 2, 2 *a* (1877).	Australia.
7. **L. Detectus, Serv.** (*Platyblemmus D.*) l. c. p. 774 (1839). *L. Detectus*, *Sauss.* l. c. p. 255, pl. 13 (xvi.) ff. 2, 2 *a* (1877). *Platyblemmus Delectus*, *Serv.* (*err. impr.*) l. c. p. 356 (1839).	Bengal.
8. **L. Taicoun, Sauss.** l. c. p. 256 (1877); Jacobs. & Bianchi, l. c. p. 458 (1904). (?) *L. Taicun*, *Brunn.* l. c. p. 200 (1893).	Japan, Java.
9. **L. Haanii, Sauss.** l. c. p. 257, pl. 13 (xvi.) ff. 5, 5 *c* (1877). ‖ *Gryllus* (*Platyblemmus*) *Delectus*, ♂, *Haan*, Temminck, Verhandel., Orth. p. 228 (1848).	Java; Japan (?).
10. **L. Parabolicus, Sauss.** l. c. p. 258. pl. 13 (xvi.) ff. 6, 6 *a, b, c, d* (1877).	Java.
11. **L. Histrionicus, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 48 (1877).	Philippines.

12. **L. Satellitius, Stål,** l. c. (1877).	Philippines.
13. **L. Monstrosus, Stal,** l. c. (1877).	id.
14. **L.** (?) **Dœnitzi, Stein,** (*L. Dönitzi*) Berl. Ent. Zeitschr. xxv. pp. 95, 96, figs. (1881). *L. Dœnitzi, Jacobs.* & *Bianchi,* l. c. p. 457 (1904).	Japan.

Genus 31. **Lissoblemmus.** (*Type* no. 1.)

Bol. An. Soc. Españ. x. p. 351 (1881).

1. **L. Mazarredoi, Bol.** l. c. p. 352 (1881).	Oran.
2. **L. Praticola, Bol.** C.R. Soc. Ent. Belg. xxviii. p. cvi (1884); An. Soc. Españ. xvi. p. 111 (1887).	Tangier.

Genus 32. **Alluaudiella.**

Bol. Bull. Soc. Ent. France, lxii. p. cccx (1893).
|| *Alluaudia, Bol.* (*nec Lameere*) Ann. Soc. Ent. France, lxii. p. 181 (1893).

1. **A. Flavopicta, Bol.** (*Alluaudia F.*) l. c. p. 183 (1893).	W. Africa (Assinie).

Genus 33. **Thliptoblemmus.**

Sauss. Rev. Suisse Zool. v. pp. 218, 797 (1898).

1. **T. Foreli, Sauss.** l. c. pp. 218, 798 (1898). *Platyblemmus Umbraculatus*, ♀, *Gogorza,* An. Soc. Españ. x. p. 520 (1881).	Algeria.

Genus 34. **Stephoblemmus.**

Sauss. Mém. Soc. Genève, xxv. p. 259 (1877).

1. **S. Humbertiellus, Sauss.** l. c. p. 260, pl. 13 (xvii.) ff. 1–3 (1877).	Ceylon.

Genus 35. **Ganoblemmus.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 154 (1893).

1. **G. Rasilis, Karsch,** l. c. p. 155, figs. (1893).	W. Africa (Adeli).
2. **G. Flavipes, Sjöst.** Bihang Svenska Akad. xxv. (6 : 4) p. 32 (1900).	Cameroons.

Genus 36. **Sciobia.** (*Type* no. 6.)

Burm. Handb. Ent. ii. p. 735 (1838).

Platyblemmus Serv. Ins. Orth. p. 352 (1839); Ramb. Faune Andal. ii. p. 36 (1839); Fieb. Lotos, iii. p. 232 (1853): v. p. 65 (1855); Syn. Eur. Orth. p. 63 (1854); Bol. Ortópt. Españ. pp. 275, 278 (1876); An. Soc. Españ. vii. pp. 71, 74 (1878); Ann. Sci. Nat. Porto, v. pp. 39, 121 (1898); Sauss. Mém. Soc. Genève, xxv. p. 261 (1877); Rev. Suisse Zool. v. pp. 219, 799 (1898); Gogorza, An. Soc. Españ. x. p. 511 (1881); Brunn. Prodr. Eur. Orth. pp. 419, 439 (1882). (*Type* no. 6.)

Platyblemma, Erichs. Arch. Nat. vi. (2) p. 263 (1840); Fisch. Orth. Eur. p. 166 (1853).

1. **S. Umbraculata, Linn.** (*Gryllus Acheta Umbraculatus*) Syst. Nat. (ed. x.) i. p. 428. n. 22 (1758); (ed. xii.) i. (2) p. 695. n. 14 (1865). *Gryllus Umbraculatus, Oliv.* Enc. Méth., Ins. vi. p. 636. n. 14 (1791); Gray, Griffith, Anim. Kingd. xv. p. 788, pl. 63. f. 2 (1832). *Acheta Umbraculata, Fabr.* Ent. Syst. ii. p. 31. n. 12 (1793); Coqueb. Ill. Icon. Ins. iii. p. 91, pl. 21. f. 2 A, B (1804). *Platyblemmus Umbraculatus, Serv.* l. c. p. 355 (1839); Sauss. ll. cc. p. 265, pl. 13 (xviii.) f. 4 (1877); p. 802 (1898); Gogorza, l. c. p. 519 (1881); Brunn. l. c. p. 442 (1882); Finot, Ann. Soc. Ent. France, lxv. p. 602 (1897).	Morocco, Algeria.
*2. **S. Batnensis, Finot,** (*Platyblemmus B.*) Bull. Soc. Ent. France, lxii. p. ccliii (1893); Ann. Soc. Ent. France, lxv. p. 604 (1897); Sauss. Rev. Suisse Zool. v. p. 221 (1898).	Algeria (Batna).
3. **S. Velata, Serv.** (*Platyblemmus Velatus*) l. c. p. 354 (1839). *Platyblemmus Umbraculatus*, var. *Velatus*, *Gogorza*, l. c. p. 520 (1881).	Hab. —— ?
*4. **S. Caliendrum, Fisch.** (*Platyblemma C.*) l. c. p. 168, pl. 9. f. 13 (1853). *Platyblemmus Caliendrum, Sauss.* Mém. Soc. Genève, xxv. p. 266, pl. 13 (xviii.) ff. 2, 3 (1877); Brunn. l. c. p. 441 (1882).	Spain, Portugal, Tangier, Algeria.

Platyblemmus Caliendrus, Bol. ll. cc. p. 280, pl. 7. f. 4 (1876); p. 76, pl. 3. f. 4 (1878); p. 121 (1898); Gogorza, l. c. p. 516 (1881). *Platyblemmus Kollarii, Fieb.* Lotos, iii. p. 233 (1853); Syn. Eur. Orth. p. 63 (1854).	
5. **S. Mitrata, Sauss.** (*Platyblemmus Mitratus*) Rev. Suisse Zool. v. p. 221 (1898). ‖*Platyblemmus Barbarus, Sauss.* Mém. Soc. Genève, xxv. pl. 13 (xviii.) f. 3 (1877).	Tangier.
*6. **S. Lusitanica, Serv.** (*Platyblemmus Lusitanicus*) l. c. p. 354 (1839); Ramb. l. c. p. 36, pl. 2. ff. 1, 2 (1839); Sauss. l. c. p. 264, pl. 13 (xviii.) ff. 1, 1 *a*, *b*, *e* (1877); Bol. ll. cc. p. 279, pl. 7. ff. 5, 5 *a*, *b* (1876); p. 75, pl. 5. f. 5 *a*, *b* (1878); p. 121 (1898); Brunn. l. c. p. 441, pl. 11. f. 102 (1882); Gogorza, l. c. p. 514 (1881); Finot, Ann. Soc. Ent. France, lxv. p. 601 (1897). *Platyblemma Lusitanicum, Fisch.* l. c. p. 167, pl. 9. ff. 11, 12 (1853). ‖*Acheta Umbraculata, Latr.* (*nec Linn.*) Hist. Nat. Crust. Ins. xii. p. 125. n. 6 (1804). ‖*Gryllus Umbraculatus, Duf.* Ann. gén. Sci. phys. Brux. vi. p. 313, pl. 96. f. 6 (1820); Burm. Handb. Ent. ii. p. 735. n. 19 (1838). ‖*Platyblemmus Delectus*, ♀, *Haan.* Temminck, Verhandel., Orth. p. 228 (1848). *Platyblemmus Maculatus, Fieb.* ll. cc. p. 233. n. 4 (1853); p. 63 (1854). Var. *Platyblemmus Ramburi, Serv.* l. c. p. 355 (1839).	Spain, Portugal, Morocco.
7. **S. Finoti, Brunn.** (*Platyblemmus F.*) l. c. p. 442 (1882); Finot, l. c. p. 606 (1897); Sauss. Rev. Suisse Zool. v. p. 802 (1898). ‖*Platyblemmus Barbarus, Gogorza*, l. c. p. 516 (1881).	Algeria.
8. **S. Luctuosa, Gogorza,** (*Platyblemmus L.*, ♂) l. c. p. 518 (1881); Sauss. l. c. pp. 803, 804 (1898). ‖*Platyblemmus Umbraculatus, Lucas* (*nec Linn.*), Expl. Alg. iii. p. 22. n. 37; iv. Orth. pl. 1. f. 8 (1849).	id.
9. **S. Finotiana, Sauss.** (*Platyblemmus Finotianus*), l. c. p. 804 (1898).	id.

‖*Platyblemmus Luctuosus, Finot* (*nec Gog.*), Bull. Soc. Ent. France, lviii. p. ccliii (1893) ; Ann. Soc. Ent. France, lxv. p. 607 (1897) ; Sauss. l. c. pp. 222, 804 (1898).	
10. **S. Hybrida, Sauss.** (*Platyblemmus Hybridus*) l. c. p. 224, pl. 9. f. 7 (1898).	Morocco.
11. **S. Barbara, Sauss.** (*Platyblemmus Barbarus*) Mém. Soc. Genève, xxv. p. 267, pl. 13 (xviii.) ff. 3 *a*, 3 *r* (1877) ; Rev. Suisse Zool. v. p. 222 (1898).	id.
12. **S. Algirica, Gogorza,** (*Platyblemmus Umbraculatus*, var. *Algiricus*) l. c. p. 521 (1881). *Platyblemmus Algiricus, Sauss.* Rev. Suisse Zool. v. p. 804 (1898).	Algeria.

GRYLLINÆ D.

Genus 37. **Duolandrevus, Kirb.** (n. n.). (*Type* no. 1.)

‖*Landrevus, Sauss.* (*nec Walk.*) Mém. Soc. Genève, xxv. p. 271 (1877).

*1. **D. Brachypterus, Haan,** (*Gryllus B.*) Temminck, Verhandel., Orth. p. 230 (1842). *Landrevus Brachypterus, Sauss.* l. c. p. 271, pl. 14 (xxv.) f. 3 (1877).	Java, Tsu Shima (eadem ?).
2. **D. Diminutus, Walk. (*Gryllus D.*) Cat. Derm. Salt. B. M. i. p. 45. n. 88 (1869).	S. Australia.

Genus 38. **Paralandrevus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 271 (1877).

1. **P. Hector, Sauss.** (*Landrevus H.*) l. c. p. 272, pl. 14 (xxv.) f. 5 (1877).	Bourbon.
2. **P. Coulonianus, Sauss.** (*Landrevus C.*) l. c. p. 273, pl. 14 (xxv.) f. 1 (1877).	Java.

Genus 39. **Endolandrevus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 271 (1877).

1. **E. Rostratus, Sauss.** (*Landrevus R.*) l. c. p. 274, pl. 14 (xxv.) f. 2 (1877).	Amboina, N. Guinea.
2. **E. Ritsemæ, Sauss.** (*Landrevus R.*) l. c. p. 276, pl. 14 (xxv.) f. 4 (1877).	Java.

Genus 40. **Landreva.** (*Type* no. 2.)

Walk. Cat. Derm. Salt. B. M. i. p. 55 (1869).
Ectolandrevus, Sauss. Mém. Soc. Genève, xxv. p. 271 (1877). (*Type* no. 2.)

1. **L. Hemipterus, Bol.** (*Landrevus H.*) Ann. Soc. Ent. France, lxviii. p. 800, pl. 12. f. 24 (1900).	S. India ; Madura.
2. **L. Clarus, Walk. (*Gryllus C.*) l. c. p. 39. n. 71 (1869). *Landrevus Clarus, Sauss.* l. c. p. 278 (1877). ♂. *Landreva Insignis, Walk.* l. c. p. 55. n. 1 (1869). *Landrevus Insignis, Sauss.* l. c. p. 278 (1877). *Landrevus Pictus, Sauss.* l. c. p. 277 (1877).	Ceylon.

Genus 41. **Odontogryllus.** (*Type* no. 1.,

Sauss. Mém. Soc. Genève, xxv. p. 278 (1877).

1. **O. Setosus, Sauss.** l. c. p. 279, pl. 14 (xxv.) ff. 6, 6 *i*, *e* (1877).	Peru.
2. **O. Niger, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 104 (1898).	Ecuador.

Genus 42. **Petaloptila.** (*Type* no. 1.)

Pant. An. Soc. Españ. xix. p. 344 (1890) ;
Bol. Ann. Sci. Nat. Porto, v. p. 122 (1898).

1. **P. Aliena, Brunn.** (*Gryllomorphus Alienus*) Prodr. Eur. Orth. p. 444 (1882) ; Caz. An. Soc. Españ. xvii. pp. 464, 506 (1888). *Gryllomorpha Aliena, Pant.* l. c. xix. p. 353, pl. 3. f. 1 A–D (1890) ; Bol. l. c. p. 123 (1898).	Spain.
2. **P. Bolivari, Caz.** (*Gryllomorphus B.*) l. c. xvii. p. 463 (1888). *Gryllomorpha Bolivari, Pant.* l. c. xix. p. 358, pl. 3. f. 2 (1890); Bol. l. c. p. 123 (1898).	id.

Genus 43. **Discoptila.** (*Type* no. 1.)

Pant. An. Soc. Españ. xix. p. 345 (1890) ; Jacobs. & Bianchi, Prem. i. Lozhn. Ross. Imp. p. 458 (1904).

1. **D. Fragosoi, Bol.** (*Gryllomorphus F.*) Le Nat. vii. p. 117 (1885) ; An. Soc. Españ. xvi. p. 113, pl. 4. f. 15 (1887) ; Ret. Bull. Mosc. 1888, p. 414. *Gryllomorpha Fragosoi, Pant.* l. c. xix. p. 360, pl. 3. f. 3 A, B (1890) ; Jacobs. & Bianchi, l. c. p. 458 (1904).	Spain, Greece, Crimea, Morocco.
2. **D. Krueperi, Pant.** (*Gryllomorpha Krüperi*) l. c. p. 362, pl. 3. f. 4 (1890).	Greece.

Genus 44. **Gryllomorpha.** (*Type* no. 2.)

Fieb. Lotos, iii. p. 236 (1853) ; Syn. Eur. Orth. p. 66 (1854) ; Sauss. Miss. Mex., Orth. p. 430 (1874) ; Bol. Ortópt. Españ. pp. 270, 271 (1876) ; An. Soc. Españ. viii. pp. 66, 67 (1878) ; Ann. Sci. Nat. Porto, v. pp. 39, 122 (1898) ; Finot, Orth. France, p. 130 (1883) ; Faune France, Orth. pp. 231, 242 (1889) ; Pant. An. Soc. Españ. xix. pp. 335–370 (1890) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 458 (1904).

Gryllomorphus, Sauss. Mém. Soc. Genève, xxv. pp. 280, 371 (1877–1878) ; Brunn. Prodr. Eur. Orth. pp. 420, 443 (1882) ; Tümp. Geradfl. Mitteleurop. pp. 228, 275 (1900).

1. **G. Uclensis, Pant.** l. c. xix. p. 364, pl. 5. f. 5 A, B (1890) ; Bol. Ann. Sci. Nat. Porto, v. p. 124 (1898).	Spain, Portugal.
*2. **G. Dalmatina, Ocsk.** (*Acheta D.*) Nova Acta Acad. Leop.-Carol. xvi. (2) p. 959 (1832). *G. Dalmatina, Fieb.* Lotos, iii. p. 236. n. 2 (1853) ; v. p. 68. n. 2 (1855) ; Syn. Eur. Orth. p. 67. n. 2 (1854) ; Finot, ll. cc. p. 137 (1883); p. 242 (1889) ; Pant. l. c. p. 365, pl. 3. ff. 6 A, B, 8 *d* (1890) ; Bol. Ann. Sci. Nat. Porto, v. p. 124 (1898) ; Jacobs. & Bianchi, l. c. p. 458 (1904). *Gryllomorphus Dalmatinus, Sauss.* l. c. p. 281 (1877) ; Brunn. l. c. p. 444, pl. 11. f. 103 (1882). *Acheta Aptera, Herr.-Schäff.* Faun. Germ. fasc. 156. pl. 19 (1838).	S. Europe.

G. Aptera, Bol. Ortópt. Españ. p. 272 (1876); An. Soc. Españ. viii. p. 68. n. 1 (1878).	
Gryllus Apterus, Fisch. Orth. Eur. p. 173 (1853); Costa, Faun. Nap., Grill. p. 34, pl. 9. f. 3 (1855).	
G. Fasciata, Fieb. Lotos, iii. p. 236. n. 3 (1853); Syn. Eur. Orth. p. 67. n. 3 (1854).	
3. **G. Longicauda, Ramb.** (*Acheta L.*) Faune Andal., Orth. p. 34. pl. 2. f. 9 (1839).	S. Spain, Algeria.
G. Longicauda, Fieb. ll. cc. iii. p. 236. n. 1 (1853); v. p. 68. n. 6 (1855); Syn. Eur. Orth. p. 67. n. 1 (1854); Pant. l. c. p. 368. pl. 3. ff. 7, 8 / (1890); Bol. Ann. Sci. Nat. Porto, v. p. 124 (1898).	

Genus 45. **Zaora.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. i. p. 89 (1869); Pant. An. Soc. Españ. xix. p. 339 (1890).

1. **Z. Morbillosa, Walk. l. c. p. 90. n. 2 (1869).	S. Africa.
Gryllomorphus Morbillosus, Sauss. Mém. Soc. Genève, xxv. p. 232 (1877).	
2. **Z. Sacalava, Brancs.** (*Gryllomorphus S.*) Jahresh. Ver. Trencs. Com. xvii.–xviii. p. 260, pl. 9. f. 5 (1896).	Nossi Bé.
3. **Z. Pardalis, Walk. l. c. p. 90. n. 3 (1869).	N. Australia.
4. **Z. Cinctipes, Walk. l. c. p. 89. n. 1 (1869).	Jamaica.

SUBFAM. III.

MYRMECOPHILINÆ A.

Genus 46. **Myrmecophila.** (*Type* no. 1.)

Latr. Règne Anim. (ed. 2) v. p. 183 (1829); Phil. Orth. Berol. p. 16 (1830); Serv. Ins. Orth. p. 318 (1839); Fisch. Waldh. Orth. Ross. p. 356 (1846); Fisch. Orth. Eur. p. 158 (1853); Fieb. Lotos, iii. p. 236 (1853); Syn. Eur.

Orth. p. 67 (1854) ; Friv. Értek. Termész. Kör. i. (12) pp. 67, 71 (1867) ; Bol. Ortópt. Españ. p. 292 (1876) ; An. Soc. Españ. viii. p. 88 (1878) ; Ann. Sci. Nat. Porto, v. p. 38 (1898) ; Brunn. Prodr. Eur. Orth. pp. 420, 445 (1882) ; Finot, Orth. France, p. 130 (1883) ; Faune France, Orth. pp. 230, 243 (1889) ; Tümp. Geradfl. Mitteleurop. pp. 228, 275 (1900) ; Blatchl. Rep. Indiana Dept. Geol. xxvi. p. 416 (1903) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 459 (1904).

Myrmecophilus, *Sauss.* Mém. Soc. Genève, xxv. p. 289 (1877).

‖ *Sphærium*, *Charp.* Hor. Ent. pp. 78, 79 (1825) ; Brullé, Hist. Nat. Ins. ix. p. 180 (1835) ; Burm. Handb. Ent. ii. p. 729 (1838) ; Blanch. Hist. Nat. Ins. iii. p. 33 (1840).

*1. **M. Acervorum, Panz.** (*Blatta A.*) Faun. Germ. fasc. 68, pl. 24 (1799) ; Latr. l. c. p. 183 (1829). *M. Acervorum*, *Serv.* l. c. p. 319 (1839) ; Guér. Icon. R. Anim., Ins. p. 338, pl. 54. f. 6 (1829–1844) ; Gray, Griffith, Anim. Kingd. xv. p. 175, pl. 113. f. 6 (1832) ; Fisch. Waldh. l. c. p. 356, pl. 33. f. 4 (1846) ; Fisch. l. c. p. 160, pl. 9. ff. 3, 3 *a–d* (1853) ; Fieb. ll. cc. p. 237. n. 1 (1853) ; p. 67. n. 1 (1854) ; Friv. l. c. p. 72. n. 1 (1867) ; Bol. ll. cc. p. 292, pl. 7. f. 3 (1876) ; p. 88, pl. 3. f. 3 (1878) ; p. 40. n. 1 (1898) ; Brunn. l. c. p. 446. n. 1, pl. 11. f. 104 (1882) ; Finot, ll. cc. p. 138 (1883) ; p. 243, pl. 12. f. 156 (1889) ; Tümp. l. c. p. 275 (1900); Jacobs. & Bianchi, l. c. p. 459 (1904) ; Csiki, Allat. Közlem. Tars. iii. pp. 85, 88 (1904). *Myrmecophilus Acervorum*, *Sauss.* l. c. p. 291, pl. 15 (xxvi.) ff. 1–5 (1877). *Sphærium Acervorum*, *Charp.* l. c. p. 78 (1825) ; Burm. l. c. p. 730 (1838) ; Blanch. l. c. p. 33, pl. 9. f. 1 (1840). *Gryllus Myrmecophilus*, *Savi*, Bibl. Ital. xvi. p. 185 (1820).	Europe.
2. **M. Hirticauda, Fisch. Waldh.** l. c. p. 357, pl. 33. f. 5 (1846) ; Fisch. l. c. p. 162 (1853).	Crimea.
3. **M. Bifasciata, Fisch. Waldh.** l. c. p. 358, pl. 33. f. 6 (1846) ; Fisch. l. c. p. 162 (1853).	Kharkoff.

4. **M. Mauritanica, Luc.** (*Sphærium Mauritanicum*) Expl. Alg. iii. p. 23; iv. Orth. pl. 1. f. 6 (1849).	N. Africa.
5. **M. Ochracea, Fisch.** l. c. p. 151 (1853); Costa, Faun. Nap., Grill. p. 44 (1855); Brunn. l. c. p. 447 (1882); Jacobs. & Bianchi, l. c. p. 459 (1904). *Myrmecophilus Ochraceus, Sauss.* l. c. p. 292 (1877).	Sicily, Greece, Asia Minor, Burma.
6. **M. Salomonis, Wasm.** Deutsche Ent. Zeitschr. xxxiv. p. 303 (1890).	Tunis.
7. **M. Dubia, Sauss.** (*Myrmecophilus Dubius*) l. c. p. 293 (1877).	Malay Pen.; Bitang.
8. **M. Quadrispina, Perk. Faun. Haw., Orth. p. 14 (1899).	Honolulu, Hong Kong.
9. **M. Australis, Tepp.** Trans. Roy. Soc. S. Austral. xx. p. 149 (1896).	S. Australia.
10. **M. Pergandei, Brun.** Canad. Ent. xvi. p. 42 (1884); Scudd. Psyche, viii. p. 425 (1899); Blatchl. l. c. p. 418 (1903).	Atlantic States.
11. **M. Formicarum, Scudd.** l. c. p. 426 (1899).	California.
12. **M. Oregonensis, Brun.** l. c. p. 43 (1884); Scudd. Psyche, l. c. p. 426 (1899).	Oregon.
13. **M. Nebrascensis, Brun.** Publ. Nebr. Acad. Sci. iii. p. 33 (1893); Lugg. Orth. Minn. p. 260, f. 169 (1898); Scudd. l. c. p. 427 (1899); Wheeler, Psyche, ix. pp. 111–115, fig. (1900); Blatchl. l. c. p. 416. f. 106 (1903).	Nebraska, New Mexico, Minnesota, Texas.
14. **M. Nehawkæ, Scudd.** l. c. p. 428 (1899).	Nebraska.
15. **M. Americana, Sauss.** (*Myrmecophilus Americanus*) l. c. p. 293 (1877).	Colombia.

MYRMECOPHILINÆ B.

Genus 47. **Mogoplistes.** (*Type* no. 3.)

Serv. Ins. Orth. p. 357 (1839); Costa, Faun. Nap., Grill. p. 21 (1852); Fisch. Orth. Eur. p. 162 (1853); Fieb. Lotos, v. p. 68 (1855); Sauss. Miss. Mex., Orth. p. 423 (1874); Bol. Ortópt. Españ. p. 292 (1876); An. Soc. Españ. viii. p. 88 (1878); Finot, Faune France, Orth. pp. 231, 243 (1889).

Mogisoplistus Sauss. Mém. Soc. Genève, xxv. p. 295 (1877); Brunn. Prodr. Eur. Orth. pp. 420, 447 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 39, 125 (1898); Tümp. Geradfl. Mitteleurop. pp. 228, 276 (1900).

Mogisoplistes, Finot, Orth. France, pp. 131, 139 (1883); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 444, 460 (1904).

*1. **M. Squamiger, Fisch.** (*Gryllus S.*) l. c. p. 173, pl. 9. ff. 8, 8 *a*, *b* (1853). — S. Europe.
M. Squamiger, Finot, Faune France, Orth. p. 244, pl. 12. f. 157 (1889).
Mogistoplistus Squamiger, Sauss. l. c. p. 297, pl. 15 (xxvii.) ff. 1, 1 *a–c* (1877); Brunn. l. c. p. 448, pl. 11. f. 105 A, B (1882); Bol. l. c. p. 125 (1898); Tümp. l. c. p. 276 (1900).
Mogisoplistes Squamiger, Finot, Orth. France, p. 139 (1883); Jacobs. & Bianchi, l. c. p. 460 (1904).
M. Talitrus, Costa, l. c. p. 40, pl. 9. f. 4 (1855).
Mogisoplistus Talitrum, Sauss. l. c. p. 298 (1877).

2. **M. Novaki, Krauss,** Wien. Ent. Zeit. vii. p. 118 (1888). — Lesina.

*3. **M. Brunneus, Serv.** l. c. p. 357 (1839); Fisch. l. c. p. 163, pl. 9. ff. 4, 4 *a* (1853); Bol. Ortópt. Españ. p. 292, pl. 7. f. 7 (1876); An. Soc. Españ. viii. p. 88, pl. 3. f. 7 (1878); Finot, Faune France, Orth. p. 244 (1889). — S. Europe, N. Africa, Madagascar
Mogisoplistus Brunneus, Sauss. l. c. p. 299, pl. 15 (xxvii.) f. 2 (1877); Brunn. l. c. p. 448 (1882); Bol. Ann. Sci. Nat. Porto, v. p. 125 (1898); Tümp. l. c. p. 276 (1900).
Mogisoplistes Brunneus, Finot, Orth. France, p. 139 (1883); Jacobs. & Bianchi, l. c. p. 460 (1904).
M. Marginatus, Costa, l. c. pp. 25, 40, pl. 6. f. 5, pl. 7 (1852–1855).
M. Marginatus, var. *Bicolor, Costa,* l. c. p. 49 (1855).
Mogisoplistus Marginatus, Sauss. l. c. p. 298 (1877).

4. **M. Argentatus, Bol.** (*Mogisoplistus A.*) An. Soc. Españ. x. p. 505 (1881). — Algeria.

5. **M. Tridentatus, Sauss.** (*Mogisoplistus T.*) l. c. p. 300 (1877).	W. Africa: Chinchoxo.
6. **M. Slossoni, Scudd.** (*Mogosiplistus S.*) Psyche, viii. p. 55 (1897).	Florida.
7. **M. (?) Occultus, Sauss.** (*Mogisoplistus O.*) l. c. p. 299 (1877).	Chili.
8. **M. (?) Griseus, Phil.** (*Gryllus G.*) Zeitschr. Ges. Naturw. xxi. p. 232 (1863). *M. Griseus, Sauss.* Miss. Mex., Orth. p. 425 (1874). *Mogisoplistus* (?) *Griseus, Sauss.* Mém. Soc. Genève, xxv. p. 301 (1877).	id.

Genus 48. **Microgryllus.**

Phil. Zeitschr. Ges. Naturw. xxi. p. 231 (1863);
Sauss. Mém. Soc. Genève, xxv. p. 301 (1877).

1. **M. Pallipes, Phil.** (*Gryllus P.*) l. c. p. 231 (1863). *Mogoplistes Pallipes, Sauss.* Miss. Mex., Orth. p. 424 (1874). *Mogisoplistus* (?) *Pallipes, Sauss.* Mém. Soc. Genève, xxv. p. 302, pl. 15 (xxvii.) f. 3 (1877).	Chili.

Genus 49. **Ornebius.** (*Type* no. 1.)

Guér. Icon. R. Anim., Ins. p. 331 (1844).
Liphoplus, Sauss. Mém. Soc. Genève, xxv. p. 315 (1877). (*Type* no. 11.)

*1. **O. Xanthopterus, Guér.** l. c. p. 332 (1844). *Ectadoderus Xanthopterus, Sauss.* Mém. Soc. Genève, xxv. p. 304, pl. 15 (xxix.) ff. 1, 2 (1877).	Mauritius.
2. **O. Validus, Bol.** (*Liphoplus V.*) Ann. Soc. Ent. France, lxiv. p. 382 (1895).	Seychelles.
3. **O. Nigripalpis, Guér.** l. c. p. 332 (1844). *Ectadoderus Nigripalpis, Sauss.* l. c. p. 305, pl. 15 (xxix.) f. 3 (1877).	Pondicherry.
4. **O. Guerini, Bol.** (*Liphoplus G.*) l. c. lxviii. p. 801, pl. 12. f. 25 (1900).	S. India, Pulney Hills.
5. **O. Fasciatus, Brunn.** (*Liphoplus F.*) Ann. Mus. Genova, xxxiii. p. 202, pl. 6. f. 72 (1893).	Burma.

6. **O. (?) Longicaudus, Sauss.** (*Ectadoderus L.*) l. c. p. 304 (1877).	Nicobar Isl.
7. **O. Flavipalpis, Kirb. (*Ectadoderus F.*) Mon. Christmas Isl. p. 147, pl. 13. ff. 3, 4 (1900).	Christmas I.
8. **O. (?) Abdominalis, Stål,** (*Ectadoderus A.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 48 (1877).	Philippines.
9. **O. Cucullatus, Bol.** (*Ectadoderus C.*) An. Soc. Españ. xviii. p. 421 (1889).	id.
10. **O. Noumeensis, Bol.** Ann. Soc. Ent. France, (6) ii. p. 460 (1882).	New Caledonia.
*11. **O. Novaræ, Sauss.** (*Liphoplus N.*) l. c. p. 315 (1877).	Tahiti.
12. **O. Aztecus, Sauss. (*Ectadoderus A.*) Biol. Centr.-Amer., Orth. i. p. 230, pl. 11. ff. 35, 36 (1897).	Mexico.
13. **O. Mexicanus, Sauss. (*Liphoplus M.*) l. c. p. 231, pl. 11. f. 37 (1897).	id.
14. **O. Krugii, Sauss.** (*Liphoplus K.*) l. c. p. 232 (1897).	Cuba.
15. **O. Zebra, Rehn,** Proc. Acad. Nat. Sci. Philad. 1905, p. 49, pl. 1. f. 12.	Florida.
16. **O. Dilatatus, Brancs.** (*Ectadoderus D.*) Jahresh. Ver. Trencsin. Com. xxiii.–xxiv. p. 192 (1901).	Argentina.
17. **O. Guerinianus, Sauss.** (*Liphoplus G.*) Mém. Soc. Genève, xxv. p. 316 (1877).	Hab. —— ?

Genus 50. **Ectadoderus.** (*Type* no. 2.)

Guér. Lef. Voy. Abyss. vi. p. 336 (1849);
Sauss. Mém. Soc. Genève, xxv. p. 302 (1877).

1. **E. Loricatus, Sauss.** l. c. p. 307 (1877).	Chinchoxo.
2. **E. Nigriventris, Guér.** l. c. p. 337, pl. 6. f. 3 (1849); Sauss. l. c. p. 308 (1877).	Abyssinia.
3. **E. Collatatus, Karsch,** (*Ornebius C.*) Berl. Ent. Zeitschr. xxxviii. p. 156 (1893).	W. Africa (Adeli).
4. **E. Castigatus, Karsch,** (*Ornebius C.*) l. c. p. 157 (1893).	id.
5. **E. Vœltzkowi, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 605, pl. 37. f. 8 (1899).	Nossi Bé.
6. **E. Pallidegeniculatus, Brunn.** Ann. Mus. Genova. xxxiii. p. 201, pl. 6. f. 71 (1893).	Burma.

7. **E. Sordidus, Walk.** (*Ornebius S.*) Cat. Derm. Salt. B. M. i. p. 109. n. 3 (1869).	Dorey.
8. **E. Antillarum, Redt. Proc. Zool. Soc. Lond. 1892, p. 218, pl. 17. f. 16.	W. Indies: St. Vincent.
*9. **E. Alatus, Sauss.** Mém. Soc. Genève, xxv. p. 306 (1877).	Brazil.
10. **E. Varicolor, Sauss.** l. c. p. 307, pl. 15 (xxix.) f. 4 (1877).	Hab. —— ?
11. **E. Occidentalis, Scudd.** (*Mogoplistes O.*) Proc. Bost. Nat. Hist. xii. p. 142 (1869). *Mogoplistes Occidentalis, Sauss.* Miss. Mex., Orth. p. 424 (1874). *Mogisoplistus Occidentalis, Sauss.* Mém. Soc. Genève, xxv. p. 301 (1877).	Lower California.
12. **E. Borealis, Scudd.** Proc. Davenport Soc. ix. p. 58, pl. 4. f. 4 (1902).	California, NewMexico

Genus 51. **Cycloptilum.** (*Type* no. 1.)

Scudd. Proc. Bost. Soc. Nat. Hist. xii. p. 142 (1869); Sauss. Miss. Mex., Orth. p. 425 (1874).

Cycloptilus, Sauss. Mém. Soc. Genève, xxv. p. 308 (1877).

1. **C. Squamosum, Scudd.** l. c. p. 142 (1869); Sauss. Miss. Mex., Orth. p. 427 (1874). *Cycloptilus Squamosus, Sauss.* Mém. Soc. Genève, xxv. p. 309 (1877).	Texas.
2. **C. Boreale, Brun.** (*Cycloptilus Borealis*) Canad. Ent. xxiii. p 37 (1891),	Nebraska.
*3. **C. Americanum, Sauss.** Miss. Mex., Orth. p. 426, pl. 8. ff. 41, 42 (1874). *Cycloptilus Americanus, Sauss.* Mém. Soc. Genève, xxv. p. 309 (1877).	Cuba.
4. **C. Brasilianum, Sauss.** (*Cycloptilus Brasilianus*) l. c. (1877).	Brazil.
5. **C. Erraticum, Scudd.** Bull. Mus. Harvard Coll. xxv. p. 23, pl. 3. ff. 6, 7 (1893); McNeill, Proc. Washington Acad. Sci. iii. p. 505 (1900).	Galapagos.
6. **C. Lepismoide, McNeill,** l. c. p. 505 (1900).	id.

Genus 52. **Arachnocephalus.** (*Type* no. 2.)

Costa, Faun. Nap., Grill. p. 41 (1855); Bol. Ortópt. Españ. p. 292 (1876); An. Soc. Españ. viii. p. 88 (1898); Ann. Sci. Nat. Porto, v. p. 39 (1898); Sauss. Mém. Soc. Genève, xxv. p. 310 (1877); Brunn. Prodr. Eur. Orth. pp. 420, 449 (1882); Finot, Orth. France, p. 131 (1883); Faun. France, Orth. pp. 231, 245 (1889); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 460 (1904).

Physoblemma, *Brunn.* Mitth. Schweiz. ent. Ges. iv. p. 169 (1873).

1. **A. Yersini, Sauss.** l. c. p. 311, pl. 15 (xxviii.) ff. 1–3 (1877); Brunn. l. c. p. 449 (1882); Finot, ll. cc. p. 140 (1883); p. 245, pl. 12. f. 158 (1889); Bol. Ann. Sci. Nat. Porto, v. p. 125. n. 1 (1898); Jacobs. & Bianchi, l. c. p. 461 (1904).	S. France, Spain, Bulgaria, Algeria.
2. **A. Vestitus, Costa,** l. c. p. 42, pl. 9. f. 5 (1855); Sauss. l. c. p. 312 (1877); Brunn. l. c. p. 449, pl. 11. f. 106 A, B (1882); Jacobs. & Bianchi, l. c. p. 461 (1904). *A. Dalmatinus*, *Sauss.* l. c. p. 312 (1877).	Naples, Croatia, Dalmatia, Greece, Bulgaria, Crimea.
3. **A. Subsulcatus, Sauss.** Abh. Senckenb. Ges. xxi. p. 604 (1899).	Aldabra.
4. **A. Steini, Sauss.** Mém. Soc. Genève, xxv. p. 313 (1877).	Luzon.
5. **A. Dewitzi, Sauss.** l. c. p. 315 (1877).	Manila.
6. **A. Brunnerianus, Sauss.** l. c. p. 314 (1877).	Celebes.
7. **A. Maritimus, Sauss.** l. c. p. 313 (1877).	Amboina, Fiji.

MYRMECOPHILINÆ C.

Genus 53. **Acanthoplistus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 318 (1877).

1. **A. Carinatus, Sauss.** l. c. p. 320, pl. 15 (xxxi.) ff. 1, 1 *a*, *b* (1877).	Cent. Africa.
2. **A. Acutus, Sauss.** l. c. p. 321 (1877).	Accra.

3. **A. Birmanus, Sauss.** l. c. p. 322, pl. 15 (xxxi.) f. 2 (1877); Brunn. Ann. Mus. Genova, xxxiii. p. 202 (1893).	Burma.

Genus 54. **Scleropterus.** (*Type* no. 1.)

Haan, Temminck, Verhandel., Orth. p. 232 (1842); Sauss. Mém. Soc. Genève, xxv. p. 323 (1877); Brunn. Ann. Mus. Genov. xxxiii. p. 203 (1893).

*1. **S. Coriaceus, Haan,** (*Gryllus* (*Scleropterus*) *C.*) l. c. p. 232, pl. 20. f. 7 (1877). *S. Coriaceus, Sauss.* l. c. p. 324, pl. 15 (xxx.) ff. 1, 2, 2 *a* (1877).	Java, Ningpo.
2. **S. Punctatus, Brunn.** l. c. p. 204, pl. 6. f. 73 (1893).	Burma.

Genus 55. **Lissotrachelus.** (*Type* no. 2.)

Brunn. Ann. Mus. Genova, xxxiii. p. 205 (1893).

1. **L. Castaneus, Brunn.** l. c. (1893).	Rangoon.
2. **L. Ferrugineovittatus, Brunn.** l. c. pl. 6. f. 74 (1893).	Burma.
3. **L. Ater, Brunn.** l. c. p. 206 (1893).	Borneo.

MYRMECOPHILINÆ D.

Genus 56. **Cacoplistes.** (*Type* no. 2.)

Brunn. Mitth. Schweiz. ent. Ges. iv. p. 169 (1873).
Cachoplistus, Sauss. Mém. Soc. Genève, xxv. p. 325 (1877).

*1. **C. Rogenhoferi, Sauss.** (*Cachoplistus R.*) l. c. p. 329, pl. 15 (xxxii.) f. 2 (1877).	Kashmir, Cachar.
*2. **C. Brunnerianus, Sauss.** (*Cachoplistus B.*) l. c. p. 327, pl. 15 (xxxii.) ff. 1, 1 *a*, *b*, *t*, *c*, *i*, *e* (1877).	Australia(?) Khasia Hills
3. **C. Westwoodianus, Sauss.** (*Cachoplistus W.*) l. c. p. 330, pl. 15 (xxxii.) ff. 3, 3 *a* (1877).	Australia(?) India (?).

Genus 57. **Pteroplistes.** (*Type* no. 1.)

Brunn. Mitth. Schweiz. ent. Ges. iv. p. 169 (1873).
Pteroplistus, *Sauss.* Mém. Soc. Genève, xxv. p. 331 (1877).
Platyxyphus, *Walk.* Cat. Derm. Salt. B. M. i. p. 52 (1869), *nom. spec.*

*1. **P. Erinaceus, Sauss.** (*Pteroplistus E.*) l. c. p. 333, pl. 15 (xxxiii.) ff. 1, 1 *a*, *i*, *e*, 2 (1877).	Malacca, Borneo.
2. **P. Platyxyphus, Haan,** (*Gryllus P.*) Temminck, Verhandel., Orth. p. 230, pl. 20. f. 1 (1842). *Pteroplistus Platyxiphus*, *Sauss.* l. c. p. 335, pl. 15 (xxxiii.) ff. 3, 3 *a*, *b*, *e*, *i* (1877). *Platyxyphus Javanus*, *Walk.* l. c. p. 52. n. 1 (1869).	Java.
3. **P. Platycleis, Bol.** (*Pteroplistus P.*) Ann. Soc. Ent. France, lxviii. p. 802, pl. 12. ff. 26, 26 *a* (1900).	S. India: Kodaikanal.

SUBFAM. IV.

ŒCANTHINÆ A.

Genus 58. **Pentacentrus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 399 (1878).

1. **P. Pulchellus, Sauss.** l. c. p. 401, pl. 17 (l.) ff. 1–5 (1878).	Ceylon.
2. **P. Tenellus, Karsch,** Ent. Nachr. xix. p. 201 (1893); Berlin. Ent. Zeitsch. xxxviii. p. 157 (1893).	Cameroons.

Genus 59. **Salmania.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. i. p. 73 (1869).

1. **S. Sordida, Walk. l. c. p. 73. n. 1 (1869).	N. Australia.
2. **S. (?) Africana, Walk. (*Platydactylus Africanus*) l. c. p. 80. n. 11 (1869).	Natal.

Genus 60. **Nemobiopsis.**

Bol. An. Soc. Españ. xix. p. 329 (1891).

1. **N. Gundlachi, Bol.** l. c. p. 330, pl. 1. f. 10 (1891).	Cuba.

ŒCANTHINÆ B.

Genus 61. **Lerneca.** (*Type* no. 2.)

Walk. Cat. Derm. Salt. B. M. i. p. 72 (1869).
Diplacusta, *Sauss.* Miss. Mex., Orth. p. 432 (1874). (*Type* no. 1.)
Diplacustes, *Sauss.* Mém. Soc. Genève, xxv. p. 404 (1877).

1. **L. Fuscipennis, Sauss.** (*Diplacusta F.*) Miss. Mex., Orth. p. 433 (1874). *Diplacustes Fuscipennis*, *Sauss.* Mém. Soc. Genève, xxv. p. 405, pl. 15 (xxxv.) ff. 1, 2 *e*, *i* (1877–1878).	Brazil.
2. **L. Varipes, Walk.** l. c. p. 72. n. 1 (1869). *Diplacusta Varipes*, *Sauss.* Miss. Mex., Orth. p. 435 (1874). *Diplacustes Varipes*, *Sauss.* Mém. Soc. Genève, xxv. p. 405 (1878).	Amazons.
3. **L. Inalata, Sauss.** (*Diplacusta I.*) Miss. Mex., Orth. p. 435 (1874). *Diplacustes Inalata*, *Sauss.* Mém. Soc. Genève, xxv. p. 405 (1878).	Surinam.

Genus 62. **Prosthacusta.**

Sauss. Miss. Mex., Orth. p. 436 (1874).
Prosthacustes, *Sauss.* Mém. Soc. Genève, xxv. p. 405 (1878).

*1. **P. Circumcincta, Scudd.** (*Nemobius Circumcinctus*) Proc. Boston Soc. N. H. xii. p. 143 (1868); Sauss. Miss. Mex., Orth. p. 395 (1874). *P. Mexicana*, *Sauss.* Miss. Mex., Orth. p. 437, pl. 7. f. 18 (1874). *Prosthacustes Mexicanus*, *Sauss.* Mém. Soc. Genève, xxv. p. 405 (1871); Biol. Centr.-Amer., Orth. i. p. 241, pl. 12. f. 1 (1897).	Mexico.

Genus 63. **Agnotecous.**

Sauss. Mém. Soc. Genève, xxv. p. 406 (1878).

1. **A. Tapinopus, Sauss.** l. c. p. 407, pl. 19 (lxxxii.) ff. 1–5 (1878).	New Caledonia.

Genus 64. **Laranda.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. i. p. 88 (1869).
Larandus, Sauss. Mém. Soc. Genève, xxv. p. 409 (1878).

1. **L. Tibialis, Walk. l. c. p. 89. n. 1 (1869). *Gryllomorpha Tibialis, Sauss.* Miss. Mex., Orth. p. 431 (1874). *Larandus Tibialis, Sauss.* Mém. Soc. Genève, xxv. p. 410, pl. 19 (lxxvii.) ff. 1, 1 *e*, *i* (1878).	Brazil, Surinam, Colombia.
2. **L. Rogenhoferi, Sauss.** (*Larandus R.*) l. c. p. 410, pl. 16 (xxxvii.) ff. 1–3 (1878).	Brazil.
3. **L. Annulata, Bol.** An. Soc. Españ. xix. p. 331 (1890).	id., Apiahy.
4. **L. Marmorata, Redt. (*Larandus Marmoratus*) Proc. Zool. Soc. Lond. 1892, p. 218, pl. 17. f. 18.	St. Vincent, W. Indies.

Genus 65. **Paragryllus.** (*Type* no. 3.)

Guér. Icon. R. Anim., Ins. p. 329 (1844); Sauss. Miss. Mex., Orth. p. 441 (1874); Mém. Soc. Genève, xxv. p. 411 (1878); Biol. Centr.-Amer., Orth. i. p. 242 (1897).

1. **P. Limosa, Walk. (*Phalangopsis L.*) Cat. Derm. Salt. B. M. v. Suppl. p. 17 (1871).	SierraLeone Old Calabar.
2. **P. Rex, Sauss.** ll. cc. p. 442 (1874); p. 413, pl. 16 (xli.) f. 1 (1878); p. 243 (1897).	Brazil.
3. **P. Temulentus, Sauss.** Mém. Soc. Genève, xxv. p. 413 (1878); Biol. Centr.-Amer., Orth. i. p. 242, pl. 12. ff. 2–7 (1897).	Mexico, Costa Rica, Grenada, Brazil.
4. **P. Martini, Guér.** l. c. p. 329 (1844); Sauss. Miss. Mex., Orth. p. 443 (1874); Mém. Soc. Genève, xxv. p. 413 (1878).	Cuba, Guadeloupe.

Genus 66. **Luzara.**

Walk. Cat. Derm. Salt. B. M. i. p. 103 (1869).

1. **L. Rufipennis, Walk. l. c. n. 1 (1869).	Colombia.

Genus 67. **Ectecous.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 414 (1878);
Biol. Centr.-Amer., Orth. i. p. 244 (1897).

1. **E. Hedephonus, Sauss.** l. c. p. 415 (1878).	Brazil.
2. **E. Cantans, Sauss.** Biol. Centr.-Amer., Orth. i. p. 244, pl. 12. ff. 8–10 (1897).	Mexico, Cayenne.
3. **E. Borellii, Giglio-Tos,** Boll. Mus. Torino, xii. (302) p. 44 (1897).	Bolivia.

Genus 68. **Heterogryllus.** (*Type* no. 1.)

Sauss. Miss. Mex., Orth. p. 439 (1874);
Mém. Soc. Genève, xxv. p. 416 (1878).

1. **H. Ocellaris, Sauss.** ll. cc. p. 440 (1874): p. 416, pl. 16 (xli.) ff. 2, 2 *a* (1878).	Brazil.
2. **H. Crassicornis, Sauss.** Mém. Soc. Genève, xxv. p. 417 (1878).	Venezuela.

Genus 69. **Amusus.** (*Type* no. 3.)

Sauss. Mém. Soc. Genève, xxv. p. 418 (1878);
Biol. Centr.-Amer., Orth. i. p. 245 (1897).

1. **A. Mexicanus, Sauss. Biol. Centr.-Amer., Orth. i. p. 245, pl. 12. ff. 11–13 (1897).	Mexico.
2. **A. Festæ, Giglio-Tos,** Boll. Mus. Torino, xii. (301) p. 6 (1897).	Darien.
3. **A. Kirschianus, Sauss.** Mém. Soc. Genève, xxv. p. 419 (1878).	Venezuela.
4. **A. Bolivianus, Giglio-Tos,** l. c. xii. (302) p. 45 (1897).	Bolivia.
5. **A. Krausi, Giglio-Tos,** l. c. xiii. (319) p. 1 (1898).	Ecuador.

Genus 70. **Dyscophogryllus.** (*Type* no. 1.)

Rehn, Canad. Ent. xxxiii. p. 272 (1901).
‖ *Dyscophus, Sauss.* (*nec Grandid.*) Miss. Mex., Orth. p. 438 (1874) ; Mém. Soc. Genève, xxv. p. 420 (1878).

1. **D. Saltator, Sauss.** (*Dyscophus S.*) ll. cc. p. 438 (1874) : p. 421, pl. 15 (xxxvi.) ff. 1, 2 *e*, *i* (1877–1878).	Brazil.
2. **D. Onthophagus, Berg,** (*Dyscophus O.*) An. Soc. Argent. xxxii. p. 6 (1891).	Uruguay.

Genus 71. **Hirpinus.**

Stål, Œfv. Vet.-Akad. Förh. xii. p. 351 (1855).

*1. **H. Afer, Stål,** l. c. (1855).	Natal.

Genus 72. **Homœogryllus.** (*Type* no. 1.)

Guér. Lefebvre, Voy. Abyssinie, vi. p. 335 (1847) ; Sauss. Mém. Soc. Genève. xxv. p. 421 (1878).

*1. **H. Xanthographus, Guér.** l. c. p. 336, pl. 6. f. 3 (1847). *Phalangopsis Xanthographa, Gerst.* Arch. Naturg. xxxv. p. 211. n. 30 (1869); Decken, Reisen in Ost-Afrika, Ins. p. 20 (1869).	Abyssinia, Lahej.
*2. **H. Venosus, Sauss.** l. c. p. 426, pl. 16 (xxxix.) ff. 1, 1 *a*, *e* (1878). ‖ *Gryllus Acheta Reticulata, Stoll* (*nec Fabr.*), Spectres, Grill. p. 6, pl. 3. f. 14 (1813).	W. Africa.
*3. **H. Tessellatus, Serv.** (*Phalangopsis T.*) Ins. Orth. p. 370 (1839). *H. Tessellatus, Sauss.* l. c. p. 424, pl. 16 (xxxix.) f. 3 (1878).	Senegal, Sierra Leone.
4. **H. Reticulatus, Fabr. (*Acheta Reticulata*) Spec. Ins. i. p. 354. n. 5 (1781). *H. Reticulatus, Sauss.* l. c. p. 425, pl. 16 (xxxix.) f. 2, pl. 19 (lxxvii.) f. 2 (1878). *Acheta Longicornis, Afzel. & Brann.* Achet. Guin. p. 30, f. 9 *a*, *b* (1804). *H. Tricaudatus, Fairm.* Thoms. Arch. Ent. ii. p. 258 (1858) : Sauss. l. c. p. 429 (1878).	W. Africa, E. Africa (eadem ?).

*5. **H. Japonicus, Haan,** (*Gryllus* (*Phalangopsis*) *J.*) Temminck, Verhandel., Orth. p. 236 (1842). *H. Japonicus*, *Sauss.* l. c. p. 428 (1878). ***Phalangopsis Albicornis*, *Walk.* Cat. Derm. Salt. B. M. i. p. 106. n. 14 (1869).	Japan, Tsur I., N. India, Java.
6. **H. Longicornis, Walk.** (*Phalangopsis L.*) l. c. n. 15 (1869).	Singapore.

Genus 73. **Prosecogryllus.**

Brancs. Jahresh. Ver. Trencsin. Com. xv.–xvi. p. 198 (1893).

1. **P. Nossibianus, Brancs.** l. c. pl. 10. f. 10 (1893); Sauss. Abhandl. Senckenb. Ges. xxi. p. 609, pl. 37. ff. 10, 11 (1899).	Nossi Bé.

Genus 74. **Posus.**

Bol. An. Soc. Españ. xix. p. 332 (1890).

1. **P. Mictiformis, Bol.** l. c. pl. 1. f. 11 (1890).	Madagascar.

Genus 75. **Amphiacusta.** (*Type* no. 4.)

Sauss. Miss. Mex., Orth. p. 444 (1874).
Amphiacustes, *Sauss.* Mém. Soc. Genève, xxv. p. 429 (1878); Biol. Centr.-Amer., Orth. i. p. 245 (1897).

1. **A. Tolteca, Sauss. (*Amphiacustes Toltecus*) Biol. Centr.-Amer., Orth. i. p. 247, pl. 12. ff. 14–17 (1897). *A. Azteca*, var. ♀, *Sauss.* Miss. Mex., Orth. p. 450 (1874).	Mexico.
*2. **A. Azteca, Sauss.** (*Phalangopsis A.*) Rev. Zool. (2) ix. p. 209 (1859). *A. Azteca*, *Sauss.* Miss. Mex., Orth. p. 449 (1874). *A. Mexicana*, *Sauss.* l. c. pl. 8. ff. 39, 39 *a* (1874). *Amphiacustes Aztecus*, *Sauss.* Mém. Soc. Genève, xxv. p. 431 (1878); Biol. Centr.-Amer., Orth. i. p. 246, pl. 12. f. 18 (1897).	id.

3. **A. Caraibea, Sauss.** (*Amphiacustes Caraibeus*) Biol. Centr.-Amer., Orth. i. p. 248 (1897). *Amphiacustes Aranea*, var., *Sauss.* Mém. Soc. Genève, xxv. p. 432 (1878).	Guadeloupe
*4. **A. Annulipes, Serv.** (*Phalangopsis A.*) Ann. Sci. Nat. xxii. p. 167 (1831); Ins. Orth. p. 369 (1839); Burm. Handb. Ent. ii. p. 722. n. 2 (1838); Guér. Ramon de la Sagra, Hist. Cuba, Ins. p. 353, pl. 12. f. 9 (1859). *A. Annulipes, Sauss.* Miss. Mex., Orth. p. 445, pl. 8. f. 40 (1874). *Amphiacustes Annulipes, Sauss.* Mém. Soc. Genève, xxv. p. 431 (1878). *Acheta Arachnoides, Westw.* Jardine's Nat. Libr., Intr. Ent. p. 248, pl. 6. f. 1 (1840).	Haiti, Cuba, Guadeloupe Jamaica, Peru (?).
*5. **A. Fuscicornis, Serv.** (*Phalangopsis F.*) l. c. p. 370 (1839). *A. Fuscicornis, Sauss.* Miss. Mex., Orth. p. 448 (1874). *Amphiacustes Fuscicornis, Sauss.* Mém. Soc. Genève, xxv. p. 431 (1878).	Brazil, W. Indies (eadem ?).
6. **A. Spectrum, Walk. (*Phalangopsis S.*) Cat. Derm. Salt. B. M. i. p. 108. n. 18 (1869).	Brazil.
*7. **A. Aranea, Sauss.** (*Amphiacustes A.*) l. c. p. 431 (1878).	Haiti, Dominica.
8. **A. Grandis, Sauss.** Miss. Mex., Orth. p. 447 (1874). *Amphiacustes Grandis, Sauss.* Mém. Soc. Genève, xxv. p. 431 (1878).	Cuba.
*9. **A. Phalangium, Sauss.** Miss. Mex., Orth. p. 450 (1874). *Amphiacustes Phalangium, Sauss.* Mém. Soc. Genève, xxv. p. 431 (1878); Biol. Centr.-Amer., Orth. i. p. 249, pl. 12. f. 19 (1897).	Guatemala.

Genus 76. **Tremellia.**

Stål, Œfvers. Vet.-Akad. Förh. xxxiv. (10) p. 49 (1877).

1. **T. Spurca, Stål,** l. c. (1877).	Philippines.

Genus 77. **Phaloria.**

Stål, Œfvers. Vet.-Akad. Förh. xxxiv. (10) p. 49 (1877).

1. **P. Amplipennis, Stål,** l. c. (1877). | Philippines.

Genus 78. **Vescelia.**

Stål, Œfvers. Vet.-Akad. Förh. xxxiv. (10) p. 49 (1877).

1. **V. Infumata, Stål,** l. c. (1877). | Philippines.

Genus 79. **Strophia.**

Stål, Œfvers. Vet.-Akad. Förh. xxxiv. (10) p. 49 (1877).

1. **S. Lugubrina, Stål,** l. c. (1877). | Philippines.

Genus 80. **Hemicophus.**

Sauss. Mém. Soc. Genève, xxv. p. 432 (1878).

1. **H. Paranæ, Sauss.** l. c. pl. 19 (lxxxi.) (1878). | Parana.

Genus 81. **Endacusta.** (*Type* no. 1.)

Brunn. Mitth. Schweiz. ent. Ges. iv. p. 167 (1873).
Endacustes, Sauss. Mém. Soc. Genève, xxv. p. 435 (1878); Biol. Centr.-Amer., Orth. i. p. 249 (1897).

1. **E. Irrorata, Sauss.** (*Endacustes Irroratus*) Mém. Soc. Genève, xxv. p. 436 (1878). | Queensland.
2. **E. Australis, Sauss.** (*Endacustes A.*) l. c. p. 437, pl. 16 (xlii.) ff. 1–5 (1878). | Melbourne.
3. **E. (?) Darienicus, Giglio-Tos,** (*Endacustes D.*) Boll. Mus. Torino, xii. (301) p. 7 (1897). | Darien.
4. **E. Aptera, Giglio-Tos,** (*Endacustes Apterus*) l. c. p. 8 (1897). | id.

5. **E. Azteca, Sauss. (*Endacustes Aztecus*) Biol. Centr.-Amer., Orth. i. p. 250, pl. 12. ff. 20–22 (1897). | Mexico.

6. **E. Dispar, Redt. (*Endacustes D.*) Proc. Zool. Soc. Lond. 1892, p. 219, pl. 17. f. 18. | W. Indies, St. Vincent.

Genus 82. **Endecous.**

Sauss. Mém. Soc. Genève, xxv. p. 439 (1878).

1. **E. Arachnopis, Sauss.** l. c. (1878).	Brazil.

Genus 83. **Phalangopsis.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 166 (1831); Ins. Orth. p. 367 (1839); Burm. Handb. Ent. ii. p. 721 (1838); Sauss. Miss. Mex., Orth. p. 451 (1874); Mém. Soc. Genève, xxv. p. 440 (1878).

1. **P. Longipes, Serv.** ll. cc. p. 167 (1831); p. 369, pl. 12. f. 1 (1839); Sauss. ll. cc. p. 452 (1874); p. 441, pl. 16 (xl.) ff. 1, 1 *a* (1878).	Guiana, Surinam.
*2. **P. Gaudichaudi, Sauss.** ll. cc. p. 453 (1874): p. 441, pl. 16 (xl.) ff. 2 *i*, 2 *e* (1878).	S. America.
3. **P. Amboinensis, Karsch,** Ent. Nachr. xii. p. 345.	Amboina.

Genus 84. **Vœltzkowia.**

Sauss. Abhandl. Senckenb. Ges. xxi. p. 611 (1899).

1. **V. Marmorata, Sauss.** l. c. p. 612, pl. 37. f. 12 (1899).	Nossi Bé.

Genus 85. **Phalangacris.**

Bol. Ann. Soc. Ent. France, lxiv. p. 380 (1895).

1. **P. Alluaudi, Bol.** l. c. p. 381 (1895).	Seychelles.

Genus 86. **Arachnomimus.** (*Type* no. 1.)

Sauss. Biol. Centr.-Amer., Orth. i. p. 251 (1897).
‖ *Arachnopsis, Sauss.* (*nec Stimps.*) Mém. Soc. Genève, xxv. p. 442 (1878).

1. **A. Nietneri, Sauss.** (*Arachnopsis N.*) l. c. (1878).	Ceylon.
2. **A. (?) Picticeps, Walk. (*Phalangopsis P.*) Cat. Derm. Salt. B. M. i. p. 107. n. 16 (1869). *Arachnopsis* (?) *Pictipes, Sauss.* l. c. p. 443 (1878).	India.

3. **A. Dubius, Bol.** (*Arachnopsis D.*) Ann. Soc. Ent. France, lxviii. p. 803 (1900).	S. India. Madura.
4. **A. Annulipes, Bol.** (*Arachnopsis A.*) An. Soc. Españ. xviii. p. 423 (1889).	Philippines.
5. **A. Annulata, Bilimek,** (*Phalangopsis A.*) Verh. zool.-bot. Ges. Wien, xvii. p. 904 (1867).	Mexico.
6. **A. Cavicola, Sauss. Biol. Centr.-Amer., Orth. i. p. 251 (1897). *Arachnopsis Cavicola, Sauss.* l. c. pl. 12. f. 23 (1897).	Guatemala.

Genus 87. **Phæophilacris.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 23 (1871).
Phæophyllacris, Sauss. Mém. Soc. Genève, xxv. p. 443 (1878).

1. **P. Funesta, Walk. l. c. (1871). *Phæophyllacris Funesta, Sauss.* l. c. p. 445 (1878).	Sierra Leone.
2. **P. Phalangium, Karsch,** (*Phæophyllacris P.*) Berlin. Ent. Zeitschr. xxxvii. p. 78 (1892).	Cameroons.
*3. **P. Gymnica, Karsch,** (*Phæophyllacris G.*) l. c. xxxviii. p. 159 (1893).	Adeli, Lagos.
4. **P. Semialata, Bol.** (*Phæophyllacris S.*) Jorn. Sci. Lisb. (2) i. p. 231 (1890).	Angola.
5. **P. Angolensis, Bol.** (*Phæophyllacris A.*) l. c. (1890).	id.
6. **P. Abyssinica, Sauss.** (*Phæophyllacris A.*) l. c. p. 447. pl. 16 (xlv.) ff. 1–5 (1878).	Abyssinia.
7. **P. Aranea, Sauss.** (*Phæophyllacris A.*) l. c. p. 444, pl. 16 (xl.) f. 3 (1878).	Zanzibar.
*8. **P. Spectrum, Sauss.** (*Phæophyllacris S.*) l. c. p. 446 (1878).	id., B.E. Africa.

Genus 88. **Cophus.**

Sauss. Miss. Mex., Orth. p. 454 (1874) :
Mém. Soc. Genève, xxv. p. 449 (1878).

1. **C. Thoracicus, Sauss.** ll. cc. p. 455 (1874) : p. 450 (1878).	Cuba.

ŒCANTHINÆ C.

Genus 89. **Œcanthus.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 134 (1831) ; Ins. Orth. p. 358 (1839) ; Steph. Ill. Brit. Ent., Mand. vi. p. 41 (1835) ; Costa, Faun. Nap., Grill. p. 18 (1852) ; Burm. Handb. Ent. ii. p. 731 (1838) ; Ramb. Faun. Andal. ii. p. 40 (1839) ; Haan, Temminck, Verhandel., Orth. p. 236 (1842) ; Fisch. Orth. Eur. p. 164 (1853) ; Fieb. Lotos, iii. p. 233 (1853) ; Syn. Eur. Orth. p. 63 (1854) ; Friv. Értek. Termész. Kör. i. (12) p. 78 (1867) ; Sauss. Miss. Mex., Orth. p. 456 (1874) ; Mém. Soc. Genève, xxv. p. 451 (1878) ; Biol. Centr.-Amer., Orth. i. p. 252 (1897) ; Bol. Ortópt. Españ. p. 270 (1876) ; An. Soc. Españ. viii. p. 66 (1878) ; Ann. Sci. Nat. Porto, v. p. 39 (1898) ; Brunn. Prodr. Eur. Orth. pp. 419, 420 (1882) ; Finot, Orth. France, p. 129 (1883) ; Faune France, Orth. pp. 230, 231 (1889) ; McNeill, Psyche, vi. p. 6 (1891) ; Blatchl. Proc. Indiana Acad. Sci. 1891, pp. 128, 140 ; Rep. Indiana Dept. Geol. xxvii. p. 444 (1903) ; Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 269, 273 (1894) ; Tümp. Geradfl. Mitteleurop. pp. 227, 228, 273 (1900) ; Faxon, Psyche, ix. p. 183 (1901) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 447 (1904) ; E. M. Walker, Canad. Ent. xxxvi. p. 253 (1904).

Æcanthus, *Brullé*, Hist. Nat. Ins. ix. p. 174 (1835) ; Blanch. Hist. Nat. Ins. iii. p. 31 (1840).

Gryllomyia, *Seidl*, Weitenweber, Beitr. ges. Naturk. Heilwiss. i. p. 212 (1837). (*Type* no. 1.)

*1. **Œ. Pellucens, Scop.** (*Gryllus P.*) Ent. Carn. p. 32. n. 324 (1763). *Œ. Pellucens*, *Costa*, l. c. pp. 19–45 (1852–1855) ; Serv. Ins. Orth. p. 360. n. 1 (1839) ; Haan, l. c. p. 236. n. 1 (1842) ; Fisch. l. c. p. 165. n. 1, pl. 9. ff. 14, 14 *a*, *b* (1853) ; Fieb. ll. cc. p. 233. n. 1 (1853) ; p. 64. n. 1 (1854) ; Friv. l. c. p. 80. n. 1 (1867) ; Sauss. Fedchenko, Reise Turk., Orth. p. 38 (1874) ; Mém. Soc. Genève, xxv. p. 455. n. 6, pl. 15 (xxxiv.) ff. 1–6, pl. 16 (xliii.) (1877–1878) ; Bol. ll. cc.	S. & Centr. Europe, W. & Centr. Asia.

p. 271. n. 1 (1876) : p. 67. n. 1 (1878) ; p. 125. n. 1 (1898) ; Brunn. l. c. p. 421. n. 1, pl. 11. f. 96 (1882) ; Finot, ll. cc. p. 131 (1883) ; p. 232, pl. 12. f. 149 (1889) ; Burr, Brit. Orth. p. 68 (1897) ; Tümp. l. c. pp. 228, 273, pl. 22 (1900) ; Jacobs. & Bianchi, l. c. p. 448, pls. 9 & 10 (1902–1904).	
Æcanthus Pellucens, Brullé, l. c. p. 174, pl. 18. f. 1 (1835) ; Blanch. l. c. p. 31, pl. 8. f. 3 (1840).	
Acheta Italica, Fabr. Spec. Ins. i. p. 355. n. 12 (1781) ; Cyrillo, Spec. Ent. Neap. pl. 7. ff. 5, 6 (1792) ; Panz. Faun. Germ. fasc. 22, pl. 17 (1794) ; Charp. Hor. Ent. p. 79 (1825).	
Gryllus Italicus, Oliv. Enc. Méth., Ins. vi. p. 637. n. 16 (1791) ; Latr. Hist. Nat. Crust. Ins. xii. p. 125. n. 5 (1804).	
Œcanthus Italicus, Steph. l. c. vi. p. 41 (1835) ; Ramb. l. c. p. 41 (1839).	
Gryllomyia Italica, Seidl, l. c. p. 212 (1837).	
|| *Semblis Lutaria, Petagna* (*nec Linn.*) Inst. Ent. ii. pl. 4. f. 2 (1792).	
|| *Meconema Varia, Fisch. Waldh.* Orth. Ross. pl. 8. f. 6 (*nec* text !) (1846).	
Var. *Acheta Aquea, Fabr.* Ent. Syst. Suppl. p. 192 (1798).	
Gryllus Aqueus, Eversm. Addit. Orth. Ross. Fisch. Waldh. p. 7, pl. A. f. 1 (1848).	
Œcanthus Aqueus, Fisch. l. c. p. 166 (1853).	
2. **Œ. Macer, Karsch,** Ent. Nachr. xix. p. 203 (1893) : Berlin. Ent. Zeitschr. xxxviii. p. 161 (1893).	Cameroons, Adeli.
3. **Œ. Camptulus, Karsch,** Berlin. Ent. Zeitschr. xxxviii. p. 161 (1893).	Adeli.
4. **Œ. Filiger, Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 14 (1871).	Cape, Natal.
Œ. Brevicauda, Sauss. Mém. Soc. Genève, xxv. p. 454 (1878).	
*5. **Œ. Capensis, Sauss.** l. c. p. 456 (1878).	Cape.
6. **Œ. Burmeisteri, Sauss.** l. c. p. 454 (1878).	E. Africa.
7. **Œ. Parvulus, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 613 (1899).	Aldabra, Nossi Bé.

8. **Œ. Sinensis, Walk. l. c. i. p. 95. n. 11 (1869).	China.
*9. **Œ. Indicus, Sauss.** l. c. p. 454 (1878).	Ind., Java.
*10. **Œ. Rufescens, Serv.** Ins. Orth. p. 361 (1839) ; Sauss. l. c. p. 456 (1878). *Gryllus* (*Œcanthus*) *Gracilis*, *Haan*, Temminck, Verhandel., Orth. p. 236, pl. 20. f. 8 (1842).	India, Java, Born., Celebes, Australia, Timor, Fiji.
11. **Œ. Lineatus, Walk.** l. c. i. p. 96. n. 13 (1869) ; Sauss. l. c. p. 455 (1878).	Moreton Bay, Fiji.
*12. **Œ. Niveus, De Geer,** (*Gryllus N.*) Mém. Ins. iii. p. 522. n. 6, pl. 43. f. 6 (1773) ; Oliv. Enc. Méth., Ins. vi. p. 637. n. 19 (1791). *Acheta Nivea*, *Jaeg.* N. Amer. Ins. p. 159 pl. 5. f. 26 (1854). *Œcanthus Niveus*, *Serv.* l. c. p. 361 (1839) ; Harr. Ins. Injur. Veget. p. 124 (1841) ; (ed. 3) p. 154, ff. 71, 72 (1862) ; Fitch, Rep. Ins. N. York, iii. p. 86 (1856) ; Scudd. Bost. Journ. Nat. Hist. vii. p. 431 (1862) ; Sauss. Miss. Mex., Orth. p. 458 (1874); Biol. Centr.-Amer., Orth. i. p. 253 (1897) ; Pack. Guide Stud. Ins. p. 564. ff. 561, 562 (1883) ; Rep. U.S. Ent. Comm. v. pp. 230, 591, ff. 75, 76 (1890) ; McNeill, Psyche, vi. p. 6 (1891) ; Beut. l. c. p. 269, f. 2, pl. 5. ff. 12, 13 (1894) ; Faxon, Psyche, ix. p. 183 (1901); Blatchl. ll. cc. p. 141. n. 14 (1891) ; pp. 444, 446, ff. 115, 116 (1903) ; E. M. Walk. l. c. p. 253. n. 12 (1904). *Œ. Niveus*, var. *e. Discoloratus*, *Fitch*, l. c. p. 95 (1856). *Œ. Niveus*, var. *f. Fuscipes*, *Fitch*, l. c. (1856).	N. & Centr. America, Cuba.
*13. **Œ. Angustipennis, Fitch,** (*Œ. Niveus*, var. *a* & var. *g. Angustipennis*) l. c. (1856). *Œ. Angustipennis*, *McNeill*, l. c. vi. p. 7 (1891) ; Beut. l. c. p. 270, f. 3 (1894) ; Faxon, l. c. ix. p. 183 (1901) ; Blatchl. ll. cc. p. 143. n. 16 (1891) ; pp. 444, 450. n. 141, f. 117 (1903).	United States.
*14. **Œ. Argentinus, Sauss.** ll. cc. p. 460 (1874) ; p. 253 (1897) ; Caud. Proc. Ent. Soc. Washington. v. p. 166 (1903).	Texas, Mexico ; La Plata (?).

15. **Œ. Quadripunctatus, Beut.** l. c. vi. p. 271, f. 5 (1894); Faxon, l. c. ix. p. 183 (1901); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 445, 452 (1903); E. M. Walk. l. c. pp. 253, 255. n. 14 (1904).	United States.
Œ. Niveus, var. *c*, *Fitch*, l. c. p. 95 (1856).	
16. **Œ. Pini, Beut.** Journ. N. York Ent. Soc. ii. p. 56 (1894); Bull. Amer. Mus. Nat. Hist. vi. p. 271, f. 6 (1894).	Connecticut.
*17. **Œ. Fasciatus, Fitch,** (*nec De Geer*) l. c. p. 96 (1856); McNeill, l. c. vi. p. 6 (1891); Blatchl. Proc. Indiana Acad. Sci. 1891, p. 143. n. 15; Rep. Indiana Dept. Geol. xxvii. p. 444 (1903); E. M. Walk. l. c. pp. 253, 254. n. 13 (1904).	New York, Illinois.
***Œ. Nigricornis*, *Walk.* l. c. i. p. 93. n. 4 (1869); Sauss. ll. cc. p. 461 (1874); p. 254 (1897); Beut. Bull. Amer. Mus. Nat. Hist. vi. p. 270, f. 4 (1894); Faxon, l. c. ix. p. 183 (1901).	
18. **Œ. Latipennis, Riley,** Rep. Ins. Miss., Index & Suppl. p. 61 (1881); McNeill, l. c. vi. p. 8 (1891); Beut. l. c. p. 272 (1894); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 444, 445. n. 139, f. 113 (1903).	Missouri, Alabama, Texas.
19. **Œ. Californicus, Sauss.** Miss. Mex., Orth. p. 462 (1874).	California.
*20. **Œ. Varicornis, Walk.** l. c. i. p. 94. n. 5 (1869); Sauss. l. c. p. 460 (1874); Biol. Centr.-Amer., Orth. i. p. 254, pl. 12. ff. 24, 25 (1897); Rehn, Proc. Acad. Nat. Sci. Philad. 1904, p. 547.	Mexico, Central America, Venezuela.
21. **Œ. (?) Crucis, Fabr.** (*Acheta C.*) Mant., Ins. i. p. 232. n. 12 (1787).	St. Croix.
22. **Œ. (?) Flavipes, Fabr.** (*Acheta F.*) Ent. Syst. ii. p. 30. n. 8 (1793).	St. Thomas.
23. **Œ. Tenuis, Walk. l. c. i. p. 95. n. 9 (1869); Sauss. Miss. Mex., Orth. p. 461 (1874).	Santarem.
24. **Œ. Minutus, Sauss.** Mém. Soc. Genève, xxv. p. 454 (1878).	Pernambuco.
25. **Œ. Peruvianus, Walk.** l. c. i. p. 95. n. 8 (1869).	Peru.
26. **Œ. Lineolatus, Sauss.** Biol. Centr.-Amer., Orth. i. p. 254 (1897).	Rio Grande do Sul.
27. **Œ. (?) Forbesi, Titus,** Canad. Ent. xxxv. p. 260 (1903).	Illinois.

Genus 90. **Neoxabea, Kirb.** (n. n.).

‖ *Xabea, Riley (nec Walk.)*, Rep. Ins. Miss., Index & Suppl. p. 62 (1881); Beut. Bull. Amer. Mus. Nat. Hist. vi. p. 272 (1894); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 444, 453 (1903).

*1. **N. Bipunctata, De Geer,** (*Gryllus Bipunctatus*) Mém. Ins. iii. p. 523. n. 7, pl. 43. f. 7 (1773); Oliv. Enc. Méth., Ins. vi. p. 637. n. 18 (1791); Burm. Handb. Ent. ii. p. 732. n. 2 (1838). *Œcanthus Bipunctatus, Sauss.* Miss. Mex., Orth. p. 462 (1874); Biol. Centr.-Amer., Orth. i. p. 255 (1897); Stal, Recens. Orth. iii. p. 3 (1875). *Xabea Bipunctata, Riley*, l. c. p. 61 (1881); Blatchl. l. c. p. 453. n. 144 (1903). *Xabea Bipunctatus, Beut.* l. c. p. 272, pl. 5. f. 14 (1894). *Acheta Binotata, Gmel.* Syst. Nat. i. (5) p. 2062. n. 84 (1788). *Œcanthus Punctulatus, Fitch*, Rep. Ins. N. York, iii. p. 97 (1856). ** *Œcanthus Formosus, Walk.* Cat. Derm. Salt. B. M. i. p. 94. n. 6 (1869).	United States, Mexico, Central America.

Genus 91. **Xabea.**

Walk. Cat. Derm. Salt. B. M. i. p. 109 (1869).

1. **X. Decora, Walk. l. c. p. 109. n. 1 (1869). *Œcanthus (Xabeus) Decorus, Sauss.* Mém. Soc. Genève, xxv. p. 457 (1878).	Sumatra.

SUBFAM. V.

TRIGONIDIINÆ.

Genus 92. **Trigonidium.** (*Type* no. 1.)

Ramb. Faune Andal. ii. p. 39 (Jan. 1839) ; Serv. Ins. Orth. p. 349 (1839) ; Fisch. Orth. Eur. p. 169 (1853) ; Sauss. Mém. Soc. Genève, xxv. p. 462 (1878) ; Bol. Ortópt. Españ. p. 273 (1876) ; An. Soc. Españ. viii. p. 69 (1878); Ann. Sci. Nat. Porto, vi. p. 39 (1898) ; Brunn. Prodr. Eur. Orth. p. 422 (1882) ; Finot, Orth. France, p. 130 (1883) ; Faune France, Orth. p. 233 (1889) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 464 (1904).

Alamia, *Serv.* l. c. p. 350 (1839) ; Costa, Faun. Nap., Grill. pp. 13, 49 (1852–1855).

Ceratinopterus, *Fieb.* Lotos, iii. p. 232 (1853) ; Syn. Eur. Orth. p. 62 (1854).

*1. **T. Cicindeloides, Ramb.** l. c. p. 39 (1839) ; Fisch. l. c. p. 169, pl. 9. ff. 5, 5*, 5 *a*, *b* (1853) ; Bol. ll. cc. p. 274, pl. 7. ff. 8, 8 *a*, *b* (1876); p. 70. n. 1, pl. 3. ff. 9, 9 *a* (1878) ; p. 124. n. 1 (1898) ; Ann. Soc. Ent. France, lxviii. p. 804 (1900) ; Sauss. l. c. p. 463, pl. 19 (lxxix.) f. 1 (1878) ; Brunn. l. c. p. 423, pl. 11. f. 97 A, B (1882) ; Finot, ll. cc. p. 132 (1883) ; p. 233, pl. 12. f. 150 (1889) ; Jacobs. & Bianchi, l. c. p. 464 (1904). *Ceratinopterus Cicindeloides*, *Fieber*, ll. cc. p. 232 (1853); p. 62. n. 1 (1854); Lotos, v. p. 65. n. 1 (1855). *T. Paludicola*, *Serv.* l. c. p. 351 (1839). *Alamia Paludicola*, *Costa*, l. c. pp. 14, 49, pl. 6. f. 3 (1852–1855).	S. Europe, N. & W. Africa, W. Asia, India, Burma, Ceylon.
2. **T. Erythrocephalus, Walk. (*Scleropterus E.*) Cat. Derm. Salt. B. M. i. p. 74. n. 3 (1869).	W. Africa, Natal.
3. **T. Atrum, Walk. (*Scleropterus Ater*) l. c. n. 4 (1869).	Sierra Leone.
4. **T. Capense, Sauss.** l. c. p. 464 (1878).	Cape.
5. **T. Madecassum, Sauss.** l. c. (1878).	Madagascar
6. **T. Brevipenne, Sauss.** Abhandl. Senck. Ges. xxi. p. 606 (1899).	Nossi Bé.

7. **T. Gigas, Bol.** Ann. Soc. Ent. France, lxviii. p. 804 (1900).	S. India.
8. **T. Haanii, Sauss.** Mém. Soc. Genève, xxv. p. 466 (1878). ‖ *Gryllus* (*Scleropterus*) *Cicindeloides*, *Haan*, Temminck, Verhandel., Orth. p. 233 (1842).	Java.
*9. **T. Flavipes, Sauss.** l. c. p. 465, pl. 16 (xlvii.) ff. 1, 2 *i*, *e*, pl. 19 (lxxx.) f. 1 (1878).	Fiji. &c., Australia.
10. **T. Maoricum, Walk. (*Scleropterus Maoricus*) l. c. p. 74. n. 5 (1869).	New Zealand.
11. **T. Tahitense, Sauss.** l. c. p. 465 (1878).	Tahiti.

Genus 93. **Metioche.** (*Type* no. 6.)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (1) p. 48 (1877).
Piestoxiphus, *Sauss.* Mém. Soc. Genève, xxv. p. 467 (1878); Abhandl. Senckenb. Ges. xxi. p. 606 (1899); Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 161 (1893). (*Type* no. 7.)

1. **M. Guineensis, Sauss.** (*Homœoxiphus* (?) *G.*) l. c. p. 473 (1878).	Fernando Po.
2. **M. Simiola, Karsch,** (*Piestoxiphus Simiolus*) Berlin. Ent. Zeitschr. xxxviii. p. 162 (1893).	W. Africa, Adeli.
3. **M. Fuscicornis, Stål,** (*Trigonidium Fuscicorne*) Eugenie's Resa, Orth. p. 317 (1860). *Homœoxiphus* (?) *Fuscicornis*, *Sauss.* l. c. p. 473 (1878).	Ascension.
4. **M. Tibialis, Stål,** (*Trigonidium Tibiale*) l. c. p. 316 (1860). *Homœoxiphus* (?) *Tibialis*, *Sauss.* l. c. p. 472 (1878).	Mauritius.
5. **M. Pallidicornis, Stål,** (*Trigonidium Pallidicorne*) l. c. p. 317 (1860). *Homœoxiphus* (?) *Pallidicornis*, *Sauss*, l. c. p. 473 (1878).	Hong Kong.
6. **M. Vittaticollis, Stål,** (*Trigonidium Vittaticolle*) l. c. p. 317 (1860). *Homœoxiphus* (?) *Vittaticollis*, *Sauss.* l. c. p. 474 (1878). *M. Lepidula*, *Stål*, Œfv. Vet.-Akad. Förh. xxxiv. (1) p. 48 (1877).	Manila.

*7. **M. Humbertiana, Sauss.** (*Homœoxiphus Humbertianus*) l. c. p. 468, pl. 17 (xlviii.) f. 1 (1878). Ceylon.

8. **M. Pallipes, Stål,** (*Trigonidium P.*) Eugenie's Resa, Orth. p. 316 (1860). Singapore.
Homœoxiphus (?) *Pallipes, Sauss.* l. c. p. 472 (1878).

9. **M. Scitula, Sauss.** (*Homœoxiphus Scitulus*) l. c. p. 469 (1878). Java.

10. **M. Novaræ, Sauss.** (*Homœoxiphus N.*) l. c. p. 469, pl. 17 (xlviii.) ff. 2, 2*a* (1878). id.

11. **M. Bicolor, Stål,** (*Trigonidium B.*) l. c. p. 317 (1860). id.
Homœoxiphus (?) *B., Sauss.* l. c. p. 471 (1878).

12. **M. Coleoptrata, Stål,** (*Trigonidium Coleoptratum*) l. c. p. 316 (1860). id.
Homœoxiphus Coleoptrata, Sauss. Mém. Soc. Genève, xxv. p. 472 (1878).

13. **M. Insularis, Sauss.** (*Homœoxiphus I.*) l. c. p. 470 (1878). Java, Fiji, Australia.

14. **M. Tacitus, Sauss.** (*Homœoxiphus T.*) l. c. p. 471 (1878). Oceania.

Genus 94. **Paratrigonidium.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 208 (1893);
Perk. Faun. Haw., Orth. p. 15 (1899).

1. **P. Nitidum, Brunn.** l. c. p. 209, pl. 6, f. 75 (1893). Burma.

2. **P. Castaneum, Brunn.** l. c. p. 209 (1893). id.

3. **P. Fasciatum, Brunn.** l. c. (1893). Java.

4. **P. Vittatum, Brunn.** l. c. p. 210, pl. 6, f. 70 (1893). Burma.

5. **P. Freycinetiæ, Perk. l. c. p. 16 (1899). Hawaii.

6. **P. Saltator, Perk. l. c. (1899). Oahu.

7. **P. Roseum, Perk. l. c. pl. 1. f. 9 (1899). West Maui.

8. **P. Atroferrugineum, Brunn. Proc. Zool. Soc. Lond. 1895, p. 895; Perk. l. c. p. 17, pl. 1. f. 10 (1899). Molokai.

9. **P. Subroseum, Perk. l. c. p. 17 (1899). Oahu.

10. **P. Filicum, Perk. l. c. pl. 2. f. 6 (1899). Hawaii.

11. **P. Viridescens, Perk. l. c. p. 18, pl. 1. f. 11 (1899). id.

12. **P. Varians, Perk. l. c. p. 18 (1899). Haw. Isl.

13. **P. Grande, Perk. l. c. p. 19, pl. 1. f. 12 (1899). Hawaii.

14. **P. Crepitans, Perk. l. c. p. 19 (1899). Kauai.

15. **P. Robustum, Perk. l. c. p. 20 (1899). id.

16. **P. Molokaiensis, Perk. l. c. (1899). Molokai.

17. **P. Alternatum, Perk. l. c. pl. 1. f. 13, pl. 2. f. 5 (1899). Kauai.

18. **P. Debile, Perk. l. c. p. 21 (1899). Oahu.

19. **P. Exiguum, Perk. l. c. (1899). id.

20. **P. Pacificum, Scudd. (*Trigonidium P.*) Proc. Boston Soc. Nat. Hist. xii. p. 139 (1868); Sauss. l. c. p. 466 (1878). Haw. Isl.
P. Pacificum, Brunn. l. c. p. 895 (1895); Perk. l. c. p. 22, pl. 2. f. 6 *a* (1899).

Genus 95. **Homœoxipha.**

Sauss. Miss. Mex., Orth. p. 363 (1874).
Homœoxiphus, Sauss. Mém. Soc. Genève, xxv. p. 467 (1878).

1. **H. Lycoides, Walk. (*Phyllopalpus L.*) Cat. Derm. Salt. B. M. i. p. 71. n. 8 (1869). Ceylon.
♀. *Homœoxiphus Histrio, Sauss.* l. c. p. 467 (1878).

Genus 96. **Cyrtoxipha.** (*Type* no. 24.)

Brunn. Mitth. Schweiz. ent. Ges. iv. p. 168 (1873); Sauss. Miss. Mex., Orth. p. 373 (1874).
Cyrtoxiphus, Sauss. Mém. Soc. Genève, xxv. p. 476 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 210 (1893).

1. **C. Ciliata, Afzel. & Brann.** (*Acheta C.*) Achet. Guin. p. 27. n. 7, f. 8 (1804). Sierra Leone.
Cyrtoxiphus Ciliatus, Sauss. l. c. p. 490 (1878).

2. **C. Gilva, Karsch,** (*Cyrtoxiphus Gilvus*) Berlin. Ent. Zeitschr. xxxviii. p. 162 (1893). Adeli.

3. **C. Contaminata, Karsch,** (*Cyrtoxiphus Contaminatus*) l. c. p. 163 (1893). Adeli.

4. **C. Furva, Karsch,** (*Cyrtoxiphus Furvus*) l. c. (1893). id.

5. **C. Gueinzii, Kirb. (n. n.). Natal.
***Phyllopalpus* (?) *Gracilis, Walk.* (nec *Trigonidium Gracile, Scudd.*) Cat. Derm. Salt. B. M. i. p. 70. n. 7 (1869).

6. **C. Desjardinsii, Serv.** (*Trigonidium D.*) Ins. Orth. p. 351 (1839). Mauritius.
Cyrtoxiphus Desjardinsii, Sauss. l. c. p. 483, pl. 17 (xlix.) ff. 2, 2 *i*, *e*, *t*, pl. 19 (lxxix.) f. 2 (1878).

7. **C. Longipennis, Serv.** (*Trigonidium Longipenne*) l. c. p. 351 (1839). id.
Cyrtoxiphus Longipennis, Sauss. l. c. p. 484, pl. 17 (xlix.) ff. 1, 6 (1878).

8. **C. Fascipes, Walk. (*Eneoptera F.*) l. c. i. p. 67. n. 6 (1869). N. India.

9. **C. Concolor, Walk. (*Eneoptera C.*) l. c. v. Suppl. p. 10 (1871). Bombay.

10. **C. Alboatra, Walk. (*Eneoptera A.*) l. c. p. 11 (1871). id.

11. **C. Lateralis, Walk. (*Eneoptera L.*) l. c. (1871). Ceylon.

12. **C Œdemeroides, Walk. (*Eneoptera Œ.*) l. c. (1871). id.

*13. **C. Pusilla, Sauss.** (*Cyrtoxiphus Pusillus*) l. c. p. 486 (1878). id.

14. **C. Unicolor, Scudd.** (*Eneoptera U.*) Bost. Journ. Nat. Hist. xii. p. 140 (1868); Sauss. l. c. p. 683 (1878). Manila.

15. **C. Venustula, Sauss.** (*Cyrtoxiphus Venustulus*) l. c. p. 482 (1878). Java, Burma.

16. **C. Ritsemæ, Sauss.** (*Cyrtoxiphus R.*) l. c. p. 485 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 211, pl. 6. f. 77 (1893). Java, Borneo, Burma.

17. **C. Lineatocollis, Serv.** (*Trigonidium* (?) *Lineatocolle*) Ins. Orth. p. 352 (1839). Java.
Cyrtoxiphus Lineaticollis, Sauss. l. c. p. 489 (1878).

18. **C. Maritima, Sauss.** (*Cyrtoxiphus Maritimus*) l. c. p. 478, pl. 17 (xlix.) f. 3, pl. 19 (lxxix.) f. 3 (1878). Fiji, Samoa, Tahiti.

19. **C. Musica, Sauss.** (*Cyrtoxiphus Musicus*) l. c. p. 480, pl. 17 (xlix.) ff. 4, 4 *a* (1878). Tahiti.

20. **C. Fulva, Sauss.** (*Cyrtoxiphus Fulvus*) l. c. p. 481, pl. 17 (xlix.) f. 5 (1878).	Fiji, Burma.
21. **C. Straminula, Brunn.** (*Cyrtoxiphus Straminulus*) l. c. p. 211 (1893).	Burma.
22. **C. Straminea, Sauss.** (*Cyrtoxiphus Stramineus*) l. c. p. 482 (1878).	Fiji.
23. **C. Delicatula, Scudd.** Proc. Bost. Soc. Nat. Hist. xix. p. 82 (1877).	Florida.
*24. **C. Gundlachi, Sauss.** Miss. Mex., Orth. p. 373, pl. 7. f. 2 (1874). *Cyrtoxiphus Gundlachi, Sauss.* Mém. Soc. Genève, xxv. p. 480 (1878) ; Bol. Mém. Soc. Zool. France, i. p. 158 (1888).	Cuba, St. Vincent, Pernambuco.
*25. **C. Vittata, Bol.** (*Cyrtoxiphus Vittatus*) l. c. p. 159 (1888).	Cuba, St. Vinc., Gren.
26. **C. Poeyi, Bol.** (*Cyrtoxiphus P.*) l. c. (1888).	Cuba.
27. **C. Imitator, Sauss.** (*Cyrtoxiphus I.*) l. c. p. 487 (1878).	id.
28. **C. Macilenta, Sauss. (*Cyrtoxiphus Macilentus*) Biol. Centr.-Amer., Orth. i. p. 235, pl. 11. f. 45 (1897).	Mexico, Panama.
*29. **C. Azteca, Sauss.** Miss. Mex., Orth. p. 375 (1874). *Cyrtoxiphus Aztecus, Sauss.* Mém. Soc. Genève, xxv. p. 486 (1878) ; Biol. Centr.-Amer., Orth. i. p. 235, pl. 11. ff. 38, 39 (1897).	Mexico, Pernambuco.
30. **C. Smithi, Sauss. (*Cyrtoxiphus S.*) Biol. Centr.-Amer., Orth. i. p. 236 (1897).	Mexico.
31. **C. Tibialis, Sauss. (*Cyrtoxiphus T.*) l. c. p. 236, pl. 11. f. 40 (1897).	id.
32. **C. Championi, Sauss. (*Cyrtoxiphus C.*) l. c. f. 41 (1897).	Panama.
33. **C. Olmeca, Sauss. (*Cyrtoxiphus Olmecus*) l. c. ff. 42, 43 (1897).	Mexico.
34. **C. Picta, Sauss.** (*Cyrtoxiphus Pictus*) l. c. p. 237 (1897).	Panama.
*35. **C. Tolteca, Sauss.** Miss. Mex., Orth. p. 376 (1874). *Cyrtoxiphus Toltecus, Sauss.* Mém. Soc. Genève, xxv. p. 487 (1878) ; Biol. Centr.-Amer., Orth. i. p. 237, pl. 11. f. 44 (1897).	Mexico.
*36. **C. Angusticollis, Sauss.** Miss. Mex., Orth. p. 377, pl. 7. f. 2 (1874). *Cyrtoxiphus Angusticollis, Sauss.* Mém. Soc. Genève, xxv. p. 488, pl. 19 (lxxx.) f. 6 (1878) ; Biol. Centr.-Amer., Orth. i. p. 238 (1897).	Mexico, Panama.

37. **C. (?) Chichimeca, Sauss.** (*Cyrtoxiphus Chichimecus*) ll. cc. p. 490 (1878); p. 238 (1897). Mexico.

*38. **C. Minuta, Linn.** (*Gryllus Acheta Minutus*) Syst. Nat. (ed. 12) i. p. 694. n. 11 (1767). Dominica.
C. Minuta, Sauss. Miss. Mex., Orth. p. 379 (1874); Stål. Recens. Orth. iii. p. 1 (1875).
Cyrtoxiphus Minutus, Sauss. Mém. Soc. Genève, xxv. p. 489 (1878).
Gryllus Testaceus, De Geer, Mém. Ins. iii. p. 524. n. 8, pl. 43. f. 8 (1773).

39. **C. Incompta, Walk. (*Eneoptera I.*) l. c. i. p. 67. n. 4 (1869). Tapajos.

40. **C. Lanceolata, Walk. (*Eneoptera L.*) l. c. n. 5 (1869). Brazil.

41. **C. Peruviana, Sauss.** Miss. Mex., Orth. p. 378 (1874). Peru.
Cyrtoxiphus Peruvianus, Sauss. Mém. Soc. Genève, xxv. p. 488 (1878).

42. **C. Stolzmanni, Bol.** (*Cyrtoxiphus S.*) An. Soc. Españ. x. p. 475 (1881). id.

43. **C. Gracilis, Scudd.** (*Trigonidium Gracile*) Proc. Bost. Soc. Nat. Hist. xii. p. 331 (1869). Napo
C. Gracilis, Sauss. Miss. Mex., Orth. p. 377 (1874).

Genus 97. **Lobeda.**

Walk. Cat. Derm. Salt. B. M. i. p. 65 (1869).

1. **L. Ovalis, Walk. l. c. p. 66 (1869). | Natal.

Genus 98. **Orthoxiphus.**

Sauss. Abhandl. Senckenb. Ges. xxi. p. 613 (1899).

1. **O. Atriceps, Sauss.** l. c. pl. 37. f. 9 (1899). | Nossi Bé.

Genus 99. **Amusurgus.**

Brunn. Ann. Mus. Genova, xxxiii. p. 212 (1893).

1. **A. Fulvus, Brunn.** l. c. pl. 6. f. 78 (1893). | Pegu.

Genus 100. **Hydropedeticus.**

Miall & Gils. Trans. Ent. Soc. Lond. 1902, p. 284.

1. **H. Vitiensis, Miall & Gils.** l. c. pls. 7, 8 (1902).	Fiji.

Genus 101. **Zarceus.**

Bol. Ann. Soc. Ent. France, lxiv. p. 383 (1895).

1. **Z. Fallaciosus, Bol.** l. c. p. 384 (1895).	Seychelles.

Genus 102. **Thamnoscirtus.** (*Type* no. 2.)

Sauss. Mém. Soc. Genève, xxv. p. 490 (1878).

1. **T. Cæruleus, Rehn,** Proc. Acad. Nat. Sci. Philad. lvi. p. 548 (1904).	Mexico.
*2. **T. Cicindeloides, Gerst.** (*Phylloscyrtus C.*) Stettin. Ent. Zeit. xxiv. p. 428 (1863); Sauss. Miss. Mex., Orth. p. 369 (1874). *Phylloscirtus Cicindeloides, Burm.* Abhandl. Ges. Halle, xv. p. 18 (1880). *T. Cicindeloides, Sauss.* Mém. Soc. Genève, xxv. p. 491, pl. 16 (xlvi.) ff. 1, 1 *e*, *a*, *b* (1878).	Panama, Venezuela.
3. **T. Montanus, Sauss. Biol. Centr.-Amer., Orth. i. p. 240, pl. 13. f. 36 (1897).	Panama.
4. **T. Viridicatus, Sauss.** l. c. p. 240 (1897).	Guiana.
5. **T. Vittatus, Gerst.** (*Phylloscyrtus V.*) l. c. p. 428 (1863); Sauss. Miss. Mex., Orth. p. 369 (1874). *Phylloscirtus Vittatus, Burm.* l. c. p. 16 (1880). *T. Vittatus, Sauss.* Mém. Soc. Genève, xxv. p. 492 (1878).	British Guiana.

Genus 103. **Phylloscyrtus.** (*Type* no. 4.)

Guér. Icon. R. Anim., Ins. p. 333 (1844); Gerst. Stettin. Ent. Zeit. xxiv. p. 424 (1863); Sauss. Miss. Mex., Orth. p. 363 (1874).
Phylloscirtus, Sauss. Mém. Soc. Genève, xxv. p. 493 (1878); Biol. Centr.-Amer., Orth. i. p. 238 (1897); Burm. Abhandl.

Ges. Halle, xv. p. 12 (1880); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 268, 273 (1894); Blatchley, Proc. Indiana Acad. Sci. 1891, pp. 128, 137; Rep. Indiana Dept. Geol. xxvii. p. 456 (1903).

Cranistus, *Stål*, Eugenie's Resa, Orth. p. 315 (1860). (*Type* no. 7.)

Phyllopalpus, *Uhl.* Proc. Ent. Soc. Philad. ii. p. 543 (1864). (*Type* no. 1.)

*1. **P. Pulchellus, Uhl.** (*Phyllopalpus P.*) l. c. p. 544 (1864). — United States.
Phylloscyrtus Pulchellus, *Sauss.* Miss. Mex., Orth. p. 368 (1874).
Phylloscirtus Pulchellus, *Sauss.* Mém. Soc. Genève, xxv. p. 497 (1878); Burm. l. c. p. 16, pl. 1. f. 13 (1880); Beut. l. c. p. 268, pl. 5. f. 13 (1894); Blatchl. ll. cc. p. 137 (1891); p. 456. n. 146 (1903).

2. **P. Nigrovarius, Walk.** (*Phyllopalpus* (?) *N.*) Cat. Derm. Salt. B. M. i. p. 70. n. 6 (1869). — Mexico.

3. **P. Cæruleus, Sauss.** Miss. Mex., Orth. p. 366, pl. 7. ff. 3, 3 *a* (1874). — id.
Phylloscirtus Cæruleus, *Sauss.* Mém. Soc. Genève, xxv. p. 498, pl. 19 (lxxx.) f. 4 (1878).

4. **P. Elegans, Guér.** l. c. p. 333 (1844); Sauss. Miss. Mex., Orth. p. 368 (1874). — id.

5. **P. Brunnerianus, Sauss.** l. c. p. 368, pl. 7. f. 4 (1874). — id.
Phylloscirtus Brunnerianus, *Sauss.* Mém. Soc. Genève, xxv. p. 496, pl. 19 (lxxx.) ff. 2, 3 (1878).

6. **P. Costatus, Sauss.** (*Phylloscirtus C.*) l. c. p. 499 (1878). — Colombia, Brazil.

*7. **P. Colliurides, Stål,** (*Cranistus C.*) l. c. p. 316, pl. 5. f. 5 (1860). — Brazil.
P. Colliurides, *Gerst.* l. c. p. 426 (1863).
Phylloscirtus Colliurides, *Sauss.* l. c. p. 500 (1878); Burm. l. c. p. 16, pl. 1. ff. 11, 12 (1880).

8. **P. Comptus, Walk. (*Phyllopalpus C.*) l. c. p. 69. n. 3 (1869). — Para.

9. **P. Canotus, Sauss.** (*Phylloscirtus C.*) Mém. Soc. Genève, xxv. p. 501 (1878). — Brazil.
P. Colliurides, pt., *Sauss.* Miss. Mex., Orth. p. 365 (1874).

10. **P. Pulcher, Walk.** (*Phyllopalpus P.*) l. c. p. 69. n. 5 (1869).	Amazons.
*11. **P. Batesii, Kirb.** (n. n.). ‖*Phyllopalpus Elegans, Walk.* (*nec Guér.*) l. c. p. 69. n. 4 (1869). ‖*Phylloscirtus Elegans, Sauss.* l. c. p. 497 (1878); Burm. l. c. p. 17 (1880).	Santarem, Colombia.
12. **P. Macilentus, Sauss.** (*Phylloscirtus M.*) l. c. p. 501, pl. 16 (xlvi.) f. 2 (1878). *P. Colliurides*, var., *Sauss.* Miss. Mex., Orth. p. 365, pl. 8. f. 32 (1874).	Argentine Republic.
13. **P. Amœnus, Burm.** (*Phylloscirtus A.*) l. c. p. 17, pl. 1. ff. 8–10 (1880).	Buenos Aires.
14. **P. Setosus, Burm.** (*Phylloscirtus S.*) l. c. p. 18, pl. 1. f. 18 (1880).	id.

Genus 104. **Anaxipha.** (*Type* no. 2.)

Sauss. Miss. Mex., Orth. p. 370 (1874); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 267, 273 (1894); Blatchl. Rep. Indiana Dept. Geol. xxvii. p. 454 (1903).

Anaxiphus, *Sauss.* Mém. Soc. Genève, xxv. p. 475 (1878); Blatchl. Proc. Indiana Acad. Sci. 1891, pp. 128, 137.

1. **A. (?) Averni, Costa,** (*Nemobius A.*) Faun. Nap., Grill. p. 47. n. 2, pl. 9. f. 7 A–E (1855). *Anaxiphus* (?) *Averni, Sauss.* l. c. p. 475 (1878); Bol. Actas Soc. Españ. 1898, p. 73.	Lake Avernus; Morocco.
*2. **A. Exigua, Say,** (*Acheta E.*) Journ. Acad. Nat. Sci. Phil. iv. p. 309 (1825). *Anaxipha Exigua, Davis*, Amer. Nat. xxii. p. 1148 (1888); Beut. l. c. p. 268 (1894); Blatchl. Rep. Indiana Dept. Geol. xxvii. p. 455. n. 145, f. 121 (1903). *Gryllus Pulicarius, Burm.* Handb. Ent. ii. p. 732. n. 3 (1838). *Anaxipha Pulicaria, Sauss.* Miss. Mex., Orth. p. 371, pl. 7. f. 1 (1874). *Anaxiphus Pulicarius, Sauss.* Mém. Soc. Genève, xxv. p. 475 (1878); Biol. Centr.-Amer., Orth. i. p. 233 (1897). *Anaxiphus Pulicarus, Blatchl.* Proc. Indiana Acad. Sci. 1891, p. 137. n. 10.	United States, Mexico, Jamaica.

** ♂. *Phyllopalpus Latipennis*, *Walk.* Cat. Derm. Salt. B. M. i. p. 68. n. 2 (1869).
** ♀. *Eneoptera Insularis*, *Walk.* l. c. p. 66. n. 2 (1869).

3. **A. (?) Pumila, Burm.** (*Gryllus Pumilus*) l. c. p. 732. n. 4 (1838). — St. Jean, St. Thomas.
   A. (?) *Pumila*, *Sauss.* Miss. Mex., Orth. p. 372 (1874).
4. **A. Pallens, Stål,** (*Trigonidium P.*) Eugenie's Resa, Orth. p. 318 (1860). — Rio Janeiro.
   A. Pallens, *Sauss.* l. c. p. 372 (1874).

Genus 105. **Falcicula.**

Rehn, Entom. News, xiv. p. 258 (1903).

1. **F. Hebardi, Rehn,** l. c. (1903); Proc. Acad. Nat. Sci. Philad. lvi. p. 802 (1905). — Georgia.

SUBFAM. VI.

ENEOPTERINÆ A.

Genus 106. **Nisitra.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. i. p. 91 (1869).
Nisitrus, *Sauss.* Mém. Soc. Genève, xxv. p. 511 (1878).

*1. **N. Vittata, Haan,** (*Gryllus* (*Platydactylus*) *Vittatus*), Temminck, Verhandel., Orth. p. 234 (1842). — Java, Sumatra, Borneo.
   Nisitrus Vittatus, *Sauss.* l. c. p. 512, pl. 17 (liv.) ff. 1–5, *i*, *e* (1878).
   ***Nisitra Marginata*, *Walk.* l. c. i. p. 92. n. 1 (1869).

2. **N. Insignis, Sauss.** (*Nisitrus I.*) l. c. p. 515 (1878). — Sumatra.
3. **N. Brunneriana, Sauss.** (*Nisitrus Brunnerianus*) l. c. (1878). — Borneo.
4. **N. Hyalina, Sauss.** (*Nisitrus Hyalinus*) l. c. p. 516 (1878). — id.
5. **N. Maculosa, Walk.** l. c. v. Suppl. p. 14 (1871). — Ceram.

Genus 107. **Lebinthus.** (*Type* no. 1.)

Stål. Œfv. Vet.-Akad. Förh. xxxiv. (1) p. 50 (1877): Bol. An Soc. Españ. xviii. p. 425 (1889).

Paraeneopterus, *Sauss.* Mém. Soc. Genève, xxv. p. 533 (1878). (*Type* no. 1.)

1. **L. Bitæniatus, Stål,** l. c. p. 50 (1877).	Philippines.
2. **L. Sanchezi, Bol.** l. c. p. 425 (1889).	id.
3. **L. Saussurei, Bol.** l. c. (1889).	id.
| *Paraeneopterus Bitæniatus*, *Sauss.* (*nec Stål*) l. c. p. 534, pl. 18 (lix.) ff. 1. 2 (1878).	
4. **L. Striolatus, Brunn.** (*Paraeneopterus S.*) Abhandl. Senckenb. Ges. xxiv. p. 279 (1898).	Amboina, Gilolo.
5. **L. (?) Elegans, Giglio-Tos,** (*Paraeneopterus E.*) Boll. Mus. Torino, xii. (301) p. 8 (1897).	Darien.

Genus 108. **Dindymus.**

Brunn. Ann. Mus. Genova, xxxiii. p. 213 (1893).

1. **D. Calcaratus, Brunn.** l. c. pl. 1. f. 79 (1893).	Burma.

Genus 109. **Cardiodactylus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 517 (1878).

*1. **C. Novæ-Guineæ, Haan,** (*Gryllus* (*Platydactylus*) *N.*) Temminck, Verhandel., Orth. p. 233 (1842).	N. Guinea, N. Australia,
C. Novæ-Guineæ, *Sauss.* l. c. p. 519, pl. 17 (lv.) f. 1 (1878).	Pelew Is., Java.
Gryllus (*Platydactylus*) *Gaimardi.* ♂, *Haan.* l. c. p. 234 (1842).	Borneo.
2. **C. Pictus, Sauss.** l. c. p. 521. pl. 17 (lv.) f. 4, *s*, *i* (1878).	Moluccas.
3. **C. Canotus, Sauss.** l. c. p. 522 (1878).	Australia.
4. **C. Haanii, Sauss.** l. c. p. 523, pl. 17 (lv.) f. 2 (1878).	N. Guinea.
‖ *Gryllus* (*Platydactylus*) *Gaimardi*, ♀, *Haan*, l. c. p. 234 (1842).	
5. **C. Rufidulus, Sauss.** l. c. p. 523 (1878).	Australia.
6. **C. Gaimardi, Serv.** (*Platydactylus G.*) Ins. Orth. p. 366 (1839).	id., Amboina.

C. Gaimardi, Sauss. l. c. p. 524. pl. 17 (lv.) f. 3 (1878).	
7. **C. (?) Longiusculus, Walk. (*Gryllacris Longiuscula*) Cat. Derm. Salt. B. M. iii. p. 472 (1870).	I. of Pines.

Genus 110. **Eurepa.** (*Type* no. 6.)

Walk. Cat. Derm. Salt. B. M. i. p. 71 (1869).
Piestodactylus, Sauss. Mém. Soc. Genève, xxv. p. 526 (1878). (*Type* no. 5.)

1. **E. Siamensis, Sauss.** (*Piestodactylus S.*) l. c. p. 528 (1878).	Siam.
2. **E. Ferruginea, Walk. (*Luzara (?) F.*) l. c. i. p. 103. n. 2 (1869).	Ceylon.
3. **E. Punctata, Brunn.** (*Piestodactylus Punctatus*) Abhandl. Senckenb. Ges. xxiv. p. 278 (1898).	Gilolo.
4. **E. Centurio, Brunn.** (*Piestodactylus C.*) l. c. (1898).	N. Guinea.
5. **E. Brevipennis, Sauss.** (*Piestodactylus B.*) l. c. p. 527 (1878).	N. Australia Upolu, &c.
6. **E. Marginipennis, White, (*Acheta (?) M.*) Grey, Journ. Exped. Austr. ii. p. 467 (1841). *E. Marginipennis, Walk.* l. c. i. p. 71. n. 1 (1869). *Piestodactylus Marginipennis, Sauss.* l. c. p. 530 (1878).	Australia. K. George's Sound.
*7. **E. Longicauda, Sauss.** (*Piestodactylus L.*) l. c. p. 529 (1878).	W. Australia.

Genus 111. **Ligypterus.**

Sauss. Mém. Soc. Genève. xxv. p. 535 (1878).

1. **L. Heydeni, Sauss.** (*Eneoptera H.*) Miss. Mex., Orth. p. 485 (1874). *Ligypterus Heydeni, Sauss.* Mém. Soc. Genève, xxv. p. 536, pl. 17 (lvi.) ff. 1, 2 (1878).	Brazil.

Genus 112. **Eneoptera.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 736 (1838); Sauss. Miss. Mex., Orth. p. 481 (1874).

Eneopterus, Sauss. Mém. Soc. Genève, xxv. p. 531 (1878); Biol. Centr.-Amer., Orth. i. p. 256 (1897).

‖*Platydactylus, Brullé* (*nec Cuv.*), Hist. Nat. Ins. ix. p. 176 (1835); Serv. Ins. Orth. p. 363 (1839).

*1. **E. Surinamensis, De Geer,** (*Gryllus S.*) Mém. Ins. iii. p. 519, pl. 43. f. 1 (1773); Guér. Icon. R. Anim., Ins. p. 328 (1844). S. & Centr. America.
Platydactylus Surinamensis, Brullé, l. c. p. 176 (1835); Serv. l. c. p. 365, pl. 9. f. 1 (1839).
E. Surinamensis, Sauss. Miss. Mex., Orth. p. 483 (1874).
Eneopterus Surinamensis, Sauss. Mém. Soc. Genève, xxv. p. 532, pl. 17 (lvii.) ff. 1–4, *i*, *e* (1878); Biol. Centr.-Amer., Orth. i. p. 257 (1897).
***Acheta Brasiliensis, Fabr.* Syst. Ent. p. 280. n. 4 (1775).
♂. *Platydactylus Surinamensis, Serv.* l. c. p. 365 (1839).
Gryllus Brasiliensis, Oliv. Enc. Méth., Ins. vi. p. 634. n. 5 (1791).
E. Brasiliensis, Burm. l. c. p. 736. n. 1 (1838).
Gryllus (*Platydactylus*) *Brasiliensis, Haan,* Temminck, Verhandel., Orth. p. 233 (1842).
Gryllus Servillei, Guér. l. c. pl. 54. f. 1 (1829).
** ♂. *Platydactylus Caliginosus, Walk.* Cat. Derm. Salt. B. M. i. p. 79. n. 9 (1869).
** ♂. *Platydactylus Subnotatus, Walk.* l. c. p. 88. n. 29 (1869).
Cardiodactylus (?) *Subnotatus, Sauss.* Mém. Soc. Genève, xxv. p. 525 (1869).
Platydactylus Bicolor, Scudd. Proc. Boston Soc. Nat. Hist. xii. p. 141 (1868); Sauss. Miss. Mex., Orth. p. 516 (1874).

2. **E. Fasciata, Scudd.** (*Platydactylus Fasciatus*) l. c. p. 331 (1869). Napo (?), Marañon(?).

3. **E. Vicina, Serv.** (*Platydactylus Vicinus*) l. c. p. 365 (1839). Buenos Aires.

ENEOPTERINÆ B.

Genus 113. **Heterotrypus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 537 (1878).

1. **H. Africanus, Sauss.** l. c. p. 540, pl. 16 (xxxviii.) ff. 1, 2 (1878).	Khartoum.
2. **H. Maculosus, Karsch,** Ent. Nachr. xix. p. 203 (1893).	Cameroons.
3. **H. Laqueatus, Karsch,** Berl. Ent. Zeitschr. xxxviii. p. 164 (1893).	Adeli.
4. **H. Buqueti, Serv.** (*Platydactylus B.*) Ins. Orth. p. 367 (1839). *Gryllus* (*Phalangopsis*) *Buqueti, Haan.* Temminck, Verhandel., Orth. p. 236 (1842). ‖ *Gryllus* (*Phalangopsis*) *Helvolus, Haan* (*nec Serv.*), l. c. p. 235 (1842). *Heterotrypus Buqueti, Sauss.* l. c. p. 542, pl. 17 (li.) f. 2 (1878).	Java. Borneo, Sunda Isl., Japan. Solomon Isl.
5. **H. Simillimus, Sauss.** l. c. p. 544, pl. 17 (li.) ff. 1, 1 *i*, *e* (1878).	Amboina.
6. **H. Modulator, Sauss.** l. c. p. 545 (1878).	Manila.
7. **H. Longipes, Sauss.** l. c. (1878).	Amboina.
8. **H. Funambulus, Sauss.** l. c. p. 547, pl. 17 (li.) f. 3, pl. 19 (lxxviii.) f. 3 (1878).	N. Guinea.
9. **H. Pacificus, Walk. (*Platydactylus P.*) l. c. v. Suppl. p. 13 (1871).	Vavau ; Solomon Isl.
10. **H. Tripartitus, Sauss.** l. c. p. 548 (1878).	Fiji.

Genus 114. **Itara.**

Walk. Cat. Derm. Salt. B. M. i. p. 64 (1869).
Phormincter, Sauss. Mém. Soc. Genève, xxv. p. 549 (1878).

*1. **I. Microcephalus, Haan,** (*Gryllus* (*Phalangopsis*) *M.*) Temminck, Verhandel., Orth. p. 236 (1842). *P. Microcephalus, Sauss.* l. c. p. 550, pl. 17 (lii.) ff. 1–8 *i*, *e* (1878). ***I. Sericea, Walk.* l. c. p. 64, n. 1 (1869).	Sumatra, Borneo, Penang, Japan, Silhet.

ENEOPTERINÆ C.

Genus 115. **Stenogryllus.**

Sauss. Mém. Soc. Genève, xxv. p. 554 (1878).
‖*Hapithus*, *Brunn.* (*nec Uhl.*) Mitth. Schweiz. ent. Ges. iv. p. 165 (1873).

1. **S. Phthisicus, Sauss.** l. c. p. 555, pl. 17 (liii.) ff. 1–3 *i*, *e* (1878).	St.Domingo

Genus 116. **Cylindrogryllus.**

Sauss. Mém. Soc. Genève, xxv. p. 556 (1878).

1. **C. Brevipennis, Sauss.** l. c. p. 557 (1878).	Brazil.

Genus 117. **Phyllogryllus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 558 (1878); Biol. Centr.-Amer., Orth. i. p. 257 (1897).

1. **P. Velutinus, Walk. (*Platydactylus W.*) Cat. Derm. Salt. B. M. i. p. 77. n. 6 (1869). *Eneoptera* (?) *Velutina*, *Sauss.* Miss. Mex., Orth. p. 485 (1874). *P. Mortuifolia*, *Sauss.* Mém. Soc. Genève, xxv. p. 59, pl. 18 (lxi.) ff. 1–5 (1878); Biol. Centr.-Amer., Orth. i. p. 257 (1897).	Santarem, Cayenne.
2. **P. Pipilans, Sauss.** Biol. Centr.-Amer., Orth. i. p. 258, pl. 13. f. 1 (1897)	Cayenne.

Genus 118. **Diatrypa.** (*Type* no. 1.)

Sauss. Miss. Mex., Orth. p. 476 (1874).
Diatrypus, *Sauss.* Mém. Soc. Genève, xxv. p. 561 (1878); Biol. Centr.-Amer., Orth. i. p. 259 (1897).

*1. **D. Tolteca, Sauss.** Miss. Mex., Orth. p. 478, pl. 7. f. 19 (1874). *Diatrypus Toltecus*, *Sauss.* Biol. Centr.-Amer., Orth. i. p. 259, pl. 13. f. 5 (1897).	Mexico.

2. **D. Jansoni, Sauss. (*Diatrypus J.*) l. c. p. 259, pl. 13. f. 4 (1897).	Nicaragua.
3. **D. Championi, Sauss. (*Diatrypus C.*) l. c. p. 260, pl. 13. ff. 2, 3 (1897).	Panama.
4. **D. Apithoides, Sauss. (*Diatrypus A.*) l. c. p. 260, pl. 13. f. 6 (1897).	id.
5. **D. Sibilans, Sauss.** (*Diatrypus S.*) Mém. Soc. Genève, xxv. p. 562 (1878).	Porto Rico.
6. **D. Castanea, Sauss.** (*Diatrypus Castaneus*) l. c. p. 563 (1878).	Brazil.
7. **D. Tuberculata, Sauss.** Miss. Mex., Orth. p. 479 (1874).	Buenos Aires.
8. **D. Ornata, Sauss.** l. c. p. 480 (1874).	Hab. —— ?

Genus 119. **Madasumma.** (*Type* no. 12.)

Walk. Cat. Derm. Salt. B. M. i. p. 64 (1869).

Calyptotrypus, *Sauss.* Mém. Soc. Genève, xxv. p. 563 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 214 (1893). (*Type* no. 13.)

1. **M. Steini, Sauss.** (*Calyptotrypus S.*) l. c. p. 586, pl. 18 (lxii.) f. 10 (1878).	Guinea.
2. **M. Petersi, Sauss.** (*Calyptotrypus P.*) l. c. p. 578, pl. 18 (lxii.) f. 3, 3*a* (1878).	Sennaar.
3. **M. Fuliginosa, Walk. (*Platydactylus Fuliginosus*) l. c. i. p. 80. n. 12 (1869).	Natal, Pt. Elizabeth.
*4. **M. Grandidieri, Sauss.** (*Calyptotrypus G.*) l. c. p. 573 (1878).	Madagascar
5. **M. Madecassa, Sauss.** (*Calyptotrypus Madecassus*) l. c. p. 581 (1878).	id.
6. **M. Reducta, Walk. (*Gryllacris* (?) *R.*) l. c. iii. p. 472 (1870).	id.
7. **M. Binotata, Brancs.** (*Calyptotripus Binotatus*) Jahresh. Ver. Trencs. Com. xv.–xvi. p. 199, pl. 10. f. 12 (1893).	id.
8. **M. Hova, Brancs.** (*Calyptotrypus H.*) l. c. xvii.–xviii. p. 261, pl. 9. f. 7 (1897).	Nossi Bé.
*9. **M. Marmorata, Haan,** (*Gryllus* (*Phalangopsis*) *Marmoratus*) Temminck, Verhandel., Orth. p. 235 (1842). *Calyptotrypus Marmoratus*, *Sauss.* Mém. Soc. Genève, xxv. p. 574, pl. 18 (lxii.) ff. 5, 5 *a*, *e* (1878).	Japan, Java, Singapore.

10. **M. Transversa, Walk. (*Platydactylus Transversus*) l. c. i. p. 88. n. 13 (1869). *Cardiodactylus* (?) *Transversus*, *Sauss.* l. c. p. 525 (1878).	Silhet.
*11. **M. Forceps, Sauss.** (*Calyptotrypus F.*) l. c. p. 571, pl. 18 (lxii.) f. 6 (1878).	Shanghai ; Nimrod Sound.
12. **M. Ventralis, Walk. l. c. i. p. 65. n. 1 (1869).	N. India.
13. **M. Pallida, Walk. (*Platydactylus Pallidus*) l. c. p. 82. n. 15 (1869).	Silhet.
*14. **M. Helvola, Serv.** (*Platydactylus Helvolus*) Ins. Orth. p. 366 (1839). *Calyptotrypus Helvolus*, *Sauss.* l. c. p. 567, pl. 18 (lxii.) ff. 1, 1 *a* (1878).	Penang, Singapore, Borneo, Amboina.
15. **M. Plana, Walk. (*Platydactylus Planus*) l. c. i. p. 81. n. 14 (1869).	N. India.
16. **M. Præcipua, Walk. (*Platydactylus Præcipuus*) l. c. p. 83. n. 18 (1869).	Ceylon.
17. **M. Varipennis, Walk. (*Platydactylus V.*) l. c. p. 84. n. 19 (1869). *Calyptotrypus Irroratus*, *Sauss.* l. c. p. 577, pl. 18 (lxii.) ff. 8, 8 *h*, *b* (1878).	id.
*18. **M. Marginipennis, Guér.** (*Platydactylus M.*) Icon. R. Anim., Ins. p. 330 (1844). *Calyptotrypus Marginipennis*, *Sauss.* l. c. p. 583 (1878).	Pondicherry, Ceylon.
19. **M. Indecora, Walk.** (*Platydactylus Indecorus*) l. c. i. p. 83. n. 17 (1869).	Siam.
20. **M. Conspersa, Stål,** (*Paræcanthus Conspersus*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 50 (1877). *Calyptotrypus Conspersus*, *Bol.* An. Soc. Españ. xviii. p. 426 (1889).	Philippines.
21. **M. Saussurei, Stål,** (*Paræcanthus S.*) l. c. p. 50 (1877). *Calyptotrypus Saussurei*, *Bol.* l. c. p. 427 (1889).	id.
22. **M. Fuscinervis, Stål,** (*Paræcanthus F.*) l. c. p. 51 (1877). *Calyptotrypus Fuscinervis*, *Bol.* l. c. p. 422 (1889).	id.
23. **M. Quadrata, Haan,** (*Gryllus* (*Platydactylus*) *Quadratus*) l. c. p. 234 (1842). *Calyptotrypus* (?) *Quadratus*, *Sauss.* l. c. p. 584 (1878).	Java.
24. **M. Dorsalis, Burm.** (*Gryllus D.*) Handb. Ent. ii. p. 733. n. 5 (1838).	id.

25. **M. Hofmanni, Sauss.** (*Calyptotrypus H.*) l. c. p. 569, pl. 18 (lxii.) ff. 2, 2 *a* (1878). ‖ *Gryllus (Phalangopsis) Helvolus*, ♂, *Haan*, l. c. p. 235 (1842).	Borneo.
26. **M. Notabilis, Walk. (*Platydactylus N.*) l. c. i. p. 85 n. 24 (1869).	Amboina, Ceram.
27. **M. Tibialis, Sauss.** (*Calyptotrypus T.*) l. c. p. 580, pl. 18 (lxii.) ff. 4, 4 *i*, *e* (1878); Bol. l. c. p. 427 (1889).	Moluccas, Philippines.
28. **M. Notatipes, Walk. (*Platydactylus N.*) l. c. v. Suppl. p. 12 (1871).	Ceram.
29. **M. Varia, Walk.** (*Platydactylus Varius*) l. c. i. p. 86. n. 25 (1869).	id.
*30. **M. Planiceps, Sauss.** (*Calyptotrypus P.*) l. c. p. 572, pl. 18 (lxii.) ff. 9, 9 *i*, *a*, *h*, *b* (1878).	Cape York.
31. **M. Aperta, Sauss.** (*Calyptotrypus A.*) l. c. p. 576 (1878).	Rockhampton.
32. **M. Australis, Walk. (*Platydactylus A.*) l. c. i. p. 87. n. 27 (1869).	Australia.
33. **M. Continua, Walk.** (*Platydactylus Continuus*) l. c. n. 28 (1869).	N.Australia.
*34. **M. Pilosa, Haan,** (*Gryllus (Phalangopsis) Pilosus*) l. c. p. 235. n. 3 (1842). *Calyptotrypus Pilosus*, *Sauss.* l. c. p. 582, pl. 18 (lxii.) ff. 7, 7 *e* (1878).	Borneo, Java.

Genus 120. **Mnesibulus.** (*Type* no. 2.)

Stal, Œfv. Vet.-Akad. Förh. xxxiv. (1) p. 50 (1877).

1. **M. Bicolor, Haan,** (*Gryllus (Phalangopsis) B.*) Temminck, Verhandel., Orth. p. 235 (1878). *Calyptotrypus Bicolor*, *Sauss.* Mém. Soc. Genève, xxv. p. 587 (1878).	Java, Manila.
2. **M. Lineolatus, Stål,** l. c. p. 51 (1877). *Calyptotrypus Simodus*, *Sauss.* l. c. p. 590 (1878).	Philippines.
3. **M. Splendidulus, Stål,** l. c. p. 51 (1877).	id.
4. **M. Pallidulus, Bol.** An. Soc. Españ. xviii. p. 428 (1889).	id.
*5. **M. Brunnerianus, Sauss.** (*Calyptotrypus B.*) l. c. p. 589 (1878).	Java, Pegu, Singapore.
6. **M. Signatipennis, Walk. (*Platydactylus S.*) Cat. Derm. Salt. B. M. i. p. 86. n. 26 (1869).	Celebes.

Genus 121. **Scepastus.**

Gerst. Stettin. Ent. Zeit. xxiv. pp. 93, 415 (1863); Sauss. Mém. Soc. Genève, xxv. p. 591 (1878).

1. **S. Pachyrrhynchoides, Gerst.** l. c. pp. 93, 423 (1863); Sauss. l. c. p. 592 (1878).	Luzon.

Genus 122. **Parœcanthus.** (*Type* no. 8.)

Paroccanthus (*laps. impr.*) *Sauss.* Rev. Zool. (2) xi. p. 317 (1859).

Paræcanthus, *Sauss.* Miss. Mex., Orth. p. 468 (1874); Mém. Soc. Genève, xxv. p. 593 (1878); Biol. Centr.-Amer., Orth. i. p. 261 (1897).

Carsidara, *Walk.* Cat. Derm. Salt. B. M. i. p. 53 (1869). (*Type* no. 12.)

1. **P. Fallax, Sauss.** Miss. Mex., Orth. p. 470, pl. 7. f. 15 (1874); Biol. Centr.-Amer., Orth. i. p. 261 (1897).	Cuba.
2. **P. Foraminatus, Sauss.** Mém. Soc. Genève, xxv. p. 596 (1878).	id.
3. **P. Toltecus, Sauss.** l. c. p. 595, pl. 18 (lxvi.) ff. 1–3 (1878); Biol. Centr.-Amer., Orth. i. p. 262 (1897).	Mexico.
*4. **P. Annulatus, Scudd.** (*Eneoptera Annulata*) Proc. Bost. Soc. Nat. Hist. xii. p. 140 (1868); Sauss. Miss. Mex., Orth. p. 516 (1874).	Guatemala, Nicaragua.
** *Platydactylus Lituratus*, *Walk.* l. c. v. Suppl. p. 13 (1871).	
P. Aztecus, *Sauss.* l. c. p. 471 (1874); Biol. Centr.-Amer., Orth. i. p. 262 (1897).	
Paræcanthus Lituratus, *Sauss.* Miss. Mex., Orth. p. 474 (1874).	
*5. **P. Guatemalæ, Sauss.** l. c. p. 475 (1874); Biol. Centr.-Amer., Orth. i. p. 263 (1897).	Mexico, Guatemala.
6. **P. Sulcatus, Sauss. Biol. Centr.-Amer., Orth. i. p. 263, pl. 13. ff. 12, 13 (1897).	Guatemala.
*7. **P. Mexicanus, Sauss.** (*Paroccanthus M.*) Rev. Zool. (2) xi. p. 317 (1859).	Mexico, Honduras.
Paræcanthus Mexicanus, *Sauss.* Miss. Mex., Orth. p. 472, pl. 8. ff. 33–36 (1874); Biol. Centr.-Amer., Orth. i. p. 263 (1897).	

***Orocharis Signatus*, *Walk.* l. c. p. 61. n. 2 (1869).	
***Orocharis Scitulus*, *Walk.* l. c. p. 62. n. 3 (1869).	
8. **P. Olmecus, Sauss. Biol. Centr.-Amer., Orth. i. p. 264, pl. 13. ff. 16, 17 (1897).	Mexico.
9. **P. Tibialis, Sauss. l. c. ff. 14. 15 (1897).	Panama.
10. **P. Podagrosus, Sauss. l. c. ff. 7–11 (1897).	Guatemala.
11. **P. Niger, Sauss.** Miss. Mex., Orth. p. 471 (1874); Biol. Centr.-Amer., Orth. i. p. 265 (1897).	id.
12. **P. Cinerascens, Walk. (*Cursidara C.*) l. c. i. p. 54. n. 1 (1869).	Para.
Paræcanthus Cinerascens, *Sauss.* Miss. Mex., Orth. p. 474 (1874).	
13. **P. Affinis, Walk. (*Orocharis A.*) l. c. p. 62. n. 4 (1869.	Santarem.

Genus 123. **Amblyrhethus, Kirb.** (n. n.). (*Type* no. 1.)

| *Amblyopus*, *Sauss.* (*nec Val.*) Mém. Soc. Genève, xxv. p. 598 (1878).

1. **A. Brevipes, Sauss.** (*Amblyopus B.*) l. c. p. 599, pl. 18 (lxv.) ff. 1, 1 *i*, *e*, *h*, *b*, *t* (1878).	Colombia.
2. **A. Depressus, Sauss.** (*Amblyopus D.*) l. c. p. 601 (1878).	id.
3. **A. Capitatus, Sauss.** (*Amblyopus C.*) l. c. p. 602, pl. 18 (lxv.) ff. 2, 2 *a*, *h*, *b* (1878).	Hab. —— ?

Genus 124. **Hapithus.** (*Type* no. 1.)

Uhl. Proc. Ent. Soc. Philad. ii. p. 546 (1864).

Apithis, *Sauss.* Miss. Mex., Orth. p. 486 (1874).

Apithes, *Sauss.* Mém. Soc. Genève, xxv. p. 603 (1878); Biol. Centr.-Amer., Orth. i. p. 265 (1897): Blatchl. Proc. Indiana Acad. Sci. 1891. pp. 128, 139; Rep. Indiana Dept. Geol. xxvii. p. 457 (1903).

Lebussa, *Walk.* Cat. Derm. Salt. B. M. i. p. 75 (1869). (*Type* no. 4.)

1. **H. Agitator, Uhl.** l. c. p. 546 (1864).	Baltimore.
Apithis Agitatrix, *Sauss.* Miss. Mex., Orth. p. 490 (1874).	
Apithes Agitator, *Blatchl.* ll. cc. p. 139. n. 13 (1891); p. 457. n. 147 (1903).	

2. **H. Fusiformis, Walk. (*Orocharis* (?) *F.*) l. c. i. p. 63. n. 5 (1869).	Honduras.
*3. **H. Quadratus, Scudd.** Proc. Boston Soc. Nat. Hist. xii. p. 140 (1868); Rehn, Proc. Acad. Nat. Sci. Philad. lvii. p. 52 (1905). *Apithis Quadrata, Sauss.* l. c. p. 488 (1874). ‖*Apithes Agitator, Sauss.* (*nec Uhl.*) Biol. Centr.-Amer., Orth. i. p. 267 (1897).	Cuba, Texas, Missouri, Mexico.
4. **H. Tenuicornis, Walk. (*Lebussa T.*) l. c. p. 75. n. 1 (1869).	St. Domingo
5. **H. Irroratus, Bol.** (*Apithes I.*) Mém. Soc. Zool. France, i. p. 161 (1888).	Cuba.
6. **H. Rolphi, Sauss.** (*Apithes R.*) Mém. Soc. Genève, xxv. p. 605 (1878).	Brazil.
*7. **H. Aztecus, Sauss.** (*Apithis Azteca*) Miss. Mex., Orth. p. 490, pl. 8. f. 37 (1874). *Apithes Aztecus, Sauss.* Biol. Centr.-Amer., Orth. i. p. 268, pl. 13. f. 21 (1897).	Mexico.
8. **H. Acutus, Sauss.** (*Apithes A.*) Mém. Soc. Genève, xxv. p. 606 (1878).	Colombia.
9. **H. Annulicornis, Sauss.** (*Apithis A.*) Miss. Mex., Orth. p. 491 (1874).	Surinam.
10. **H. Nablista, Sauss.** (*Apithes N.*) Biol. Centr.-Amer., Orth. i. p. 268 (1897).	Colombia.
11. **H. Brevipennis, Sauss.** (*Apithes B.*) l. c. (1897). *Hapithus Brevipennis, Rehn,* l. c. lvi. p. 802 (1905).	Georgia, Louisiana.
12. **H. Montanus, Sauss. (*Apithes M.*) l. c. p. 268, pl. 13. ff. 18–20 (1897).	Panama.
*13. **H. Costalis, Sauss.** (*Apithes C.*) Mém. Soc. Genève, xxv. p. 607 (1878).	Colombia.

Genus 125. **Orocharis.** (*Type* no. 17.)

Uhl. Proc. Ent. Soc. Philad. ii. p. 544 (1864): Sauss. Miss. Mex., Orth. p. 492 (1874); Mém. Soc. Genève, xxv. p. 609 (1878); Biol. Centr.-Amer., Orth. i. p. 269 (1897); Blatchl. Proc. Indiana Acad. Sci. 1891, pp. 128, 138; Rep. Indiana Dept. Geol. xxvii. pp. 457, 459 (1903).

*1. **O. Saulcyi, Guér.** (*Platydactylus S.*) Icon. R. Anim., Ins. p. 330 (1844). *O. Saulcyi, Sauss.* Miss. Mex., Orth. p. 498 (1874).	Cuba, Martinique, Haiti, Florida.

2. **O. Rodriguezi, Sauss.** l. c. p. 497 (1874): Biol. Centr.-Amer., Orth. i. p. 272 (1897).	Guatemala.
3. **O. Gaumeri, Sauss. Biol. Centr.-Amer., Orth. i. p. 273, pl. 13. f. 26 (1897).	Yucatan.
4. **O. Ocellaris, Sauss. l. c. p. 273 (1897).	Guatemala.
5. **O. Similis, Walk. (*Platydactylus S.*) Cat. Derm. Salt. B. M. i. p. 78. n. 7 (1869). *O. Canotus, Sauss.* Mém. Soc. Genève, xxv. p. 611 (1878).	Haiti, Cuba.
6. **O. Unicolor, Oliv.** (*Gryllus U.*) Enc. Méth., Ins. vi. p. 635. n. 7 (1791).	Guadeloupe
7. **O. Maxillaris, Sauss. Biol. Centr.-Amer., Orth. i. p. 273, pl. 13. f. 27 (1897).	Panama.
8. **O. Antillarum, Sauss.** Miss. Mex., Orth. p. 496 (1874).	Guadeloupe
9. **O. Fulvescens, Sauss.** Mém. Soc. Genève, xxv. p. 612 (1878).	Argentine Republic.
*10. **O. Conspersus, Sauss.** (*Orocharis* (?) *Conspersa*) Miss. Mex., Orth. p. 499 (1874). *O. Conspersus, Sauss.* Mém. Soc. Genève, xxv. p. 613, pl. 18 (lxiii.) ff. 1, 2 (1878).	Brazil.
11. **O. Domingensis, Sauss.** l. c. p. 613 (1878).	St. Domingo
12. **O. Amusus, Sauss.** Biol. Centr.-Amer., Orth. i. p. 274, pl. 13. f. 28 (1897).	Pernambuco.
13. **O. Tibialis, Sauss. l. c. f. 25 (1897).	Mexico, Panama.
14. **O. Cayennensis, Sauss.** l. c. p. 275, pl. 13. ff. 23, 24 (1897).	Cayenne.
15. **O. Maya, Sauss. l. c. p. 275 (1897).	Yucatan.
*16. **O. Gryllodes, Pall.** (*Gryllus G.*) Spic. Zool. ix. p. 16, pl. 1. f. 10 (1772); Oliv. l. c. p. 637. n. 15 (1791). *O. Gryllodes, Sauss.* Miss. Mex., Orth. p. 495 (1874); Mém. Soc. Genève, xxv. p. 615, pl. 18 (lxiii.) ff. 3, 3 *h*, *b* (1878); Biol. Centr.-Amer., Orth. i. p. 275, pl. 13. f. 22 (1897).	Jamaica, Haiti, Cuba, Texas, Mexico.
*17. **O. Saltator, Uhl.** l. c. p. 545 (1864); Glover, Ill. N. Amer. Orth. pl. 3. ff. 11, 12 (1872); Blatchl. ll. cc. p. 138. n. 12 (1891); p. 459. n. 148, f. 122 (1903); Sauss. Biol. Centr.-Amer., Orth. i. p. 276 (1897). *O. Saltatrix, Sauss.* Miss. Mex., Orth. p. 494 (1874). *Apithes McNeilli, Blatchl.* Canad. Ent. xxiv. p. 27 (1892).	Baltimore, Indiana, Missouri, Florida.

18. **O. Uhleri, McNeill,** Psyche, vi. p. 9 (1891).	Illinois.
19. **O. Mexicanus, Sauss. Biol. Centr.-Amer., Orth. i. p. 276 (1897). *O. Saltator,* var. *Meridionalis, Sauss.* l. c. (1897).	Mexico, Guatemala.
20. **O. Helvolus, Sauss.** Miss. Mex., Orth. p. 495 (1874).	Guiana.
21. **O. Vaginalis, Sauss.** Mém. Soc. Genève, xxv. p. 615 (1878) ; Biol. Centr.-Amer., Orth. i. p. 276 (1897).	Cuba, Porto Rico.
22. **O. Planus, Walk. (*Platydactylus* (?) *P.*) l. c. i. p. 79. n. 10 (1869). *Platydactylus* (?) *Apertus, Walk.* l. c. p. 214 (1869).	Brazil.

Genus 126. **Laurepa.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. i. p. 96 (1869).
Orochirus, Bol. Mém. Soc. Zool. France, i. p. 162 (1888) : Sauss. Biol. Centr.-Amer., Orth. i. p. 277 (1897). (*Type* no. 3.)

1. **L. Valida, Walk. l. c. p. 97. n. 1 (1869).	Jamaica.
2. **L. Obscurella, Walk. l. c. p. 99. n. 7 (1869).	Hab. —— ?
3. **L. Krugi, Sauss.** (*Apithes K.*) Mém. Soc. Genève, xxv. p. 607, pl. 18 (lxiv.) ff. 1, 2 (1878). *Orochirus Krugi, Bol.* l. c. p. 162 (1888) ; Sauss. Biol. Centr.-Amer., Orth. i. p. 278 (1897).	Cuba, Porto Rico, Haiti.
4. **L. Pilosa, Bol.** (*Orocharis Pilosus*) l. c. p. 162 (1888).	Cuba.
5. **L. Corrugata, Sauss. (*Orochirus Corrugatus*) l. c. p. 279, pl. 13. ff. 29, 30 (1897).	Mexico, Panama.
6. **L. Musica, Sauss. (*Orochirus Musicus*) l. c. p. 279 (1897).	Panama.

Genus 127. **Ectotrypa.**

Sauss. Miss. Mex., Orth. p. 466 (1874).
Ectotrypus, Sauss. Mém. Soc. Genève, xxv. p. 617 (1878) : Biol. Centr.-Amer., Orth. i. p. 280 (1897).

1. **E. Olmeca, Sauss.** Miss. Mex., Orth. p. 467 (1874). *Ectotrypus Olmecus, Sauss.* Mém. Soc. Genève, xxv. p. 617, pl. 18 (lx.) ff. 1, 2 (1878); Biol. Centr.-Amer., Orth. i. p. 280 (1897).	Mexico.

Genus 128. **Tapinopus.**

Sauss. Mém. Soc. Genève, xxv. p. 618 (1878).

1. **T. Platyceps, Sauss.** l. c. pl. 18 (lxviii.) ff. 1, 2 (1878).	New Caledonia.

Genus 129. **Hemiphonus.**

Sauss. Mém. Soc. Génève, xxv. p. 620 (1878).

1. **H. Vittatus, Sauss.** l. c. p. 621, pl. 18 (lxvii.) ff. 1–6 (1878).	N.Australia, Fiji.

Genus 130. **Euscyrtus.** (*Type* no. 3.)

Guér. Icon. R. Anim., Ins. p. 334 (1844).
Euscirtus, Sauss. Miss. Mex., Orth. p. 500 (1874); Mém. Soc. Genève, xxv. p. 622 (1878).

1. **E. Planiceps, Karsch,** (*Euscirtus P.*) Berlin. Ent. Zeitschr. xxxviii. p. 166 (1893).	Adeli.
2. **E. Hova, Brancs.** (*Euscirtus H.*) Jahresh. Ver. Trencsin. Com. xv.–xvi. p. 199, pl. 10. f. 11 (1893).	Madagascar
*3. **E. Bivittatus, Guér.** l. c. p. 334 (1844). *Euscirtus Bivittatus, Sauss.* Mém. Soc. Genève, xxv. p. 624, pl. 19 (lxix.) ff. 1, 1 *a*, *d*, *h*, *b* (1878). ***Laurepa Discalis, Walk.* Cat. Derm. Salt. B. M. i. p. 97. no. 2 (1869).	Mauritius, Seychelles, Natal.
Euscirtus Bivittatus, var. *Abbreviatus, Bol.* Ann. Soc. Ent. France, lxiv. p. 384 (1895).	Seychelles.
Euscirtus Bivittatus, var. *Fuscinervis, Bol.* l. c. (1895).	id.
4. **E. Cephalotes, Sauss.** (*Euscirtus C.*) l. c. p. 628, pl. 19 (lxix.) f. 2 (1878).	Sikkim.

*5. **E. Concinnus, Haan,** (*Gryllus* (*Eneoptera*) *C.*) Temminck, Verhandel., Orth. p. 231, pl. 20. f. 3 (1842). *Euscirtus C.*, *Sauss.* l. c. p. 626 (1878).	Java, Philippines, Singapore, Ceylon.
6. **E. Hemelytrus, Haan,** (*Gryllus* (*Eneoptera*) *H.*) l. c. p. 231, pl. 20. f. 2 (1842). *Euscirtus Hemelytrus*, *Sauss.* l. c. p. 627 (1878) : Bol. Ann. Soc. Ent. France, lxviii. p. 807 (1900). *Euscirtus Subapterus*, *Stål*, Œfvers. Vet.-Akad. Förh. xxxiv. (10) p. 52 (1877).	Java. Moluccas, S. India (eadem?).
7. **E. Mexicanus, Sauss.** (*Euscirtus M.*) Miss. Mex., Orth. p. 501, pl. 7. f. 14 (1874) ; Mém. Soc. Genève, xxv. p. 628 (1878).	Mexico.

Genus 131. **Patiscus.** (*Type* no. 3.)

Stål, Œfvers. Vet.-Akad. Förh. xxxiv. (10) p. 51 (1877).

1. **P. Necydaloides, Walk. (*Œcanthus N.*) Cat. Derm. Salt. B. M. v. Suppl. p. 15 (1871). *Euscirtus Necydaloides*, *Sauss.* Mém. Soc. Genève, xxv. p. 630 (1878).	Ceylon.
2. **P. Maesoi, Bol.** (*Euscirtus M.*) An. Soc. Españ. xviii. p. 429 (1889).	Philippines.
3. **P. Dorsalis, Stål,** (*Euscirtus D.*) l. c. p. 51 (1877).	id.
4. **P. Pallidus, Stål,** (*Euscirtus P.*) l. c. (1877).	id.
5. **P. Sigmoidalis, Sauss.** (*Euscirtus S.*) l. c. p. 628 (1878).	Luzon.
6. **P. Crassiceps, Sauss.** (*Euscirtus C.*) l. c. p. 629, pl. 19 (lxix.) ff. 3, 3 *a*, *b* (1878).	Java.
7. **P. Tagalicus, Stål,** (*Euscirtus T.*) l. c. p. 51 (1877).	Philippines.
8. **P. Quadripunctatus, Bol.** Ann. Soc. Ent. France, lxviii. p. 806 (1900).	S. India.

Genus 132. **Anisotrypus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxv. p. 630 (1878).

1. **A. Furcatus, Sauss.** l. c. p. 632, pl. 17 (lviii.) ff. 1–4 (1878).	Fiji.
2. **A. Indivisus, Sauss.** l. c. p. 633 (1878).	Borneo.

Genus 133. **Homalotrypus.**

Brancs. Jahresh. Ver. Trencsin. Com. xvii.–xviii. p. 262 (1897).

1. **H. Boromensis, Brancs.** l. c. pl. 9. f. 8, *a–e* (1897).	Zambesi.

Genus 134. **Anaudus.**

Sauss. Miss. Mex., Orth. p. 507 (1874); Mém. Soc. Genève, xxv. p. 654 (1878).

1. **A. Thoracicus, Sauss.** ll. cc. p. 507 (1874); p. 654 (1878).	Brazil.

Genus 135. **Rupilius.**

Stål, Œfvers. Vet.-Akad. Förh. xxxiii. (3) p. 65 (1876).

1. **R. Nigrosignatus, Stål,** l. c. p. 66 (1876). *Anaudus Nigrosignatus, Sauss.* Mém. Soc. Genève, xxv. p. 654 (1878).	Damara Land.

Genus 136. **Paranaudus.**

Sauss. Mém. Soc. Genève, xxv. p. 654 (1878).

1. **P. Terebrans, Sauss.** (*Anaudus (Paranaudus) T.*) l. c. p. 655, pl. 19 (lxxii.) f. 1 (1878).	Zanzibar.

Genus 137. **Podoscirtus.** (*Type* no. 1.)

Serv. Ins. Orth. p. 361 (1839); Sauss. Miss. Mex., Orth. p. 503 (1874); Mém. Soc. Genève, xxv. p. 634 (1878).
Munda, Stål, Œfvers. Vet.-Akad. Förh. xxxiv. (10) p. 51 (1877). (*Type* no. 7.)

1. **P. Crocinus, Serv.** l. c. p. 363 (1839); Sauss. l. c. p. 650 (1878).	Madagascar
2. **P. Tacitus, Sauss.** l. c. p. 652 (1878).	Java (?).
3. **P. Javanus, Sauss.** l. c. p. 637, pl. 19 (lxx.) ff. 1, 1 *a* (1878).	Java.

4. **P. Bimaculatus, Sauss.** l. c. p. 638, pl. 19 (lxx.) f. 2 (1878).	Java (?).
5. **P. Asyrinx, Sauss.** l. c. p. 645 (1878).	Java.
6. **P. Fasciatus, Haan,** (*Gryllus* (*Eneoptera*) *F.*) Temminck, Verhandel., Orth. p. 232, pl. 20. f. 4 (1842). *P. Fasciatus, Sauss.* l. c. p. 646 (1878).	id., Celebes, Amboina.
7. **P. Picturatus, Stål,** (*Munda Picturata*) l. c. p. 51 (1877).	Philippines.
8. **P. Congruus, Walk. (*Laurepa Congrua*) Cat. Derm. Salt. B. M. i. p. 98. no. 3 (1869). *P. Congruus, Sauss.* l. c. p. 653 (1878).	id.
9. **P. Cicur, Sauss.** l. c. p. 647 (1878).	Luzon.
10. **P. Regulus, Sauss.** l. c. p. 650 (1878).	Amboina.
11. **P. Insularis, Sauss.** l. c. p. 639 (1878).	Fiji, N. Cal.
12. **P. Rufidulus, Sauss.** l. c. p. 648 (1878).	N. Caledonia
13. **P. Priapus, Sauss.** l. c. pl. 19 (lxx.) ff. 3, 3 *a, b, h* (1878).	id.
14. **P. Australis, Walk. (*Laurepa A.*) l. c. i. p. 98. n. 4 (1869).	Australia.
15. **P. Frontalis, Walk. (*Laurepa F.*) l. c. p. 99. n. 5 (1869).	N. Australia.
16. **P. Couloni, Sauss.** Miss. Mex., Orth. p. 504 (1874).	Cuba.
17. **P. Modestus, Brunn. Proc. Zool. Soc. Lond. 1893, p. 610.	W. Indies; Grenada.
18. **P. Colombicus, Walk. (*Platydactylus C.*) l. c. i. p. 77. n. 5 (1869). *P. Columbicus, Sauss.* l. c. p. 506 (1874).	Colombia.
19. **P. Contiguus, Walk.** (*Platydactylus C.*) l. c. p. 78. n. 8 (1869).	Para.
20. **P. Consimilis, Walk. (*Platydactylus C.*) l. c. p. 76. n. 4 (1869). *Podoscirtus* (?) *Consimilis, Sauss.* l. c. p. 505 (1874).	Hab. —— ?
21. **P. Amusus, Sauss.** Mém. Soc. Genève, xxv. p. 641 (1878).	Pernambuco.
22. **P. Americanus, Sauss.** l. c. p. 642 (1878).	Bahia.
23. **P. Maculipennis, Sauss.** l. c. p. 643, pl. 19 (lxx.) f. 4 (1878).	Brazil.
24. **P. Viduus, Sauss.** Miss. Mex., Orth. p. 505 (1874).	id.
25. **P. Hirtellus, Sauss.** Mém. Soc. Genève, xxv. p. 640 (1878).	Hab. —— ?

Genus 138. **Orbega.**

Walk. Cat. Derm. Salt. B. M. i. p. 91 (1869).

1. **O. Pallida, Walk. l. c. p. 91. n. 1 (1869). | Hab. —— ?

Genus 139. **Aphonomorphus.** (*Type* no. 10.)

Rehn, Entom. News, xiv. p. 260 (1903).

‖ *Aphonus, Sauss.* (*nec Lec.*) Miss. Mex., Orth. p. 509 (1874): Mém. Soc. Genève, xxv. p. 656 (1878); Biol. Centr.-Amer., Orth. i. p. 280 (1897).

‖ *Aphonogryllus, Rehn* (*nec Perk.*), Canad. Ent. xxxiii. p. 272 (1901).

‖ *Eneoptera, Haan* (*nec Burm.*), Temminck, Verhandel., Orth. p. 231 (1842); Walk. Cat. Derm. Salt. B. M. i. p. 66 (1869).

1. **A. Ocellaris, Sauss.** (*Aphonus O.*) Mém. Soc. Genève, xxv. p. 658 (1878).	Zanzibar.
2. **A. Cinereus, Haan,** (*Gryllus* (*Eneoptera*) *C.*) l. c. p. 232, pl. 20. f. 5 (1842). *Paræcanthus Cinereus, Stål,* Œfvers. Vet.-Akad. Förh. xxxiv. (10) p. 51 (1877). *Aphonus Cinereus, Sauss.* l. c. p. 662 (1878).	Java, Celebes, N. Guinea, Philippines.
3. **A. Caledonicus, Sauss.** (*Aphonus C.*) l. c. p. 658 (1878).	New Caledonia.
4. **A. Punctatus, Haan,** (*Gryllus* (*Eneoptera*) *P.*) l. c. p. 232, pl. 20. f. 6 (1842). *Aphonus Punctatus, Sauss.* l. c. p. 659 (1878).	Tondano.
5. **A. Apiatus, Sauss.** (*Aphonus A.*) l. c. p. 664 (1878).	N. Guinea.
6. **A. Vitiensis, Sauss.** (*Aphonus V.*) l. c. p. 661, pl. 19 (lxxi.) ff. 2, 2 *a* (1878).	Fiji.
7. **A. Depressiusculus, Sauss.** (*Aphonus D.*) l. c. p. 665, pl. 19 (lxxi.) ff. 1, 1 *a* (1878).	id.
8. **A. Flavifrons, Sauss. (*Aphonus F.*) Biol. Centr.-Amer., Orth. i. p. 281, pl. 13. ff. 31, 32 (1897).	Mexico.
9. **A. Diversus, Walk. (*Platydactylus D.*) l. c. v. Suppl. p. 12 (1871).	Chontales.

Aphonus Diversus, *Sauss.* Miss. Mex., Orth. p. 512 (1874) ; Biol. Centr.-Amer., Orth. i. p. 282 (1897).	
*10. **A. Mutus, Sauss.** (*Aphonus M.*) Miss. Mex., Orth. p. 510 (1874).	Guiana.
11. **A. Timidus, Sauss.** (*Aphonus T.*) Biol. Centr.-Amer., Orth. i. p. 282 (1897).	Colombia.
12. **A. Silens, Sauss.** (*Aphonus S.*) Mém. Soc. Genève, xxv. p. 665 (1878).	Brazil (?).
13. **A. Telskii, Sauss.** (*Aphonus T.*) Miss. Mex., Orth. p. 511 (1874).	Brazil, Peru.
14. **A. Peruvianus, Sauss.** (*Aphonus P.*) l. c. (1874).	Peru.
15. **A. Taciturnus, Sauss.** (*Aphonus T.*) Mém. Soc. Genève, xxv. p. 661 (1878).	Hab. —— ?
16. **A. (?) Pallidissimus, Walk. (*Gryllus P.*) l. c. i. p. 50. n. 100 (1869).	Hab. —— ?
17. **A. (?) Obscurus, Scudd.** (*Eneoptera Obscura*) Proc. Boston Soc. Nat. Hist. xii. p. 141 (1868).	Old Calabar.
18. **A. (?) Lividus, Burm.** (*Eneoptera Livida*) Handb. Ent. ii. p. 736. n. 2 (1838).	Brazil.
Aphonus (?) *Livida*, *Sauss.* Miss. Mex., Orth. p. 512 (1874).	

Genus 140. **Xenogryllus.**

Bol. Jorn. Sci. Lisb. (2) i. p. 232 (1890).

1. **X. Eneopteroides, Bol.** l. c. (1890).	Braganza.

Genus 141. **Stenaphonus.**

Sauss. Mém. Soc. Genève, xxv. p. 657 (1878) ;
Biol. Centr.-Amer., Orth. i. p. 282 (1897).

*1. **S. Macilentus, Sauss.** (*Aphonus* (*Stenaphonus*) *M.*) Mém. Soc. Genève, xxv. p. 666, pl. 19 (lxxi.) ff. 3, 3 *a* (1878).	Panama, Colombia.
S. Macilentus, *Sauss.* Biol. Centr.-Amer., Orth. i. p. 282. n. 1 (1897).	

Genus 142. **Heterecous.** (*Type* no. 1.)

Sauss. Biol. Centr.-Amer., Orth. i. p. 283 (1897).

1. **H. Auditor, Sauss. l. c. pl. 13. ff. 33, 34 (1897).	Panama, Colombia.
2. **H. Smithianus, Sauss. l. c. p. 284, pl. 13. f. 35 (1897).	Mexico.

Genus 143. **Aphasius.**

Sauss. Mém. Soc. Genève, xxv. p. 668 (1878).

1. **A. Ritsemæ, Sauss.** l. c. p. 669, pl. 19 (lxxiv.) ff. 1–4 (1878).	Sunda Isl., Timor.

Genus 144. **Corixogryllus.**

Bol. Ann. Soc. Ent. France, lxviii. p. 807 (1900).

1. **C. Abbreviatus, Bol.** l. c. p. 808 (1900).	S. India.

Genus 145. **Tafalisca.** (*Type* no. 5.)

Walk. Cat. Derm. Salt. B. M. i. p. 52 (1869).

Metrypa, Brunn. Mitth. Schweiz. ent. Ges. iv. p. 168 (1873): Sauss. Miss. Mex., Orth. p. 513 (1874). (*Type* no. 5.)

Metrypus, Sauss. Mém. Soc. Genève, xxv. p. 671 (1878).

1. **T. Virescens, Sauss.** (*Metrypus V.*) l. c. p. 675 (1878).	Java.
2. **T. Unicolor, Walk. (*Laurepa U.*) l. c. i. p. 99. n. 6 (1869). *Metrypus Unicolor, Sauss.* l. c. p. 680 (1878).	Navigators' Isl.
3. **T. Claudicans, Brunn. (*Metrypus C.*) Proc. Zool. Soc. Lond. 1893, p. 610, pl. 52. f. 5, *a*, *b*.	W. Indies; Grenada.
4. **T. Heros, Brunn. (*Metrypus H.*) l. c. p. 611, pl. 52. f. 6 (1893).	Grenada.
5. **T. Lurida, Walk. l. c. i. p. 53. n. 1 (1869). *Metrypa Lurida, Sauss.* Miss. Mex., Orth. p. 513 (1874). *Metrypus Luridus, Sauss.* Mém. Soc. Genève, xxv. p. 673, pl. 19 (lxxiii.) f. 3 *h*, *b* (1878).	Haiti, Cuba, St. Vincent.

*6. **T. Haanii, Sauss.** (*Metrypa H.*) Miss. Mex., Orth. p. 515 (1874). *Metrypus Haanii, Sauss.* Mém. Soc. Genève, xxv. p. 673, pl. 19 (lxxiii.) f. 1 (1878). ‖*Gryllus* (*Eneoptera*) *Lividus, Haan* (*nec Burm.*), Temminck, Verhandel., Orth. p. 231 (1842).	Brazil.
*7. **T. Brasiliana, Sauss.** (*Metrypus Brasilianus*) l. c. p. 676 (1878).	id.
8. **T. Bahiensis, Sauss.** (*Metrypus B.*) l. c. (1878).	Bahia.
9. **T. Pallidocincta, Kirb. (*Œcanthus* (?) *Pallidocinctus*) Journ. Linn. Soc. Lond., Zool. xx. p. 533 (1894).	Fernando Noronha.
10. **T. Crypsiphonus, Sauss.** (*Metrypus C.*) l. c. p. 677, pl. 19 (lxxiii.) ff. 2, 2 *b*, *b* (1878).	Antilles (?), Colombia(?)
11. **T. Muta, Sauss.** (*Metrypus Mutus*) l. c. p. 678 (1878).	Brazil (?).
12. **T. Bogotensis, Sauss.** (*Metrypus B.*) l. c. p. 679 (1878).	Bogota.

Genus 146. **Nessa.**

Walk. Cat. Derm. Salt. B. M. i. p. 54 (1869).

1. **N. Linearis, Walk. l. c. n. 1 (1869). *Metrypa* (?) *Linearis, Sauss.* Miss. Mex., Orth. p. 515 (1874).	Guiana (?).

Genus 147. **Parametrypa.** (*Type* no. 1.)

Brunn. Mitth. Schweiz. ent. Ges. iv. p. 168 (1873).
Parametrypus, Sauss. Mém. Soc. Genève, xxv. p. 681 (1878).

1. **P. Fortipes, Walk. (*Nessa F.*) Cat. Derm. Salt. B. M. i. p. 55. n. 2 (1869). *Parametrypus Spiculatus, Sauss.* l. c. p. 682, pl. 19 (lxxv.) ff. 1, 1 *a* (1878).	Natal.
2. **P. Aculeata, Sauss.** (*Parametrypus Aculeatus*) l. c. p. 681 (1878).	Brazil.

Genus 148. **Pseudometrypa.**

Karsch, Stett. Ent. Zeit. lvii. p. 355 (1896).

1. **P. Putrida, Karsch,** l. c. p. 356, f. 44 (1896).	Togoland.

Genus 149. **Meloimorpha.**

Walk. Cat. Derm. Salt. B. M. iii. p. 468 (1870).

1. **M. Cincticornis, Walk. l. c. p. 469. n. 1 (1870).	India.

ENEOPTERINÆ D.

Genus 150. **Prognathogryllus.** (*Type* no. 1.)

Brunn. Proc. Zool. Soc. Lond. 1895, p. 896;
Perk. Faun. Haw., Orth. p. 24 (1899).

1. **P. Alatus, Brunn. l. c. p. 896, f. 1 (1895); Perk. l. c. p. 24, pl. 2. ff. 8, 8 *a*, *b* (1899).	Hawaiian Isl., Kauai.
2. **P. Elongatus, Perk. l. c. p. 25, pl. 1. f. 15 (1899).	Kauai.
3. **P. Robustus, Perk. l. c. f. 14 (1899).	id.
4. **P. Oahuensis, Perk. l. c. p. 25 (1899).	Oahu.
5. **P. Inexpectatus, Perk. l. c. p. 26 (1899).	Kauai.

Genus 151. **Aphonogryllus.**

Perk. Faun. Haw., Orth. p. 26 (1899).

1. **A. Apteryx, Perk. l. c. pl. 2, ff. 9, 9 *a–c* (1899).	Oahu.

Genus 152. **Nesogryllus.**

Perk. Faun. Haw., Orth. p. 26 (1899).

1. **N. Stridulans, Perk. l. c. p. 27, pl. 2. ff. 11, 11 *a* (1899).	Oahu.

Genus 153. **Thaumatogryllus.**

Perk. Faun. Haw., Orth. p. 27 (1899).

1. **T. Variegatus, Perk. l. c. pl. 1. f. 16, pl. 2. ff. 10, 10 *a–d* (1899).	Kauai.

Genus 154. **Leptogryllus.** (*Type* no. 7.)

Perk. Faun. Haw., Orth. p. 28 (1899).

1. **L. Nigrolineatus, Perk. l. c. (1899).	Oahu, Maui.
2. **L. Nigromaculatus, Perk. l. c. pl. 1. f. 17, pl. 2. ff. 12, 12 *a* (1899).	Kauai.
3. **L. Similis, Perk. l. c. pl. 2. f. 13 (1899).	Hawaii.
4. **L. Elongatus, Perk. l. c. p. 29, pl. 1. f. 18 (1899).	id.
5. **L. Kauaiensis, Perk. l. c. p. 29 (1899).	Kauai.
6. **L. Fusconotatus, Perk. l. c. (1899).	Oahu.
7. **L. Forficularis, Brunn. (*Prognathogryllus F.*) Proc. Zool. Soc. Lond. 1895, p. 897, f. 2. *L. Forficularis, Perk.* l. c. p. 29, pl. 2. ff. 14, 14 *a*, *b* (1899).	Hawaii, Maui.
8. **L. Simillimus, Perk. l. c. p. 30, pl. 1. f. 19, pl. 2. ff. 15, 15 *a*, *b* (1899).	Maui.

FAM. VII.

PHASGONURIDÆ.

SUBFAM. I.

STENOPELMATINÆ.

Genus 1. **Stenopelmatus.** (*Type* no. 2.)

Burm. Handb. Ent. ii. p. 720 (1838); Sauss. Rev. Zool. (2) xi. p. 209 (1859); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 286 (1897); Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 257 (1888).

1. **S. Sumichrasti, Sauss.** l. c. p. 210 (1859); Brunn. l. c. p. 260. n. 1 (1888); Sauss. & Pict. l. c. p. 288. n. 1 (1897).	Mexico.
*2. **S. Talpa, Burm.** l. c. p. 721. n. 2 (1838); Brunn. l. c. p. 260. n. 2, pl. 5. f. 1 E (1888); Sauss. & Pict. l. c. p. 288. n. 2, pl. 14. ff. 1–3 (1897). *S. Mexicanus, Sauss.* l. c. p. 210 (1859). **S. *Erythromelas, Walk.* Cat. Derm. Salt. B. M. i. p. 193. n. 13 (1869).	id.
*3. **S. Calcaratus, Griff.** Boll. Mus. Torino. viii. (154) pp. 2. 3. ff. 2. 3 (1893); Sauss. & Pict. l. c. p. 289. n. 7 (1897).	id.
4. **S. Fasciatus, Thomas,** Hayden. Rep. Geol. Surv. Montana, p. 434 (1872); Scudd. Canad. Ent. xxxi. p. 115 (1899).	Idaho, Wyoming, Utah.
5. **S. Lessonæ, Griff.** l. c. p. 3 (1897); Sauss. & Pict. l. c. p. 288. n. 3 (1897).	Mexico.
6. **S. Longispina, Brunn.** l. c. p. 260. n. 3 (1888); Sauss. & Pict. l. c. p. 286. n. 4 (1897); Scudd. l. c. p. 114 (1899).	Vancouver, California, Oregon.
7. **S. Californicus, Brunn.** l. c. p. 261. n. 4, pl. 5. f. 1, A–C (1888); Sauss. & Pict. l. c. p. 287. n. 5 (1897).	Vancouver, California.
*8. **S. Irregularis, Brunn.** l. c. p. 261 (1888); Sauss. & Pict. l. c. p. 287. n. 6 (1897); Scudd. l. c. p. 115 (1899).	Arizona, Nevada, Calif., Mex.

9. **S. Cephalotes, Walk. l. c. i. p. 195. n. 16 (1869). *S. Oculatus, Scudd.* Bull. U.S. Geol. Surv. Territ. ii. p. 261 (1876); Canad. Ent. xxxi. p. 115 (1899). *S. Hydrocephalus, Brunn.* l. c. p. 261. n. 6 (1888); Sauss. & Pict. l. c. p. 290. n. 8, pl. 14. f. 4 (1897).	California, Utah, Nebraska, Nevada, Washington, Arizona, New Mex.
10. **S. Comanchus, Sauss. & Pict. l. c. p. 290. n. 9 (1897).	Northern Mexico.
11. **S. Terrenus, Rehn,** Entom. News, xiii. p. 240 (1902).	Texas.
12. **S. Histrio, Sauss.** l. c. p. 210 (1859); Brunn. l. c. p. 262. n. 7 (1888); Sauss. & Pict. l. c. p. 290. n. 10, pl. 14. f. 5 (1897); Scudd. Canad. Ent. xxxi. p. 116 (1899).	Mexico, California.
13. **S. Vicinus, Brunn.** l. c. p. 262. n. 8 (1888); Sauss. & Pict. l. c. p. 290. n. 11 (1897).	Guatemala.
14. **S. Pictus, Scudd.** l. c. p. 116 (1899).	California.
15. **S. Guatemalæ, Brunn.** l. c. p. 262. n. 9 (1888); Sauss. & Pict. l. c. p. 290. n. 12 (1897).	Guatemala.
16. **S. Fuscus, Hald.** Stansbury, Exped. to Utah, p. 372 (1852).	Utah.
*17. **S. Minor, Sauss.** l. c. p. 210 (1859); Brunn. l. c. p. 263. n. 10 (1888); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 291. n. 13 (1897).	Guatemala, Mexico.
18. **S. (?) Lycosoides, Walk. l. c. p. 193. n. 14 (1869).	Mexico.
19. **S. Typhlops, Rehn,** Trans. Amer. Ent. Soc. xxix. p. 15 (1902).	id.
20. **S. Nieti, Sauss.** l. c. p. 210 (1859); Brunn. l. c. p. 263. n. 11 (1888); Sauss. & Pict. l. c. p. 291. n. 14, pl. 14. ff. 6, 7 (1897).	id.
21. **S. Ater, Sauss. & Pict. l. c. p. 291. n. 15, pl. 14. ff. 8, 9 (1897).	Costa Rica.
22. **S. (?) Piceiventris, Walk. l. c. p. 197. n. 21 (1869).	Hab. ——?
23. **S. (?) Sallei, Sauss.** l. c. p. 210 (1859); Brunn. l. c. p. 263. n. 12 (1888); Sauss. & Pict. l. c. p. 291. n. 16, pl. 14. ff. 10, 11 (1897).	Mexico.

*24. **S. (?) Sartorianus, Sauss.** l. c. p. 211 (1859); Brunn. l. c. p. 264. n. 13 (1888); Sauss. & Pict. l. c. p. 292. n. 17 (1897).	Mexico, Guatemala.
***S. Politus, Walk.* l. c. p. 193. n. 12 (1869).	
25. **S. (?) Toltecus, Sauss.** (*Anostostoma Tolteca*) l. c. (2) xiii. p. 130 (1861).	Orizaba.
26. **S. (?) Crassidens, Blanch.** (*Anostostoma C.*) Gay, Hist. Chile, Zool. vi. p. 41. n. 1, pl. 2. f. 3 (1851).	Chile.

Genus 2. **Oryctopus.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 266 (1888); Bol. Ann. Soc. Ent. France, lxviii. p. 783 (1900).

1. **O. Bolivari, Brunn.** l. c. p. 267, pl. 5. f. 4 (1888); Bol. l. c. p. 785 (1900).	Madras.
2. **O. Prodigiosus, Bol.** l. c. pl. 12. ff. 21, 21, *a*, *b* (1900).	Trichinopoly.

Genus 3. **Licola.**

Walk. Cat. Derm. Salt. B. M. i. p. 165 (1869).
Bugajus, Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 264 (1888).

*1. **L. Couloni, Sauss.** (*Anostostoma Couloni*) Ann. Soc. Ent. France, (4) i. p. 490, pl. 12 (1861).	Java.
Bugajus Couloni, Brunn. l. c. p. 264, pl. 5. f. 2 (1888).	

Genus 4. **Maxentius.** (*Type* no. 1.)

Stål, Œfvers. Vet.-Akad. Förh. xxxiii. (3) p. 63 (1876); Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 265 (1888).

1. **M. Pinguis, Walk. (*Stenopelmatus P.*) Cat. Derm. Salt. B. M. i. p. 198. n. 23 (1869).	S. Africa.
M. Repens, Stål, l. c. p. 64 (1876); Brunn. l. c. p. 265, pl. 3. f. 3 A, B (1888).	
2. **M. Pallidus, Walk. (*Stenopelmatus P.*) l. c. p. 194. n. 15 (1869).	Cape Town.
***Stenopelmatus Zonatus, Walk.* l. c. p. 197. n. 22 (1869).	

***Stenopelmatus Bicolor, Walk.* l. c. p. 199. n. 24 (1869). *M. Fuscofasciatus, Stål*, l. c. p. 76 (1876); Brunn. l. c. p. 266 (1888).	

Genus 5. **Deinacrida.** (*Type* no. 1.)

White, Gray's Zool. Misc. p. 78 (1842); Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 267 (1888); Hutton, Trans. N. Zeal. Inst. xxix. p. 211 (1897).

1. **D. Heteracantha, White, l. c. p. 78 (1842); Voy. Erebus & Terror. ii. p. 24. pl. 5. f. 1 (1846); Hochstetter, New Zealand, pp. 169, 176, fig. (1867); Buller, Zoologist, (2) ii. p. 849 (1867); Trans. N. Zeal. Inst. iii. p. 35. n. 1 (1871), xxvii. p. 143 (1895); Brunn. l. c. p. 269. n. 3 (1888); Hutton, l. c. xxix. p. 212, pl. 12. ff. 1, 1 *a–c* (1897). *Deinacrida (Anostostoma) Heteracantha, White*, Dieffenbach, Trav. N. Zealand, ii. p. 280 (1843).	New Zealand. North I., G.Barrier I.
2. **D. Gigantea, Col.** (*Hemideina G.*) Trans. N. Zealand Inst. xiv. p. 278 (1882).	N. Zealand, Paihia.
3. **D. (?) Rugosa, Buller,** l. c. iii. p. 36. n. 4, pl. 5 *b*. ff. 1–3 (1871); Hutton, l. c. p. 213, pl. 12. f. 2 (1897).	N. Zealand. Wanganui, Stephen's I.

Genus 6. **Hemideina.** (*Type* no. 3.)

Walk. Cat. Derm. Salt. B. M. i. p. 160 (1869); Hutt. Trans. N. Zeal. Inst. xxix. p. 214 (1897).

*1. **H. Attenuata, Walk.** l. c. p. 164. n. 7 (1869). *Deinacrida Armiger, Col.* Trans. N. Zeal. Inst. xvii. p. 155 (1885). *Hemideina Armiger, Hutt.* l. c. p. 217 (1897). ‖ *Deinacrida Thoracica, Brunn.* (*nec White*) Verh. zool.-bot. Ges. Wien, xxxviii. p. 268. n. 1 (1888). *H. Nitens, Col.* l. c. xxi. p. 193 (1889).	N.S. Wales, N. Zealand, Hawkes Bay, Wellington.

2. **H. Huttoni, Kirb.** (n. n.). ‖*Deinacrida Thoracica, Bull.* Zoologist, (2) ii. p. 850 (1867); Trans. N. Zeal. Inst. iii. p. 35 (1871). ‖*H. Thoracica, Hutt.* l. c. xxix. p. 217 (1897).	Auckland.
3. **H. Thoracica, White, (*Deinacrida T.*) Voy. Erebus & Terror, ii. Ins. pl. 5. f. 2 (1846). *H. Thoracica, Bull.* Voy. E. & T. ii. Ins. p. 25 (1874). Var. *Deinacrida Megacephala, Bull.* ll. cc. p. 850 (1867): p. 36 (1871); Huds. Man. N. Zeal. Ent. p. 112, pl. 17. f. 8, pl. 18. f. 2 (1892). *H. Megacephala, Hutt.* l. c. p. 215, pl. 12. ff. 3, 3 *c* (1897). ***H. Capitolina, Walk.* l. c. p. 161. n. 1 (1869). *Deinacrida Ligata, Brunn.* l. c. p. 268, pl. 5. f. 5 A–C (1888). **Var. *H. Figurata, Walk.* l. c. p. 162. n. 3 (1869). **Var. *H. Tibialis, Walk.* l. c. p. 164. n. 6 (1869). **Var. *H. Producta, Walk.* l. c. p. 163. n. 5 (1869). **Var. *H. Abbreviata, Walk.* l. c. n. 4 (1869).	New Zealand.
*4. **H. Femorata, Hutt.** l. c. xxix. p. 218, pl. 12. ff. 4, 4 *b* (1897).	id.
5. **H. Broughi, Bull.** (*Deinacrida B.*) Trans. N. Zeal. Inst. xxviii. p. 324 (1896). *H. Broughi, Hutt.* l. c. xxix. p. 220 (1897), xxxii. p. 21 (1900).	id.. Nelson.
*6. **H. Ricta, Hutt.** l. c. xxix. p. 219 (1897).	N. Z., S. I.
7. **H. Maori, Pict. & Sauss.** (*Deinacrida M.*) Mitth. Schweiz. ent. Ges. viii. p. 296, pl. 1. f. 2 (1891). *H. Maori, Hutt.* l. c. p. 219 (1897).	N. Zealand.
8. **H. Parva, Bull.** (*Deinacrida P.*) l. c. xxvii. p. 147 (1895); Hutt. l. c. p. 214 (1897). *H. Parva, Hutt.* l. c. xxxii. p. 20 (1900).	N. Zealand, South Isl.
9. **H. Fusifera, Walk. l. c. p. 165. n. 8 (1869).	Australia, Richmond R.

Genus 7. **Anostostoma.** (*Type* no. 1.)

Gray. Charlesworth's Mag. Nat. Hist. (2) i. p. 143 (1837); Serv. Ins. Orth. p. 385 (1839); Duncan, Nat. Libr., Introd. Ent. p. 254 (1840); Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 269 (1888).

1. **A. Australasiæ, Gray, l. c. p. 143, f. 16 (1837); Serv. l. c. p. 388 (1839); Duncan, l. c. p. 254, pl. 14 (1840); Brunn. l. c. p. 270. n. 1, pl. 5. f. 6 A, B (1888); Frogg. Agric. Gaz. N. S. Wales, xvi. p. 480 (1905).	Australia.
*2. **A. Erinaceus, Burm.** (*Stenopelmatus E.*) Handb. Ent. ii. p. 720. n. 1 (1838). *A. Erinaceus Brunn.* l. c. p. 271. n. 2 (1888); Frogg. l. c. p. 481. f. 6 (1905). *A. Femoralis, Walk.* Cat. Derm. Salt. B. M. i. p. 159. n. 2 (1869).	id.
*3. **A. Opacum, Brunn.** l. c. p. 271. n. 3 (1888).	id.
4. **A. (?) Cuniculator, Coq.** Ann. Soc. Ent. France, (2) vi. p. 282, pl. 8. f. 6 *a–d* (1848).	Madagascar
5. **A. (?) Ornatum, Brunn.** (*Carcinopsis Ornata*) l. c. p. 277. n. 3, pl. 6. f. 9 A–B (1888).	id.

Genus 8. **Brachyporus.**

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 272 (1888).

1. **B. Personatus, Brunn.** l. c. pl. 5. f. 7 (1888).	Madagascar

Genus 9. **Anabropsis.** (*Type* no. 1.)

Rehn, Canad. Ent. xxxiii. p. 272 (1901).

Schœnobates, Sauss. (*nec Blackw.*) Rev. Zool. (2) xi. p. 209 (1859); Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 273 (1888).

1. **A. Mexicanus, Sauss.** (*Schœnobates M.*) l. c. p. 209 (1859); Brunn. l. c. p. 273, pl. 6. f. 8 B (1888); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 293. n. 1, pl. 14. ff. 12–15 (1897).	Mexico.
2. **A. Alatus, Brunn.** (*Schœnobates A.*) l. c. p. 274. n. 2 (1888).	Ecuador.

3. **A. Apterus, Brunn.** (*Schœnobates A.*) l. c. n. 3, pl. 6. f. 8 A (1888); Sauss. & Pict. l. c. p. 293. n. 2 (1897).	Guatemala.
4. **A. Saltator, Sauss. & Pict. (*Schœnobates S.*) l. c. p. 294. n. 3, pl. 14. f. 16 (1897).	Costa Rica.
5. **A. Frater, Brunn.** (*Schœnobates F.*) l. c. p. 275. n. 4 (1888).	India (?).

Genus 10. **Libanasa.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. i. p. 208 (1869).

1. **L. Incisa, Walk. l. c. n. 1 (1869). *Carcinopsis Fusca, Brunn.* Verh. zool.-bot. Ges. Wien, xxxviii. p. 278. n. 5 (1888).	Natal.
*2. **L. Femoralis, Brunn.** (*Carcinopsis F.*) l. c. p. 277. n. 4 (1888).	id.
3. **L. Vittata, Kirb.** (*Carcinopsis V.*) Ann. Nat. Hist. (7) iii. p. 478 (1898).	Barberton.
4. **L. Punctulata, Kirb.** (*Carcinopsis P.*) l. c. (1898).	id.

Genus 11. **Lezina.**

Walk. Cat. Derm. Salt. B. M. i. p. 199 (1869).

1. **L. Concolor, Walk. l. c. p. 200. n. 1 (1869), iii. p. 477 (1870).	Egypt.

Genus 12. **Carcinopsis.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 275 (1888).

1. **C. Unicolor, Brunn.** l. c. p. 276. n. 1 (1888).	New Caledonia.
2. **C. Signata, Brunn.** l. c. n. 2 (1888).	id.

Genus 13. **Aistus.**

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 278 (1888).

1. **A. Gracilis, Brunn.** l. c. n. 1, pl. 6. f. 10 (1888).	New Caledonia.

Genus 14. **Gryllacropsis.**

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 279 (1888).

1. **G. Magniceps, Walk. (*Gryllacris M.*) Cat. Derm. Salt. B. M. iii. p. 471 (1870). v. Suppl. p. 19 (1871). | Madras.
G. Perturbans, Brunn. l. c. p. 279, pl. vi. f. 10, II. (1888).

Genus 15. **Dyscapna.**

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 279 (1888).

1. **D. Atra, Brunn.** l. c. pl. 6. f. 11 (1888). | Angola.

Genus 16. **Borborothis.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 280 (1888).

1. **B. Opaca, Brunn.** l. c. pl. 6. f. 12 (1888). | Cape.
2. **B. Impicta, Stål,** (*Onosandrus Impictus*) Bihang Svenska Akad. iv. (5) p. 51 (1878). | S. Africa.
3. **B. Brunneri, Bol.** J. Sci. Lisb. (2) i. p. 227 (1890). | Angola.

Genus 17. **Penalva.**

Walk. Cat. Derm. Salt. B. M. iii. p. 474 (1870).
Trihoplophora, Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 280 (1888).

1. **P. Lateralis, Walk. l. c. p. 475. n. 1 (1870). | Australia.
Trihoplophora Abnormis, Brunn. l. c. p. 281, pl. 6. f. 13 (1888).

Genus 18. **Penthoplophora.**

Tepp. Trans. R. Soc. S. Australia, xv. p. 175 (1892).

1. **P. Driffieldi, Tepp.** l. c. p. 176 (1892), xix. p. 23 (1895); Horn Exped. Centr. Austral. ii. p. 377 (1896). | Central Australia.

Genus 19. **Hypocophus.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 281 (1888).

1. **H. Fortior, Brunn.** l. c. pl. 6. f. 14 A, B (1888).	Madagascar
2. **H. Indicus, Bol.** Ann. Soc. Ent. France, lxviii. p. 786 (1890).	S. India. Pulney Hills

Genus 20. **Lutosa.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. i. p. 211 (1869).
Pherterus, *Brunn.* Verh. zool.-bot. Ges. Wien, xxxviii. p. 282 (1888); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 294 (1897). (*Type* no. 3.)

1. **L. Marginalis, Walk. l. c. p. 212. n. 1 (1869). *Pherterus Gœldianus, Sauss. & Pict.* l. c. p. 295. n. 1 (1897).	Brazil.
*2. **L. Brasiliensis, Brunn.** (*Pherterus B.*) l. c. p. 282 (1888).	id., Theresopolis
*3. **L. Cubensis, Haan,** (*Locusta* (*Rhaphidophorus*) *Cubaensis*) Temminck, Verhandel., Orth. p. 218 (1842). (?) *Pherterus Cubensis, Brunn.* l. c. p. 282, pl. 6. f. 15 A, B (1888).	Cuba, W. Indies, Brazil (eadem ?).

Genus 21. **Licodia.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. i. p. 210 (1869).
Apotetamenus, *Brunn.* Verh. zool.-bot. Ges. Wien, xxxviii. p. 283 (1888). (*Type* no. 2.)

1. **L. Pallipes, Walk. l. c. p. 210. n. 1 (1869).	Haiti.
2. **L. Amazonæ, Brunn.** (*Apotetamenus A.*) l. c. p. 283, pl. 6. f. 16 (1888).	Upper Amazons.
3. **L. Clipeata, Brunn.** (*Apotetamenus Clipeatus*) l. c. p. 283 (1888).	Brazil.
4. **L. Obliqua, Walk. l. c. p. 211. n. 2 (1869).	Hab. —— ?

Genus 22. **Glaphyrosoma.** (*Type* no. 2.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 283 (1888); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 296 (1897).
‖ *Daihinia*, *Sauss.* (*nec Hald.*) Rev. Zool. (2) xi. p. 211 (1859).

1. **G. Aztecum, Sauss. & Pict. l. c. n. 1, pl. 14. f. 19 (1897).	Mexico.
2. **G. Mexicanum, Sauss.** (*Daihinia Mexicana*) l. c. p. 212 (1859). *G. Mexicanum, Brunn.* l. c. p. 284. n. 1 (1888); Sauss. & Pict. l. c. p. 296, pl. 14. ff. 17. 18 (1897).	id.
3. **G. Gracile, Brunn.** l. c. p. 284. n. 2. pl. 6. f. 17 A. B (1888); Sauss. & Pict. l. c. p. 297. n. 3 (1897).	id.

Genus 23. **Phoberopus.**

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 297 (1897).

1. **P. Championi, Sauss. & Pict. l. c. p. 298, pl. 14. ff. 20–22 (1897).	Guatemala

Genus 24. **Magrettia.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 285 (1888); Adel. Ann. Mus. Zool. Pétersb. vii. p. 68 (1902); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 431 (1903).

*1. **M. Abominata, Brunn.** l. c. p. 285. n. 1 (1888); Adel. l. c. p. 74 (1902).	E. Africa.
2. **M. Obscura, Burr,** Proc. Zool. Soc. Lond. 1900, p. 45.	Somali.
3. **M. Mutica, Brunn.** l. c. p. 285. pl. 6. f. 18 (1888); Adel. l. c. p. 70 (1902); Jacobs. & Bianchi, l. c. p. 431, f. 44 (1903).	Askhabad.
4. **M. Zarudnyi, Adel.** l. c. p. 72 (1902); Jacobs. & Bianchi, l. c. p. 432 (1903).	Persia.
*5. **M. Persica, Adel.** l. c. p. 73 (1902); Jacobs. & Bianchi, l. c. p. 432 (1903).	id.

Genus 25. **Onosandrus.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (5) p. 51 (1878); Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 286 (1888); Hutt. Trans. N. Zeal. Inst. xxix. p. 221 (1897).

1. **O. Fasciatus, Stål,** l. c. p. 51 (1878); Brunn. l. c. p. 287. pl. 6. f. 19 A–C (1888).	Natal.

*2. **O. Crassipes, Brunn.** l. c. p. 287 (1888).	Grahamstown.
*3. **O. Saussurei, Brunn.** l. c. (1888).	Cape.
4. **O. Opacus, Brunn.** l. c. p. 288 (1888).	id.
5. **O. Humilis, Brunn.** l. c. (1888).	Madagascar
6. **O. Femoratus, Pict. & Sauss.** Mitth. Schweiz. ent. Ges. viii. p. 299 (1891).	E. Indies(?)
7. **O. (?) Lepismoides, Walk. (*Ceuthophilus L.*) Cat. Derm. Salt. B. M. v. Suppl. p. 23 (1871).	Australia.
8. **O. (?) Lanceolatus, Walk. (*Ceuthophilus L.*) l. c. i. p. 204. n. 16 (1869).	N. Zealand.
**Var. *Libanasa Pallitarsis, Walk.* l. c. v. Suppl. p. 24 (1871).	
O. Pallitarsis, Hutt. l. c. xxix. p. 221, pl. 12. ff. 6, 6 *a* (1897).	
9. **O. (?) Focalis, Hutt.** l. c. p. 222, pl. 12. ff. 5, 5 *a–d* (1897).	id.
10. **O. (?) Maculifrons, Walk. (*Libanasa M.*) l. c. i. p. 209. n. 2 (1869).	id.
O. Maculifrons, Hutt. l. c. xxix. p. 223 (1897).	
11. **O. Maori, Pict. & Sauss.** l. c. p. 300, pl. 1. f. 4 (1891); Hutt. l. c. xxix. p. 223 (1897).	id.

Genus 26. **Nasidius.**

Stål, Bihang Svenska Akad. iv. (5) p. 51 (1878); Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 288 (1888).

*1. **N. Truncatifrons, Stål,** l. c. p. 52 (1878); Brunn. l. c. p. 289, pl. 6. f. 20 A, B (1888).	Grahamstown.

Genus 27. **Spizaphilus, Kirb.** (n. n.).

‖*Butleria, Brunn.* (*nec Kirb.*) Verh. zool.-bot. Ges. Wien, xxxviii. p. 289 (1888).

1. **S. Alatus, Butl. (*Anostostoma Alatum*) Proc. Zool. Soc. Lond. 1880, p. 152.	Madagascar
Butleria Alata, Brunn. l. c. p. 289, pl. 7. f. 21 (1888).	

Genus 28. **Mimnermus.** (*Type* no. 4.)

Stål, Bihang Svenska Akad. iv. (5) p. 52 (1878); Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 290 (1888).

Anastostoma, Haan, Temminck, Verhandel. Orth. p. 218 (1842).

1. **M. Costulatus, Brunn.** l. c. n. 1 (1888). Angola.
2. **M. Cephalotes, Bol.** Jorn. Sci. Lisb. (2) i. p. 228 (1890). Anchieta.
3. **M. Portentosus, Burm.** (*Stenopelmatus P.*) Handb. Ent. ii. p. 721. n. 5 (1838). S. Africa.

*4. **M. Prodigiosus, Stål,** l. c. p. 52 (1878); Brunn. l. c. p. 291. n. 3 (1888). id.

*5. **M. Dregii, Burm.** (*Stenopelmatus D.*) l. c. p. 721. n. 3 (1838). id.

6. **M. Puncticeps, Pict. & Sauss.** (*Onosandrus P.*) Mitth. Schweiz. ent. Ges. viii. p. 297, pl. 1. f. 3 (1891). id.

*7. **M. (?) Monstrosus, Herbst,** (*Locusta Monstrosa*) Neue Schriften Berlin. Ges. Nat. Fr. iv. p. 111, pl. 1. ff. 1–5 (1803). id.
M. Monstrosus, Brunn. l. c. p. 291. n. 2 (1888).
Anostostoma Herbstii, Gray, Mag. Nat. Hist. (2) i. pp. 143, 144, f. 17 (1837).
Gryllus (Anastostoma) Portentosa, Haan (an Burm.?), l. c. p. 218 (1842).

Genus 29. **Henicus.**

Gray, Mag. Nat. Hist. (2) i. p. 144 (1837).

1. **H. Pattersonii, Stoll,** (*Gryllus (Acheta) P.*) Spectres, Grill. p. 7, pl. 4 c. ff. 16–18 (1813). S. Africa.
Locusta (Anastostoma) Pattersonii, Haan, Temminck, Verhandel., Orth. p 218 (1842).
Mimnermus Pattersonii, Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 292, pl. 7. f. 22 A, B (1888).
H. Stollii, Gray, l. c. p. 144, f. 18 (1837).

Genus 30. **Platysiagon.**

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 292 (1888).

1. **P. Signatus, Brunn.** l. c. p. 292. pl. 7. f. 23 A, B (1888). S.W. Africa

Genus 31. **Cratomelus.**

Blanch. Gay, Hist. Chile, Zool. vi. p. 37 (1851); Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 293 (1888).
Mesomedes, *Stål*, Bihang Svenska Akad. iv. (5) p. 50 (1878).
Lencica, *Walk*. Cat. Derm. Salt. B. M. iii. p. 476 (1870).

*1. **C. Armatus, Blanch.** l. c. p. 39, Orth. pl. 2. f. 2 (1851); Phil. Zeitschr. ges. Naturw. xxi. p. 233 (1863); Brunn. l. c. p. 293, pl. 7. f. 24 A, B (1888). *Stenopelmatus Chilensis*, *Sauss.* Rev. Zool. (2) xi. p. 211 (1859). ** *Lencica Ferruginea*, *Walk*. l. c. p. 476. n. 1 (1870).	Chile.

Genus 32. **Dolichochæta.**

Phil. Zeitschr. Ges. Naturw. xxi. p. 233 (1863).

1. **D. Longicornis, Phil.** l. c. p. 234 (1863).	Chile.

Genus 33. **Pachypodagrus.** (*Type* no. 1.)

Tepp. Trans. R. Soc. S. Australia, xv. p. 176 (1892).

1. **P. Crassipes, Tepp.** l. c. p. 177 (1892).	Australia.
2. **P. Magareyi, Tepp.** l. c. (1892).	N.Australia.

SUBFAM. II.

RHAPHIDOPHORINÆ.

Genus 34. **Rhaphidophora.** (*Type* no. 1.)

Serv. Ins. Orth. p. 389 (1839); Bol. Ann. Soc. Ent. France, (5) x. p. 72 (1880); Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 294 (1888).

*1. **R. Loricata, Burm.** (*Phalangopsis L.*) Handb. Ent. ii. p. 722. n. 4 (1838). *R. Picea, Serv.* l. c. p. 391 (1839). *Locusta (Rhaphidophorus) Picea, c, Haan,* Temminck, Verhandel., Orth. p. 217 (1842). *R. Mutica, Brunn.* l. c. p. 295. n. 1 (1888).	Java.
2. **R. Crassicornis, Brunn.** l. c. n. 2 (1888).	Australia.

3. **R. Nigerrima, Brunn.** l. c. p. 296. n. 3 (1888). ‖*Locusta* (*Rhaphidophorus*) *Picea*, *Haan* (*nec Serv.*), l. c. p. 217 (1842).	Borneo, Sumatra. Amboina.
*4. **R. Fœda, Brunn.** l. c. p. 296. n. 4, pl. 7. f. 25 A–C (1888). ‖*Locusta* (*Rhaphidophorus*) *Picea, a, Haan* (*nec Serv.*), l. c. p. 217 (1842).	N. Guinea.
*5. **R. Brunneri, Kirb.** (n. n.). ‖*R. Picea, Brunn.* (*nec Serv.*) l. c. p. 296. n. 5 (1888).	Borneo, Sumatra, Assam.
6. **R. Crenulata, Brunn.** Ann. Mus. Genova, xxxiii. p. 192 (1888).	Burma.
*7. **R. Fulva, Brunn.** Verh. zool.-bot. Ges. Wien, xxxviii. p. 297. n. 6 (1888).	Java, Ceram.
8. **R. Baeri, Bol.** An. Soc. Españ. xix. p. 328 (1890). (?) *R. Deusta*, var., *Brunn.* l. c. p. 298. n. 8 (1888).	Manila.
9. **R. Gracilis, Brunn.** l. c. p. 297. n. 7 (1888).	Samar.
*10. **R. Deusta, Brunn.** l. c. p. 298. n. 8 (1888). *Rhaphidophora Picea, Pict. & Sauss.* (*nec Serv.*) Mitth. Schweiz. ent. Ges. viii. p. 303, pl. 1. f. 6 (1891).	Silhet, Penang, Java.

Genus 35. **Diestrammena.** (*Type* no. 2.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 298 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 329, 351, 432 (1902–4).

*1. **D. Unicolor, Brunn.** l. c. p. 299. n. 1 (1888); Jacobs. & Bianchi, l. c. pp. 352, 433 (1902–4).	Vladivostok China, Burma.
*2. **D. Marmorata, Haan,** (*Locusta* (*Rhaphidophorus*) *M.*) Temminck, Verhandel., Orth. p. 217 (1842). *D. Marmorata, Brunn.* l. c. p. 299. n. 2, pl. 7. f. 26 (1888); Jacobs. & Bianchi, l. c. pp. 352, 433 (1902–4).	Japan.
3. **D. Apicalis, Brunn.** l. c. p. 299. n. 3 (1888); Jacobs. & Bianchi, l. c. pp. 352, 433 (1902–4).	id.

Genus 36. **Neonetus.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 300 (1888) ; Hutt. Trans. N. Zealand Inst. xxix. p. 235 (1897).

1. **N. Variegatus, Brunn.** l. c. p. 300, pl. 7. f. 27 A–C (1888) ; Hutt. l. c. p. 236, pl. 13. ff. 16, 16 *a–e* (1897).	N. Zealand.
2. **N. Pilosus, Hutt.** l. c. f. 17 (1897).	id.

Genus 37. **Tachycines.**

Adel. Annuaire Mus. Zool. Pétersb. vii. p. 56 (1902) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 329, 352, 433 (1902–4).

1. **T. Asynamorus, Adel.** l. c. p. 59, pl. 58. ff. *a*, *b* (1902) ; Jacobs. & Bianchi, l. c. pp. 352, 433, f. 45 (1904).	St. Petersburg (*introd.*).

Genus 38. **Gymnæta.** (*Type* no. 1.)

Adel. Annuaire Mus. Zool. Pétersb. vii. p. 62 (1902).
Gymneta, Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 329, 352, 434 (1902–4).

1. **G. Beresowskii, Adel.** l. c. p. 63 (1902). *Gymneta Berezovskii, Jacobs. & Bianchi,* l. c. pp. 352, 434 (1902–4).	China, Kansu.
2. **G. Gansuicus, Adel.** l. c. p. 64 (1902) ; Jacobs. & Bianchi, l. c. pp. 352, 434 (1902–4).	id.

Genus 39. **Æmodogryllus.**

Adel. Annuaire Mus. Zool. Pétersb. vii. p. 66 (1902) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 329, 352, 434 (1902–4).

1. **Æ. Brunneri, Adel.** l. c. p. 67 (1902) ; Jacobs. & Bianchi, l. c. pp. 352, 435 (1902–4).	Japan.

Genus 40. **Dolichopoda.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. France. (5) x. p. 72 (1880); Ann. Sci. Nat. Porto, v. pp. 127, 132 (1898); Brunn. Prodr. Eur., Orth. p. 413 (1882): Verh. zool.-bot. Ges. Wien, xxxviii. p. 300 (1888); Finot, Orth. France, pp. 87, 127 (1883); Faune France. Orth. pp. 173, 225 (1889); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 329, 352, 435 (1902–4).

Phalangopsis B, Burm. Handb. Ent. ii. p. 722 (1838); Herrich-Schäffer, Nomencl. Ent. ii. p. 3 (1840); Fieb. Lotos, iii. p. 206 (1853); Syn. Eur. Orth. p. 62 (1854).

||*Rhaphidophora, Fisch.* Orth. Eur. p. 199 (1853); Costa, Faun. Nap., Ort. Loc. p. 9 (1860).

*1. **D. Palpata, Sulz.** (*Gryllus* (*Tettigonia*) *Palpatus*) Gesch. Ins. p. 83, pl. 9. f. 2 (1776). *Rhaphidophora Palpata, Charp.* Orth. pl. 44 (1844); Fisch. Orth. Eur. p. 200, pl. 11. ff. 1, 1 *a* (1853). *Phalangopsis Palpata, Fieb.* Lotos, iii. p. 206 (1853), iv. p. 276 (1854); Syn. Eur. Orth. p. 62 (1854). *D. Palpata, Brunn.* ll. cc. p. 413. n. 1, pl. 10. f. 95 (1882); p. 301. n. 1, pl. 7. f. 28 (1888); Finot, ll. cc. p. 128 (1883); p. 226 (1889); Jacobs. & Bianchi, l. c. pp. 352, 435 (1902–4). *Gryllus Tettigonia Pupus-Europæus, Vill.* Linn. Ent. i. p. 471. n. 28 (1789). *Locusta Acuminata* (*larva*), *Razm.* Gen. Ins. p. 53. pl. 9. f. 2 (1789). *Phalangopsis Araneiformis, Burm.* l. c. p. 722. n. 3. p. 1014 (1838); Charp. Germ. Zeitsch. Ent. iii. p. 319 (1840); Herr.-Schäff. l. c. pp. 15, 26 (1840).	Sicily, Italy, Dalmatia, S. France, Herzegovina, Greece, Corfu.
2. **D. Geniculata, Costa,** (*Rhaphidophora G.*) l. c. p. 10, pl. 10. ff. 1, 1 A–E (1860). *Phalangopsis Linderii, Duf.* Ann. Soc. Ent. France, (4) i. p. 13 (1861). *D. Linderi, Brunn.* ll. cc. p. 413. n. 2 (1882); p. 301. n. 2 (1888); Fin. ll. cc. p. 128 (1883); p. 226 (1889).	Italy, S. France.
3. **D. Bormansi, Brunn.** ll. cc. p. 414. n. 3 (1882); p. 301. n. 3 (1888): Fin. ll. cc. pp. 127. 128 (1883): pp. 226, 227 (1889).	Corsica.

4. **D. Euxina, Sem.** Rev. Russe Ent. i. p. 1 (1901); Jacobs. & Bianchi, l. c. pp. 352, 435 (1902–4).	Caucasus.
5. **D. Aranea, Bol.** Ann. Soc. Ent. Belg. xliii. p. 605 (1899); Jacobs. & Bianchi, l. c. pp. 352. 436 (1902–4).	Asia Minor.
6. **D. Pusilla, Bol.** l. c. p. 605 (1899); Jacobs. & Bianchi, l. c. pp. 352, 436 (1902–4).	id.

Genus 41. **Troglophilus.** (*Type* no. 1.)

Krauss, Sitzungsb. Akad. Wien. lxxviii. (1) p. 533 (1879); Bol. Ann. Soc. Ent. France, (5) x. p. 72 (1880); Brunn. Prodr. Eur. Orth. p. 410 (1882); Verh. zool.-bot. Ges. Wien, xxxviii. p. 302 (1888); Tümp. Geradfl. Mitteleuropas, p. 272 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 329, 352, 436 (1902–4).

*1. **T. Cavicola, Koll.** (*Locusta C.*) Beitr. Landeskunde Oesterreichs, iii. p. 80 (1833).	Austria, Carinthia, Croatia, Servia, Greece.
Rhaphidophora Cavicola, Fisch. Orth. Eur. p. 201, pl. 11. ff. 2, 2 *a–c* (1853); Türk. Wien. ent. Mon. ii. p. 368 (1858); Löw, Verh. zool.-bot. Ges. Wien. xi. p. 405 (1861).	
T. Cavicola, Krauss, l. c. p. 534. pl. 6. ff. 1, 1 A–E (1879); Brunn. ll. cc. p. 411. no. 1, pl. 10. f. 94 (1882); p. 303. n. 1 (1888); Tümp. l. c. p. 272, pl. 22 (1900); Jacobs. & Bianchi, l. c. pp. 352, 436, pl. 9 (1902–4).	
Phalangopsis Latebrarum, Herr.-Schäff. Nomencl. Ent. ii. p. 15 (1840).	
Phalangopsis Latebricola, Herr.-Schäff. l. c. p. 26 (1840).	
2. **T. Neglectus, Krauss,** l. c. p. 536, pl. 6. ff. 2, 2 A–J (1879); Brunn. ll. cc. p. 412. n. 2 (1882); p. 303, pl. 7. f. 30 (1888); Tümp. l. c. p. 273 (1900); Jacobs. & Bianchi, l. c. pp. 352, 437 (1902–4).	Carniola, Istria, Croatia, Dalmatia, Greece.
‖*Rhaphidophora Cavicola, Fisch.* l. c. p. 201, pl. 11. f. 2 *d* (1853); Brunn. Verh. zool.-bot. Ges. Wien, xi. p. 287 (1861).	
‖*Phalangopsis Cavicola, Fieb.* Lotos, iii. p. 206 (1853), iv. p. 276 (1854); Syn. Eur. Orth. p. 62 (1854).	

3. **T. Escalerai, Bol.** Ann. Soc. Ent. Belg. xliii. p. 604 (1899) ; Jacobs. & Bianchi, l. c. pp. 352, 436 (1904).	Asia Minor.

Genus 42. **Daihinia.** (*Type* no. 1.)

Hald. Proc. Amer. Assoc. ii. p. 346 (1850) ; Girard, Marcy, Expl. Red River Louisiana, p. 257 (1853) ; Scudd. Bost. Journ. Nat. Hist. vii. p. 443 (1862) ; Proc. Amer. Acad. xxx. p. 108 (1895) ; Guide N. Amer. Orth. p. 60 (1897).

1. **D. Brevipes, Hald.** (*Phalangopsis* (*Daihinia*) *B.*) l. c. p. 346 (1850). *D. Brevipes*, *Girard*, l. c. p. 257, Zool. pl. 15. ff. 9–13 (1853) ; Scudd. Bost. Journ. Nat. Hist. vii. p. 443, f. 3 (1862); Brun. Publ. Nebraska Acad. Sci. iii. p. 31 (1893).	Arkansas, Nebraska, Wyoming, Kansas, Dakota, Colorado.
2. **D. Gigantea, Brun.** Bull. Washburn Lab. i. p. 127 (1885) ; Publ. Nebraska Acad. Sci. iii. p. 30 (1893). *Udeopsylla Gigantea*, *Brun.* Canad. Ent. xxiii. p. 39 (1891).	Nebraska, Kansas.

Genus 43. **Udeopsylla.** (*Type* no. 2.)

Scudd. Canad. Nat. vii. p. 284 (Aug. 1862) ; Bost. Journ. Nat. Hist. vii. p. 442 (Nov. 1862) ; Proc. Amer. Acad. xxx. p. 109 (1894) ; Guide N. Amer. Orth. p. 60 (1897) ; Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 303 (1888).

1. **U. Nigra, Scudd.** ll. cc. p. 284 (1862) ; p. 443 (1862) ; p. 109 (1894) ; Brunn. l. c. p. 304 (1888). *Ceuthophilus Niger*, *Scudd.* Bost. Journ. Nat. Hist. vii. p. 437. n. 8 (1862).	United States.
2. **U. Robusta, Hald.** (*Phalangopsis* (*Daihinia*) *Robustus*) Proc. Amer. Assoc. ii. p. 346 (1850). *U. Robusta*, *Scudd.* Canad. Ent. vii. p. 284 (1862) ; Bost. Journ. Nat. Hist. vii. p. 442 (1862) ; Proc. Amer. Acad. xxx. p. 110 (1894) ; Glover, Illustr. N. Amer. Orth. pl. 8. f. 9 (1872) ; Brunn. l. c. p. 303, pl. 7. f. 31 (1888).	id.

3. **U. Compacta, Brun.** Canad. Ent. xxiii. p. 38 (1891): Publ. Nebraska Acad. Sci. iii. p. 31 (1893).	Nebraska, Dakota, Kansas.
4. **U. Vierecki, Rehn,** Proc. Acad. Nat. Sci. Philad. 1902, p. 725.	New Mexico.

Genus 44. **Gammarotettix.**

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 304 (1888); Scudd. Proc. Amer. Acad. xxx. pp. 21, 111 (1894); Guide N. Amer. Orth. p. 61 (1897).

1. **G. Bilobatus, Thom.** (*Ceuthophilus B.*) Geol. Surv. Territ. Montana, p. 437 (1872). *G. Bilobatus, Scudd.* Proc. Amer. Acad. xxx. p. 111 (1894). *G. Californicus, Brunn.* l. c. p. 305, pl. 7. f. 32 (1888).	California.

Genus 45. **Marsa.** (*Type* no. 4.)

Walk. Cat. Derm. Salt. B. M. i. p. 253 (1869).

1. **M. Pacifica, Thom.** (*Ceuthophilus P.*) Rep. Geol. Surv. Territ. Montana, p. 436 (1872). *Ceuthophilus Pacificus, Glover,* Ill. N. Amer. Orth. pl. 14. f. 8 (1872); Scudd. Proc. Amer. Acad. xxx. p. 96 (1894). *Ceuthophilus Unispinosus, Brunn.* Verh. zool.-bot. Ges. Wien, xxxviii. p. 308. n. 4 (1888).	California.
2. **M. Salebrosa, Scudd.** (*Ceuthophilus Salebrosus*) Canad. Ent. xxxi. p. 120 (1899).	Washington
3. **M. Henshawi, Scudd.** (*Ceuthophilus H.*) Proc. Amer. Acad. xxx. p. 97 (1894).	California, Oregon, &c.
4. **M. Arcuata, Walk. l. c. p. 254 (1869).	Saskatchewan.

Genus 46. **Hemiudeopsylla.** (*Type* no. 1.)

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 300 (1897).

1. **H. Genicularis, Sauss. & Pict. l. c. p. 301. n. 1 (1897).	Mexico.
2. **H. Platyceps, Sauss. & Pict.** l. c. p. 302. n. 2 (1897).	California.

3. **H. Californiana, Sauss. & Pict.** (*nec Scudd.*) l. c. p. 302. n. 3 (1897).	California.
** 4. **H. Forreriana, Sauss. & Pict.** l. c. n. 4, pl. 15. f. 1 (1897).	Mexico.

Genus 47. **Argyrtes.**

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 303 (1897).

** 1. **A. Mexicana, Sauss. & Pict.** l. c. n. 1, pl. 15. ff. 2, 3 (1897).	Mexico.

Genus 48. **Ceuthophilus.** (*Type* no. 34.)

Scudd. Canad. Nat. vii. p. 284 (Aug. 1862): Boston Journ. Nat. Hist. vii. p. 433 (Nov. 1862); Proc. Amer. Acad. xxx. p. 23 (1894); Guide N. Amer. Orth. p. 59 (1897); Brunn. Verh. zool.-bot. Ges. Wien. xxxviii. p. 305 (1888): Beut. Bull. Amer. Mus. Nat. Hist. vi. p. 295 (1894); Blatchl. Rep. Indiana Dept. Geol. xxvii. p. 397 (1903).

Centophilus, Prov. Nat. Canad. viii. p. 74 (1876): Faune Ent. Canada, ii. p. 26 (1888).

Machimala, Walk. Cat. Derm. Salt. B. M. i. p. 209 (1869). (*Type* no. 34.)

1. **C. Variegatus, Scudd.** Proc. Amer. Acad. xxx. p. 31 (1894).	Texas. Mexico.
2. **C. Ensifer, Pack.** Amer. Nat. xv. p. 882, pl. 7. ff. 4. 4 *a*, *b* (1881): Mem. Acad. Nat. Sci. iv. p. 71, ff. 17, 17 *a*, *b* (1888); Scudd. l. c. p. 32 (1894).	Tennessee.
3. **C. Stygius, Scudd.** (*Raphidophora Stygia*) Proc. Boston Soc. Nat. Hist. viii. p. 9 (1861). *C. Stygius, Scudd.* Bost. Journ. Nat. Hist. vii. p. 438 (1862); Proc. Amer. Acad. xxx. p. 33 (1894); Pack. Mem. Acad. Nat. Sci. iv. p. 70 (1888); Brunn. l. c. p. 309. n. 8 (1888); Blatchl. l. c. pp. 401, 402. n. 115, f. 101 (1903). *C. Sloanii, Pack.* Rep. Peabody Acad. Sci. v. p. 93 (1873): Mem. Acad. Nat. Sci. iv. p. 71 (1888) (immature: see. Scudd.).	Kentucky. Indiana. Texas.
** 4. **C. Aztecus, Sauss. & Pict.** Biol. Centr.-Amer., Orth. i. p. 300. pl. 14. f. 23 (1897).	Mexico.

5. **C. Gracilipes, Hald.** (*Phalangopsis G.*) Proc. Amer. Assoc. ii. p. 346 (1850). *C. Gracilipes, Scudd.* Bost. Journ. Nat. Hist. vii. p. 439 (1862); Proc. Amer. Acad. xxx. p. 35 (1894); Brunn. l. c. p. 306. n. 1 (1888); Beut. l. c. p. 285 (1894).	United States.
6. **C. Latebricola, Scudd.** Proc. Amer. Acad. xxx. p. 37 (1894).	Kentucky, Pennsyl. &c.
7. **C. Grandis, Scudd.** l. c. p. 38 (1894); Beut. l. c. p. 286, pl. 5. f. 17 (1894).	Tennessee, New York.
8. **C. Virgatipes, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 798 (1904).	Georgia.
9. **C. Secretus, Scudd.** l. c. p. 39 (1894).	Texas.
10. **C. Palmeri, Scudd.** l. c. p. 40 (1894).	id.
11. **C. Corticicola, Scudd.** l. c. p. 41 (1894).	id.
12. **C. Varicator, Scudd.** l. c. p. 42 (1894).	id.
13. **C. Latibuli, Scudd.** Ins. Life, vi. p. 313 (1894); Proc. Amer. Acad. xxx. p. 44 (1894).	Florida, Georgia.
14. **C. Seclusus, Scudd.** Proc. Amer. Acad. xxx. p. 45 (1894).	Iowa, Nebraska.
15. **C. Terrestris, Scudd.** l. c. p. 46 (1894); Blatchl. l. c. p. 406. n. 118 (1903). ‖*C. Lapidicolus, Scudd.* (*nec Burm.*) Bost. Journ. Nat. Hist. vii. p. 435 (1862); Glov. Ill. N. Amer. Orth. pl. 7. f. 4 (1872).	Canada, United States.
16. **C. Celatus, Scudd.** Proc. Amer. Acad. xxx. p. 48 (1894).	California.
*17. **C. Brevipes, Scudd.** Bost. Journ. Nat. Hist. vii. p. 434 (1862); Proc. Amer. Acad. xxx. p. 49 (1894); Blatchl. l. c. p. 406. n. 119 (1903).	Maine. Indiana.
18. **C. Lapidicola, Burm.** (*Phalangopsis L.*) Handb. Ent. ii. p. 723. n. 5 (1838). (?) *C. Lapidicola, Scudd.* Proc. Amer. Acad. xxx. p. 50 (1894).	Virginia. S. Carolina, Pennsylvania.
19. **C. Arizonensis, Scudd.** l. c. p. 52 (1894).	Arizona &c.
20. **C. Uniformis, Scudd.** l. c. p. 53 (1894). ‖ *C. Pallidus, Scudd.* (*nec Thom.*) Bull. U.S. Geol. Surv. Territ. ii. p. 261 (1876).	S.W. States.
21. **C. Scabripes, Hald.** (*Phalangopsis S.*) Proc. Acad. Nat. Sci. Philad. vi. p. 364 (1853).	Alabama.

22. **C. Heros, Scudd.** Proc. Amer. Acad. xxx. p. 54 (1895).	N. Carolina.
23. **C. Uhleri, Scudd.** Bost. Journ. Nat. Hist. vii. p. 435 (1862); Proc. Amer. Acad. xxx. p. 56 (1894); Glov. l. c. pl. 8. f. 8 (1872); Brunn. l. c. p. 308. n. 6, pl. 7. f. 33 B (1888); Beut. l. c. p 286 (1894); Blatchl. l. c. p. 404. n. 117 (1903).	Maryland, Indiana, New Jersey, Tennessee.
C. Latisulcus, Blatchl. Proc. Indiana Acad. Sci. 1892, p. 146 (1894).	
24. **C. Blatchleyi, Scudd.** Proc. Amer. Acad. xxx. p. 57 (1894); Beut. l. c. p. 288 (1894); Blatchl. Rep. Indiana Dept. Geol. xxvii. p. 403. n. 116, f. 102 (1903).	Indiana. New York.
‖*C. Uhleri, Blatchl. (nec Scudd.)* Proc. Indiana Acad. Sci. 1892, p. 144 (1894).	
25. **C. Utahensis, Thom.** Proc. Davenport Acad. i. p. 264, pl. 36. f. 8 (1876); Scudd. l. c. pp. 102, 112 (1894).	Utah.
26. **C. Spinosus, Scudd.** l. c. p. 58 (1894).	Georgia.
‖*C. Lapidicola, Brunn. (nec Burm.)* l. c. p. 307. n. 3 (1888).	
27. **C. Cæcus, Scudd.** l. c. p. 60 (1894).	Kentucky.
28. **C. Nigricans, Scudd.** l. c. p. 61 (1894).	id.
29. **C. Fusiformis, Scudd.** l. c. p. 62 (1894).	Nebraska.
30. **C. Sallei, Scudd.** l. c. p. 63 (1894).	New Orleans
31. **C. Latens, Scudd.** Bost. Journ. Nat. Hist. vii. p. 437. n. 7 (1862); Proc. Amer. Acad. xxx. p. 64 (1894); Blatchl. Rep. Indiana Dept. Geol. xxvii. p. 400. n. 114 (1903).	Illinois, New York, Texas, &c.
32. **C. Meridionalis, Scudd.** Proc. Amer. Acad. xxx. p. 66 (1894).	Mexico.
33. **C. Neglectus, Scudd.** l. c. p. 67 (1894); Beut. l. c. p. 287 (1894).	E. U. States.
*34. **C. Maculatus, Harr.** (*Raphidophora Maculata*) Rep. Ins. Mass. p. 126 (1841).	Canada, Michigan, New York, Massachusetts, Indiana, Iowa, &c.
Phalangopsis Maculata, Harr. l. c. (ed. ii.) p. 137 (1852); (ed. iii.) pp. 155, 156, f. 73 (1862).	
C. Maculatus, Scudd. Bost. Journ. Nat. Hist. vii. p. 434 (1862); Proc. Amer. Acad. xxx. p. 68 (1894); Glov. l. c. pl. 3. f. 5 (1872); Brunn. l. c. p. 307. n. 2 (1888); Riley, Standard Nat. Hist. ii.	

p. 184, f. 259 (1884); Beut. l. c. p. 287 (1894); Blatchl. l. c. p. 399. n. 113, f. 100 (1903).	
Ceutophilus Maculatus, Prov. ll. cc. p. 75, f. 7 (1876); p. 27, f. 4 (1878).	
***Machamata Armata, Walk.* l. c. p. 210. n. 1 (1869).	
35. **C. Guttulosus, Walk. l. c. p. 203. n. 15 (1869).	Hab. —— ?
36. **C. Tenebrarum, Scudd.** l. c. p. 70 (1894).	Illinois &c.
37. **C. Bicolor, Scudd.** l. c. p. 72 (1894).	Kentucky.
38. **C. Nodulosus, Brunn.** l. c. p. 308, pl. 7. f. 33 A (1888); Scudd. l. c. p. 73 (1894).	Nebraska, Kansas. Texas.
39. **C. Valgus, Scudd.** l. c. p. 74 (1894).	Colorado.
40. **C. Divergens, Scudd.** Bost. Journ. Nat. Hist. vii. p. 436 (1862); Proc. Amer. Acad. xxx. p. 76 (1894).	Nebraska.
41. **C. Occultus, Scudd.** Proc. Amer. Acad. xxx. p. 77 (1894).	Georgia.
42. **C. Alpinus, Scudd.** l. c. p. 78 (1894).	Colorado.
43. **C. Bruneri, Scudd.** l. c. p. 79 (1894).	Nebraska, Kansas, &c.
*44. **C. Agassizii, Scudd.** (*Raphidophora A.*) Proc. Boston Soc. Nat. Hist. viii. p. 11 (1861).	Vancouver I., Oregon, British Columbia.
C. Agassizii, Scudd. Boston Journ. Nat. Hist. vii. p. 439 (1862); Proc. Amer. Acad. xxx. p. 81 (1894); Brunn. l. c. p. 309. n. 7 (1888).	
***C. Zonarius, Walk.* l. c. p. 203. n. 14 (1869).	
45. **C. Politus, Scudd.** Proc. Davenport Acad. Sci. ix. p. 56 (1902).	New Mexico.
46. **C. Scriptus, Walk. l. c. p. 202. n. 13 (1869).	Hab. —— ?
47. **C. Mexicanus, Scudd.** Proc. Amer. Acad. xxx. p. 82 (1894).	Mexico.
48. **C. Pallescens, Brun.** Canad. Ent. xxiii. p. 37 (1891); Scudd. l. c. p. 83 (1894).	Nebraska, Wyoming.
49. **C. Polluticornis, Scudd.** Canad. Ent. xxxi. p. 118 (1899).	California.
50. **C. Silvestris, Brun.** Bull. Washburn Coll. i. p. 127 (1885).	Kansas.
C. Sylvestris, Scudd. Proc. Amer. Acad. xxx. p. 84 (1894).	

51. **C. Crassus, Scudd.** l. c. p. 85 (1894).	S.W. States?
52. **C. Pinguis, Scudd.** l. c. p. 86 (1894).	Texas.
53. **C. Inquinatus, Scudd.** l. c. p. 87 (1894).	Nebraska.
54. **C. Discolor, Scudd.** l. c. p. 88 (1894).	id., Kansas.
55. **C. Pallidus, Thom.** Rep. U.S. Geol. Surv. Territ. v. p. 434 (1872); Glov. l. c. pl. 18. f. 18 (1874); Scudd. l. c. p. 90 (1894).	Dakota, Colorado, Wyoming, New Mex.
56. **C. Vinculatus, Scudd.** l. c. p. 91 (1894).	Nevada, California.
57. **C. Testaceus, Scudd.** l. c. p. 92 (1894).	Nebraska, &c.
*58. **C. Californianus, Scudd.** Boston Journ. Nat. Hist. vii. p. 438 (1862); Proc. Amer. Acad. xxx. p. 93 (1894). *C. Castaneus, Thom.* Rep. Geol. Surv. Territ. Montana, p. 435 (1872). *C. Denticulatus, Scudd.* Wheeler, Ann. Rep. Geogr. Surv. W. 100th Merid. 1876. App. JJ, p. 279.	California, Vancouver, Utah, Arizona, Colorado.
59. **C. Latipes, Scudd.** Proc. Amer. Acad. xxx. p. 95 (1894).	Mexico.
60. **C. Devius, Scudd.** l. c. p. 99 (1894).	Missouri &c.
61. **C. Neomexicanus, Scudd.** l. c. p. 100 (1894).	New Mexico.
62. **C. Ater, Scudd.** Proc. Davenport Acad. Sci. ix. p. 57 (1902).	id.
63. **C. Aridus, Brun.** Bull. Agric. Exper. Stat. Colorado, xciv. p. 57 (1904).	Colorado.
64. **C. Macropus, Rehn,** Proc. Acad. Nat. Sci. Philad. 1904, p. 545.	Mexico.

Genus 49. **Phrixocnemis.** (*Type* no. 1.)

Scudd. Proc. Amer. Acad. xxx. p. 102 (1894).

1. **P. Truculentus, Scudd.** l. c. p. 103 (1894).	Nebraska, Colorado.
2. **P. Validus, Scudd.** l. c. p. 105 (1894).	California.
3. **P. Bellicosus, Scudd.** l. c. p. 106 (1894).	Colorado.
4. **P. Inhabilis, Rehn,** Ent. News, xv. p. 282 (1904).	Missouri.
5. **P. Hastiferus, Rehn,** l. c. xiii. p. 241 (1902).	Arizona.

Genus 50. **Pristoceuthophilus.** (*Type* no. 1.)

Rehn, Trans. Amer. Ent. Soc. xxix. p. 17 (1902).

1. **P. Rhoadsi, Rehn,** l. c. (1902).	Mexico.
2. **P. Marmoratus, Rehn,** Ent. News, xv. p. 280 (1904).	California.

Genus 51. **Hadenœcus.**

Scudd. Bost. Journ. Nat. Hist. vii. p. 439 (1862); Proc. Amer. Acad. xxx. p. 22 (1894); Guide N. Amer. Orth. p. 59 (1897); Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 310 (1888).

1. **H. Subterraneus, Scudd.** (*Raphidophora Subterranea*) Proc. Boston Soc. Nat. Hist. viii. p. 8 (1861): Pack. Amer. Nat. v. p. 745, f. 126 (1871). *H. Subterranea, Scudd.* Boston Journ. Nat. Hist. vii. p. 440 (1862). *H. Subterraneus, Glov.* Ill. N. Amer. Orth. pl. 8. f. 6 (1872); Brunn. l. c. p. 310, pl. 8. f. 34 (1888); Pack. Mem. Acad. Nat. Sci. iv. pp. 67, 68, f. 16 (1889). *Raphidophora Cavernarum, Sauss.* Ann. Soc. Ent. France, (4) i. p. 492 (1862). *H. Cavernarum, Scudd.* Proc. Boston Soc. Nat. Hist. xii. p. 409 (1869); Proc. Amer. Acad. xxx. p. 22 (1894); Riley, Standard Nat. Hist. ii. p. 184, f. 260 (1884). *Phalangopsis, sp., Thomps.* Ann. Nat. Hist. xiii. p. 113 (1844).	Kentucky, Tennessee, Virginia.

Genus 52. **Tropidischia.**

Scudd. Boston Journ. Nat. Hist. vii. p. 440 (1862); Proc. Amer. Acad. xxx. p. 18 (1894).

*1. **T. Xanthostoma, Scudd.** (*Raphidophora X.*) Proc. Boston Soc. Nat. Hist. viii. p. 12 (1861). *T. Xanthostoma, Scudd.* Boston Journ. Nat. Hist. vii. p. 441 (1862). ‖ *Hadenœcus Subterraneus, Walk.* (*nec Scudd.*) Cat. Derm. Salt. B. M. v. Suppl. p. 22 (1871).	California.

Genus 53. **Spilacris.**

Rehn, Proc. Acad. Nat. Sci. Phil. 1903, p. 630.

1. **S. Maculatus, Rehn,** l. c. fig. (1903).	New Mexico.

Genus 54. **Heteromallus.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 310 (1888).

1. **H. Notabilis, Brunn.** l. c. p. 311. n. 1, pl. 8. f. 35 (1888).	Chile.
*2. **H. Spina, Brunn.** l. c. p. 311. n. 2 (1888).	id.

Genus 55. **Udenus.**

Brunn. Ann. Soc. Ent. Belg. xliv. p. 112 (1900).

1. **U. W-nigrum, Brunn.** l. c. p. 113 (1900).	Patagonia.

Genus 56. **Talitropsis.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. France, (6) ii. p. 461 (1883); Hutt. Trans. N. Zealand Inst. xxix. p. 225 (1897).

Talitropis, Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 312 (1888).

1. **T. Sedilotti, Bol.** l. c. p. 462 (1882); Hutt. l. c. p. 225, pl. 12. ff. 7, 7 *a* (1897). *Talitropis Sedilloti, Brunn.* l. c. p. 312, pl. 8. f. 36 (1888).	New Zealand.
2. **T. Irregularis, Hutt.** l. c. p. 227, pl. 12. f. 9 (1897).	id.
3. **T. (?) Poduroides, Walk. (*Hadenœcus P.*) Cat. Derm. Salt. B. M. v. Suppl. p. 22 (1871).	Australia.

Genus 57. **Ischyroplectron.**

Hutt. Trans. N. Zealand Inst. xxix. p. 227 (1897).

1. **I. Isolatum, Hutt.** (*Centhophilus Isolatus*) l. c. xxvii. p. 175 (1895). *I. Isolatum, Hutt.* l. c. xxix. p. 228, pl. 12. ff. 10, 10 *a*, pl. 13. f. 10 *b* (1897).	Bounty I.

Genus 58. **Gammaroparnops.**

Alfk. Abhandl. Nat. Ver. Bremen, xvii. p. 146 (1901).

1. **G. Crassicruris, Hutt.** (*Talitropsis C.*) Trans. N. Zealand Inst. xxix. p. 226, pl. 12. ff. 8, 8 *a* (1897). *G. Crassicruris, Alfk.* l. c. pp. 147, 148 (1901); Zool. Jahrb. xix. p. 600, pl. 32. ff. 5–9 (1904).	Chatham Isl.

Genus 59. **Gymnoplectron.** (*Type* no. 1.)

Hutt. Trans. N. Zealand Inst. xxix. p. 229 (1897);
Alfk. Abhandl. Nat. Ver. Bremen, xvii. p. 151 (1901).

1. **G. Longipes, Col.** (*Hemideina L.*) Trans. N. Zeal. Inst. xix. p. 145 (1887). *G. Longipes, Hutt.* l. c. p. 229, pl. 12. ff. 11, 11 *a*, pl. 13. f. 11 *b* (1897); Alfk. l. c. p. 151 (1901). *Macropathus Maximus, Bull.* Trans. N. Zeal. Inst. xxvii. p. 145 (1895).	N. Zealand.
2. **G. Stephensiensis, Alfk.** l. c. pp. 150, 151 (1891); Zool. Jahrb. Syst. xix. p. 588, pl. 32. f. 10 (1904).	Stephen Isl.

Genus 60. **Pachyrhamma.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 301 (1888);
Hutt. Trans. N. Zealand Inst. xxix. p. 230 (1897).

1. **P. Fascifer, Walk. (*Macropathus F.*) Cat. Derm. Salt. B. M. i. p. 207. n. 2 (1869). *P. Fascifer, Hutt.* l. c. p. 232 (1897). *Hemideina Speluncæ, Col.* Trans. N. Zeal. Inst. xiv. p. 280 (1882). *P. Speluncæ, Hutt.* l. c. p. 231, pl. 13. ff. 12, 12 *a–c* (1897). *P. Novæseelandiæ, Brunn.* l. c. p. 302, pl. 7. f. 29 (1888); Hutt. l. c. p. 232 (1897).	N. Zealand.
2. **P. Altum, Walk. (*Macropathus Altus*) l. c. p. 208. n. 3 (1869).	id.

Genus 61. **Pleioplectron.** (*Type* no. 1.)

Hutt. Trans. N. Zealand Inst. xxix. p. 232 (1897).

*1. **P. Simplex, Hutt.** l. c. p. 233, pl. 13. ff. 13, 13 *a–e* (1897).	N. Zealand.
*2. **P. Hudsoni, Hutt.** l. c. p. 234, pl. 13. ff. 14, 14 *a* (1897).	id.
3. **P. Pectinatum, Hutt.** l. c. p. 234 (1897).	id.
*4. **P. Cavernæ, Hutt.** l. c. xxxii. p. 21 (1900). ‖ *Pachyrhamma Edwardsii, Brunn.* (*nec Scudd.*) Verh. zool.-bot. Ges. Wien. xxxviii. p. 302. n. 1 (1888).	id.
5. **P. Edwardsii, Scudd.** (*Hadenœcus E.*) Proc. Boston Soc. Nat. Hist. xii. p. 408 (1869). *Macropathus Edwardsii, Hutt.* l. c. xxix. p. 240 (1897), xxxi. p. 41 (1899).	id.
6. **P. Serratum, Hutt.** l. c. xxxvi. p. 154 (1904).	Pitt I.

Genus 62. **Miotopus.**

Hutt. Trans. N. Zealand Inst. xxxi. p. 41 (1899).

1. **M. Diversus, Hutt.** (*Pleioplectron Diversum*) l. c. xxix. p. 235. pl. 13. ff. 15, 15 *a*, *b* (1897). *M. Diversus, Hutt.* l. c. xxxi. p. 41, pl. 2. f. 1 *a*, *b* (1899).	N. Zealand.

Genus 63. **Isoplectron.** (*Type* no. 1.)

Hutt. Trans. N. Zealand Inst. xxix. p. 237 (1897).

1. **I. Armatum, Hutt.** l. c. pl. 13. ff. 18, 18 *a*, *b* (1897).	N. Zealand.
2. **I. Calcaratum, Hutt.** l. c. p. 238, pl. 13. ff. 19, 19 *a*, *b* (1897).	id.

Genus 64. **Pharmacus.**

Pict. & Sauss. Mitth. Schweiz. ent. Ges. viii. p. 301 (1891): Hutt. Trans. N. Zealand Inst. xxix. p. 238 (1897).

1. **P. Montanus, Pict. & Sauss.** l. c. p. 302. pl. 1. f. 5 (1891): Hutt. l. c. p. 239 (1897).	N. Zealand.

Genus 65. **Macropathus.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. i. p. 206 (1869) ; Hutt. Trans. N. Zealand Inst. xxix. p. 239 (1897).

1. **M. Filifer, Walk. l. c. p. 206. n. 1 (1869).	N. Zealand.
2. **M. Huttoni, Kirb.** (n. n.). ‖*M. Filifer, Hutt.* (*nec Walk.*) l. c. p. 239, pl. 13. ff. 20, 20 *a* (1897).	id.

Gen. sed. incert. (larva?).

Genus 66. **Microgryllacris.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 18 (1871).

1. **M. Australis, Walk. l. c. n. 1 (1871).	Australia.
2. **M. Sinensis, Walk. l. c. n. 2 (1871).	Hong Kong.

SUBFAM. III.

GRYLLACRINÆ.

Genus 67. **Gryllacris.** (*Type* no. 76.)

Serv. Ann. Sci. Nat. xxii. p. 138 (1831) ; Hist. Nat. Ins. Orth. p. 392 (1839) ; Burm. Handb. Ent. ii. p. 717 (1838) ; Gerst. Arch. f. Nat. xxvi. p. 245 (1860) ; Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. pp. 316, 317 (1888) ; Tepp. Trans. R. Soc. S. Australia, xv. p. 142 (1892) ; Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 285 (1897).

Larnaca, *Walk.* Cat. Derm. Salt. B. M. i. p. 190 (1869). (*Type* no. 8.)

1. **G. Cyanea, Brunn.** l. c. p. 326. n. 1 (1888) ; Tepp. l. c. p. 143 (1892).	Australia.
2. **G. Magnifica, Brunn.** l. c. p. 327. n. 2 (1888) ; Tepp. l. c. p. 143 (1892).	id.
*3. **G. Borneensis, Haan,** (*G. Borneoensis*) Temminck, Verhandel., Orth. p. 219, pl. 19. f. 7 (1842). *G. Borneensis, Gerst.* l. c. p. 264. n. 13 (1860) ; Brunn. l. c. p. 327. n. 3 (1888).	Borneo.
4. **G. Fumigata, Haan,** l. c. p. 219 (1842) ; Gerst. l. c. p. 264. n. 12 (1860) ; Brunn. l. c. p. 328. n. 5 (1888) ; Pict. & Sauss. Mitth. Schweiz. ent. Ges. viii. p. 304, pl. 1. ff. 7, 7 *a* (1891).	Java.

5. **G. Scripta, Navás,** Bol. Soc. Aragon. iii. p. 138 (1904).	Philippines.
6. **G. Funebris, Brunn.** Abhandl. Senckenb. Ges. xxiv. p. 276 (1898).	Baram.
7. **G. Atrata, Walk.** Cat. Derm. Salt. B. M. i. p. 174. n. 22 (1869).	Sarawak.
8. **G. Fasciata, Walk. (*Larnaca F.*) l. c. p. 191. n. 1 (1869).	id.
9. **G. Baramica, Kirb.** (n. n.).	Baram.
G. Fasciata, Brunn. (*nec Walk.*) l. c. p. 275 (1898).	
10. **G. Nigrata, Brunn.** Verh. zool.-bot. Ges. Wien, xxxviii. p. 328. n. 4 (1888).	Sumatra.
11. **G. Punicea, Gerst.** l. c. p. 270. n. 17 (1860).	Ceylon.
12. **G. Podocausta, Haan,** l. c. p. 220 (1842).	Java.
13. **G. Punctifrons, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 48 (1877).	Philippines.
G. Nigrogeniculata, Brunn. l. c. p. 330. n. 8 (1888).	
14. **G. Atrogeniculata, Tepp.** l. c. p. 144 (1892).	Centr. Austr.
15. **G. Atrofrons, Tepp.** l. c. xxviii. p. 167 (1904).	Australia.
16. **G. Arctata, Walk. l. c. p. 184. n. 53 (1869).	Philippines.
G. Brevispina, Stål, l. c. p. 48 (1877).	
17. **G. Genualis, Walk. l. c. p. 179. n. 37 (1869).	Java.
G. Nigroscutata, Brunn. l. c. p. 330. n. 9 (1888).	
18. **G. Dimidiata, Brunn.** l. c. p. 331. n. 10 (1888).	New Britain.
19. **G. Brachyptera, Gerst.** l. c. p. 269. n. 16 (1860).	Luzon.
20. **G. Distincta, Brunn.** l. c. p. 332. n. 12 (1888).	Hab. —— ?
*21. **G. Tibialis, Serv.** Ins. Orth. p. 393 (1839) ; Brunn. l. c. p. 332. n. 13 (1888).	Java.
22. **G. Alternans, Brunn.** l. c. p. 333. n. 14 (1888) ; Sauss. & Pict. l. c. p. 306. n. 1 (1897).	Mexico.
23. **G. Gladiator, Fabr.** (*Locusta G.*) Ent. Syst. ii. p. 42. n. 34 (1893).	Tranquebar.
G. (?) *Gladiator, Gerst.* l. c. p. 275. n. 29 (1860).	

24. **G. Gracilis, Walk. Cat. Derm. Salt. B. M. i. p. 185. n. 56 (1869). *G. Alternans,* var. *Minor, Brunn.* l. c. p. 333 (1888). ‖ *G. Vittata. Brunn.* (*nec Walk.*) l. c. p. 334. n. 18 (1888).	India.
25. **G. Trinotata, Walk. l. c. iii. p. 469 (1870).	id.
26. **G. Æqualis, Walk. (*Acheta Æ.*) Ann. Nat. Hist. (3) iv. p. 221 (1859). *G. Annulata, Brunn.* l. c. p. 333 (1888).	id., Ceylon.
27. **G. Vittipes, Walk. Cat. Derm. Salt. B. M. i. p. 168. n. 7 (1869).	Philippines.
28. **G. Nasalis, Walk. l. c. p. 183. n. 51 (1869).	id.
29. **G. Limbaticollis, Stål,** l. c. p. 47 (1877).	id.
30. **G. Fuscinervis, Stål,** l. c. (1877).	id.
31. **G. Plebeia, Stål,** l. c. (1877).	id.
32. **G. Postica, Walk. l. c. p. 178. n. 35 (1869).	Hab.—— ?
33. **G. Nossibiana, Brancs.** Jahresh. Ver. Trencsin. Com. xvii.–xviii. p. 259, pl. 9. f. 4 (1896).	Nossi Bé.
34. **G. Aliena, Walk. l. c. p. 177. n. 33 (1869).	Silhet.
35. **G. Abbreviata, Brunn.** l. c. p. 335. n. 19 (1888).	India.
36. **G. Plagiata, Walk. l. c. p. 167. n. 3 (1869).	Silhet.
37. **G. Basalis, Kirb.** (n. n.). ‖ *G. Atrata, Brunn.* (*nec Walk.*) l. c. p. 335. n. 20 (1888).	Malay Peninsula.
38. **G. Picteti, Kirb.** (n. n.). ‖ *G. Atriceps, Pict. & Sauss.* (*nec Brunn.*) Mitth. Schweiz. ent. Ges. viii. p. 305, pl. 1. f. 8 (1891).	India (?).
39. **G. Peculiaris, Kirb.** (n. n.). ‖ *Gryllacris Nobilis, Brunn.* (*nec Walk.*) Ann. Mus. Genova, xxxiii. p. 190 (1893).	Burma.
40. **G. Læta, Walk. l. c. p. 184. n. 54 (1869). *G. Chinensis, Brunn.* Verh. zool.-bot. Ges. Wien, xxxviii. p. 335 (1888).	China.
41. **G. Latipennis, Pict. & Sauss.** l. c. p. 311, pl. 2. f. 13 (1891).	Java.
42. **G. Collaris, Walk. l. c. p. 182. n. 49 (1869).	Silhet.

43. **G. Brahmina, Pict. & Sauss.** l. c. p. 306, pl. 1. f. 9 (1891).	India (?).
44. **G. Amplipennis, Gerst.** l. c. p. 271. n. 18 (1860).	Malabar.
*45. **G. Translucens, Serv.** Ins. Orth. p. 394 (1839).	Java.
46. **G. Lætitia, Kirb.** (n. n.). ‖*G. Læta, Brunn.* (*nec Walk.*) l. c. p. 337. n. 23 (1888).	Zanzibar.
*47. **G. Lyrata, Kirb.** Ann. Nat. Hist. (7) iii. p. 479 (1899). ‖*G. Aliena, Brunn.* (*nec Walk.*) l. c. p. 338 (1888).	id.
48. **G. Simplex, Walk. l. c. v. Suppl. p. 20 (1871). *G. Hieroglyphica, Brunn.* l. c. p. 338. n. 25 (1888).	Ceylon.
49. **G. Deminuta, Brunn.** l. c. n. 26 (1888).	China.
50. **G. Mutabilis, Pict. & Sauss.** l. c. p. 307, pl. 1. f. 10 (1891).	Java.
51. **G. Deflorata, Brunn.** l. c. p. 339. n. 27 (1888).	India.
52. **G. Frontalis, Burm.** l. c. p. 718. n. 3 (1838). [Roes. Insect. Belust. ii. pl. 18. f. 7.] *G. Scita, Walk.* l. c. i. p. 181. n. 48 (1869). *G. Latifrons, Brunn.* l. c. p. 339. n. 28 (1888).	id.
53. **G. Contracta, Walk. l. c. p. 169. n. 9 (1869).	id.
54. **G. Crassipes, Walk. (*Platydactylus C.*) Ann. Nat. Hist. (3) iv. p. 221 (1859).	Ceylon.
55. **G. Vittata, Walk. Cat. Derm. Salt. B. M. i. p. 170. n. 12 (1869).	Tenasserim.
*56. **G. Signatifrons, Serv.** l. c. p. 393 (1839). *G. Facifer, Brunn.* l. c. p. 340. n. 29 (1888).	Java. Siam.
57. **G. Castanea, Brunn.** l. c. n. 30 (1888).	Himalaya.
58. **G. Reticulata, Brunn.** l. c. n. 31 (1888).	Ceylon.
*59. **G. Falcata, Brunn.** l. c. p. 341. n. 32 (1888).	China, Java, &c.
60. **G. Marginata, Walk.** l. c. p. 168. n. 6 (1869).	Sarawak.
61. **G. Minima, Kirb.** (n. n.). ‖*G. Parvula, Brunn.* (*nec Walk.*) l. c. p. 341. n. 33 (1888).	Java.
62. **G. Pallidula, Serv.** l. c. p. 395 (1839).	id.
63. **G. Tripunctata, Gieb.** Zeitschr. ges. Naturw. xviii. p. 116 (1861).	id.

64. **G. Inconspicua, Brunn.** l. c. p. 342. n. 34 (1888).	Java. Moluccas.
65. **G. Sexpunctata, Brunn.** l. c. n. 35 (1888).	Ceram.
66. **G. Navicula, Brunn.** l. c. n. 36 (1888).	Hab. —— ?
67. **G. Venosa, Walk.** l. c. p. 185. n. 55 (1869).	Sarawak.
68. **G. Lineolata, Serv.** l. c. p. 396 (1839).	Java.
*69. **G. Pardalina, Gerst.** l. c. p. 252. n. 2 (1860); Brunn. l. c. p. 343. n. 38 (1888).	Ceylon.
70. **G. Spuria, Brunn.** l. c. p. 344. n. 39 (1888).	id.
71. **G. Verticalis, Burm.** l. c. p. 718. n. 2 (1838).	Brazil.
72. **G. Lævigata, Brunn.** l. c. p. 344. n. 40 (1888).	Upper Amazons.
*73. **G. Cruenta, Brunn.** l. c. p. 345. n. 41 (1888).	id.
74. **G. Salvini, Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 306. n. 2 (1897).	Panama.
75. **G. Longipennis, Pict. & Sauss. Mitth. Schweiz. ent. Ges. viii. p. 314, pl. 2. f. 15 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 306. n. 3 (1897).	id.
*76. **G. Ruficeps, Serv.** Ann. Sci. Nat. xxii. p. 139 (1831); Ins. Orth. p. 394, pl. 9. f. 2 (1839); Bélanger, Voy. Ind. Orient. p. 495, Ins. pl. 4. f. 2 (1833); Haan, l. c. p. 220 (1842); Gerst. l. c. p. 259. n. 8 (1860); Brunn. l. c. p. 345. n. 42, pl. 8. f. 38 (1888).	Java, Penang.
77. **G. Lineosa, Walk. l. c. i. p. 173. n. 20 (1869).	Hab. —— ?
78. **G. Vaginalis, Pict. & Sauss.** l. c. p. 309. pl. 2. f. 11 (1891).	India (?).
79. **G. Princeps, Stål,** l. c. p. 47 (1877).	Philippines.
80. **G. Biguttata, Stål,** l. c. (1877).	id.
81. **G. Mœsta, Brunn.** l. c. p. 346. n. 45 (1888).	id.
82. **G. Mœstissima, Brunn.** l. c. p. 347. n. 46 (1888).	Gilolo.
*83. **G. Nigripennis, Gerst.** l. c. p. 261. n. 9 (1860).	Malabar.
84. **G. Maculipennis, Stål,** l. c. p. 47 (1877).	Philippines.
85. **G. Superba, Brunn.** l. c. p. 348. n. 49, pl. 8. f. 39 (1888); Obs. Color. Ins. p. 8, pl. 6. f. 73 (1897).	Borneo.

86. **G. Soror, Brunn.** Verh. zool.-bot. Ges. Wien, xxxviii. p. 348. n. 50 (1888).	Borneo.
87. **G. Picea, Brunn.** l. c. p. 349. n. 51 (1888).	Comoro Isl.
88. **G. Luctuosa, Brunn.** l. c. n. 52 (1888).	Sumatra.
89. **G. Tessellata, Dru.** (*Locusta T.*) Ill. Exot. Ent. ii. pl. 42. ff. 3. 4 (1773). *G. Tessellata, Gerst.* l. c. p. 258. n. 6 (1860).	I. Johanna.
90. **G. Voluptaria, Brunn.** l. c. p. 349. n. 53 (1888).	Celebes.
91. **G. Sechellensis, Bol.** Ann. Soc. Ent. France, lxiv. p. 379 (1895).	Seychelles.
92. **G. Fuscifrons, Gerst.** l. c. p. 255. n. 4 (1860); (?) Walk. l. c. p. 170. n. 10 (1869). ?‖ *G. Tessellata, Haan* (*nec Dru.*), l. c. p. 220. n. 10 (1842).	Java. Borneo (eadem ?).
*93. **G. Servillei, Haan,** l. c. n. 7 (1842); Gerst. l. c. p. 263. n. 11 (1860).	Borneo, Penang.
94. **G. Discoidalis, Walk. l. c. p. 174. n. 21 (1869).	Hab. —— ?
95. **G. Maculata, Gieb.** l. c. p. 116 (1861).	Banka.
96. **G. Æthiops, Brunn.** l. c. p. 351. n. 55 (1888).	Sumatra.
97. **G. Excelsa, Brunn.** l. c. n. 56 (1888).	Duke of York I.
*98. **G. Signifera, Stoll,** (*Gryllus Tettigonia S.*) Spectres. Saut. p. 26, pl. 12 *a.* f. 50 (1813). *G. Maculicollis, Serv.* Ann. Sci. Nat. xxii. p. 139 (1831); Ins. Orth. p. 394 (1839); Haan, l. c. p. 220. n. 9 (1842); Gerst. l. c. p. 253. n. 3 (1860); Brunn. l. c. p. 352. n. 57 (1888).	Corea, Singapore, Java.
99. **G. Spurcata, Walk. l. c. p. 167. n. 5 (1869).	Hab. —— ?
100. **G. Maculipes, Walk. l. c. p. 171. n. 13 (1869).	Corea, Sarawak.
101. **G. Appendiculata, Brunn.** l. c. p. 352. n. 58 (1888).	New Britain.
102. **G. Obscura, Brunn.** l. c. p. 353. n. 59 (1888).	Java (?). Sunda Isl.
*103. **G. Variabilis, Brunn.** l. c. pl. 7. f. 40 (1888).	Java.

104. **G. Rufovaria, Kirb. Proc. Zool. Soc. Lond. 1888, p. 518; Monogr. Christmas Isl. p. 148. pl. 14. f. 1 (1899).	Christmas Island.
105. **G. Lugubris, Brunn.** l. c. p. 353. n. 61 (1888).	Java, Singapore.
106. **G. Junior, Brunn.** l. c. p. 354. n. 62, pl. 8. f. 41 F (1888).	India.
107. **G. Fasciculata, Pict. & Sauss.** l. c. p. 310, pl. 2. f. 12 (1891).	Sunda Isl.
108. **G. Signigera, Walk.** l. c. v. Suppl. p. 19 (1871) (*nec* i. p. 178. n. 36 = *Paragryllacris Combusta, Gerst.*).	Bombay.
109. **G. Bertrandi, Bol.** Ann. Soc. Ent. France, lxviii. p. 786 (1900).	S. India.
110. **G. Panteli, Bol.** l. c. p. 788 (1900).	id.
111. **G. Succinea, Bol.** l. c. p. 789 (1900).	id.
*112. **G. Nigrilabris, Gerst.** l. c. p. 262. n. 10 (1860); Brunn. l. c. p. 354. n. 63 (1888).	Singapore, Borneo, Java.
*113. **G. Fumosa, Walk.** l. c. i. p. 175. n. 126 (1869).	Amboina.
*113 *bis.* **G. Nobilis, Walk.** l. c. p. 182. n. 50 (1869).	Singapore.
114. **G. Pustulata, Stål,** l. c. p. 47 (1877).	Philippines.
115. **G. Heros, Gerst.** l. c. p. 257. n. 5 (1860): Brunn. l. c. p. 355. n. 64 (1888). *G. Piceifrons, Walk.* l. c. i. p. 180. n. 46 (1869).	Amboina, Ternate.
116. **G. Armata, Walk. l. c. iii. p. 470 (1870).	Ceram.
117. **G. Athleta, Brunn.** l. c. p. 355. n. 65 (1888).	Baeroe.
118. **G. Adjutrix, Brunn.** Abhandl. Senckenb. Ges. xxiv. p. 275 (1898).	Batchian.
119. **G. Compromittens, Brunn.** l. c. (1898).	Gilolo.
*120. **G. Punctipennis, Walk.** l. c. i. p. 172. n. 15 (1869).	Batchian.
121. **G. Aurantiaca, Brunn.** Verh. zool.-bot. Ges. Wien, xxxviii. p. 356. n. 66 (1888).	Amboina, New Britain
122. **G. Dubia, Le Guill.** Rev. Zool. 1841, p. 293.	Fiji.
123. **G. Oceanica, Le Guill.** l. c. (1841).	Hamoa.
*124. **G. Punctata, Brunn.** l. c. p. 357. n. 69 (1888).	Angola.
125. **G. Conspersa, Brunn.** l. c. n. 70 (1888).	Madagascar
126. **G. Quadripunctata, Brunn.** l. c. n. 71 (1888).	Guinea.

127. **G. Rabida, Karsch,** Berlin. Ent. Zeitschr. xxxviii. p. 144 (1893).	Togo Land.
128. **G. Atriceps, Brunn.** l. c. p. 358. n. 72 (1888).	Madagascar
129. **G. Stigmata, Brunn.** l. c. n. 73 (1888).	id.
130. **G. Infumata, Brunn.** l. c. n. 74 (1888).	Amboina.
131. **G. Macrocera, Walk.** l. c. i. p. 186. n. 58 (1869).	New Hebrides.
132. **G. Straminea, Brunn.** l. c. p. 359. n. 75 (1888); Tepp. Trans. R. Soc. S. Austral. xv. p. 150 (1892).	Adelaide.
133. **G. Personata, Serv.** Ann. Sci. Nat. xxii. p. 139. n. 3 (1831); Ins. Orth. p. 395 (1839); Haan, l. c. p. 220. n. 13 (1842); Brunn. l. c. p. 359. n. 76 (1888).	Java. Amboina.
134. **G. Phryganoides, Haan,** l. c. p. 219. n. 2 (1842); Brunn. l. c. p. 360. n. 78 (1888).	Java.
*135. **G. Ligata, Brunn.** l. c. p. 359. n. 77 (1888).	New Britain.
136. **G. Imbecilus, Pict. & Sauss.** l. c. p. 312 (1891).	India (?).
137. **G. Debilis, Brunn.** l. c. p. 360. n. 79 (1888).	Australia.
138. **G. Subdebilis, Tepp.** l. c. p. 151 (1892).	N. Australia.
139. **G. Ferruginea, Brunn.** l. c. p. 361. n. 80 (1888).	Fiji.
140. **G. Exigua, Brunn.** l. c. p. 361. n. 81 (1888).	New Caledonia.
141. **G. Munda, Walk. l. c. i. p. 186. n. 57 (1869). *G. Hyalina, Brunn.* l. c. p. 361. n. 82 (1888).	Australia.
142. **G. Billinghursti, Brancs.** Jahresh. Ver. Trencsin. Com. xix.–xx. p. 84 (1898).	id.
143. **G. Brevixipha, Brunn.** Ann. Mus. Genova, xxxiii. p. 190 (1893).	Burma.
144. **G. Gemina, Brunn.** Verh. zool.-bot. Ges. Wien, xxxviii. p. 361. n. 83 (1888).	Australia.
145. **G. Major, Brunn.** l. c. p. 362. n. 84 (1888).	id.
*146. **G. Adventa, Brunn.** l. c. n. 85 (1888).	id.
147. **G. Marmoriceps, Tepp.** l. c. p. 145 (1892).	S. Australia.
148. **G. Nigrifrons, Tepp.** (*G. Marmoriceps.* var. *Nigrifrons*) l. c. p. 146 (1892).	Adelaide.

149. **G. Longicornis, Tepp.** l. c. p. 146 (1892).	N. Australia.
150. **G. Ferrotestacea, Tepp.** l. c. p. 147 (1892).	id.
151. **G. Lutescens, Tepp.** l. c. p. 148 (1892).	Cent. Austr.
152. **G. Incerta, Tepp.** l. c. p. 154 (1892).	S. Australia.
153. **G. Paulula, Tepp.** l. c. p. 155 (1892).	id.
154. **G. Molineusiana, Tepp.** l. c. (1892).	id.
155. **G. Africana, Brunn.** l. c. p. 362. n. 86 (1888).	Gold Coast.
156. **G. Barombica, Karsch,** Ent. Nachr. xvi. p. 368 (1890).	Barombi.
157. **G. Sanguinolenta, Brunn.** l. c. p. 363. n. 87 (1888).	Madagascar
158. **G. Macilentus, Pict. & Sauss.** l. c. p. 313, pl. 2. f. 14 (1891).	Java.
*159. **G. Picta, Brunn.** l. c. p. 363. n. 89 (1888): Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 307, pl. 15. f. 8 (1897). *G. Atricula, Pict. & Sauss.* l. c. p. 315, pl. 2. f. 16 (1891).	Costa Rica, Panama.
160. **G. Cyclops, Sauss. & Pict. l. c. p. 308. n. 6, pl. 15. f. 9 (1897).	Panama.
161. **G. Roseivitta, Walk. l. c. iii. p. 473 (1870).	Santarem.
*162. **G. Abluta, Brunn.** l. c. p. 363. n. 88 (1888): Sauss. & Pict. l. c. p. 307. n. 4, pl. 15. ff. 4–7 (1897).	San Salvador.
163. **G. Panamensis, Kirb.** (n. n.). ‖*G. Maculata, Brunn.* (*nec Walk.*) l. c. p. 364. n. 90 (1888); Sauss. & Pict. l. c. p. 308. n. 7 (1897).	Chiriqui, Costa Rica.
164. **G. Parvula, Walk. l. c. iii. p. 473 (1870). *G. Haitensis, Brunn.* l. c. p. 364. n. 91 (1888).	Haiti.
*165. **G. Nana, Brunn.** l. c. n. 92 (1888).	Natal.
166. **G. Pygmæa, Kirb.** (n. n.). ‖*G. Fasciata, Brunn.* (*nec Walk.*) l. c. p. 365. n. 93 (1888).	Fernando Po.
167. **G. Eximia, Karsch,** Berlin. Ent. Zeitschr. xxxvi. p. 339 (1892).	Cameroons.
168. **G. Genufusca, Karsch,** l. c. p. 340 (1892).	id.
169. **G. Nigriceps, Karsch,** l. c. p. 341 (1892).	id.

170. **G. Nivea, Brunn.** l. c. p. 365. n. 94 (1888).	Madras.
171. **G. Submutica, Brunn.** l. c. p. 366. n. 95 (1888).	Zanzibar.
172. **G. Viridescens, Walk.** l. c. iii. p. 474 (1870).	Siam.

Genus 68. **Ancistrogera.**

Brunn. Abhandl. Senckenb. Ges. xxiv. p. 277 (1898).

1. **A. Particularis, Brunn.** l. c. pl. 20. f. 54 (1898).	Gilolo.

Genus 69. **Dibelona.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 366 (1888).

1. **D. Brasiliensis, Brunn.** l. c. n. 1 (1888).	Brazil.
2. **D. Cubensis, Brunn.** l. c. p. 367. n. 2 (1888).	Cuba.
3. **D. Rubrinervosa, Serv.** (*Gryllacris R.*) Ins. Orth. p. 395 (1839). *D. Rubrinervosa, Brunn.* l. c. p. 367. n. 3 (1888).	Hab. —— ?

Genus 70. **Hyperbænus.** (*Type* no. 5.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 367 (1888).

1. **H. Festæ, Griff.** Boll. Mus. Torino, xi. (232) p. 31 (1896); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 308. n. 1 (1897).	Panama.
2. **H. Virgo, Brunn.** l. c. p. 368. n. 1 (1888).	Peru, Upp. Amaz.
3. **H. Juvenis, Brunn.** l. c. n. 2 (1888).	Brazil.
4. **H. Bohlsii, Giglio-Tos,** Zool. Jahrb., Syst. viii. p. 815 (1895).	Paraguay.
5. **H. Ensifer, Brunn.** l. c. p. 369. pl. 9. f. 43 (1888).	Pernambuco.

Genus 71. **Paragryllacris.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 369 (1888); Tepp. Trans. R. Soc. S. Australia, xv. p. 156 (1892).

*1. **P. Combusta, Gerst.** (*Gryllacris C.*) Arch. Naturg. xxvi. p. 267. n. 15 (1860).	Australia.

P. Combusta, Brunn. l. c. p. 370. n. 1. pl. 9. f. 44 A (1888); Tepp. l. c. p. 157 (1892).	
***Gryllacris Insignis, Walk.* Cat. Derm. Salt. B. M. i. p. 176. n. 32 (1869).	
***Gryllacris Signigera, Walk.* l. c. p. 178. n. 36 (1869).	
2. **P. Marginalis, Walk. (*Gryllacris M.*) l. c. v. p. 20 (1871).	Australia.
P. Infuscata, Brunn. l. c. p. 371. n. 2 (1888); Tepp. l. c. p. 157 (1892).	
3. **P. Longa, Walk. (*Gryllacris L.*) l. c. i. p. 180. n. 45 (1869).	id.
P. Pallidolinea, Tepp. l. c. p. 159 (1892).	
4. **P. Perloides, Walk. (*Gryllacris P.*) l. c. p. 181. n. 47 (1869).	id.
(?) *P. Pallidolinea*, var. *Minor, Tepp.* l. c. p. 160 (1892).	
5. **P. Callosa, Brunn.** l. c. p. 371. n. 3, pl. 9. f. 44 B (1888); Tepp. l. c. p. 158 (1892).	id.
6. **P. Latelineolata, Brunn.** l. c. p. 372. n. 4, pl. 9. f. 44 C (1888); Tepp. l. c. p. 158 (1892).	id.
7. **P. Deserta, Tepp.** l. c. p. 162 (1892).	S.Australia.
8. **P. Exserta, Brunn.** l. c. p. 372. n. 5 (1888); Tepp. l. c. p. 160 (1892).	Queensland.
9. **P. Uniguttata, Walk. l. c. i. p. 183. n. 52 (1869).	Australia.
P. Lobata, Brunn. l. c. p. 372. n. 6 (1888); Tepp. l. c. p. 160 (1892).	id.
10. **P. Modesta, Brunn.** l. c. p. 373. n. 7 (1888); Tepp. l. c. p. 161 (1892).	id.
11. **P. Ornata, Walk. (*Gryllacris O.*) l. c. p. 172. n. 16 (1869).	Moreton Bay.
12. **P. Minuscula, Walk. (*Gryllacris M.*) l. c. iii. p. 470 (1870).	Swan River.
13. **P. Tepperi, Kirb.** (n. n.).	S.Australia.
P. Insignis, Tepp. (*nec Walk.*) l. c. p. 161 (1892).	

Genus 72. **Neanias.** (*Type* no. 2.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 373 (1888).
Neanius, Tepp. Trans. R. Soc. S. Australia, xv. p. 162 (1892).

1. **N. Lobatus, Brunn.** l. c. p. 373. n. 1. pl. 9. f. 45 (1888).	N. Guinea.
Neanius Lobatus, Tepp. l. c. p. 163 (1892).	

2. **N. Squamosus, Brunn.** l. c. p. 374. n. 2 (1888). Ceylon.

3. **N. Lepidus, Walk. (*Gryllacris Lepida*) Cat. Derm. Salt. B. M. v. Suppl. p. 20 (1871). W. Australia. S. India.

4. **N. Pupulus, Bol.** Ann. Soc. Ent. France, lxviii. p. 789 (1900).

Genus 73. **Eonius.** (*Type* no. 1.)

Tepp. Trans. R. Soc. S. Australia, xv. p. 163 (1892).

1. **E. Tigrinus, Tepp.** l. c. (1892). N. Australia.
2. **E. Callabonnensis, Tepp.** l. c. xix. p. 21 (1895). id.
3. **E. Atrifrons, Tepp.** l. c. xv. p. 164 (1892). id.
   E. Atrofrons, Tepp. l. c. xix. p. 22 (1895).
4. **E. Fumatus, Tepp.** l. c. xv. p. 165 (1892). S.E. Australia.

Genus 74. **Eremus.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 374 (1888); Tepp. Trans. R. Soc. S. Australia, xv. p. 165 (1892).

1. **E. Rugosifrons, Brunn.** l. c. p. 376. n. 2. pl. 9. f. 46 (1888). China.

2. **E. Fuscoterminatus, Brunn.** l. c. p. 378. n. 7 (1888). id.

3. **E. Basalis, Walk. (*Gryllacris B.*) Cat. Derm. Salt. B. M. i. p. 188. n. 65 (1869). Bombay.
E. Nigrifrons, Brunn. l. c. p. 375. n. 1 (1888).

4. **E. Longicauda, Pict. & Sauss.** Mitth. Schweiz. ent. Ges. viii. p. 317, pl. 2. ff. 17, 17 *a* (1891). Malabar.

5. **E. Elegantulus, Bol.** Ann. Soc. Ent. France, lxviii. p. 790 (1900). S. India.

6. **E. Decolyi, Bol.** l. c. (1900). id.

7. **E. Geniculatus, Brunn.** l. c. p. 376. n. 3 (1888). India.

8. **E. Atrotectus, Brunn.** l. c. p. 377. n. 4 (1888). id.

9. **E. Nigrosignatus, Brunn.** Ann. Mus. Genova, xxxiii. p. 191 (1893). Burma.

10. **E. Muelleri, Brunn.** Verh. zool.-bot. Ges. Wien. xxxviii. p. 378. n. 6 (1888); Tepp. l. c. p. 166 (1892). Queensland.

*11. **E. Camerani, Griff.** Boll. Mus. Torino. viii. (154) pp. 1, 2, f. 1 (1893). W. Australia.

12. **E. Angusta, Walk. (*Gryllacris A.*) l. c. i. p. 187. n. 59 (1869). S. Australia.

13. **E. Incerta, Walk. (*Gryllacris I.*) l. c. p. 189. n. 67 (1869). Hab. —— ?

14. **E. Spinulosus, Brunn.** l. c. p. 377. n. 5 (1888); Tepp. l. c. p. 165 (1892). Fiji.

*15. **E. Sphinx, Gerst.** (*Gryllacris S.*) Arch. Naturg. xxvi. p. 278. n. 33 (1860). S. Africa.
E. Sphinx, Brunn. l. c. p. 378. n. 8 (1888).

16. **E. Glomerinus, Gerst.** (*Gryllacris Glomerina*) l. c. p. 277. n. 32 (1860). id.
E. Glomerinus, Brunn. l. c. p. 379. n. 11 (1888).

17. **E. Brevifalcatus, Brunn.** l. c. p. 379. n. 9 (1888). W. Africa.

18. **E. Nitidus, Karsch,** Berl. Ent. Zeitschr. xxxviii. p. 144 (1893). Adeli.

19. **E. Marginatus, Brunn.** l. c. p. 379. n. 10 (1888). Zambesi.

20. **E. Exiguus, Brunn.** l. c. p. 380. n. 12 (1888). Madagascar

Genus 75. **Camptonotus.** (*Type* no. 1.)

Uhl. Proc. Ent. Soc. Philad. ii. p. 548 (1864).
Neortus, Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 380 (1888). (*Type* no. 3.)

1. **C. Scudderi, Uhl.** l. c. p. 549 (1864); Glov. Ill. Amer. Orth. pl. 8. f. 15 (1872); Caud. Proc. Ent. Soc. Washington, vi. p. 46 (1904). Baltimore, Carolina, Mexico.
Gryllacris Carolinensis, Gerst. Arch. Naturg. xxvi. p. 276. n 31 (1860).
Neortus Carolinensis, Brunn. l. c. p. 381. n. 2 (1888); Sauss & Pict. Biol. Centr.-Amer., Orth. i. p. 309. n. 2 (1897).
C. Carolinensis, Blatchl. Rep. Indiana Dept. Geol. xxvii. p. 396. n. 112, f. 99 (1903).

2. **C. Affinis, Rehn,** Trans. Amer. Ent. Soc. xxix. p. 18 (1903). Mexico.

3. **C. Jamaicensis, Brunn.** l. c. p. 381, pl. 9. f. 47 (1888); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 309. n. 1 (1897).	Jamaica.

Genus 76. **Epacra.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien. xxxviii. p. 381 (1888); Tepp. Trans. R. Soc. S. Australia. xv. p. 166 (1892).

*1. **E. Ænea, Brunn.** l. c. p. 382. n. 1, pl. 9. f. 48 (1888); Tepp. l. c. p. 166 (1892).	Queensland.
2. **E. Modesta, Brunn.** l. c. p. 382. n. 2 (1888); Tepp. l. c. p. 166 (1892).	Cape York.

Genus 77. **Apotrechus.** (*Type* no. 3.)

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 383 (1888); Tepp. Trans. R. Soc. S. Australia, xv. p. 167 (1892).

*1. **A. Ambulans, Erichs.** (*Gryllacris A.*) Arch. Naturg. viii. p. 249. n. 214 (1842); Gerst. Arch. Naturg. xxvi. p. 275. n. 30 (1860).	Tasmania.
A. Ambulans, Brunn. l. c. p. 383. n. 1 (1888).	
***Gryllacris Combinata, Walk.* Cat. Derm. Salt. B. M. i. p. 188. n. 66 (1869).	
2. **A. Insolita, Walk. (*Gryllacris I.*) l. c. p. 189. n. 68 (1869).	id.
*3. **A. Unicolor, Brunn.** l. c. p. 384. n. 2, pl. 9. f. 49 (1888).	Port Denison.
4. **A. Guttifrons, Walk. l. c. p. 196. n. 20 (1869).	Swan River.

Genus 78. **Apteronomus.**

Tepp. Trans. R. Soc. S. Australia, xv. p. 168 (1892).

1. **A. Bordaensis, Tepp.** l. c. (1892).	Kangaroo I.

Genus 79. **Ametrus.**

Brunn. Verh. zool.-bot. Ges. Wien. xxxviii. p. 384 (1888); Tepp. Trans. R. Soc. S. Australia, xv. p. 169 (1892).

1. **A. Tibialis, Brunn.** l. c. p. 385, pl. 9. f. 50 (1888); Tepp. l. c. p. 169 (1892).	Melbourne.

Genus 80. **Ametrosomus.**

Tepp. Trans. R. Soc. S. Australia, xv. p. 169 (1892).

1. **A. Helmsi, Tepp.** l. c. p. 170 (1892). — Centr. Australia.

Genus 81. **Comicus.**

Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 386 (1888).

1. **C. Capensis, Brunn.** l. c. p. 387, pl. 9. f. 50 (1888). — S. Africa.

Genus 82. **Schizodactylus.**

Brullé, Hist. Nat. Ins. ix. p. 161 (1835); Serv. Ins. Orth. p. 320 (1839); Brunn. Verh. zool.-bot. Ges. Wien, xxxviii. p. 385 (1888).

Acheta, pt., *Fabr.* Syst. Ent. p. 279, App. p. 826 (1775); Burm. Handb. Ent. ii. p. 719 (1838).

1. **S. Monstrosus, Dru.** (*Gryllus M.*) Ill. Exot. Ent. ii. pl. 43. f. 1 (1773). — Bengal.
   Gryllus Monstrosus, Oliv. Enc. Méth., Ins. vi. p. 633. n. 2 (1791).
   Acheta Monstrosa, Fabr. l. c. App. p. 826 (1775).
   Stoll, Spectres, Grill. p. 2, pl. 1 c. ff. 1–3 (1813).
   S. Monstrosus, Brullé, l. c. p. 162 (1835); Serv. Ins. Orth. p. 322 (1839); Brunn. l. c. p. 386. n. 1, pl. 9. f. 51 (1888).

SUBFAM. IV.

HETRODINÆ.

Genus 83. **Hetrodes.** (*Type* no. 1.)

Fisch. Waldh. Ann. Soc. Ent. France, ii. p. 318 (1833); Bull. Soc. Nat. Moscou, xii. p. 108 (1839); Orth. Ross. p. 367 (1846); Burm. Handb. Ent. ii. p. 678 (1838); Serv. Ins. Orth. p. 460 (1839); Haan, Temminck, Verhandel., Orth. p. 182 (1842); Stål, Rec. Orth. ii. p. 5 (1874); Karsch, Berlin. Ent. Zeitschr. xxxvii. p. 54 (1887); Kirb. Ann. Nat. Hist. (7) iii. pp. 97, 141 (1899); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 428 (1903).

*1. **H. Pupus, Linn.** (*Gryllus Tettigonia P.*) Syst. Nat. (ed. x.) i. p. 431. n. 39 (1758). [Pet. Gaz. pl. 13. f. 7; Roes. Ins. Belust. ii. Locusta Indica, pl. 6. f. 3.] — Africa.
Locusta Pupa-spinosa, De Geer. Mém. Ins. iii. p. 453. n. 13, pl. 39. f. 5 (1773).
Gryllus Apterus, &c., Linn. Amœn. Acad. i. p. 322. n. 59 (1749).
Locusta Pupa, Fabr. Syst. Ent. p. 287. n. 25 (1775).
Gryllus Tettigonia Pupa, Stoll, Spectres, Saut. p. 25, pl. 12 A. ff. 45, 46 (1813).
Bradyporus Pupa, Serv. Ann. Sci. Nat. xxii. p. 164 (1831); Blanch. Hist. Nat. Ins. iii. p. 28 (1840).
Hetrodes Pupa, Fisch. Waldh. Bull. Soc. Nat. Mosc. xii. p. 109 (1839); Orth. Ross. p. 368, pl. 34. f. 1 (1846); Burm. l. c. p. 678. n. 1 (1838); Serv. Ins. Orth. p. 461 (1839); Karsch, l. c. p. 56 (1887).
Locusta (Hetrodes) Pupa, Haan, l. c. p. 183 (1842).
Hetrodes Apterus, Jacobs. & Bianchi, l. c. p. 428 (1903).

2. **H. Fischeri, Kirb.** (n. n.). — Syria.
‖*H. Spinulosus, Fisch. Waldh.* (*nec Linn.*) Orth. Ross. p. 369, pl. 34. f. 2 (1846). — Egypt.

3. **H. Marginatus, Walk. Cat. Derm. Salt. B. M. ii. p. 226. n. 3 (1869); Kirb. l. c. p. 142 (1899). — Cape.

4. **H. Productus, Walk. l. c. p. 227. n. 4 (1869). — Congo.

5. **H. Abbreviatus, Walk. l. c. n. 5 (1869); Kirb. l. c. p. 142 (1899). — S. Africa.
H. Pupa, var., *Serv.* l. c. p. 462 (1839).

6. **H. Macrurus, Walk. l. c. p. 228. n. 6 (1869). — Hab. —— ?

7. **H. (?) Variolosus, Fieb.** Lotos, iii. p. 259. n. 2 (1853); Syn. Eur. Orth. p. 75 (1854). — Hab. —— ?

Genus 84. **Hemihetrodes.** (*Type* no. 1.)

Pict. Mém. Soc. Phys. Genève, xxx. (6) p. 74 (1888).

1. **H. Peringueyi, Pict.** l. c. pl. 3. ff. 30, 30 *a* (1888).	S. Africa.
2. **H. (?) Bachmani, Karsch,** (*Hetrodes B.*) Berlin. Ent. Zeitschr. xxxi. p. 57, pl. 2. f. 1 (1887).	Cape Colony.

Genus 85. **Acanthoplus.** (*Type* no. 1.)

Stål, Œfvers. Vet.-Akad. Förhandl. xiii. p. 39 (1873); Rec. Orth. ii. p. 6 (1874); Karsch, Berlin. Ent. Zeitschr. xxxi. p. 57 (1887); Kirb. Ann. Nat. Hist. (7) iii. pp. 98, 142 (1899).

*1. **A. Longipes, Charp.** (*Hetrodes L.*) Orth. pl. 45 (1845). *Hetrodes Longipes*, var., *Walk.* Cat. Derm. Salt. B. M. ii. p. 230. n. 13 (1869). *A. Longipes*, *Karsch*, l. c. p. 58 (1887).	Benguela, Congo, Damara Land, Caffraria.
2. **A. Pallidus, Walk. (*Hetrodes P.*) l. c. p. 231. n. 20 (1869).	E. Africa.
3. **A. Discoidalis, Walk. l. c. p. 230. n. 18 (1869).	S. Africa.
4. **A. Speiseri, Brancs.** Jahresh. Ver. Trencsin. Com. xvii.–xviii. p. 258, pl. 8. f. 9 *a–d* (1896).	Zambesi.
5. **A. Desertorum, Kirb. l. c. p. 142 (1899).	Kalahari Desert.
6. **A. Serratus, Kirb. l. c. p. 143 (1899).	King W'ms Town.
7. **A. Germanus, Kirb. l. c. (1899).	id.
8. **A. Stratiotes, Brancs.** l. c. p. 259, pl. 8. f. 10 *a–d* (1896).	Zambesi.
9. **A. Jallæ, Griff.** Boll. Mus. Torino, xii. (290) p. 3 (1897).	id.

Genus 86. **Cloanthella.**

Bol. J. Sci. Lisb. (2) i. p. 226 (1890).

1. **C. Clypeata, Bol.** l. c. (1890).	Braganza.

Genus 87. **Cosmoderus.** (*Type* no. 1.)

Luc. Ann. Soc. Ent. France. (4) viii. p. 325 (1868) ; Karsch, Berlin. Ent. Zeitschr. xxxi. p. 59 (1887).

Aprophantia, Kirb. Ann. Nat. Hist. (6) xviii. p. 261, note (1896). (*Type* no. 5.)

*1. **C. Erinaceus, Fairm.** (*Ephippiger E.*) Thoms. Arch. Ent. ii. p. 260, pl. 9. f. 1 (1858). *C. Erinaceus, Luc.* l. c. p. 327, pl. 8 (1868); Dom. Bull. Soc. Ouest France, x. p. 208, pl. 3. ff. 3, 5, 7, 9 (1900)	Gaboon, Cameroons.
*2. **C. Congolensis, Dom.** (*C. Erinaceus.* var. *Congolensis*) l. c. ff. 1, 2, 4. 6, 8, 10 (1900).	French Congo.
3. **C. Kingsleyæ, Kirb. l. c. p. 260, pl. 12. f. 7 (1896).	Ogové.
4. **C. Femoralis, Sjöst.** Bihang Svenska Akad. xxvii. (4 : 3) p. 41 (1902).	Cameroons.
5. **C. Maculatus, Kirb. (*Aprophantia Maculata*) l. c. p. 261, pl. 12. f. 8 (1896). *C. Maculatus, Sjöst.* l. c. p. 43 (1902).	id.

Genus 88. **Enyaliopsis.** (*Type* no. 2.)

Karsch, Berlin. Ent. Zeitschr. xxxi. p. 60 (1887).

*1. **E. Ephippiatus, Gerst.** (*Eugaster E.*) Arch. Naturg. xxxv. p. 213 (1869) : Decken, Reisen in Ost-Afrika, iii. (2) p. 27, pl. 2. f. 2 (1873).	E. Africa.
*2. **E. Petersii, Schaum,** (*Hetrodes P.*) Ber. Akad. Wiss. Wien. 1853. p. 777. n. 8 ; Peters, Reise Mossamb. v. p. 119, pl. 7. f. 7 (1862). *E. Petersii, Karsch.* l. c. pp. 60, 61. n. 5 (1887) ; Werther, Mitt. Hochländer nördl. Deutsch-Ost-Afrika, p. 311 (1898).	id.
3. **E. Bloyeti, Luc.** (*Eugaster B.*) Bull. Soc. Ent. France. (6) v. p. xci (1885).	id., Kondoa.
*4. **E. Durandi, Luc.** (*Eugaster D.*) l. c. (6) iv. p. 161, pl. 7. ff. 8–15 (1884).	Zambesi, Uganda.
5. **E. Obuncus, Bol.** (*Eugalius O.*) Jorn. Sci. Lisboa, viii. p. 119 (1881).	Angola.

Genus 89. **Gymnoproctus.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxi. p. 61 (1887).

*1. **G. Abortivus, Serv.** (*Hetrodes Abortiva*) Ins. Orth. p. 463 (1839); Haan, Temminck, Verhandel., Orth. p. 182 (1842). *G. Abortivus, Karsch*, l. c. p. 62, pl. 2. f. 2 (1887).	Senegal, Gold Coast.
*2. **G. Maurelii, Luc.** (*Eugaster M.*) Ann. Soc. Ent. France, (4) ix. p. 85, pl. 3. ff. 7–14 (1869).	Senegal, Sennaar.

Genus 90. **Anepisceptus.** (*Type* no. 1.)

Fieb. Lotos, iii. p. 259 (1853); Syn. Eur. Orth. p. 76 (1854); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 428 (1903).

Pornotrips, *Karsch*, Berlin. Ent. Zeitschr. xxxi. p. 62 (1887). (*Type* no. 1.)

1. **A. Horridus, Burm.** (*Hetrodes H.*) Handb. Ent. ii. p. 679. n. 2 (1838); Charp. Germar, Zeitschr. Ent. iii. p. 316 (1841). *Locusta* (*Hetrodes*) *Horrida*, *Haan*, Temminck, Verhandel., Orth. pp. 182, 183 (1842). *Pornotrips Horridus*, *Karsch*, l. c. p. 63 (1887). *A. Horridus*, *Jacobs. & Bianchi*, l. c. p. 429 (1903). ‖*Hetrodes Spinulosus*, *Charp.* (*nec Linn.*) Orth. pl. xvii. (1841).	Syria, Egypt, Arabia.
*2. **A. Servillei, Reiche & Fairm.** (*Hetrodes S.*) Ferret & Galinier, Voy. Abyssinie, iii. p. 426, pl. 28. f. 1 (1847).	Abyssinia, Arabia, Somali.
3. **A. Revoilii, Luc.** (*Eugaster R.*) Ann. Soc. Ent. France, (6) iv. p. 157, pl. 7. ff. 1–7 (1884).	Somali.
*4. **A. Ruspolii, Schulth.-Rechb.** (*Pornotrips R.*) Zool. Jahrb., Syst. viii. p. 81, pl. 4. ff. 4, 4 *a–c* (1894).	id.
5. **A. Hippolyti, Kirb.** Ann. Nat. Hist. (7) iii. pp. 100, 144 (1899). ‖*Eugaster Servillei*, *Luc.* (*nec Reiche & Fairm.*) l. c. (4) ix. p. 83, pl. 3. ff. 1–6 (1869).	Abyssinia.

6. **A. Suakimensis, Kirb. (*Eugaster S.*) Ann. Nat. Hist. (6) xvii. p. 122 (1896). Suakim.

7. **A. Robecchii, Schulth.-Schindl.** Ann. Mus. Genova, xxxix. p. 209, pl. 2. ff. 15, 15 *a* (1898). Somali.

Genus 91. **Eugaster.** (*Type* no. 6.)

Serv. Ins. Orth. p. 463 (1839) ; Luc. Ann. Soc. Ent. France, (4) i. p. 215 (1861) : Karsch. Berlin. Ent. Zeitschr. xxxi. p. 63 (1887) ; Finot, Ann. Soc. Ent. France, lxv. pp. 555, 557 (1897).

*1. **E. Spinulosus, Joh.** (*Gryllus S.*) Amœn. Acad. vi. p. 398. n. 35 (1764). Morocco.
["Whistle Insect," Edw. Gleanings in Nat. Hist. p. 161. pl. 285. ff. 3–5.]
Locusta Spinulosa, Fabr. Syst. Ent., App. p. 826. n. 26 (1775).
Eugaster Spinulosus, Karsch, l. c. xxxiii. p. 463 (1888) : Kirb. Entom. M. Mag. xxvii. pp. 210, 295 (1891).

2. **E. Frater, Kirb. Ann. Nat. Hist. (6) xvii. p. 123 (1896). Mombasa.

3. **E. Woodii, Kirb. Entom. M. Mag. xxvii. p. 211 (1891). Somali.

4. **E. Powysi, Kirb. l. c. p. 294 (1891). Morocco.

*5. **E. Loricatus, Gerst.** Arch. Naturg. xxxv. p. 213. n. 39 (1869) ; Decken, Reisen in Ost-Afrika, iii. (2) p. 26, pl. 2. f. 1 (1873) ; Karsch, l. c. xxxi. p. 65 (1887), xxxii. p. 463 (1888). E. Africa.

*6. **E. Guyoni, Serv.** (*Hetrodes G.*) Ins. Orth. p. 464 (1839) ; Kirb. Entom. M. Mag. xxvii. pp. 211, 295 (1891) ; Vosseler. Jahresh. Ver. Württemb. xlix. p. xciii (1893) ; Finot, Ann. Soc. Ent. France, lxv. p. 558 (1897). Algeria, Morocco.
Eugaster Guyonii, Luc. Ann. Soc. Ent. France, (4) i. p. 216 (1861) ; Finot, l. c. p. 558 (1897).

7. **E. Inornatus, Krauss,** (*Eugaster Guyonii*, var. *Inornata*) Jahresh. Ver. Württemb. xlix. p. xcvi (1893) ; Zool. Jahrb., Syst. ix. p. 552 (1897). Algeria.
? *Eugaster Guyonii, Karsch.* Berlin. Ent. Zeitschr. xxxii. p. 462 (1888).

8. **E. Lucasi, Kirb. l. c. p. 295 (1891). ‖*Hetrodes Guyoni*, *White*, Proc. Ent. Soc. Lond. 1888, p. xxv. *E. Guyoni*, var. *Lucasi*, *Krauss*, ll. cc. p. xcvi (1893) ; p. 552 (1897).	Tunis (?), Algeria.
9. **E. Brachyceriformis, Kirb.** (n. n.). ‖*Hetrodes Guyonii*, *Luc.* Expl. Algér. iii. p. 15, iv. Orth. pl. 2. f. 1 (1849).	Algeria.
10. **E. Gigas, Kirb.** (n. n.). *Hetrodes Guyonii*, var., *Luc.* Bull. Soc. Ent. France, (2) ix. p. iv (1851).	S.E.Algeria

Genus 92. **Acanthoproctus.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxi. p. 66 (1888).

*1. **A. Cervinus, Haan,** (*Locusta* (*Hetrodes*) *Cervina*) Temminck, Verhandel., Orth. p. 183. n. 2 (1842). *A. Cervinus*, *Pict.* Mém. Soc. Genève, xxx. (6) p. 70, pl. 3. ff. 32, 32 *a*, *b* (1888).	Cape, Deelfontein.
2. **A. Fortis, Walk. (*Hetrodes F.*) Cat. Derm. Salt. B. M. ii. p. 229. n. 11 (1869).	Cape.
3. **A. Militaris, White, (*Hetrodes M.*) Methuen, Life in Wilderness, p. 316, pl. 1. f. 4 (1846) ; Karsch, l. c. p. 71 (1888).	Deelfontein.
4. **A. Vittatus, Walk. (*Hetrodes V.*) l. c. p. 229. n. 12 (1869). *A. Capreolus*, *Pict.* l. c. p. 69, pl. 3. ff. 33, 33 *a* (1888). ***A. Howarthæ*, *Kirb.* Ann. Nat. Hist. (7) iii. p. 145 (1899).	Cape, E. Karoo, Burghersdorp.

Genus 93. **Aphractia.**

Kirb. Ann. Nat. Hist. (7) iii. p. 146 (1899).
Eugaster, div. a, *Stål*, Rec. Orth. ii. p. 22 (1874).
‖*Enyalius*, *Stål* (*nec Wagl.*), Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 58 (1876).

*1. **A. Diademata, Stål,** (*Hetrodes D.*) l. c. xv. p. 308. n. 5 (1858). *Eugaster Diadematus*, *Stål*, Rec. Orth. ii. p. 22 (1874).	R. Kuisip.

Enyalius Diadematus, Stål, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 58 (1876).

Acanthoproctus Diadematus, Karsch, Berlin. Ent. Zeitsch. xxxi. p. 66 (1888).

***Hetrodes Crassipes, Walk.* Cat. Derm. Salt. B. M. ii. p. 231. n. 19 (1869).

Acanthoproctus Ibex, Pict. Mém. Soc. Genève, xxx. (6) p. 72, pl. 3. ff. 31, 31 *b* (1888).

Genus 94. **Madiga.** (*Type* no. 1.)

Kirb. Ann. Nat. Hist. (6) xvii. p. 124 (1896).

‖*Prionocnemis, Karsch* (*nec Schiödte*), Berlin. Ent. Zeitschr. xxxi. p. 67 (1887).

*1. **M. Verrucifera, Karsch,** (*Prionocnemis Verruciferus*) l. c. pl. 2. f. 3 (1887); Ent. Nachr. xiii. p. 261 (1887).	Mombasa.
2. **M. Aberrans, Schulth.-Schindl.** (*Prionocnemis A.*) Ann. Mus. Genova, xxxix. p. 210, pl. 2. ff. 16, 16 *a* (1898).	Somali.

Genus 95. **Spalacomimus.**

Karsch, Berlin. Ent. Zeitschr. xxxi. p. 68 (1887).

*1. **S. Talpa, Gerst.** (*Eugaster T.*) Arch. Naturg. xxxv. p. 214 (1869); Decken, Reisen in Ost-Afrika, iii. (2) p. 28, pl. 2. f. 3 (1873).	Zanzibar, B.E. Africa.

Genus 96. **Bradyopisthius.**

Karsch, Berlin. Ent. Zeitschr. xxxi. p. 69 (1887).

1. **B. Paradoxurus, Karsch,** l. c. pl. 2. f. 4 (1887).	Somali.

SUBFAM. V.

PYCNOGASTRINÆ.

Genus 97. **Uromenus.** (*Type* no. 2.)

Bol. An. Soc. Españ. vii. p. 446 (1878); Ann. Sci. Nat. Porto, v. p. 133 (1898); Brunn. Prodr. Eur. Orth. p. 369 (1882).

Stenopleurus, Sauss. Rev. Suisse Zool. v. p. 231 (1898). (*Type* no. 6.)

1. **U. Confusus, Finot,** (*Ephippiger C.*) Ann. Soc. Ent. France, lxv. pp. 539, 542 (1897). *Ephippigera Confusa, Vosseler,* Zool. Jahrb., Syst. xvi. p. 397 (1902). ‖ *Ephippigera Rugosicollis, Brunn.* (*nec Serv.*) l. c. pp. 369, 374. n. 1 (1882). ‖ *Ephippiger Rugosicollis, Finot* (*nec Serv.*), Orth. France, pp. 122, 123 (1883); Faune France, Orth. p. 216 (1889).	S. France, Algeria.
2. **U. Rugosicollis, Serv.** (*Ephippiger R.*) Ins. Orth. p. 475 (1839). *Ephippigera Rugosicollis, Fieb.* Lotos, iii. p. 201 (1853); Syn. Eur. Orth. p. 56 (1854); Fisch. Orth. Eur. p. 221 (1853). ‖ *Barbitistes Autumnalis, Brullé* (*nec Hagenb.*) Hist. Nat. Ins. ix. p. 155, pl. 15. f. 3 (1835). *Ephippiger Durieuii, Bol.* Ortópt. Españ. pp. 187, 203, 300, pl. 4. ff. 10, 10 *a* (1876); An. Soc. Españ. vi. pp. 269, 285, pl. 3. ff. 10, 10 *a* (1877), vii. p. 96 (1878); Ann. Sci. Nat. Porto, v. p. 139 (1898); Finot, Orth. France, pp. 122, 124 (1883). *Ephippigera Durieuii, Marq.* Bull. Soc. Toulouse, xi. p. 180 (1877); Brunn. l. c. pp. 369, 375. n. 3, pl. 10. f. 90 D (1882). *Ephippiger Vespertina, Duf.* Rech. Orth. p. 347, pl. —. f. 36 (1841).	S. France, Spain, Corsica; Sardinia (eadem ?).
3. **U. Vosseleri, Krauss,** (*Ephippigera V.*) Jahresh. Ver. Württemb. xlix. p. xcvi (1893); Zool. Jahrb., Syst. ix. p. 548, pl. 7. ff. 10, 10 B (1896). *Ephippiger Vosseleri, Fin.* Ann. Soc. Ent. France, lxv. pp. 541, 554 (1897).	Algeria.

4. **U. Costaticollis, Luc.** (*Ephippigera C.*) Expl. Alg. iii. p. 17. iv. Orth. pl. 2. f. 3. *c, d* (1849); Brunn. l. c. pp. 369, 375. n. 2 (1882). *Ephippiger Costaticollis, Fin.* l. c. pp. 539, 541 (1897).	Algeria.
5. **U. Laticollis, Luc.** (*Ephippigera L.*) l. c. p. 18. pl. 2. f. 4 (1849); Brunn. l. c. pp. 369. 376. n. 4 (1882). *Ephippiger Laticollis, Fin.* l. c. pp. 539, 543 (1897).	id.
6. **U. Finoti, Brunn.** (*Ephippigera F.*) l. c. pp. 370, 376. n. 5 (1882). *Ephippiger Finoti, Fin.* l. c. pp. 540, 547 (1897).	id.
7. **U. Innocentii, Finot & Bonn.** (*Ephippiger I.*) Rev. Montpell. (3) iv. p. 345, pl. 16. ff. 8–13 (1885); Ann. Soc. Ent. France, lxv. pp. 540, 548 (1897); Vosseler, Zool. Jahrb., Syst. xvi. p. 399 (1902).	Tunis.
Var. *Ephippigera Lobata, Sauss.* Rev. Suisse Zool. v. p. 236 (1898).	Algeria.
8. **U. Hastatus, Sauss.** (*Ephippigera Hastata*) l. c. p. 807 (1898).	Morocco.
9. **U. Compressicollis, Fisch.** (*Ephippigera C.*) l. c. p. 215, pl. 10. ff. 6, 6 *a*, *b* (1853); Brunn. l. c. pp. 374. 399. n. 19 (1882); Krauss, Zool. Jahrb., Syst. ix. p. 549 (1896). *Ephippiger Compressicollis, Fin.* Ann. Soc. Ent. France, lxv. pp. 540, 549 (1897). *Ephippigera Transfuga, Brunn.* l. c. pp. 372, 389. n. 31 (1882).	Algeria.
10. **U. Vaucherianus, Sauss.** (*Ephippigera Vaucheriana*) l. c. p. 232 (1898).	Morocco.
11. **U. Mauretanicus, Sauss.** (*Ephippigera Mauretanica*) l. c. p. 233 (1898).	id.
12. **U. Agarenus, Brunn.** (*Ephippigera Agarena*) l. c. pp. 370, 377. n. 6 (1882).	Ceuta.
13. **U. Maroccanus, Sauss.** (*Ephippigera Maroccana*) l. c. p. 235 (1898).	Morocco.
14. **U. Poncyi, Bol.** (*Ephippigera* (*Uromenus*) *P.*) Bull. Soc. Ent. France, 1902, p. 222.	id., Atlas.

Genus 98. **Steropleurus.** (*Type* no. 3.)

Bol. An. Soc. Esp. vii. p. 449 (1878); Ann. Sci. Nat. Porto, v. pp. 133, 139 (1898).

1. **S. Martorellii, Bol.** (*Ephippigera* (*Steropleurus*) *M.*) An. Soc. Españ. vii. pp. 441, 450, pl. 4. f. 12 (1878); Ann. Sci. Nat. Porto, v. pp. 141, 146 (1898). *Ephippigera Martorelli*, *Brunn.* Prodr. Eur. Orth. pp. 370, 378. n. 7 (1882).	Spain.
2. **S. Castellanus, Bol.** (*Ephippiger* (*Steropleurus*) *C.*) An. Soc. Españ. vii. pp. 441, 450, pl. 4. f. 11 (1878). *Ephippigera Castellana*, *Brunn.* l. c. pp. 370, 378. n. 8 (1882); Bol. Ann. Sci. Nat. Porto, v. p. 142 (1898).	Burgos.
*3. **S. Brunneri, Bol.** (*Ephippiger B.*) Ortópt. Españ. pp. 186, 190, pl. 4. ff. 4, 4 *a* (1876); An. Soc. Españ. vi. pp. 268, 272, pl. 3. ff. 4, 4 *a* (1877), vii. p. 450 (1878). *Ephippigera Brunneri*, *Brunn.* l. c. pp. 370, 378. n. 9 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 142, 147 (1898).	Spain.
4. **S. Pseudolus, Bol.** (*Ephippiger* (*Steropleurus*) *P.*) An. Soc. Españ. vii. pp. 445, 450 (1878). *Ephippigera Pseudola*, *Brunn.* l. c. p. 379. n. 10 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 142, 147 (1898).	id.
5. **S. Obsoletus, Bol.** (*Ephippigera Obsoleta*) l. c. pp. 143, 148 (1898).	Madrid.
6. **S. Siculus, Fieb.** (*Ephippigera Sicula*) Lotos, iii. p. 201 (1853); Syn. Eur. Orth. p. 56. n. 3 (1854); Brunn. l. c. p. 382. n. 16 (1882). *Ephippigera Maculata*, *Yers.* Ann. Soc. Ent. France, (3) viii. p. 517, pl. 10. ff. 3–6 (1860).	Sicily.
7. **S. Idomenæi, Luc.** (*Ephippigera I.*) Rev. Zool. (2) vi. p. 165. n. 123, pl. 2. f. 1 (1854); Brunn. l. c. p. 382. n. 18 (1882); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 426 (1903); Werner, Verh. zool.-bot. Ges. Wien, liii. pp. 68, 69, fig. (1903).	Crete.

8. **S. Brevicollis, Fisch.** (*Ephippigera B.*) Orth. Eur. p. 219 note, pl. 10. ff. 12, 12 *a* (1853). Algeria (?).

Ephippiger Brevicollis, Finot, An. Soc. Ent. France. lxv. pp. 540, 544 (1897).

9. **S. Algericus, Brunn.** (*Ephippigera Algerica*) l. c. pp. 371, 382. n. 17 (1882). Algeria.

Ephippiger Algerica, Fin. l. c. pp. 540, 545 (1897).

10. **S. Antennatus, Brunn.** (*Ephippigera Antennata*) l. c. pp. 371, 383. n. 19 (1882). id.

Ephippiger Antennatus, Fin. l. c. pp. 540, 545 (1897).

11. **S. Annæ, Targ.-Tozz.** (*Ephippigera A.*) Bull. Soc. Ent. Ital. xiii. p. 181 (1881); Brunn. l. c. p. 383. n. 20 (1882). Sardinia.

Ephippiger Coronata, Costa, Atti Accad. Nap. (2) i. (9) p. 50 (1884): Bol. Ann. Mus. Zool. Univ. Nap. (2) i. p. 335 (1893).

12. **S. Nerii, Vosseler,** (*Ephippigera N.*) Zool. Jahrb., Syst. xvi. p. 398, pl. 18. ff. 7, 8 (1902). N. Africa.

13. **S. Perezii, Bol.** (*Ephippiger P.*) Ortópt. Españ. pp. 187, 200, pl. 4. f. 9 (1876); An. Soc. Españ. vi. pp. 269, 282, pl. 3. f. 9 (1877), vii. p. 449 (1878). Spain.

Ephippigera Perezi, Brunn. l. c. pp. 372, 387. n. 27 (1882); Bol. Ann. Sci. Nat. Porto, v. p. 141 (1898).

14. **S. Balearica, Bol.** (*Ephippiger B.*) C.R. Soc. Ent. Belg. xxviii. p. cvi (1884). Majorca.

Ephippigera Balearica, Bol. An. Soc. Españ. xvi. p. 105 (1887); Ann. Sci. Nat. Porto, v. p. 141 (1898).

15. **S. Lucasi, Brunn.** (*Ephippigera L.*) l. c. pp. 372, 386. n. 26 (1882); Krauss, Zool. Jahrb., Syst. ix. p. 549 (1897). Algeria.

Ephippiger Lucasi, Fin. l. c. pp. 540, 546 (1897).

‖ *Ephippigera Costaticollis, Luc.* Expl. Alg. iii. p. 17. iv. pl. 2. ff. 3, 3 *a. b* (1849).

16. **S. Catalaunicus, Bol.** (*Ephippigera Catalaunica*) Ann. Sci. Nat. Porto, v. pp. 140, 143 (1898). Catalonia.

17. **S. Ortegai, Pant.** (*Ephippigera O.*) An. Soc. Españ. xxv. p. 72 (1896); Bol. l. c. pp. 140, 144 (1898). Spain.

18. **S. Asturiensis, Bol.** (*Ephippigera A.*) l. c. pp. 140, 144 (1898).	Asturias.
*19. **S. Stæli, Bol.** (*Ephippiger Stålii*) Ortópt. Españ. pp. 187, 202, pl. 4. f. 11 (1876); An. Soc. Españ. vi. pp. 269, 284, pl. 3. f. 11 (1877), vii. p. 449 (1878).	Spain.
Ephippigera Ståli, *Brunn.* l. c. pp. 372, 388. n. 28 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 140, 145 (1898).	
20. **S. Nobrei, Bol.** (*Ephippigera N.*) l. c. pp. 141, 145 (1898).	id., Portugal.
21. **S. Panteli, Navás,** (*Ephippiger P.*) Actas Soc. Españ. 1899, pp. 46, 176.	Tarragona.
22. **S. Flavovittatus, Bol.** (*Ephippiger* (*Steropleurus*) *F.*) An. Soc. Españ. vii. pp. 445, 450 (1878).	Hab. —— ?
Ephippigera Flavovittata, *Brunn.* l. c. pp. 370, 380. n. 12 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 142, 147 (1898).	
23. **S. Cavannæ, Targ.-Tozz.** (*Ephippigera C.*) l. c. p. 181 (1881); Brunn. l. c. pp. 371, 380 (1882).	Calabria.
24. **S. Politus, Bol.** (*Ephippigera* (*Steropleurus*) *Polita*) Bol. Soc. Españ. Nat. Hist. i. p. 335 (1901).	Spain.
25. **S. Andalusius, Ramb.** (*Ephippiger A.*) Faune Andal. ii. p. 49, pl. 3. ff. 3, 4 (1839).	id., Portugal, N. Africa.
Ephippigera Andalusica, *Bol.* Actas Soc. Españ. 1897, p. 173; Ann. Sci. Nat. Porto, v. pp. 143, 148 (1898).	
|| *Ephippigera Selligera*, *Fisch.* (*nec Charp.*) Orth. Eur. p. 217, pl. 10. ff. 11, 11 *a–d* (1853); Fieber, Lotos, iii. p. 201. n. 1 (1853); Syn. Eur. Orth. p. 56. n. 1 (1854); Brunn. l. c. pp. 372, 385. n. 24 (1882).	
|| *Ephippiger Selliger*, *Bol.* (*nec Charp.*) Ortópt. Españ. pp. 187, 199. n. 6, pl. 4. f. 8 (1876); An. Soc. Españ. vi. pp. 269, 281, pl. 3. f. 8 (1877), vii. p. 449. n. 28 (1878).	
26. **S. Scabricollis, Ramb.** (*Ephippiger S.*) l. c. p. 51 (1839).	Andalusia.

Genus 99. **Ephippigerida.** (*Type* no. 1.)

Bol. Bull. Mus. d'Hist. Nat. Paris, ix. p. 226 (1903).

Ephippigera, Serv. Ann. Sci. Nat. xxii. p. 165 (1831) : Burm. Handb. Ent. ii. p. 679 (1838) ; Fisch. Orth. Eur. p. 212 (1853) : Fieber, Lotos, iii. p. 188 (1853) ; Syn. Eur. Orth. p. 56 (1854) ; Friv. Értek. Termész. Kör. i. (12) p. 88 (1867) ; Brunn. Prodr. Eur. Orth. p. 368 (1882) ; Bol. Ann. Sci. Nat. Porto, v. p. 133 (1898) ; Tümp. Geradfl. Mitteleurop. p. 271 (1900). (*Nom. spec.*)

Ephippiger, Serv. Ins. Orth. p. 473 (1839) ; Ramb. Faune Andal. ii. p. 48 (1839) ; Bol. Ortópt. Españ. p. 182 (1876) : An. Soc. Españ. vi. p. 264 (1877), vii. p. 447 (1878) ; Finot, Orth. France, pp. 93, 121 (1883) : Faune France, Orth. p. 215 (1889) ; Ann. Soc. Ent. France, lxv. p. 538 (1897) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 426 (1903). (*Nom. spec.*)

*1. **E. Areolaria, Bol.** (*Ephippiger Areolarius*) Ortópt. Españ. pp. 188, 210. n. 13, pl. 5. f. 6 (1876) ; Ann. Soc. Españ. vi. pp. 270, 292. n. 13, pl. 4. f. 6 (1877), vii. p. 447 (1878). *Ephippigera Areolaria, Brunn.* Prodr. Eur. Orth. pp. 374, 396. n. 43 (1882) ; Bol. Ann. Sci. Nat. Porto, v. pp. 136, 137 (1898).	Spain.
2. **E. Gracilis, Brunn.** (*Ephippigera G.*) l. c. pp. 370, 379. n. 11 (1882).	id.
3. **E. Longicauda, Bol.** (*Ephippigera L.*) An. Soc. Españ. ii. p. 220, pl. 9. f. 3 (1873) ; Ann. Sci. Nat. Porto, v. pp. 136, 137 (1898) ; Brunn. l. c. pp. 374, 396. n. 44 (1882). *Ephippiger Longicauda, Bol.* Ortópt. Españ. pp. 188, 211. n. 14 (1876) ; An. Soc. Españ. vi. pp. 270, 293. n. 14 (1877), vii. p. 447. n. 5 (1878).	id.
4. **E. Carinata, Bol.** (*Ephippiger Carinatus*) ll. cc. pp. 189, 212. n. 15, pl. 5. f. 5 (1876) ; pp. 271, 294. n. 15, pl. 4. f. 5 (1877), vii. p. 447. n. 7 (1878). *Ephippigera Carinata, Brunn.* l. c. pp. 372, 388. n. 29 (1882) ; Bol. Ann. Sci. Nat. Porto, v. pp. 136, 138 (1898).	id.

5. **E. Pantigana, Navás,** (*Ephippiger P.*) Bol. Soc. Aragon. iii. p. 191 (1904).	Aragon.
6. **E. Zapaterii, Bol.** (*Ephippiger Z.*) Ortópt. Españ. pp. 188, 206. n. 11, pl. 5. f. 7 (1876); An. Soc. Españ. vi. pp. 270, 288. n. 11. pl. 4. f. 7 (1877), vii. p. 448. n. 16 (1878). *Ephippigera Zapateri, Brunn.* l. c. pp. 373, 394. n. 40 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 135, 137 (1898).	id.
7. **E. Nigromarginata, Luc.** (*Ephippigera N.*) Expl. Alg. iii. p. 19, iv. pl. 2. ff. 5, 5 *a–c* (1849); Vosseler, Zool. Jahrb., Syst. xvi. p. 398 (1902); Bol. Ann. Sci. Nat. Porto, v. p. 147. n. 10 (1898). *Ephippiger Nigromarginatus, Fin. & Bonn.* Rev. Sci. Nat. Montpellier, (3) iv. p. 356 (1885); Finot, Ann. Soc. Ent. France, lxv. pp. 541, 550 (1897).	Algeria.
*8. **E. Dorsalis, Fieb.** (*Ephippigera D.*) ll. cc. p. 202. n. 7 (1853); p. 57. n. 7 (1854); Brunn. l. c. pp. 373, 395. n. 41 (1882). *Ephippiger Dorsalis, Fin. & Bonn.* l. c. p. 360 (1885).	Sicily.
*9. **E. Hispanica, Fieb.** (*Ephippigera H.*) ll. cc. p. 202. n. 8 (1853); p. 58. n. 8 (1854); Brunn. l. c. pp. 372, 388. n. 30 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 135, 137 (1898). *Ephippiger Hispanicus, Bol.* Ortópt. Españ. pp. 189, 214. n. 16, pl. 5. f. 8 (1876); An. Soc. Españ. vi. pp. 271, 296. n. 16, pl. 4. f. 8 (1877), vii. p. 448. n. 11 (1898).	Spain.
10. **E. Latipennis, Fisch.** (*Ephippigera L.*) Orth. Eur. p. 215 note, pl. 10. ff. 5, 5 *a* (1853); Brunn. l. c. pp. 373, 389. n. 32 (1882). *Ephippiger Latipennis, Fin.* Ann. Soc. Ent. France, lxv. pp. 541, 553 (1897).	Algeria.
11. **E. Paulinoi, Bol.** (*Ephippiger P.*) Ortópt. Españ. pp. 189, 215, pl. 5. ff. 3, 3 *a*, *b* (1876); An. Soc. Españ. vi. pp. 271, 297, pl. 4. ff. 3, 3 *a*, *b* (1877), vii. p. 448. n. 12 (1878). *Ephippigera Paulinoi, Brunn.* l. c. pp. 373, 395. n. 42 (1882); Ann. Sci. Nat. Porto, v. pp. 135, 137 (1898).	Granada.

*12. **E. Limbata, Fisch.** (*Ephippigera L.*) l. c. p. 216. pl. 10. f. 7 (1853); Krauss. Sitz. Akad. Wiss. Wien, Math.-Nat. Cl. lxxviii. (1) p. 527. pl. 5. ff. 1, 1 A–F (1879): Brunn. l. c. pp. 374, 397. n. 47 (1882); Tümp. Geradfl. Mitteleurop. p. 271 (1900). *Ephippiger Limbatus, Jacobs. & Bianchi,* Prem. i Lozhn. Ross. Imp. p. 427 (1903). *Ephippigera Discoidalis, Fieb.* ll. cc. p. 203. n. 13 (1853); p. 59. n. 13 (1854). *Ephippiger Discoidalis, Bol.* Ortópt. Españ. pp. 189, 217. n. 18 (1876): An. Soc. Españ. vi. pp. 271, 299. n. 18 (1877). *Ephippigera Discoidalis,* var. *Major, Krauss,* l. c. p. 529 (1879). *Ephippigera Selenophora, Fieb.* ll. cc. p. 204. n. 14 (1853); p. 59. n. 14 (1854). *Ephippiger Limbata,* var. *Minor, Krauss,* l. c. p. 529 (1879).	Carniola, Istria, Croatia, Dalmatia, Herzeg'vina
13. **E. Ornata, Schmidt,** (*Ephippigera O.*) Haidinger, Ber. Mitth. Freunden Naturw. Wien, vi. p. 184 (1850), vii. p. 56 (1851).	Carniola.
*14. **E. Sphacophila, Krauss,** (*Ephippigera S.*) l. c. p. 531, pl. 5. ff. 2, 2 A–D (1879); Brunn. l. c. pp. 374, 398. n. 48 (1882); Tümp. l. c. p. 271, pl. 22 (1900). *Ephippiger Sphacophilus, Jacobs. & Bianchi,* l. c. p. 427, pl. 9 (1903).	Istria, Croatia, Dalmatia, Herzeg'vina
15. **E. Tæniata, Sauss.** (*Ephippigera T.*) Rev. Suisse Zool. v. p. 238 (1898).	Morocco.
*16. **E. Ephippiger, Fiebig,** (*Gryllus E.*) Schrift. Berlin. Ges. Nat. Freunde, v. p. 263, pl. 4. ff. 6–8 (1784). *Locusta Ephippiger, Fabr.* Mant. Ins. i. p. 235. n. 33 (1787); Panz. Faun. Germ. Heft 33, pl. 5 (1796). *Barbitistes Ephippiger, Charp.* Hor. Ent. p. 98 (1825). *Ephippigera Vitium, Serv.* Ann. Sci. Nat. xxii. p. 165 (1831); Fisch. l. c. p. 213, pl. 10. ff. 2, 2 *a*, 3, 3 *a*, 4, 4 *a–c* (1853): Türk. Wien. Ent. Mon. ii. p. 369. n. 2 (1858); Friv. l. c. p. 88 (1867); Marq. Bull. Soc. Toulouse, xi. p. 149 (1877); Brunn. l. c pp. 373, 390. n. 33 (1882);	France, Holland, Belgium, Switzerland Piedmont, Austria, Hungary, Bulgaria &c. Kharkoff, W. Spain.

Bol. Ann. Sci. Nat. Porto, v. pp. 134, 136 (1898); Tümp. l. c. p. 271, pl. 22 (1900).

Ephippiger Vitium, Serv. Ins. Orth. p. 474 (1839); Bol. Ortópt. Españ. pp. 188, 205. n. 10 (1874); An. Soc. Españ. vi. pp. 270, 287. n. 10 (1877), vii. p. 448. n. 14 (1878); Finot, Orth. France, pp. 123, 125 (1883); Faune France, Orth. pp. 216, 219, pl. 11. f. 146 (1889); Griff. Boll. Mus. Torino, viii. (141) p. 13 (1893); Jacobs. & Bianchi, l. c. p. 426, pl. 9 (1903).

||*Ephippigera Perforata, Burm.* (*nec Rossi*) l. c. p. 680. n. 2 (1838).

Ephippigera Fi[*e*]*bigii, Fieb.* ll. cc. p. 203. n. 11 (1853); p. 58. n. 11 (1854).

Ephippigera Fabricii, Fieb. ll. cc. p. 203. n. 12 (1853); p. 58. n. 12 (1854).

17. **E. Borellii, Griff.** (*Ephippigera B.*) l. c. viii. (138) pp. 1, 2, fig. i. (141) p. 13 (1893); Misc. Ent. i. p. 67 (1896). Piedmont.

18. **E. Crucigera, Fieb.** (*Ephippigera C.*) ll. cc. p. 202. n. 6 (1853); p. 57. n. 6 (1854). Sicily.

19. **E. Biterrensis, Marq.** (*Ephippigera B.*) l. c. p. 150 (1877). S. France.

Ephippiger Biterrensis, Bol. An. Soc. Españ. vii. p. 449. n. 20 (1878).

Ephippiger Bitterensis, Finot, ll. cc. pp. 123, 125 (1883); pp. 216, 220 (1889).

||*Ephippigera Crucigera, Brunn.* (*nec Fieb.*) l. c. pp. 373, 391. n. 34 (1882); Schoch, Mitth. Schweiz. ent. Ges. viii. p. 236 (1890).

20. **E. Cunii, Bol.** (*Ephippiger C.*) Ortópt. Españ. pp. 188, 208. n. 12, pl. 4. f. 12 *a*, *b* (1876); An. Soc. Españ. vi. pp. 270, 290. n. 12, pl. 3. f. 12 *a*, *b* (1877), vii. p. 448. n. 19 (1878); Finot, l. c. pp. 216, 220 (1889). id., Spain.

Ephippigera Cunii, Brunn. l. c. pp. 373, 392. n. 35 (1882).

Ephippigera Cuni, var. *Jugicola, Bol.* Ann. Sci. Nat. Porto, v. p. 137 (1898).

21. **E. Perforata, Rossi,** (*Locusta P.*) Fauna Etrusca, i. p. 267. n. 649, ii. pl. 8. ff. 3, 4 (1790). Italy.

Ephippigera Perforata, Fisch. l. c. p. 213, pl. 10. ff, 1. 1 *a. b* (1853); Fieb. ll. cc. p. 203. n. 10 (1853); p. 58. n. 10 (1854); Brunn. l. c. pp. 373, 394. n. 39 (1882); Griff. l. c. viii. (141) p. 12 (1893); Bol. l. c. pp. 135, 137 (1898).

Ephippiger Perforatus, Finot, Faune France, Orth. pp. 216, 223 (1889).

Ephippigera Rossii, Fieb. ll. cc. p. 202. n. 9 (1853); p. 58. n. 9 (1854).

22. **E. Verticalis, Fieb.** (*Ephippigera V.*) ll. cc. p. 201. n. 4 (1853); p. 57. n. 4 (1854). Sicily.

23. **E. Provincialis, Yers.** (*Ephippigera P.*) Bull. Soc. Vaud. iv. p. 65, pl. 1. ff. 9–15 (1856); Brunn. l. c. pp. 373, 392. n. 36 (1882). S. France.

Ephippiger Provincialis, Finot, Orth. France, pp. 123, 126 (1883); Faune France, Orth. pp. 216, 221 (1889).

24. **E. Zelleri, Fisch.** (*Ephippigera Z.*) l. c. p. 220, pl. 10. ff. 14, 14 *a–d* (1853); Brunn. l. c. pp. 371, 381. n. 14, pl. 10. f. 90 A–C (1882). Rome.

25. **E. Elegans, Fisch.** (*Ephippigera E.*) l. c. p. 219, pl. 10. ff. 13, 13 *a–d* (1853); Brunn. l. c. pp. 371, 381. n. 15 (1882). Italy.

26. **E. Terrestris, Yers.** (*Ephippigera T.*) l. c. p. 63, pl. 1. ff. 1–8 (1856); Brunn. l. c. pp. 373, 393. n. 37 (1882); Griff. l. c. viii. (141) p. 14 (1893). Provence, Piedmont.

Ephippiger Terrestris, Finot, ll. cc. pp. 123, 126 (1883); pp. 216, 222 (1889); Azam. Ann. Soc. Ent. Fr. lxii. p. 196. n. 92 (1893).

27. **E. Bormansi, Brunn.** (*Ephippigera B.*) l. c. pp. 373, 394. n. 38 (1882). Varese.

28. **E. Saussurianus, Bol.** (*Ephippiger S.*) An. Soc. Españ. vii. pp. 442, 447. n. 8 pl. 4. f. 8 (1878). Spain.

Ephippigera Saussureana, Brunn. l. c. pp. 374, 397. n. 45 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 136, 138 (1898).

29. **E. Dilutus, Bol.** (*Ephippiger D.*) An. Soc. Españ. vii. pp. 442, 447. n. 9, pl. 4. ff. 9, 9 *a* (1878). id.

Ephippigera Diluta, Brunn. l. c. pp. 374, 397. n. 46 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 136, 138 (1898).

Genus 100. **Callicrania.** (*Type* no. 1.)

Bol. Ann. Sci. Nat. Porto, v. p. 134 (1898).
‖*Lamprogaster, Bol.* (*nec Macq.*) An. Soc. Españ. vii. p. 451 (1878).

1. **C. Monticola, Serv.** (*Ephippiger M.*) Ins. Orth. p. 476 (1839); Finot, Faune France, Orth. pp. 216, 218, pl. 11. f. 145 (1889).	Spain.
‖*Ephippiger Seoanei, Finot* (*nec Bol.*), Orth. France, pp. 123, 124 (1883).	
Ephippiger (*Steropleurus*) *Ramburii, Bol.* An. Soc. Españ. vii. pp. 443, 449, pl. 4. ff. 10, 10 *a* (1878).	
Ephippigera Ramburi, Brunn. Prodr. Eur. Orth. pp. 372, 386. n. 25 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 149, 150 (1898).	
Ephippiger Ramburi, Fin. l. c. pp. 123, 124 (1883).	
*2. **C. Seoanei, Bol.** (*Ephippiger S.*) Ortópt. Españ. pp. 187, 197. n. 5, pl. 4. ff. 7, 7 *a*, *b* (1876); An. Soc. Españ. vi. pp. 269, 279, pl. 3. ff. 7, 7 *a*, *b* (1877), vii. p. 449. n. 31 (1878); Seoane, C.R. Soc. Ent. Belg. xxi. pp. lxx, lxxii, lxxiv, f. 1 (1878).	Spain, Portugal.
Ephippigera Seoanei, Brunn. l. c. pp. 372, 385. n. 23 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 150, 151 (1898).	
Ephippigera Seoanei, var. *Læta, Navás*, Bol. Soc. Españ. ii. p. 331 (1902).	
3. **C. Selliger, Charp.** (*Barbitistes S.*) Hor. Ent. p. 99 (1825).	Spain, Portugal.
4. **C. Pellucida, Bol.** (*Ephippigera P.*) Naturaliste, vii. p. 116 (1885); An. Soc. Españ. xvi. p. 104 (1887); Ann. Sci. Nat. Porto, v. pp. 150, 151 (1898).	Portugal, N. Africa.
5. **C. Serrata, Bol.** (*Ephippigera S.*) ll. cc. p. 117 (1885); p. 104 (1887); pp. 150, 152 (1898).	Spain, Portugal.
*6. **C. Bolivari, Seoane,** (*Ephippiger B.*) l. c. pp. lxxi–lxxiii, f. 2 (1878).	Spain.
Ephippigera Bolivari, Brunn. l. c. pp. 371, 384. n. 21 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 150, 152 (1898).	

7. **C. Miegii, Bol.** (*Ephippigera M.*) An. Soc. Españ. ii. p. 224, pl. 9. f. 5 (1872), vi. pp. 268, 278, pl. 3. ff. 6, 6 *a* (1877); Ortópt. Españ. pp. 186, 196, pl. 4. ff. 6, 6 *a* (1876).
Ephippigera Miegi, *Brunn.* l. c. pp. 372, 384. n. 22 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 150, 152 (1898).
Spain, Portugal.

Genus 101. **Præphippigerida.**

Bol. Bull. Mus. Paris, ix. p. 227 (1903).
||*Platystolus*, *Fin.* (*nec Bol.*) Ann. Soc. Ent. France, lxv. p. 539 (1897).

1. **P. Pachygaster, Luc.** (*Ephippigera P.*) Expl. Alg. iii. p. 15, iv. Orth. pl. 2. f. 2 (1849).
Ephippiger Pachygaster, *Fin.* l. c. pp. 541, 551 (1897).
Platystolus Pachygaster, *Brunn.* Prodr. Eur. Orth. pp. 399, 401. n. 3 (1882).
||*Ephippigera Cucullata*, *Burm.* (*nec Charp.*) Handb. Ent. ii. p. 680. n. 1 (1838).
Ephippigera Burmeisteri, *Fieber*, Lotos, iii. p. 201. n. 5 (1853); Syn. Eur. Orth. p. 57. n. 5 (1854).
Ephippiger Oudryanus, *Bonnet & Finot*, Bull. Soc. Ent. France, (6) iv. p. xxvii (1884); Rev. Sci. Nat. Montpell. (3) iv. p. 351, pl. 6. ff. 1–7 (1885).
Algeria, Tunis, Sardinia.

Genus 102. **Bætica.**

Bol. Bull. Mus. Paris, ix. p. 227 (1903).

*1. **B. Ustulata, Ramb.** (*Ephippiger Ustulatus*) Faune Andal. ii. p. 52, pl. 4. ff. 3, 4 (1839); Bol. Ortópt. Españ. pp. 189, 218. n. 19, pl. 5. f. 4 (1876); An. Soc. Españ. vi. pp. 271, 300. n. 19, pl. 4. f. 4 (1877).
Platystolus Ustulatus, *Brunn.* Prodr. Eur. Orth. pp. 399, 401 (1882); Bol. Ann. Sci. Nat. Porto, vi. p. 2. n. 3 (1900).
Andalusia.

Genus 103. **Platystolus.** (*Type* no. 1.)

Bol. An. Soc. Españ. vii. p. 450 (1877); Brunn. Prodr. Eur. Orth. p. 399 (1882).

*1. **P. Surcularius, Bol.** (*Ephippiger S.*) Ortópt. Españ. pp. 186, 191. n. 2, pl. 5. ff. 9, 9 *a*, *b* (1876); An. Soc. Españ. vi. pp. 268, 273. n. 2, pl. 4. ff. 9, 9 *a*, *b* (1877), vii. p. 451. n. 40 (1878). *P. Surcularius, Brunn.* l. c. pp. 399, 400. n. 1 (1882); Bol. Ann. Sci. Nat. Porto, vi. pp. 1, 2. n. 1 (1900).	Madrid.
*2. **P. Martinezii, Bol.** (*Ephippigera M.*) An. Soc. Españ. ii. p. 222, pl. 9. f. 4 (1873). *Ephippiger Martinezii, Bol.* Ortópt. Españ. pp. 186, 194. n. 3, pl. 4. f. 5, pl. 5. f. 2 (1876); An. Soc. Españ. vi. pp. 268, 276. n. 3, pl. 3. f. 5, pl. 4. f. 2 (1877), vii. p. 451. n. 41 (1878). *P. Martinezi, Brunn.* l. c. pp. 399, 400. n. 2, pl. 10. f. 91 (1882); Bol. Ann. Sci. Nat. Porto, vi. pp. 1, 2. n. 2 (1900).	id.

Genus 104. **Pycnogaster.** (*Type* no. 7.)

Graells, Mem. Acad. Cienc. Madrid, (3) i. (2) p. 155 (1851); Fisch. Orth. Eur. p. 205 (1853); Bol. Ortópt. Españ. p. 176 (1876); An. Soc. Españ. vi. p. 258 (1877); Brunn. Prodr. Eur. Orth. p. 402 (1882); Navás, Bol. Soc. Españ. ii. p. 266 (1902); Fin. Ann. Soc. Ent. France, lxv. p. 558 (1897).

‖*Bradyporus, Ramb.* (*nec Charp.*) Faune Andal. ii. p. 56 (1839).

Bathyscaphes, Fieber, Lotos, iii. p. 188 (1853); Syn. Eur. Orth. p. 56 (1854). (*Type* no. 6.)

1. **P. Sanchez-Gomezi, Bol.** Actas Soc. Españ. 1897, p. 172; Ann. Sci. Nat. Porto, vi. pp. 3, 5. n. 3 (1900); Navás, l. c. pp. 267, 268 (1902).	Almeria, Valencia.
2. **P. Inermis, Ramb.** (*Bradyporus I.*) l. c. p. 57, pl. 4. ff. 1, 2 (1839). *P. Inermis, Fisch.* l. c. p. 206, pl. 11. ff. 5, 6, 6 *a–c* (1853); Bol. Ortópt. Españ. pp. 178, 181. n. 4 (1876); An. Soc. Españ. vi. pp. 260, 263. n. 4 (1877), vii.	Sierra Nevada.

p. 441 (1878) ; Ann. Sci. Nat. Porto, vi. pp. 3, 4. n. 2 (1900) ; Brunn. l. c. p. 403. n. 1 (1882) ; Navás, l. c. p. 269 (1902).	
3. **P. Finotii, Bol.** An. Soc. Españ. x. p. 503, pl. 8. f. 1 (1881) ; Fin. l. c. p. 556 (1897).	Oran.
P. Finoti, *Brunn.* l. c. pp. 403, 406. n. 6 (1882) ; Bol. Ann. Sci. Nat. Porto, vi. pp. 3, 4. n. 1 (1900).	
P. Finoti, var. *Gaditanus*, *Bol.* l. c. p. 4 (1900) ; Navás, l. c. p. 269 (1902).	Spain.
*4. **P. Bolivari, Brunn.** l. c. pp. 403, 404. n. 3, pl. 10. f. 92 (1882) ; Bol. l. c. pp. 4, 5. n. 5 (1900) ; Navás, l. c. p. 269 (1902).	id.
‖ *P. Jugicola*, pt., *Bol.* (*nec Graells*) Ortópt. Españ. p. 180, pl. 4. f. 2 *c* (1876) ; Ann. Soc. Españ. vi. p. 262, pl. 3. f. 2 *c* (1877).	
5. **P. Brevipes, Navás,** Actas Soc. Españ. 1899, p. 235 ; Bol. Soc. Españ. ii. p. 270 (1902) ; Bol. Soc. Aragon. iii. pl. 1. f. 1 (1904).	id.
6. **P. Cucullatus, Charp.** (*Barbitistes C.*) Hor. Ent. p. 98 (1825).	Portugal, Spain.
P. Cucullata, *Fisch.* l. c. p. 207. n. 2, pl. 11. ff. 7, 7 *a–d* (1853) ; Navás, Bol. Soc. Españ. ii. p. 270 (1902).	
P. Cucullatus, *Bol.* ll. cc. pp. 178, 179. n. 2, pl. 4. ff. 3, 3 *a* (1876) ; pp. 260, 261. n. 2, pl. 3. ff. 3, 3 *a* (1877) ; Ann. Sci. Nat. Porto, vi. pp. 4, 5. n. 4 (1900) ; Brunn. l. c. pp. 403, 404. n. 2 (1882).	
7. **P. Jugicola, Graells,** l. c. p. 157, pl. 9. ff. 1–3 (1851) ; Bol. ll. cc. pp. 178, 180, pl. 4 ff. 2, 2 *a*, *b* (*nec c*) (1876) ; pp. 260, 262, pl. 3. ff. 2, 2 *a*, *b* (*nec c*) (1877) ; pp. 4, 5. n. 6 (1900) ; Brunn. l. c. pp. 403, 405. n. 4 (1882) ; Navás, l. c. p. 270 (1902).	Spain, Portugal.
*8. **P. Graellsii, Bol.** An. Soc. Españ. ii. p. 218, pl. 9. f. 2 (1873), vi. pp. 259, 260, pl. 3. ff. 1, 1 *a* (1877) : Ortópt. Españ. pp. 177, 178, pl. 4. ff. 1, 1 *a* (1876).	Spain.
P. Graellsi, *Brunn.* l. c. pp. 403, 405. n. 5 (1882) ; Bol. Ann. Sci. Nat. Porto, vi. pp. 4, 5. n. 7 (1900) ; Navás, l. c. p. 270 (1902).	

SUBFAM. VI.

BRADYPORINÆ.

Genus 105. **Bradyporus.**

Charp. Hor. Ent. p. 96 (1825); Serv. Ann. Sci. Nat. xxii. p. 163 (1831); Ins. Orth. p. 497 (1839); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 421 (1903).

Callimenus, pt., *Burm.* Handb. Ent. ii. p. 676 (1838); Fisch. Orth. Eur. p. 202 (1853); Fieber, Lotos, iv. p. 275 (1854); Friv. Értek. Termész. Kör. i. (12) p. 85 (1867).

Callimus, *Fisch. Waldh.* Bull. Mosc. vi. p. 374 (1833).

Dinarchus, *Stål*, Rec. Orth. ii. pp. 7. 24 (1874); Brunn. Prodr. Eur. Orth. p. 251 (1882).

*1. **B. Dasypus, Illig.** (*Locusta D.*) Wiedem. Arch. Zool. i. (2) p. 144 (1800), ii. p. 320 (1801).
B. Dasypus, *Charp.* l. c. p. 96 (1825); Orth. pl. 8 (1841); Germar, Zeitschr. Ent. i. p. 377. n. 6 (1839); Jacobs. & Bianchi, l. c. p. 421 (1903).
Callimenus Dasypus, *Burm.* l. c. p. 677. n. 1 (1838); Fisch. l. c. p. 204. n. 3, pl. 11. ff. 4, 4 *a* (1853); Fieber, l. c. p. 275. n. 3 (1854); Friv. l. c. p. 86. n. 1 (1867).
Callimus Dasypus, *Fisch. Waldh.* l. c. p. 374 (1833).

Hungary(?)
Servia,
Bulgaria,
Roumania,
Dobrudscha
Crimea (?).

Genus 106. **Callimenus.** (*Type* no. 1.)

Fisch. Waldh. Notice sur le Tettigopsis, p. 14 (1830); Ann. Soc. Ent. France, ii. p. 317 (1833); Burm. Handb. Ent. ii. p. 676 (1838); Fisch. Orth. Eur. p. 202 (1853); Fieber, Lotos, iv. p. 275 (1854); Stål, Rec. Orth. ii. p. 7 (1874); Brunn. Prodr. Eur. Orth. p. 251 (1882); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 421 (1903).

[*Bradyporus*, *Fisch. Waldh.* (*nec Charp.*) Orth. Ross. iv. p. 216 (1846).

*1. **C. Obesus, Fisch. Waldh.** ll. cc. p. 14 (1830); p. 318 (1833).
Gryllus Tettigonia Nympha, *Stoll*, Spectres, Saut. p. 24, pl. 11 *a*. f. 44 (1813).
Ephippiger Macrogaster, *Lef.* Guér. Mag. Zool. i. (2) Ins. pl. 5 (1831).

Greece,
Turkey,
Roumania,
S. Russia:
Smyrna
(eadem ?).

Callimenus Macrogaster, Jacobs. & Bianchi. l. c. p. 421 (1903).	
C. Oniscus, Burm. l. c. p. 677. n. 2 (1838); Fisch. l. c. p. 202, pl. 11. ff. 3, 3 *a–c* (1853); Fieber, Lotos, iii. p. 205, iv. p. 275 (1854); Syn. Eur. Orth. p. 61. n. 1 (1854); Stal, l. c. p. 24 (1874); Brunn. l. c. p. 252. n. 1 (1882); Jacobs. & Bianchi, l. c. pl. 10 (1902).	
Dinarchus Dasypus, Stål, l. c. p. 24. n. 1 (1874); Brunn. l. c. p. 250 (1882).	
Locusta Armadillo, Thunb. Mém. Acad. Pétersb. v. p. 284 (1815).	
Var. *Callimus Multituberculatus, Fisch. Waldh.* l. c. p. 374 (1833).	Caucasus.
Bradyporus Oniscus, Charp. Germar, Zeitschr. Ent. i. p. 378 (1839), iii. p. 315 (1841); Orth. pl. 7 (1841).	
‖*Bradyporus Dasypus, Serv.* (*nec Ill.*) Ann. Sci. Nat. xxii. p. 164 (1831); Ins. Orth. p. 499 (1839); Brullé, Expéd. Morée, iii. (1 : 2) Zool. p. 88. n. 55, pl. 29. f. 7 (1832); Fisch. Waldh. l. c. p. 219, pl. 7. ff. 1, 2 (1846).	
C. Oniscus, var. *Brachynotus, Fieber,* ll. cc. iii. p. 206 (1853); p. 61 (1854).	
*2. **C. Longicollis, Fieb.** (*Callimenus Oniscus,* var. *Longicollis*) ll. cc. p. 205 (1853); p. 61 (1854).	Servia, Turkey, Roumania.
C. Longicollis, Jacobs. & Bianchi, l. c. p. 422 (1903).	
C. Pancici, Brunn. l. c. p. 252. n. 2, pl. 7. f. 58 (1882).	
3. **C. Restrictus, Fisch. Waldh.** (*Callimus R.*) Bull. Mosc. vi. p. 375 (1833).	S. Russia, Roumania.
C. Restrictus, Fisch. Waldh. Orth. Ross. p. 219, pl. 7. f. 3 (1846); Fieb. Lotos, iv. p. 275 (1854); Jacobs. & Bianchi, l. c. p. 422 (1903).	
C. Montandoni, Burr, Trans. Ent. Soc. Lond. 1898, p. 51.	
4. **C. Dilatatus, Stål,** Bihang Svenska Akad. iii. (14) p. 42 (1876); Jacobs. & Bianchi, l. c. p. 422 (1903).	Asia Minor.
C. Inflatus, Brunn. l. c. p. 253. n. 3 (1882).	Amasia.

*5. **C. Latipes, Stål,** l. c. p. 42 (1876); Jacobs. & Bianchi, l. c. p. 422 (1903). | Persia.

Genus 107. **Arachnacris** (*incert. sed.!*).

Gieb. Zeitschr. ges. Naturw. xviii. p. 118 (1861).

1. **A. Tenuipes, Gieb.** l. c. p. 119 (1861). | Java.

SUBFAM. VII.

DERACANTHINÆ.

Genus 108. **Deracantha.** (*Type* no. 1.)

Fisch. Bull. Mosc. vi. p. 375 (1833); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 423 (1903).
‖*Bradyporus, Bol.* (*nec Charp.*), Zichy, Asiat. Forsch. ii. Zool. Ergebn. pp. 236, 237 (1901).

1. **D. Onos, Pall.** (*Gryllus O.*) Spic. Zool. ix. p. 17, pl. 2. f. 1 (1772). | Transbaikal, Mongolia.
   Locusta Onos, Fabr. Spec. Ins. i. p. 361. n. 29 (1781); Latr. Hist. Nat. Crust. Ins. xii. p. 134. n. 12 (1804).
   Bradyporus Onos, Burm. Handb. Ent. ii. p. 678. n. 2 (1838).
   Ephippiger Onos, Fisch. Waldh. Orth. Ross. p. 190, pl. 25. f. 2 (1846).
   D. Onos, Jacobs. & Bianchi, l. c. p. 423, f. 42 (1903).
2. **D. Cinctus, Fisch. Waldh.** Bull. Mosc. vi. p. 376. n. 2 (1833). | Siberia.
   D. Cincta, Jacobs. & Bianchi, l. c. p. 424 (1903).
   Ephippiger Cinctus, Fisch. Waldh. Orth. Ross. p. 192, pl. 9. f. 1 (1846).

Genus 109. **Idioderus.**

Luc. Ann. Soc. Ent. France, (5) iii. p. 102 (1873).

*1. **I. Grandis, Luc.** (*Callimenus G.*) Bull. Soc. Ent. France, (4) iii. p. xx (1863). | Pekin.
   I. Grandis, Luc. Ann. Soc. Ent. France, (5) iii. p. 103, pl. 3 (1873).

Genus 110. **Deracanthella.** (*Type* no. 1.)

Bol., Zichy, Asiat. Forsch. ii. Zool. Ergebn. p. 240 (1901); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 424 (1903).

1. **D. Camelus, Fisch. Waldh.** (*Deracantha C.*) Bull. Mosc. vi. p. 376. n. 3 (1833). *Ephippiger Camelus, Fisch. Waldh.* Orth. Ross. p. 193, pl. 9. f. 3 (1846). *D. Camelus, Jacobs. & Bianchi*, l. c. p. 424 (1903).	Dauria.
2. **D. Antilope, Fisch. Waldh.** (*Deracantha A.*) Bull. Mosc. vi. p. 376. n. 4 (1833). *Ephippiger Camelus, Fisch. Waldh.* Orth. Ross. p. 194, pls. 2, 4, 5 (1846). *D. Antilope, Jacobs. & Bianchi*, l. c. p. 424 (1903).	Siberia.
3. **D. Verrucosa, Fisch. Waldh.** (*Ephippiger Verrucosus*) l. c. p. 199, pl. 25. f. 3 (1846). *D. Verrucosa, Jacobs. & Bianchi*, l. c. p. 424 (1903). ‖*D. Aranea, Bol. (nec Fisch. Waldh.)* l. c. p. 241 (1901).	Dauria (?), Mongolia.
4. **D. Aranea, Fisch. Waldh.** (*Deracantha A.*) Bull. Mosc. vi. p. 376. n. 5 (1833). *Ephippiger Aranea, Fisch. Waldh.* Orth. Ross. p. 200, pl. 9. f. 6 (1846).	Dauria.

Genus 111. **Zichya.** (*Type* no. 1.)

Bol., Zichy, Asiat. Forsch. ii. Zool. Ergebn. pp. 236, 238 (1901); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 425 (1903).

1. **Z. Vacca, Fisch. Waldh.** (*Ephippiger V.*) Orth. Ross. p. 197, pl. 25. f. 1 (1846). *Z. Vacca, Bol.* l. c. p. 239 (1901); Jacobs. & Bianchi, l. c. p. 425, f. 43 (1903).	Songaria, Kirghis Steppes, Aral, Syr Daria, Mongolia.
2. **Z. Taurus, Eversm.** (*Ephippiger T.*) Bull. Mosc. xxxii. (1) p. 128, pl. 1. f. 1 (1859). *Z. Taurus, Jacobs. & Bianchi*, l. c. p. 425 (1903).	Kirghis Steppes.

3. **Z. Granulata, Fisch. Waldh.** (*Ephippiger Granulatus*) Bull. Mosc. xii. p. 105. n. 6, pl. 3. ff. 1, 2 (1839); Orth. Ross. p. 191, pl. 20. ff. 1, 2 (1846). *Z. Granulata, Jacobs. & Bianchi*, l. c. p. 425 (1903).	Altai.
4. **Z. Spinosa, Fisch. Waldh.** (*Ephippiger Spinosus*) Orth. Ross. p. 195. pl. 27. f. 2 *a–c* (1846). *Z. Spinosa, Jacobs. & Bianchi*, l. c. p. 425 (1903).	Irkutsk.

SUBFAM. VIII.

DECTICINÆ.

Genus 112. **Drymadusa.** (*Type* no. 1.)

Stein, Berlin. Ent. Zeitschr. iv. p. 257 (1860); Herm. Verh. zool.-bot. Ges. Wien, xxiv. pp. 199, 206 (1874); Brunn. Prodr. Eur. Orth. p. 313 (1882); Ann. Mus. Genova, xxxiii. p. 185 (1893); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 394 (1903).

*1. **D. Dorsalis, Brullé,** (*Ephippiger D.*) Expéd. Morée, iii. (1 : 2) p. 90, pl. 29. f. 8 (1832), *larva*. *D. Spectabilis, Stein*, l. c. p. 258, pl. 5 (1860); Herm. l. c. p. 206, pl. 4. ff. 43–48 (1874); Brunn. Prodr. Eur. Orth. p. 314. n. 1, pl. 9. f. 75 A, B (1882); Jacobs. & Bianchi, l. c. p. 394 (1903). *Gampsocleis Spectabilis, Brunn.* Verh. zool.-bot. Ges. Wien, xi. p. 288, pl. 9. f. 3 A–D (1861).	Greece, Asia Minor.
*2. **D. Limbata, Brunn.** Prodr. Eur. Orth. p. 314. n. 2 (1882); Jacobs. & Bianchi, l. c. p. 394 (1903).	Greece, Asia Minor, Syria.
3. **D. Fallaciosa, Finot,** Bull. Soc. Ent. France, lxiii. p. xiii (1894).	Tunis.
4. **D. Brevipennis, Brunn.** l. c. p. 315. n. 3 (1882); Jacobs. & Bianchi, l. c. p. 394 (1903).	Syria.

5. **D. Konowi, Bol.** Ann. Soc. Ent. Belg. xliii. p. 600 (1899); Jacobs. & Bianchi, l. c. p. 395 (1903).	Asia Minor.
6. **D. Affinis, Bol.** l. c. p. 601 (1899); Jacobs. & Bianchi, l. c. p. 395 (1903).	id.
*7. **D. Grisea, Brunn.** l. c. p. 315. n. 4 (1882); Jacobs. & Bianchi, l. c. p. 395 (1903).	Astrabad.
8. **D. Magnifica, Jacobs. & Bianchi,** l. c. p. 395 (1903).	Samos, Trans-Caucasia.
9. **D. Fletcheri, Burr,** Ent. Rec. xi. p. 332 (1899).	Wei-hai-wei.
10. **D. Arizonensis, Rehn,** Proc. Acad. Nat. Sci. Philad. lvi. p. 573 (1904).	Arizona.

Genus 113. **Paradrynadosa.** (*Type* no. 1.)

Herm. Verh. zool.-bot. Ges. Wien, xxiv. pp. 199, 206 (1874); Brunn. Prodr. Eur. Orth. p. 315 (1882); Ann. Mus. Genova, xxxiii. p. 185 (1893); Jacobs. & Bianchi, l. c. p. 396 (1903).

1. **P. Sordida, Herm.** l. c. p. 206, pl. 5. ff. 49–53 (1874); Brunn. Prodr. Eur. Orth. pp. 315, 316. n. 1, pl. 9. f. 76 A, B (1882); Jacobs. & Bianchi, l. c. p. 396 (1903).	Georgia, Syria.
2. **P. Galitzini, Retowski,** Bull. Mosc. (2) ii. (3) p. 411 (1888); Jacobs. & Bianchi, l. c. p. 396 (1903).	Crimea.
3 **P. Syriaca, Pict.** Mém. Soc. Genève, xxx. (6) p. 55, pl. 3. f. 37 (1888); Jacobs. & Bianchi, l. c. p. 396 (1903).	Syria.
4. **P. Longipes, Brunn.** l. c. p. 316. n. 2 (1882); Jacobs. & Bianchi, l. c. p. 396 (1903).	Georgia.
5. **P. Anatolica, Jacobs. & Bianchi,** l. c. p. 397 (1903).	Asia Minor
6. **P. Caucasica, Fisch.** (*Pterolepis C.*) Orth. Ross. p. 215, pl. 27. f. 3 *a, b* (1846). *P. Caucasica, Jacobs. & Bianchi,* l. c. p. 397 (1903).	Caucasus.

Genus 114. **Engoniaspis.**

Brunn. Ann. Mus. Genova, xxiii. p. 185 (1903); Scudd. N. Amer. Orth. p. 55 (1897).

1. **E. Testacea, Scudd.** Proc. Davenport Acad. Sci. viii. p. 96 (1901).	Missouri.

Genus 115. **Atlanticus.** (*Type* no. 1.)

Scudd. Canad. Ent. xxvi. p. 179 (1894); Guide N. Amer. Orth. p. 55 (1897); Beut. Bull. Amer. Mus. Nat. Hist. vi. p. 284 (1894); Blatchl. Rep. Indiana Dept. Geol. xxvii. p. 392 (1903).

1. **A. Pachymerus, Burm.** (*Decticus P.*) Handb. Ent. ii. p. 712. n. 14 (1838). *Thyreonotus Pachymerus, Comst.* Intr. Ent. i. p. 118, f. 106 (1888). *A. Pachymerus, Scudd.* Canad. Ent. xxvi. p. 180 (1894); Beut. l. c. p. 285, pl. 7. f. 7 (1894); Lugg. Ann. Rep. Ent. Minnesota, iii. p. 245, f. 160 (1898); Blatchl. l. c. pp. 393, 394, f. 98 (1903).	S. Carolina.
*2. **A. Dorsalis, Burm.** (*Decticus D.*) l. c. p. 713. n. 15 (1838). *A. Dorsalis, Scudd.* l. c. p. 180 (1894); Beut. l. c. p. 285, pl. 7. f. 8 (1894); Blatchl. l. c. p. 394. n. 111 (1903). ***Decticus Derogatus, Walk.* Cat. Derm. Salt. B. M. ii. p. 260. n. 28 (1869).	United States.
3. **A. Gibbosus, Scudd.** l. c. p. 180 (1894).	S.E. States.

Genus 116. **Capnobotes.** (*Type* no. 1.)

Scudd. Canad. Ent. xxix. p. 73 (1897); Guide N. Amer. Orth. p. 55 (1897); Cockerell, Ent. xxxvii. p. 179 (1904).

1. **C. Fuliginosus, Thom.** (*Locusta Fuliginosa*) Hayden, Rep. U.S. Geol. Surv. Montana, p. 443 (1872); Glover, Ill. N. Amer. Orth. pl. 9. f. 9 (1872); Howard, Insect Book, pl. 35. f. 6 (1902). *C. Fuliginosus, Scudd.* Canad. Ent. xxix. p. 74 (1897); Cock. l. c. p. 180 (1904).	Arizona.
2. **C. Bruneri, Scudd.** l. c. p. 74 (1897).	California.

3. **C. Occidentalis, Thom.** (*Locusta O.*) l. c. p. 444. pl. 2. f. 16 (1872). *C. Occidentalis*, *Scudd.* l. c. p. 74 (1897); Cock. l. c. p. 180 (1904). *C. Occidentalis*, var. *Viridis*, *Cock.* l. c. (1904).	California, Nevada, Utah.

Genus 117. **Neobarrettia.**

Rehn, Ent. News, xii. p. 16 (1901); Trans. Amer. Ent. Soc. xxvii. p. 229 (1901).

1. **N. Imperfecta, Rehn,** (*Capnobotes Imperfectus*) Trans. Amer. Ent. Soc. xxvii. p. 89 (1900); Cockerell, Ent. xxxvii. p. 180 (1904).	Mexico.

Genus 118. **Apote.**

Scudd. Canad. Ent. xxix. p. 73 (1897); Guide N. Amer. Orth. p. 55 (1897).

1. **A. Notabilis, Scudd.** Canad. Ent. xxix. p. 73 (1897).	Oregon.

Genus 119. **Thorancistus.** (*Type* no. 3.)

Pict. Mém. Soc. Genève, xxx. (6) p. 61 (1888).

1. **T. Semiæneus, Serv.** (*Thyreonotus S.*) Ins. Orth. p. 496 (1839).	Cape.
2. **T. Viridifer, Walk. (*Thyreonotus V.*) Cat. Derm. Salt. B. M. ii. p. 248. n. 7 (1869).	Natal.
3. **T. Peringueyi, Pict.** l. c. p. 62, pl. 1. f. 16; pl. 2. ff. 21, 21 *e* (1888).	Transvaal.

Genus 120. **Arytropteris.**

Herm. Verh. zool.-bot. Ges. Wien. xxiv. pp. 198, 204 (1874); Brunn. Ann. Mus. Genova, xxxiii. p. 185 (1893).

1. **A. Basalis, Walk. (*Thyreonotus B.*) Cat. Derm. Salt. B. M. ii. p. 247. n. 6 (1869). *A. Angulosa*, *Herm.* l. c. p. 204, pl. 4. ff. 31–36 (1874).	Natal.

Genus 121. **Amuria.**

Brunn. Ann. Mus. Genova, xxxiii. p. 185 (1893); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 397 (1903).

1. **A.** *spec. ined.*	Amur.

Genus 122. **Stipator.** (*Type* no. 1.)

Rehn, Trans. Amer. Ent. Soc. xxvii. p. 90 (1900).
‖ *Orchesticus, Sauss. (nec Cab.)* Rev. Zool. (2) xi. p. 201 (1859); Brunn. Ann. Mus. Genova, xxxiii. p. 186 (1893); Scudd. Canad. Ent. xxvi. pp. 178, 180 (1894); Guide N. Amer. Orth. p. 55 (1897).

1. **S. Americanus, Sauss.** (*Orchesticus A.*) l. c. p. 201 (1859).	Tennessee.
2. **S. Nigromarginatus, Caud.** (*Orchesticus nigromarginata*) Trans. Amer. Ent. Soc. xxviii. p. 89 (1902).	Texas.
3. **S. Haldemanii, Girard,** (*Anabrus H.*) Marcy, Expl. Red River Louis. p. 259, Zool. pl. 16. ff. 5–8 (1853).	Louisiana.
4. **S. Minutus, Thom.** (*Anabrus M.*) Proc. Acad. Nat. Sci. Philad. 1870, p. 75.	Colorado.
5. **S. Stevensonii, Thom.** (*Anabrus S.*) l. c. p. 75 (1870).	id.
6. **S. Cragini, Bruner,** (*Thyreonotus C.*) Bull. Washburn Coll. i. p. 129 (1885).	Kansas.
7. **S. Scudderi, Bruner,** (*Thyreonotus S.*) l. c. (1885).	id.
8. **S. Grandis, Rehn,** Proc. Acad. Nat. Sci. Philad. lvi. p. 541 (1904).	Mexico.

Genus 123. **Anonconotus.** (*Type* no. 1.)

Camerano, Atti Accad. Torino. xiii. p. 1191 (1878); Griff. Boll. Mus. Torino, vii. (125) p. 3 (1892); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 397 (1903).
Analota, Brunn. Prodr. Eur. Orth. p. 316 (1882); Ann. Mus. Genova, xxxiii. p. 186 (1892); Finot, Orth. France, pp. 92, 104 (1883); Faune France, Orth. p. 193 (1889); Tümp. Geradfl. Mitteleuropas. p. 270 (1901). (*Type* no. 1.)

*1. **A. Alpinus, Yers.** (*Pterolepis Alpina*) Ann. Soc. Ent. France, (3) vi. p. 111, pl. 4 (i.) ff. 1–9 (1858). *Analota Alpina, Brunn.* l. c. p. 317. n. 1,	Switzerland Jura, Piedmont.

pl. 9. f. 77 A, B (1882); Finot, ll. cc. p. 104. n. 1 (1883); p. 193, pl. 10. f. 134 (1889); Tümp. l. c. p. 270 (1901).

A. Alpinus, *Griff.* l. c. p. 4 (1892); Jacobs. & Bianchi, l. c. p. 397 (1903).

2. **A. Appenninigenus, Targ.-Tozz.** (*Omalota Apenninigena*) Bull. Soc. Ent. Ital. xiii. p. 184 (1881). Florence.

Analota Apenninigena, *Brunn.* l. c. p. 317. n. 2 (1882); Azam, Ann. Soc. Ent. France, lxii. p. 194 (1893).

A. Apenninigena, *Griff.* l. c. p. 3 (1892).

3. **A. Ghiliani, Camerano,** l. c. p. 1191 (1878). Piedmont.

A. Ghilianii, *Griff.* l. c. p. 4 (1892).

Genus 124. **Gampsocleis.** (*Type* no. 1.)

Fieb. Kelch, Grundl. Orth. Oberschles. pp. 2, 8 (1852); Lotos, iii. p. 147 (1853); Syn. Eur. Orth. p. 38 (1854); Fisch. Orth. Eur. p. 254 (1853); Friv. Értek. Termész. Oszt. Kör. i. (12) pp. 84, 116 (1868); Herm. Verh. zool.-bot. Ges. Wien. xxiv. pp. 197, 201 (1874); Bol. Ortópt. Españ. pp. 237, 258 (1876); An. Soc. Españ. vi. pp. 319, 340 (1877); Brunn. Prodr. Eur. Orth. p. 318 (1882); Ann. Mus. Genova, xxxiii. p. 186 (1893); Finot, Orth. France, pp. 92, 105 (1883); Faune France, Orth. pp. 175, 193 (1889); Burr, Ent. Rec. xi. p. 296 (1899); Tümp. Geradfl. Mitteleuropas, p. 268 (1901); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 398 (1903).

*1. **G. Glabra, Herbst,** (*Locusta G.*) Fuessly, Arch. Ins. viii. p. 193. n. 6 (1786); Phil. Orth. Berol. p. 22. n. 6, pl. 1. f. 1 (1830). Central, S. & E. Europe.

Locusta Prima, *Schäff.* Icon. Ins. Ratisb. i. (2) pl. 62. ff. 1, 2 (1776 ?).

Decticus Glaber, *Burm.* Handb. Ent. ii. p. 713. n. 16 (1838).

Gampsocleis Glaber, *Fieb.* Lotos, iii. p. 147 (1853); Syn. Eur. Orth. p. 38. n. 1 (1854).

G. Glabra, *Fisch.* l. c. p. 255, pl. 13. ff. 18–18 *a–e* (1853); Friv. l. c. p. 116 (1868); Walk. Cat. Derm. Salt. B. M. ii. p. 243.

n. 1 (1869); Rudow. Zeitschr. ges. Naturw. xlii. p. 312. n. 53 (1873); Bol. ll. cc. p. 260, pl. 6. ff. 7, 7 *a* (1876); p. 342, pl. 5. ff. 7, 7 *a* (1877); Brunn. Prodr. Eur. Orth. p. 318. n. 1 (1882); Finot, ll. cc. p. 105 (1883); p. 194, pl. 10. f. 135 (1889); Tümp. l. c. p. 268 (1901); Jacobs. & Bianchi, l. c. p. 399 (1903).	
Locusta Maculata, Charp. Hor. Ent. p. 122, pl. 3. f. 5 (1825).	
Decticus Maculata, Fisch. Waldh. Bull. Mosc. vi. p. 372 (1833).	
Decticus Maculatus, Fisch. Waldh. Orth. Ross. p. 158, pl. 4. ff. 4, 5 (1846).	
Decticus Alberti, Seidl. Weitenweber Beitr. i. p. 215 (1837).	
2. **G. Gratiosa, Millet,** (*Decticus Gratiosus*) Faun. Invert. Maine-et-Loire, i. p. 307 (1828).	France.
3. **G. Assoi, Bol.** (*G. Glabra* var. *Assoi*) Ann. Sci. Nat. Porto, vi. p. 13 (1900).	Spain.
G. Glabra, Pantel, An. Soc. Españ. xxv. p. 100 (1876).	
*4. **G. Abbreviata, Herm.** l. c. p. 201, pl. 3. ff. 1–7 (1874); Brunn. l. c. p. 319 (1882); Jacobs. & Bianchi, l. c. p. 398 (1903).	S.E.Europe.
5. **G. Recticauda, Jacobs. & Bianchi,** l. c. p. 398 (1903).	Asia Minor.
*6. **G. Spinulosa, Krauss,** Zool. Anz. xxiv. p. 239 (1901).	Hoang Ho.
*7. **G. Sedakovii, Fisch. Waldh.** (*Decticus S.*) Orth. Ross. p. 161, pl. 28. ff. 3, 4 (1846).	Irkutsk.
8. **G. Tamerlana, Burr,** l. c. p. 297 (1899): Jacobs. & Bianchi, l. c. p. 399 (1903).	Mongolia: Urga.
9. **G. Obscurus, Walk. (*Decticus O.*) l. c. ii. p. 261. n. 33 (1869).	Corea, China.
‖ *G. Gratiosa, Brunn.* (*nec Millet*) Verh. zool.-bot. Ges. Wien, xii. p. 94 (1862); Pict. Mém. Soc. Genève, xxx. (6) p. 57, pl. 3. f. 34 (1888); Jacobs. & Bianchi, l. c. p. 398 (1903).	
10. **G. Sinensis, Walk. (*Decticus S.*) l. c. ii. p. 261. n. 32 (1869).	Amoy.
11. **G. Mikado, Burr,** l. c. p. 297 (1899): Jacobs. & Bianchi, l. c. p. 399 (1903).	Japan.

12. **G. Buergeri, Haan,** (*Decticus B.*) Temminck, Verhandel., Orth. p. 214 (1842). Japan.
G. Buergeri, Jacobs. & Bianchi, l. c. p. 399 (1903).
G. Mutsohito, Burr, l. c. p. 297 (1899).

Genus 125. **Pterolepis.** (*Type* no. 1.)

Ramb. Faune Andal. ii. p. 59 (1839) ; Fisch. Orth. Eur. p. 256 (1853) ; Fieb. Lotos, iii. p. 153 (1853) ; Syn. Eur. Orth. p. 43 (1854) ; Bol. Ortópt. Españ. pp. 237, 254 (1876) ; An. Soc. Españ. vi. pp. 319, 336 (1877) ; Ann. Sci. Nat. Porto, p. 13 (1900) ; Brunn. Prodr. Eur. Orth. p. 319 (1882).

1. **P. Spoliata, Ramb.** l. c. p. 60, pl. 5. ff. 4, 5 (1839) ; Fisch. l. c. p. 257. n. 1, pl. 13. ff. 19, 19 *a* (1853) ; Bol. ll. cc. p. 256. n. 2 (1876) ; p. 338. n. 2 (1877) ; p. 14 (1900) ; Brunn. l. c. p. 320, pl. 9. f. 79 (1882). S. Spain.
P. Spoliata, var. *Minor*, *Bol.* Ann. Sci. Nat. Porto, vi. p. 14 (1900).
2. **P. Cordubensis, Bol.** l. c. p. 14 (1900). Cordova.
3. **P. Gessardi, Bonnet,** Le Naturaliste, viii. p. 245 (1886). Tunis.
4. **P. Indigena, Finot,** Bull. Soc. Ent France, lxii. p. ccl (1893). Algeria.

Genus 126. **Rhacocleis.** (*Type* no. 5.)

Fieb. Lotos, iii. p. 148 (1853) ; Syn. Eur. Orth. p. 38 (1854) ; Friv. Ertek. Termész. Kör. i. (12) pp. 84, 117 (1867) ; Herm. Verh. zool.-bot. Ges. Wien, xxiv. pp. 197, 201 (1874) ; Brunn. Prodr. Eur. Orth p. 320 (1882) : Ann. Mus. Genova, xxxiii. p. 186 (1893) ; Finot, Faune France, Orth. pp. 175, 194 (1889) ; Tümp. Geradfl. Mitteleuropas, p. 268 (1901) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 399 (1903).

*1. **R. Germanica, Herr.-Schäff.** (*Decticus G.*) Nomencl. Ent. ii. Orth. p. 13 (1840). Provence. Italy. S.E. Europe, Asia Minor.
Pterolepis Germanica, Fisch. Orth. Eur. p. 259. n. 3, pl. 13. ff. 21, 21 *a* (1853).
R. Germanica, Jacobs. & Bianchi, l. c. p. 400 (1903).

Pterolepis Modesta, Fisch. l. c. n. 4, pl. 13. ff. 22, 22*, 22 *a–d* (1853).

R. Discrepans, Fieb. l. c. p. 148 (1853); Brunn. Verh. zool.-bot. Ges. Wien, xi. p. 302, pl. 15. f. 18 A–F (1861); Prodr. Eur. Orth. p. 321. n. 1 (1882); Friv. l. c. p. 117 (1867); Finot, l. c. p. 195 (1889); Tümp. l. c. p. 268 (1900).

*2. **R. Buchichii, Herm.** l. c. p. 201, pl. 3. ff. 8–13 (1874). — Dalmatia.

R. Bucchici, Brunn. Prodr. Eur. Orth. p. 322. n. 3, pl. 9. f. 80 A–C (1882); Jacobs. & Bianchi, l. c. p. 400 (1903).

3. **R. Bormansi, Brunn.** l. c. p. 322. n. 3 (1882). — Italy.

‖*R. Bucchichii, Dubr.* Ann. Mus. Genov. xii. p. 21 (1878).

4. **R. Ramburi, Serv.** (*Pterolepis R.*) Ins. Orth. p. 493 (1839). — S. France.

5. **R. Annulatus, Fieb.** l. c. p. 148 (1853). — Sicily.

R. Annulata, Brunn. l. c. p. 323. n. 4 (1882).

Pterolepis Brisoutii, Yers. Ann. Soc. Ent. France, (3) viii. p. 520, pl. 10. ff. 11–16 (1860).

6. **R. Maura, Bonnet,** Le Nat. viii. p. 246 (1886). — Tunis.

7. **R. Neglecta, Costa,** (*Pterolepis N.*) Ent. Calabria ult. p. 27, pl. 1. ff. 11, 12 (1863). — Calabria.

R. Neglecta, Brunn. l. c. p. 323. n. 5 (1882).

8. **R. Parvula, Costa,** Atti Accad. Torino, (2) i. (9) p. 50 (1884). — Sardinia.

Genus 127. **Thyreonotus.** (*Type* no. 1.)

Serv. Ins. Orth. p. 495 (1839); Fisch. Orth. Eur. p. 256 (1853); Fieb. Lotos, iv. p. 220 (1854); Herm. Verh. zool.-bot. Ges. Wien, xxiv. pp. 198, 203 (1874); Bol. Ortópt. Españ. pp. 237, 257 (1876); An. Soc. Españ. vi. pp. 319, 339 (1877); Brunn. Prodr. Eur. Orth. p. 324 (1882); Ann. Mus. Genov. xxxiii. p. 186 (1893); Finot, Orth. France, pp. 92, 105 (1883); Faune France, Orth. pp. 175, 195 (1889).

1. **T. Corsicus, Ramb.** (*Pterolepis Corsica*) Faune Andal. ii. p. 60 note (1839).	Corsica, S. France, Spain.
T. Corsicus, Serv. l. c. p. 497 (1839); Fisch. l. c. p. 256 (1853); Fieb. l. c. p. 220 (1854); Brunn. Verh. zool.-bot. Ges. Wien, xi. p. 288, pl. 8. f. 2 A–E (1861); Prodr. Eur. Orth. p. 324, pl. 9. f. 81 A, B (1882); Herm. l. c. p. 203. pl. 4. ff. 25–30 (1874); Bol. ll. cc. p. 257, pl. 5. ff. 5, 5 *a*, *b* (1876); p. 339, pl. 5. ff. 5, 5 *a*, *b* (1877); Ann. Sci. Nat. Porto, vi. p. 16 (1900); Finot, ll. cc. p. 105 (1883); p. 196, pl. 10. f. 137 (1889).	
T. Corsicus, var. *Montana, Bol.* Ann. Sci. Nat. Porto, vi. p. 16 (1900).	S. France, N. Spain.
2. **T. Bidens, Bol.** An. Soc. Españ. xvi. p. 101, pl. 4. f. 11 (1887); Ann. Sci. Nat. Porto, vi. pp. 16, 17 (1900).	Spain, Portugal.

Genus 128. **Antaxius.** (*Type* no. 9.)

Brunn. Prodr. Eur. Orth. p. 324 (1882); Ann. Mus. Genova, xxxiii. p. 186 (1903); Finot, Orth. France, pp. 92, 106 (1883); Faune France, Orth. pp. 175, 196 (1889); Bol. Ann. Sci. Nat. Porto, vi. p. 17 (1900); Tümp. Geradfl. Mitteleuropas, p. 269 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 400 (1903).

1. **A. Spinibrachius, Fisch.** (*Pterolepis Spinibrachia*) Orth. Eur. p. 258, pl. 13. ff. 20, 20 *a*, *b* (1853); Bol. Ortópt. Españ. p. 255, pl. 6. ff. 2, 2 *a–c* (1876); An. Soc. Españ. vi. p. 255, pl. 5. ff. 2, 2 *a–c* (1877).	Spain, Portugal.
A. Spinibrachius, Brunn. Prodr. Eur. Orth. p. 325. n. 1 (1882); Pant. An. Soc. Españ. xxv. pp. 102, 105 (1896); Bol. An. Sci. Nat. Porto, vi. pp. 18, 19 (1900).	
2. **A. Pedata, Costa,** (*Pterolepis P.*) Atti Accad. Nap. ix. (11) p. 33 (1882).	Sardinia.
3. **A. Kraussi, Bol.** (*Paradrymadusa K.*) An. Soc. Españ. vii. p. 440, pl. 4. ff. 7, 7 *a* (1878).	Spain, Portugal.

A. Kraussi, Pant. l. c. p. 105 (1896) ; Bol. Ann. Sci. Nat. Porto, vi. p. 18 (1900).	
4. **A. Pedestris, Fabr.** (*Locusta P.*) Mant. Ins. i. p. 235. n. 34 (1787) ; Charp. Hor. Ent. p. 118 (1825).	Italy, France, Spain, Switzerland Tyrol, Caucasus.
Pterolepis Pedestris, Fisch. l. c. p. 260. n. 3, pl. 13. ff. 23, 23 *a–c*, 24, 24 *a*, *b* (1853).	
A. Pedestris, Brunn. Prodr. Eur. Orth. p. 326. n. 2 (1882) ; Finot, ll. cc. p. 106 (1883) ; p. 197 (1889) ; Cazurro, An. Soc. Españ. xvii. p. 460 (1888) ; Bol. Ann. Sci. Nat. Porto, vi. p. 18 (1900) ; Jacobs. & Bianchi, l. c. p. 400 (1903).	
5. **A. Hispanicus, Bol.** C.R. Soc. Ent. Belg. xxviii. p. civ (1884) ; An. Soc. Españ. xvi. p. 103 (1887) ; Ann. Sci. Nat. Porto, vi. p. 18 (1900) ; Cazurro, l. c. p. 461 (1888).	Spain.
‖*A. Kraussi, Brunn.* (*nec Bol.*) l. c. p. 326. n. 3 (1882).	
6. **A. Sorrezensis, Marq.** (*Thamnotrizon S.*) Bull. Soc. Toulouse, xi. p. 153, pl. 1. ff. 3, 3 *b* (1877).	Languedoc
A. Sorrezensis, Finot, ll. cc. pp. 106, 107 (1883) ; p. 198 (1889).	
7. **A. Capellei, Cazurro,** l. c. p. 459 (1888) ; Bol. Ann. Sci. Nat. Porto, vi. pp. 19, 20 (1900).	Montserrat.
8. **A. Florezi, Bol.** l. c. pp. 19, 20 (1900).	Spain.
9. **A. Brunneri, Krauss,** (*Pterolepis B.*) Verh. zool.-bot. Ges. Wien, xxiii. p. 20, pl. 1. ff. 8–15 (1873) ; Herm. Verh. zool.-bot. Ges. Wien, xxiv. p. 205, pl. 4. ff. 37–42 (1874).	Tyrol, Grisons.
A. Brunneri, Brunn. l. c. p. 326. n. 4, pl. 9. f. 82 (1882); Tümp. l. c. p. 269 (1900); Jacobs. & Bianchi, l. c. p. 401 (1903).	
10. **A. Difformis, Brunn.** (*Thamnotrizon D.*) Verh. zool.-bot. Ges. Wien, xi. p. 298, pl. 13. f. 13 A–E (1861).	Carniola.
Pterolepis Difformis, Krauss, l. c. p. 22 (1873).	
A. Difformis, Brunn. Prodr. Eur. Orth. p. 327. n. 5 (1882) ; Tümp. l. c. p. 269 (1900) ; Jacobs. & Bianchi, l. c. p. 401 (1903).	
11. **A. Armillata, Serv.** (*Pterolepis A.*) Ins. Orth. p. 494. n. 4 (1839).	Hab. —— ?

Genus 129. **Metaballus.**

Herm. Verh. zool.-bot. Ges. Wien, xxiv. pp. 197, 202 (1874); Brunn. Ann. Mus. Genova, xxxiii. p. 186 (1893).

*1. **M. Sagæformis, Herm.** l. c. p. 202, pl. 3. ff. 14–19 (1874), *immature.*	Australia.

Genus 130. **Lanciana.**

Walk. Cat. Derm. Salt. B. M. ii. p. 280 (1869).

1. **L. Albicornis, Walk. l. c. p. 281. n. 1 (1869).	Australia.

Genus 131. **Chlorobalius.** (*Type* no. 1.)

Tepper, Horn Exped. Centr. Australia, ii. p. 375 (1896).

*1. **C. Leucoviridis, Tepp.** l. c. (1896).	Cent. Austr.
2. **C. Frontalis, Walk. (*Decticus F.*) Cat. Derm. Salt. B. M. ii. p. 264. n. 37 (1869).	Hab. —— ?
3. **C. (?) Australis, Walk. (*Ephippiger A.*) l. c. p. 238. n. 25 (1869).	Swan River.
4. **C. (?) Decticoides, Walk. (*Locusta D.*) l. c. p. 285. n. 17 (1869).	Australia.

Genus 132. **Rhachidorus.**

Herm. Verh. zool.-bot. Ges. Wien, xxiv. pp. 197, 203 (1874); Brunn. Ann. Mus. Genova, xxxiii. p. 187 (1893).

1. **R. Marginatus, Herm.** l. c. p. 203, pl. 3. ff. 20–24 (1874).	N. Australia.

Genus 133. **Dexerra.**

Walk. Cat. Derm. Salt. B. M. ii. p. 265 (1869).

1. **D. Turpis, Walk. l. c. p. 266. n. 1 (1869).	Australia.

Genus 134. **Requena.**

Walk. Cat. Derm. Salt. B. M. ii. p. 248 (1869).

1. **R. Verticalis, Walk. l. c. p. 249. n. 1 (1869).	Swan River.

Genus 135. **Tropizaspis.** (*Type* no. 4.)

Brunn. Ann. Mus. Genova, xxxiii. p. 187 (1893); Scudd. Canad. Ent. xxvi. p. 178 (1894); Guide N. Amer. Orth. p. 55 (1897); Proc. Amer. Acad. xxxv. p. 83 (1899).

1. **T. Ovata, Scudd.** Proc. Amer. Acad. xxxv. p. 84 (1899).	California.
2. **T. Castanea, Scudd.** l. c. (1899).	id.
3. **T. Picturata, Scudd.** l. c. p. 85 (1899).	Kennerly.
4. **T. Steindachneri, Herm.** (*Arytropteris S.*) Verh. zool.-bot. Ges. Wien. xxiv. p. 204, pl. 6. ff. 98–102 (1874). *T. Steindachneri, Scudd.* Canad. Ent. xxvi. p. 180 (1894); Proc. Amer. Acad. xxxv. p. 86 (1899).	California, Oregon, Texas.
5. **T. Diabolica, Scudd.** Proc. Amer. Acad. xxxv. p. 86 (1899).	California.

Genus 136. **Anabrus.** (*Type* no. 1.)

Hald., Stansbury. Exped. Great Salt Lake of Utah, p. 372 (1852); Herm. Verh. zool.-bot. Ges. Wien, xxiv. pp. 200. 209 (1874); Brunn. Ann. Mus. Genova, xxxiii. p. 187 (1883); Scudd. Canad. Ent. xxvi. pp. 178–181 (1894); Guide N. Amer. Orth. p. 56 (1897); Thom. Hayden's Rep. Geol. Surv. Montana, p. 440 (1872).

1. **A. Simplex, Hald.** l. c. p. 372, pl. 10. f. 4 (1852); Glover, Ill. N. Amer. Orth. pl. 9. f. 1 (1872); Herm. l. c. p. 209, pl. 6. ff. 76–86 (1874); Thom. l. c. p. 438, pl. 1. f. 1 (1872); Riley, Howard, Insect Book, p. 342. f. 230 (1892); Gill. Entom. News. xv. p. 321, pl. 1 (1904); Agric. Exper. Stat. Colorado, Bull. ci. p. 1, pl. 1 (1905).	Utah, Idaho, Montana, Nevada.

*2. **A. Purpurascens, Uhler,** Proc. Ent. Soc. Philad. ii. p. 550 (1864).	Minnesota, Texas, &c.
3. **A. Similis, Scudd.** Rep. Geol. Surv. Nebraska, p. 249 (1872).	Nebraska.
4. **A. Coloradus, Thom.** l. c. p. 440 (1872).	E. Colorado.

Genus 137. **Peranabrus.**

Scudd. Canad. Ent. xxvi. pp. 178, 181 (1894); Guide N. Amer. Orth. p. 56 (1897).

1. **P. Scabricollis, Thom.** (*Thamnotrizon S.*) Hayden's Rep. Geol. Surv. Montana, p. 441 (1872); Glover, Ill. N. Amer. Orth. pl. 13. f. 6 (1872).	Montana.

Genus 138. **Eremopedes.** (*Type* no. 2.)

Scudd. Canad. Ent. xxvi. pp. 178, 181 (1894); Guide N. Amer. Orth. p. 56 (1897); Caud. Canad. Ent. xxxiv. p. 98 (1902).

1. **E. Popeana, Scudd.** Proc. Davenport Acad. Sci. ix. pp. 54, 55, pl. 4. f. 2 (1902).	New Mexico
2. **E. Scudderi, Cock.** Ann. Nat. Hist. (7) ii. p. 323 (1898); Scudd. l. c. pp. 54, 55 (1902); Caud. l. c. pp. 99, 101 (1902). *E. Scudderi*, var. *Viridis*, *Cock.* l. c. p. 324 (1898). *E. Scudderi*, var. *Bicolor*, *Cock.* Proc. Davenport Acad. Sci. ix. p. 54 (1902).	id.
3. **E. Unicolor, Scudd.** l. c. viii. p. 97, pl. 2. f. 1 (1901); ix. pp. 54, 55 (1902); Caud. l. c. pp. 98, 99 (1902); Proc. U. S. Nat. Mus. xxvi. p. 807 (1903).	Arizona.
4. **E. Balli, Caud.** ll. cc. pp. 98, 100 (1902); p. 807 (1903).	id., Colorado.

Genus 139. **Cyphoderris.**

Uhl. Proc. Ent. Soc. Philad. ii. p. 551 (1864); Caud. Journ. N. York Ent. Soc. xii. p. 47 (1904).

1. **C. Monstrosus, Uhl.** l. c. p. 552 (1864); Scudd. Canad. Ent. xxviii. p. 17 (1901); Thom. Proc. Davenport Acad. Sci. i. p. 263. n. 7, pl. 36. f. 7 (1876). *C. Monstrosa, Caud.* l. c. pp. 48–52, ff. 1, 2 (1904).	Oregon, Washington Idaho, Wyoming.
Var. *C. Monstrosa Piperi, Caud.* l. c. p. 53 (1904).	Washington

Genus 140. **Cacopteris.** (*Type* no. 1.)

Scudd. Canad. Ent. xxvi. pp. 178, 181 (1874); Guide N. Amer. Orth. p. 56 (1897); Proc. Amer. Acad. xxxv. p. 87 (1899).

1. **C. Inermis, Scudd.** Proc. Amer. Acad. xxxv. p. 89 (1899).	Nevada.
2. **C. Fuscopunctata, Scudd.** l. c. (1899).	California.
3. **C. Sinuata, Scudd.** l. c. p. 90 (1899).	Arizona.
4. **C. Ephippiata, Scudd.** l. c. p. 91 (1899).	Sonora.
5. **C. Nevadensis, Scudd.** l. c. (1899).	Nevada.
6. **C. Æqualis, Scudd.** l. c. p. 92 (1899).	California.
7. **C. Femorata, Scudd.** l. c. p. 93 (1899).	id.

Genus 141. **Idiostatus.** (*Type* no. 1.)

Pict. Mém. Soc. Genève, xxx. (6) p. 63 (1889); Brunner, Ann. Mus. Genova, xxxiii. p. 187 (1893); Scudd. Canad. Ent. xxvi. pp. 128, 181 (1894); Guide N. Amer. Orth. p. 56 (1897).

*1. **I. Hermannii, Thomas,** (*Steiroxys H.*) Wheeler, Rep. Surv. W. 100th Merid. v. p. 904, pl. 44. f. 4 (1875). *I. Californicus, Pict.* l. c. p. 64, pl. 3. ff. 35, 35 *a* (1889).	California.
2. **I. Bilineatus, Thomas,** (*Steiroxys Bilineata*) l. c. p. 905 (1875).	Oregon, San Carlos.

Genus 142. **Steiroxys.** (*Type* no. 1.)

Herman. Verh. zool.-bot. Ges. Wien, xxiv. p. 200 (1874); Brunn. Ann. Mus. Genova, xxxiii. p. 187 (1893); Scudd. Canad. Ent. xxvi. pp. 179, 182 (1894); Guide N. Amer. Orth. p. 56 (1897).

1. **S. Trilineatus, Thomas,** (*Thamnotrizon T.*) Proc. Acad. Nat. Sci. Philad. 1870, p. 76; Glover, Ill. N. Amer. Orth. pl. 8. f. 5 (1872). *S. Trilineata, Herman,* l. c. p. 207, pl. 5. ff. 64–69 (1874). *S. Trilineatus, Scudd.* Canad. Ent. xxvi. p. 182 (1894).	Colorado. Wyoming. Utah.
2. **S. Borealis, Scudd.** l. c. p. 182 (1894).	California. Oregon.
3. **S. Pallidipalpus, Thomas,** (*Decticus P.*) Hayden's Rep. U. S. Geol. Surv. Montana, p. 442 (1872). *S. Pallidipalpus, Scudd.* l. c. p. 182 (1894).	Utah. Idaho. Nevada.

Genus 143. **Neduba.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. ii. p. 250 (1869).
Idionotus, Scudd. Canad. Ent. xxvi. pp. 179, 182 (1894); Guide N. Amer. Orth. p. 56 (1897). (*Type* no. 2.)

1. **N. Carinata, Walk. l. c. p. 251. n. 1 (1869).	California.
2. **N. Brunnea, Scudd.** (*Idionotus Brunneus*) Proc. Davenport Acad. Sci. viii. p. 98, pl. 2. f. 2 (1901).	id.

Genus 144. **Clinopleura.** (*Type* no. 1.)

Scudd. Canad. Ent. xxvi. pp. 179, 182 (1894);
Guide N. Amer. Orth. p. 56 (1897).

1. **C. Melanopleura, Scudd.** (*[illegible] M.*) Wheeler's Ann. Rep. Surv. W. 100th Merid. App. JJ. p. 280 (1876).	California.
2. **C. Flavomarginata, Scudd.** Canad. Ent. xxxii. p. 332 (1900).	id.

Genus 145. **Plagiostira.** (*Type* no. 1.)

Scudd. Wheeler's Ann. Rep. Surv. W. 100th Merid. App. JJ, p. 281 (1876); Canad. Ent. xxvi. pp. 179, 182 (1894); Guide N. Amer. Orth. p. 57 (1897).

1. **P. Albonotata, Scudd.** l. c. p. 281 (1876).	New Mexico.
2. **P. Albofasciata, Scudd. & Cock.** Proc. Davenport Acad. Sci. ix. p. 55, pl. 3. f. 2 (1902).	id.

Genus 146. **Ateloplus.**

Scudd. Canad. Ent. xxvi. pp. 179, 182 (1894); Guide N. Amer. Orth. p. 57 (1897).

1. **A. Notatus, Scudd.** Proc. Davenport Acad. Sci. viii. p. 98, pl. 2. f. 3 (1901).	California.

Genus 147. **Anterastes.** (*Type* no. 1.)

Brunn. Prodr. Eur. Orth. p. 328 (1882); Ann. Mus. Genova, xxxiii. p. 187 (1893); Finot, Orth. France, p. 93 (1883); Faune France, Orth. pp. 175, 198 (1889); Tümp. Geradfl. Mitteleuropas, p. 269 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 401 (1903).

*1. **A. Serbicus, Brunn.** Prodr. Eur. Orth. p. 329. n. 1, pl. 9. f. 84 (1882); Jacobs. & Bianchi, l. c. p. 401 (1903).	Servia, Asia Minor.
*2. **A. Raymondi, Yers.** (*Pterolepis Raymondii*) Ann. Soc. Ent. France, (3) viii. p. 524. n. 7, pl. 10. ff. 17–20 (Dec. 1860). *Rhacocleis Raymondi*, *Krauss*, Sitz. Akad. Wiss. Wien, Math.-Nat. Cl. lxviii. (1) p. 511. n. 81 (1879). *A. Raymondi*, *Brunn.* l. c. p. 329. n. 2 (1882); Finot, ll. cc. p. 110 (1883); p. 199, pl. 11. f. 139 (1889); Tümp. l. c. p. 269 (1900); Jacobs. & Bianchi, l. c. p. 402 (1903). *Thamnotrizon Dorsatus*, *Brunn.* Verh. zool.-bot. Ges. Wien, xi. p. 100 (1861). *Rhacocleis Dorsata*, *Brunn.* l. c. p. 303, pl. 15. f. 19, A–C (1861).	S. & E. Europe.

Genus 148. **Ariagona.**

Krauss, Zool. Anz. xv. p. 170 (1892).

1. **A. Margaritæ, Krauss,** l. c. (1892).	Canaries.

Genus 149. **Ctenodecticus.** (*Type* no. 1.)

Bol. Ortópt. Españ. pp. 236, 250 (1876); An. Soc. Españ. vi. pp. 318, 332 (1877); Brunn. Prodr. Eur. Orth. p. 327 (1882); Ann. Mus. Genova, xxxiii. p. 187 (1893).

1. **C. Pupulus, Bol.** ll. cc. p. 252. pl. 6. ff. 1, 1 *a–e* (1876); p. 334, pl. 5. ff. 1, 1 *a–e* (1877); Ann. Sci. Nat. Porto, vi. pp. 21, 22 (1900); Brunn. Prodr. Eur. Orth. p. 328. n. 1, pl. 9. f. 83 A, B (1882).	Spain.
2. **C. Masferreri, Bol.** Actas Soc. Españ. xxiii. p. 87 (1894); Ann. Sci. Nat. Porto, vi. pp. 21, 22 (1900).	Montserrat.
*3. **C. Bolivari, Targ.-Tozz.** Bull. Soc. Ent. Ital. xiii. p. 186 (1881); Brunn. l. c. p. 328. n. 2 (1882).	Sardinia, Oran.
4. **C. Costulatus, Costa,** Atti Accad. Nap. (2) i. (2) p. 87 (1883).	Sardinia.
5. **C. Vasarensis, Finot,** Bull. Soc. Ent. France, lxii. p. ccli (1893).	Algeria.

Genus 150. **Festella.**

Giglio-Tos, Boll. Mus. Torino, ix. (191) p. 3 (1894).

1. **F. Festæ, Giglio-Tos,** (*Ctenodecticus F.*) l. c. viii. (164) p. 15, pl. 1. f. 6 (1893).	Tiberias.

Genus 151. **Pachytrachelus.** (*Type* no. 1.)

Fieb. Lotos. iii. p. 169 (1853); Syn. Eur. Orth. p. 45 (1854); Brunn. Prodr. Eur. Orth. p. 330 (1882); Ann. Mus. Genov. xxxiii. p. 188 (1893); Tümp. Geradfl. Mitteleuropas, p. 270 (1900); Jacobs. & Bianchi. Prem. i Lozhn. Ross. Imp. p. 402 (1903).

*1. **P. Striolatus, Fieb.** ll. cc. p. 169. n. 2 (1853); p. 45. n. 1 (1854); Brunn. Prodr.	S.E.Europe.

Eur. Orth. p. 331. n. 1 (1882); Tümp. l. c. p. 270 (1900); Jacobs. & Bianchi, l. c. p. 402 (1903). *Thamnotrizon Striolatus, Brunn.* Verh. zool.-bot. Ges. Wien, xi. p. 299, pl. 13. f. 14 A–E (1861): Herm. Verh. zool.-bot. Ges. Wien, xxiv. p. 210, pl. 6. ff. 91, 92 (1874). *Thamnotrizon Appendiculatus, Brunn.* l. c. xi. p. 100 (1861).	
*2. **P. Frater, Brunn.** Prodr. Eur. Orth. p. 331. n. 2 (1882); Jacobs. & Bianchi, l. c. p. 402 (1903).	S.E.Europe, Palestine (?)
*3. **P. Gracilis, Brunn.** (*Thamnotrizon G.*) Verh. zool.-bot. Ges. Wien, xi. p. 299. n. 13, pl. 14. f. 15 A–E (1861); Friv. Értek. Termész. Kör. i. (12) p. 122, pl. 5. ff. 3. 3*a* (1867). *P. Gracilis, Brunn.* Prodr. Eur. Orth. p. 332. n. 3. pl. 9. f. 85 A–C (1882); Jacobs. & Bianchi, l. c. p. 403 (1903).	S.E.Europe, Persia (?).

Genus 152. **Pholidoptera.** (*Type* no. 23.)

Wesm. Bull. Acad. Brux. v. p. 592 (1838).

‖*Micropteryx, Steph.* (*nec Agassiz*) Ill. Brit. Ent., Mand. vi. p. 12 (1835).

Olynthoscelis, Fisch. Waldh. Bull. Mosc. 1839, p. 110; Orth. Ross. p. 442 (1846); Bol. Ann. Sci. Nat. Porto, vi. p. 22 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 403 (1903). (*Type* no. 23.)

‖*Pterolepis, Serv.* (*nec Ramb.*) Ins. Orth. p. 491 (1839); Fieb. Lotos, iii. p. 153 (1853); Syn. Eur. Orth. p. 43 (1854); Herm. Verh. zool.-bot. Ges. Wien, xxiv. pp. 198, 205 (1874).

Thamnotrizon, Fisch. Orth. Eur. p. 261 (1853): Brunn. Verh. zool.-bot. Ges. Wien, xi. p. 291 (1861); Prodr. Eur. Orth. p. 332 (1882); Ann. Mus. Genova, xxxiii. p. 188 (1882); Friv. Értek. Termész. Kör. i. (12) p. 118 (1868); Bol. Ortópt. Españ. p. 236 (1876); An. Soc. Españ. vi. p. 318 (1877); Finot, Orth. France, pp. 93, 110 (1883); Faune France, Orth. p. 199 (1889); Burr, Brit. Orth. pp. 50, 55 (1897); Tümp. Geradfl. Mitteleuropas, pp. 223, 226, 266 (1900). (*Type* no. 23.)

*1. **P. Chabrieri, Charp.** (*Locusta C.*) Hor. Ent. p. 119 (1825).	S. Europe, Cyprus.

Decticus Chabrieri, *Burm.* Handb. Ent. ii. p. 712. n. 12 (1838).

Pterolepis Chabrieri, *Serv.* l. c. p. 493 (1839); Fisch. Waldh. Orth. Ross. p. 442 (1846); Fieb. ll. cc. p. 153 (1853); p. 43 (1854).

Thamnotrizon Chabrieri, *Fisch.* Orth. Eur. p. 263, pl. 13. ff. 13, 13 *a*, *b* (1853); Brunn. Verh. zool.-bot. Ges. Wien, xi. p. 293. pl. 10. ff. 6 A–D (1861); Prodr. Eur. Orth. p. 334. n. 1 (1882); Herm. l. c. p. 210, pl. 6. ff. 87, 88, 95, 96 (1874); Krauss, Sitz. Akad. Wiss. Wien, Math.-Nat. Cl. lxxviii. p. 512. n. 82 (1879); Finot, ll. cc. p. 111 (1883); p. 200 (1889); Tümp. l. c. pp. 226, 267, pl. 21 (1900); Jacobs. & Bianchi, l. c. pl. 8 (1903).

Olynthoscelis Chabrieri, *Bol.* Ann. Sci. Nat. Porto, vi. p. 22 (1900).

| *Locusta Varia* (larva), *Petagna* (*excl. syn.*), Inst. Ent. i. p. 315, pl. 10. f. 13 (1792).

|| *Olynthoscelis Varia*, *Jacobs. & Bianchi*, l. c. p. 403, pl. 8 (1903).

Thamnotrizon Schmidti, *Fieb.* Wien. Ent. Mon. v. p. 197 (1861).

Thamnotrizon Magnificum, *Costa*, Atti Accad. Nap. i. (2) p. 28, pl. 3. ff. 1, 1 A, B, 2 (1863).

2. **P. Brunneri, Targ.-Tozz.** (*Thamnotrizon B.*) Bull. Soc. Ent. Ital. xiii. p. 183 (1881); Brunn. Prodr. Eur. Orth. p. 335. n. 2 (1882).

Abruzzi.

*3. **P. Smyrnensis, Brunn.** (*Thamnotrizon S.*) l. c. p. 336. n. 3 (1882).

Olynthoscelis Smyrnensis, *Jacobs. & Bianchi*, l. c. p. 404 (1903).

|| *Thamnotrizon Chabrieri*, *Fieb.* l. c. v. p. 197 (1861).

Macedonia,
Turkey,
Asia Minor,
Syria.

4. **P. Annulipes, Brunn.** (*Thamnotrizon A.*) l. c. p. 336. n. 4 (1882).

Olynthoscelis Annulipes, *Jacobs. & Bianchi*, l. c. p. 404 (1903).

Asia Minor,
Taurus.

*5. **P. Ledereri, Fieb.** (*Thamnotrizon L.*) l. c. p. 196 (1861); Brunn. l. c. p. 336. n. 5 (1882).

Olynthoscelis Ledereri, *Jacobs. & Bianchi*, l. c. p. 404 (1903).

Beyrout.

6. **P. Prasina, Brunn.** (*Thamnotrizon Prasinus*) l. c. p. 337. n. 6 (1882). *Olynthoscelis Prasina, Jacobs. & Bianchi*, l. c. p. 404 (1903).	Smyrna.
7. **P. Indistincta, Bol.** (*Olynthoscelis Indistinctus*) Ann. Soc. Ent. Belg. xliii. p. 601 (1899). *Olynthoscelis Indistincta, Jacobs. & Bianchi*, l. c. p. 404 (1903).	Asia Minor.
8. **P. Castaneoviridis, Brunn.** (*Thamnotrizon C.*) l. c. p. 337. n. 7 (1882). *Olynthoscelis Castaneoviridis, Jacobs. & Bianchi*, l. c. p. 404 (1903).	Brussa.
*9. **P. Signata, Brunn.** (*Thamnotrizon Signatus*) Verh. zool.-bot. Ges. Wien, xi. p. 295, pl. 11. ff. 9 A–C (1861); Prodr. Eur. Orth. p. 337. n. 8 (1882). *Olynthoscelis Signata, Jacobs. & Bianchi*, l. c. p. 405 (1903).	Asia Minor, Cyprus.
10. **P. Punctifrons, Burm.** (*Decticus P.*) l. c. p. 712. n. 13 (1838). *Thamnotrizon Punctifrons, Brunn.* Verh. zool.-bot. Ges. Wien, xi. p. 296 (1861); Prodr. Eur. Orth. p. 338. n. 9 (1882). *Olynthoscelis Punctifrons, Jacobs. & Bianchi*, l. c. p. 405 (1903). *Pterolepis Ehrenbergii, Fieb.* Lotos, iii. p. 154 (1853); Syn. Eur. Orth. p. 44. n. 10 (1854).	Roumania, Greece, Egypt, Syria.
11. **P. Bucephalus, Brunn.** (*Thamnotrizon B.*) Prodr. Eur. Orth. p. 338. n. 10 (1882). *Olynthoscelis Bucephalus, Jacobs. & Bianchi*, l. c p. 405 (1903).	Asia Minor.
12. **P. Pontica, Retowski,** (*Thamnotrizon Ponticus*) Bull. Mosc. (2) ii. (3) p. 412. n. 43 (1888). *Olynthoscelis Pontica, Jacobs. & Bianchi*, l. c. p. 405 (1903).	Crimea.
*13. **P. Dalmatica, Krauss,** (*Thamnotrizon Dalmaticus*) l. c. p. 513, pl. 4. ff. 1, 1 A–D (1879); Brunn. l. c. p. 339. n. 11 (1882); Tümp. l. c. p. 268 (1900). *Olynthoscelis Dalmatica, Jacobs. & Bianchi*, l. c. p. 405 (1903).	Dalmatia, Istria, Croatia, Bosnia, Herzegovina.
14. **P. Caucasica, Fisch. Waldh.** (*Pterolepis C.*) Orth. Ross. p. 215, pl. 27. f. 3 *a*, *b* (1846).	Caucasus.

15. **P. Tartarus, Sauss.** (*Thamnotrizon T.*) Fedchenko, Reise Turk., Orth. p. 42 (1874). *Olynthoscelis Tartara, Jacobs. & Bianchi,* l. c. p. 406 (1903).	Turkestan.
*16. **P. Littoralis, Fieb.** (*Pterolepis L.*) ll. cc. p. 153. n. 2 (1853) ; p. 44. n. 2 (1854). *Thamnotrizon Littoralis, Brunn.* Verh. zool.-bot. Ges. Wien. xi. p. 295. pl. 11. ff. A–D (1861) ; Krauss, l. c. p. 516. n. 86 (1879). *Thamnotrizon Litoralis, Brunn.* Prodr. Eur. Orth. p. 339. n. 12, pl. 9. f. 86 A, B (1882) ; Tümp. l. c. pp. 226, 267 (1900). *Olynthoscelis Litoralis, Jacobs. & Bianchi,* l. c. p. 406 (1903). *Thamnotrizon Similis, Brunn.* Verh. zool.-bot. Ges. Wien. xi. p. 298. pl. 13. f. 12 A–E (1861) ; Friv. l. c. p. 121. n. 4, pl. 5. ff. 2, 2 *a* (1867).	Piedmont ?) S.E.Europe.
*17. **P. Transylvanica, Fisch.** (*Thamnotrizon Transylvanicum*) Verh. Mitth. Siebenb. Ver. Hermannstadt, iv. p. 42 (March 1853). *Thamnotrizon Transsylvanicus, Fisch.* l. c. p. 264. n. 3, pl. 13. ff. 14. 14 *a* (Nov. 1853) ; Brunn. Prodr. Eur. Orth. p. 340. n. 13 (1882). *Thamnotrizon Transylvanicus, Friv.* l. c. p. 120. n. 3, pl. 4. ff. 6, 6 *a* (1867). *Thamnotrizon Transsilvanicus, Brunn.* l. c. xi. p. 297, pl. 12. f. 10 A–E (1861). *Olynthoscelis Transsylvanica, Jacobs. & Bianchi,* l. c. p. 406 (1903).	Hungary, Transylvania, Servia, Bosnia, Bulgaria, Herzegovina.
*18. **P. Frivaldskyi, Herm.** (*Thamnotrizon Friwaldszkyi*) Verh. Mitth. Siebenb. Ver. Nat. Hermannstadt, xxi. p. 35 (1871) ; Lomn. Mater. Faun. Szar. Gal. p. 5 (1876). *Thamnotrizon Frivaldskyi, Brunn.* Prodr. Eur. Orth. p. 341. n. 14 (1882). *Olynthoscelis Frivaldskyi, Jacobs. & Bianchi,* l. c. p. 407 (1903).	Hungary, Bosnia, Galicia, Transsylvania, Servia, S. Russia.

*19. **P. Aptera, Fabr.** (*Locusta A.*) Ent. Syst. ii. p. 45. n. 43 (1793): Latr. Hist. Nat. Crust. Ins. xii. p. 134 (1804).
S. France, Piedmont, S.E.Europe.

Thamnotrizon Apterus, Fisch. l. c. p. 262. n. 1, pl. 13. ff. 12, 12 *a–e* (1853); Türk. Wien. Ent. Mon. ii. p. 372 (1858); Brünn. Verh. zool.-bot. Ges. Wien, xi. p. 297. n. 9, pl. 12. f. 11 A–E (1861): Prodr. Eur. Orth. p. 341. n. 15 (1882); Graber, Verh. zool.-bot. Ges. Wien, xvii. p. 266. n. 12 (1867); Friv. l. c. p. 120. n. 2 (1868); Herm. Verh. zool.-bot. Ges. Wien. xxiv. p. 210, pl. 6. ff. 89, 90, 93, 94, 97 (1874): Finot, Orth. France, pp. 111, 112 (1883); Faune France, Orth. pp. 201, 202 (1889); Tümp. l. c. p. 267 (1900).

Olynthoscelis Aptera, Jacobs. & Bianchi, l. c. p. 407 (1903).

Pterolepis Lugubris, Fieb. ll. cc. p. 168. n. 12 (1853); p. 44. n. 12 (1854).

Thamnotrizon Mikoi, Herm. Verh. Mitth. Siebenb. Ver. Nat. Hermannstadt, xxi. p. 35 (1871).

*20. **P. Fallax, Fisch.** (*Thamnotrizon F.*) l. c. p. 265. n. 4, pl. 13. ff. 15, 15 *a* (1853); Krauss, l. c. p. 517. n. 89 (1879); Brunn. Prodr. Eur. Orth. p. 342. n. 16 (1882); Finot, ll. cc. pp. 111, 113 (1883); pp. 200, 201 (1889); Tümp. l. c. p. 266 (1900).
S. Europe.

Olynthoscelis Fallax, Jacobs. & Bianchi, l. c. p. 407 (1903).

‖ *Locusta Chabrieri, Herr.-Schäff. (nec Charp.)* Panzer, Ins. Germ. fasc. 157, pl. 15 (1838).

Thamnotrizon Austriacus, Türk, Wien. Ent. Mon. iv. p. 85 (1860); Brunn. Verh. zool.-bot. Ges. Wien, xi. p. 300. n. 14, pl. 14. f. 16 A–E (1861); Friv. l. c. p. 123, pl. 5. ff. 4, 4 *a*, *b* (1868).

*21. **P. Femorata, Fieb.** (*Pterolepis Femoratus*) ll. cc. p. 153. n. 3 (1853); p. 44. n. 3 (1854).
S. Europe, W. Asia.

Thamnotrizon Femoralis, Fieb. Wien. Ent. Mon. ii. pp. 194, 197 (1861).

Thamnotrizon Femoratus, Brunn. Prodr. Eur. Orth. p. 343. n. 17 (1889); Finot, ll. cc. pp. 112, 113 (1883); pp. 200, 202 (1889); Tümp. l. c. p. 266 (1900).

Olynthoscelis Femorata, Jacobs. & Bianchi, l. c. p. 408 (1903).

‖ *Thamnotrizon Fallax, Yers.* Ann. Soc. Ent. France, (3) viii. p. 526, pl. 10. ff. 21–25 (1860); Brunn. Verh. zool.-bot. Ges. Wien, xi. p. 293. n. 2. pl. 11. f. 7 A–C (1861) ; Friv. l. c. p. 119. n. 1. pl. 1. ff. 5. 5 *a*, *b* (1868).

‖ *Thamnotrizon Chabrieri*, pt., *Fisch.* l. c. pl. 13. f. 13 *c* (1853).

Thamnotrizon Noctivagus, Krauss, l. c. p. 512. n. 83 (1879).

*22. **P. Griseoaptera, De Geer,** (*Locusta G.*) Mém. Ins. iii. p. 436. n. 5 (1773). Europe.

Thamnotrizon Griseoapterus, Auriv. Ent. Tidskr. xxi. p. 253 (1891).

Olynthoscelis Griseaptera, Jacobs. & Bianchi, l. c. p. 408 (1903).

Gryllus Cinereus, Gmel. Syst. Nat. i. (4) p. 2071. n. 28 (1789).

Locusta Cinerea, Zett. Orth. Suec. p. 70 n. 8 (1821); Hagenb. Symb. Faun. Ins. Helvet. p. 30, ff. 17, 18 (1822).

Thamnotrizon Cinereus, Fisch. l. c. p. 265. n. 5, pl. 13. ff. 16, 16 *a*, *b*, 17, 17*, 17 *a* (1853) ; Türk, Wien. Ent. Mon. ii. p. 372. n. 16 (1858) ; Brunn. l. c. xi. p. 301. n. 15. pl. 17 A–E (1861) ; Prodr. Eur. Orth. p. 343. n. 18 (1882) ; Friv. l. c. p. 124 (1867) ; Rudow, Zeitschr. ges. Naturw. xlii. p. 314. n. 62 (1873) ; Finot, ll. cc. pp. 111, 113 (1883) ; pp. 200, 202 (1889) ; Burr, Brit. Orth. p. 55, pl. 4. f. 12 (1897) ; Tümp. l. c. p. 266, pl. 21 (1900) ; Jacobs. & Bianchi, l. c. pl. 8 (1903).

Pterolepis Cinerea, Fieb. Lotos, iii. p. 169. n. 7 (1853) ; Syn. Eur. Orth. p. 45. n. 7 (1854).

Pholidoptera Cinerea, Selys, Ann. Soc. Ent. Belg. vi. p. 113 (1862).

Olynthoscelis Cinerea, Bol. Ann. Sci. Nat. Porto, vi. pp. 22, 23 (1900).

Locusta Clypeata, Panz. Faun. Ins. Germ. fasc. 33, pl. 4 (1796).

‖ *Locusta Aptera, Charp.* (*nec Fabr.*) Hor. Ent. p. 117 (1825).

‖ *Decticus Apterus*, *Wesm.* l. c. p. 592 (1838); Burm. Handb. Ent. ii. p. 711. n. 10 (1838); Borck, Skand. Rätv. Ins. p. 78 (1848).

‖ *Pterolepis Aptera*, *Serv.* Ins. Orth. p. 494. n. 2 (1839).

‖ *Micropteryx Aptera*, *Steph.* l. c. p. 12 (1835).

23. **P. Brevicollis, Costa,** (*Thamnotrizon B.*) Atti Accad. Nap. ix. (11) p. 33 (1882). Sardinia.

24. **P.** (?) **Pustulipes, Fisch.Waldh.** (*Pterolepis P.*) Orth. Ross. p. 360 (1846); Jacobs. & Bianchi, l. c. p. 408 (1903). Crimea.

Pterolepis Pustulosa, *Fisch. Waldh.* l. c. pl. 33. f. 3 (1846).

Genus 153. **Chelidoptera.** (*Type* no. 2.)

Wesm Bull. Acad. Brux. v. p. 591 (1838).

Platycleis, *Fieb.*, Kelch. Grundl. Kenntn. Orthopt. p. 2 (1852); Lotos, iii. p. 149 (1853); Syn. Eur. Orth. p. 40 (1854); Fisch. Orth. Eur. p. 269 (1853); Friv. Értek. Termész. Kör. i. (12) p. 126 (1867); Herm. Verh. zool.-bot. Ges. Wien, xxiv. pp. 199, 207 (1874); Bol. Ortópt. Españ. pp. 236, 243 (1876); An. Soc. Españ. vi. pp. 318, 325 (1877); Ann. Sci. Nat. Porto, vi. p. 23 (1900); Brunn. Prodr. Eur. Orth. pp. 248, 345 (1882); Ann. Mus. Genov. xxxiii. p. 188 (1893); Finot, Orth. France, pp. 92, 114 (1883); Faune France, Orth. pp. 175, 203 (1889); Burr, Brit. Orth. p. 56 (1897); Tümp. Geradfl. Mitteleuropas, pp. 223, 225, 263 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 408 (1903). (*Type* no. 2.)

1. **C. Truncata, Jacobs. & Bianchi,** l. c. p. 409 (1903). Turkey, Greece, Asia Minor.

2. **C. Albopunctata, Goeze,** (*Tettigonia Albopunctatus*) Ent. Beytr. ii. p. 89. n. 1 (1778). Europe, Caucasus, Asia Minor, Syria, Madeira.

[Roes. Ins. Belust. ii. Heuschrecken, p. 128, pl. 20. f. 10.]

Locusta Grisea, *Fabr.* Spec. Ins. i. p. 359. n. 22 (1781); Latr. Hist. Nat. Crust. Ins. xii. p. 131. n. 3, pl. 98. f. 2 (1804); Zett. Orth. Suec. p. 65 (1821); Hagenb. Symb. Faun. Ins. Helv. p. 32, ff. 19, 20 (1822); Charp. Hor. Ent. p. 120 (1825); Phil. Orth. Berol. p. 22 (1830).

Decticus Griseus, Serv. Ins. Orth. p. 488 (1839); Burm. Handb. Ent. ii. p. 710. n. 3 (1838); Borck, Skand. Rätv. Ins. p. 72 (1848); Fisch. Waldh. Orth. Ross. p. 165 (1846); Rudow, Zeitschr. ges. Naturw. xlii. p. 312. n. 55 (1873).

Decticus (Platycleis) Griseus, Fisch. l. c. p. 269. n. 1, pl. 13. ff. 3, 3 *a–d* (1853): Türk, Wien. Ent. Mon. ii. p. 373 (1858).

Platycleis Griseus, Fieb. ll. cc. p. 2 (1852); p. 149. n. 1 (1853); p. 40. n. 1 (1854); Bol. Ortópt. Españ. pp. 245, 247, pl. 5. f. 17 (1876); An. Soc. Españ. vi. pp. 327, 329, pl. 4. f. 17 (1877).

Platycleis Grisea, Friv. l. c. p. 126 (1867); Brunn. Prodr. Eur. Orth. p. 347. n. 1 (1882); Finot, ll. cc. pp. 114, 116 (1883); pp. 204, 205 (1889); Burr, l. c. p. 57, pl. 4. f. 13 (1897); Bol. Ann. Sci. Nat. Porto vi. pp. 24, 26 (1900); Tümp. l. c. pp. 225, 263, pl. 21 (1900); Jacobs. & Bianchi, l. c. p. 409, pl. 8 (1903).

Locusta Striata, Thunb. Mém. Acad. Pétersb. v. p. 283 (1815).

Locusta Denticulata, Panz. Faun. Ins. Germ. Heft 33, pl. 5 (1796).

Locusta Falcata, Zett. l. c. p. 68 (1821).

*3. **C. Bicolor, Phil.** (*Locusta B.*) Orth. Berol. p. 24. n. 9 (1830). — S., E. & Centr. Europe, Amur.

Decticus Bicolor, Burm. l. c. p. 711. n. 8 (1838); Fisch. Waldh. l. c. p. 173. n. 15 (1846); Fisch. Jahresh. Mannheim. Ver. Naturk. xv. p. 47 (1849).

Micropteryx Bicolor, Fisch. l. c. xvi. p. 36 (1850).

Decticus (Platycleis) Bicolor, Fisch. Orth. Eur. p. 273. n. 5, pl. 13. ff. 7, 7 *a*, *b*, 8, 8 *a*, *b* (1853); Türk, l. c ii. p. 373. n. 20 (1858); Rudow, l. c. p. 313, n. 58 (1873).

Platycleis Bicolor, Fieb. Lotos, iii. p. 152. n. 10 (1853); Syn. Eur. Orth. p. 42. n. 10 (1854); Friv. l. c. p. 129 (1867): Brunn. l. c. p. 361. n. 22 (1882); Finot, ll. cc. pp. 116, 119 (1883); pp. 204, 212 (1889); Bol. Ann. Sci. Nat. Porto, vi. pp. 24, 26 (1900); Tümp. l. c. pp. 225, 364 (1900); Jacobs. & Bianchi, l. c. p. 416 (1903).

Decticus Abbreviatus, Serv. l. c. p. 490. n. 9 (1839). *Locusta Viennensis, Marsch.* Ann. Wien. Mus. i. p. 202. pl. 18. f. 1 (1835). Var. *Decticus Sieboldii, Fisch.* Jahresh. Mannheim. Ver. Naturh. xv. p. 46 (1849). ‖ *Decticus Griseus, Fisch. Waldh.* l. c. pl. 10. f. 4 (1846).	
4. **C. Carpetana, Bol.** (*Platycleis C.*) An. Soc. Españ. xvi. p. 106, pl. 4. f. 12 (1887); Ann. Sci. Nat. Porto, vi. pp. 24, 26 (1900).	Spain.
5. **C. Taurica, Bol.** (*Platycleis T.*) Ann. Soc. Ent. Belg. xliii. p. 603 (1899); Jacobs. & Bianchi, l. c. p. 413 (1903).	Asia Minor.
6. **C. Bonneti, Bol.** (*Platycleis B.*) An. Soc. Españ. xix. p. 326 (1890); Jacobs. & Bianchi, l. c. p. 415 (1903).	Japan.
7. **C. Decorata, Fieb.** (*Platycleis Decoratus*) ll. cc. p. 151. n. 8 (1853); p. 41. n. 8 (1854). *Platycleis Decorata, Brunn.* Verh. zool.-bot. Ges. Wien, xi. p. 289, pl. 10. f. 4 A–F (1861); Prodr. Eur. Orth. p. 355. n. 13 (1882); Bol. Ann. Sci. Nat. Porto, vi. pp. 24, 26 (1900). *Platycleis Andalusicus, Bol.* Ortópt. Españ. pp. 245, 249 (1876); An. Soc. Españ. vi. pp. 327, 331 (1877).	Spain, Portugal.
8. **C. Kabyla, Finot,** (*Platycleis K.*) Bull. Soc. Ent. France, lxii. p. ccli (1893).	Algeria.
*9. **C. Intermedia, Serv.** (*Decticus Intermedius*) l. c. p. 488. n. 4 (1839). *Platycleis Intermedia, Fieb.* ll. cc. p. 150. n. 4 (1853); p. 40. n. 3 (1854); Herm. Verh. zool.-bot. Ges. Wien, xxiv. p. 207, pl. v. ff. 59–63 (1874); Krauss, Sitz. Akad. Wiss. Wien, Math.-Nat. Cl. lxxviii. (1) p. 519. n. 92 (1879); Brunn. Prodr. Eur. Orth. p. 349. n. 2 (1882); Finot, Orth. France, pp. 115, 117 (1883); Faun. France, Orth. pp. 204, 205 (1889); Bol. Ann. Sci. Nat. Porto, vi. pp. 24, 26 (1900); Tümp. l. c. pp. 226, 269 (1900); Jacobs. & Bianchi, l. c. p. 409 (1903). *Platycleis Intermedius, Bol.* Ortópt. Españ. pp. 245, 248 (1876); An. Soc. Españ. vi. pp. 327, 330 (1877).	S. & E. Europe, N. Africa, W. & Centr. Asia.

Decticus (*Platycleis*) *Griseus*, var. *Major*, *Fisch.* l. c. p. 270 (1853).

Decticus Krinickii, *Fisch. Waldh.* l. c. p. 164 (1846); Kittary, Bull. Mosc. xxii. (2) p. 456 (1849).

Decticus Krynickii, *Fisch. Waldh.* l. c. p. 407 (1846).

‖*Decticus Tesselatus*, *Fisch. Waldh.* (*nec Charp.*) l. c. pl. 10. f. 3 (1846).

10. **C. Umbilicata, Costa,** (*Platycleis U.*) Bull. Soc. Ent. Ital. xvii. p. 242 (1885); Atti Accad. Nap. (2) i. (13) p. 15 (1885).
Sardinia.

11. **C. Laticauda, Brunn.** (*Platycleis L.*) l. c. p. 349. n. 4 (1882); Bol. Ann. Sci. Nat. Porto, vi. pp. 24, 25 (1900).
Sicily, Spain, Algeria.

12. **C. Affinis, Fieb.** (*Platycleis A.*) ll. cc. p. 150. n. 2 (1853); p. 40. n. 2 (1854); Brunn. Verh. zool.-bot. Ges. Wien, xi. p. 289 (1861); Prodr. Eur. Orth. p. 349. n. 4 (1882); Krauss, l. c. p. 519. n. 93. pl. 4. ff. 2, 2 A, B (1879); Bol. Ortópt. Españ. pp. 245, 246, pl. 6. ff. 6, 6 *a*, *b* (1876); Ann. Soc. Españ. vi. pp. 327, 328, pl. 5. ff. 6, 6 *a*, *b* (1877); Ann. Sci. Nat. Porto, vi. pp. 24, 25 (1900); Finot, ll. cc. pp. 115, 117 (1883); pp. 204, 206 (1889); Tümp. l. c. pp. 226, 263, pl. 21 (1900); Jacobs. & Bianchi, l. c. p. 410, pl. 8 (1903).
S. Europe, N. Africa, W. Asia.

13. **C. Escalerai, Bol.** (*Platycleis E.*) Ann. Soc. Ent. Belg. xliii. p. 603 (1899).
Asia Minor.

*14. **C. Tessellata, Charp.** (*Locusta T.*) l. c. p. 121, pl. 3. f. 4 (1825).
S. Europe, N. Africa.

Decticus Tesselatus, *Serv.* l. c. p. 489 (1839).

Decticus Tessellatus, *Zell.* Stett. Ent. Zeit. x. pp. 111, 113 (1849).

Decticus (*Platycleis*) *Tessellatus*, *Fisch.* l. c. p. 272. n. 3, pl. 13. ff. 6, 6 *a–c* (1853).

Platycleis Tesselatus, *Fieb.* ll. cc. p. 151. n. 7 (1853); p. 41. n. 7 (1854).

Platycleis Tessellatus, *Bol.* Ortópt. Españ. pp. 244, 245, pl. 5. f. 18 (1876); An. Soc. Españ. vi. pp. 326, 327, pl. 4. f. 18 (1877).

Platycleis Tesselata, *Tümp.* l. c. pp. 225, 264 (1900).

Platycleis Tessellata, Krauss, l. c. p. 523. n. 95 (1879) ; Brunn. Prodr. Eur. Orth. p. 350. n. 5 (1882) ; Finot, ll. cc. pp. 114. 117 (1883) ; pp. 204. 206 (1889) ; Bol. Ann. Sci. Nat. Porto. vi. pp. 23. 25 (1900) ; Jacobs. & Bianchi, l. c. p. 410 (1903). *Platycleis Vittata*, var. *Tessellata, Friv.* l. c. p. 129 (1867).	
15. **C. Orina, Burr,** (*Platycleis O.*) Ent. Rec. xi. p. 20 (1899) ; Jacobs. & Bianchi, l. c. p. 410 (1903).	Herzegovina.
*16. **C. Vittata, Charp.** (*Locusta V.*) l. c. p. 115 (1825). *Decticus Vittata, Burm.* l. c. p. 711. n. 9 (1838). *Platycleis Vittata, Fieb.* ll. cc. p. 151. n. 9 (1853) ; p. 42. n. 9 (1854) ; Friv. l. c. p. 128. n. 4. pl. 6. ff. 2. 2 *a* (1867) : Brunn. l. c. p. 351. n. 6 (1882) ; Tümp. l. c. pp. 226, 264 (1900); Jacobs. & Bianchi, l. c. p. 410 (1903).	S.E.Europe.
*17. **C. Nigrosignata, Costa,** (*Decticus (Platycleis) Nigrosignatus*) Atti Accad. Nap. i. (2) p. 30. pl. 3. ff. 3. 3 *c*. 4 (1863). *Platycleis Nigrosignata, Brunn.* l. c. p. 351. n. 7 (1882) ; Jacobs. & Bianchi. l. c. p. 411 (1903).	Italy, Dalmatia, Greece, Corfu. Asia Minor.
18. **C. Seniæ, Finot,** (*Platycleis S.*) Bull. Soc. Ent. France. lxii. p. ccli. n. 3 (1893).	Oran.
19. **C. Incerta, Bol.** (*Platycleis I.*) l. c. p. 352. n. 8 (1882) ; Jacobs. & Bianchi. l. c. p. 411 (1903).	Rhenish Prussia (?).
20. **C. Stricta, Zell.** (*Decticus Strictus*) l. c. x. p. 116 (1849). *Decticus (Platycleis) Strictus, Fisch.* l. c. p. 273. n. 4, pl. 13. ff. 5, 5 *a*, *b* (1853). *Platycleis Stricta, Krauss*, l. c. p. 520. n. 94, pl. 4. ff. 4. 4 A–E (1879) ; Brunn. l. c. p. 352. n. 9 (1882) ; Tümp. l. c. p. 264 (1900) ; Jacobs. & Bianchi, l. c. p. 411 (1903). *Platycleis Assimilis, Fieb.* ll. cc. p. 150. n. 4 (1853) ; p. 41. n. 4 (1854).	Italy, S.E.Europe.
*21. **C. Montana, Koll.** (*Locusta M.*) Beitr. Landesk. Oesterr. iii. p. 79. no. 10 (1833). *Decticus (Platycleis) Montanus, Fisch.* l. c. p. 271. n. 2, pl. 13. ff. 4, 4 *a–c* (1853).	Germany, Italy, Austria, &c., S. Russia

Decticus Montanus, Rudow, l. c. p. 312 (1873).

Platycleis Montanus, Fieb. ll. cc. p. 150. n. 5 (1853); p. 41. n. 5 (1854).

Platycleis Montana, Friv. l. c. p. 127. n. 3 (1867); Brunn. l. c. p. 353. n. 10, pl. 10. f. 87 A (1882); Tümp. l. c. pp. 225, 264 (1900); Jacobs. & Bianchi, l. c. p. 411 (1903).

‖*Locusta Tessellata, Phil.* l. c. p. 23. n. 8, pl. 1. f. 4 (1830).

Decticus Tessellatus, Burm. l. c. p. 710. n. 5 (1838).

Decticus Tesselatus, Fisch. Waldh. l. c. p. 167 (1846).

Decticus Philippicus, Zell. l. c. pp. 114, 116 (1849).

Decticus Eversmanni, Kittary, l. c. xxii. (2) p. 456, pl. 8. ff. 1, 2 (1849).

Decticus Trockii, Kittary, l. c. p. 459, pl. 8. f. 3 (1849).

*22. **C. Sepium, Yers.** (*Decticus S.*) Bull. Soc. Vaud. iv. p. 68, pl. 2. ff. 6–12 (1854). — S. & E. Europe, Asia Minor.

Platycleis Sepium, Krauss, l. c. p. 526. n. 98 (1879); Brunn. l. c. p. 354. n. 11 (1882); Finot, Orth. France, pp. 115, 118 (1883); Faune France, Orth. pp. 204, 207 (1889); Bol. Ann. Sci. Nat. Porto, vi. pp. 25, 27 (1900); Tümp. l. c. pp. 226, 265 (1900); Jacobs. & Bianchi, l. c. p. 411 (1903).

23. **C. Fedtschenkoi, Sauss.** (*Decticus (Platycleis) F.*) Fedchenko, Reise Turk., Orth. p. 45 (1874). — Samarcand, Syr Daria.

Platycleis Fedtschenkoi, Jacobs. & Bianchi, l. c. p. 416 (1903).

*24. **C. Modesta, Fieb.** (*Platycleis Modestus*) ll. cc. p. 153. n. 13 (1853); p. 43. n. 13 (1854). — Istria, Dalmatia, Croatia, Herzegovina, Bosnia.

Platycleis Modesta, Krauss, l. c. p. 523. n. 97, pl. 4. ff. 5, 5 A–E (1879); Brunn. l. c. p. 354. n. 12 (1882); Tümp. l. c. p. 265 (1900); Jacobs. & Bianchi, l. c. p. 512 (1903).

Decticus (Platycleis) Vittatus, Fisch. l. c. p. 276. n. 7, pl. 3. ff. 11, 11 *a* (1853).

25. **C. Kraussi, Padew.** (*Platycleis K.*) Glasnik. Narav. Drust. xi. p. 30. n. 117 & note (1900); Jacobs. & Bianchi, l. c. p. 412 (1903). Croatia.

—*26. **C. Brachyptera, Linn.** (*Gryllus Brachypterus*) Faun. Suec. (ed. 2) p. 237. n. 868 (1761). N., Centr., & E. Europe, Amur.

Locusta Brachyptera, De Geer, Mém. Ins. iii. pp. 433. 434. n. 4, pl. 22. ff. 2, 3 (1773); Fabr. Spec. Ins. i. p. 360. n. 26 (1781); Thunb. Mém. Acad. Pétersb. v. p. 284 (1815); Latr. Hist. Nat. Crust. Ins. xii. p. 133. n. 10 (1804); Zett. l. c. p. 66. n. 6 (1821); Hagenb. l. c. p. 28, ff. 15, 16 (1822); Charp. l. c. p. 113 (1825); Fisch. Waldh. Bull. Mosc. 1839 (2) p. 390. pl. 10. f. 3.

Anisoptera Brachyptera, Latr. Cuv. Règne Anim. (ed. 2) v. p. 184 note (1829).

Decticus Brachypterus, Burm. l. c. p. 711. n. 7 (1838); Wesm. l. c. v. p. 592. n. 3 (1838); Serv. l. c. p. 489. n. 7 (1839); Fisch. Waldh. Orth. Ross. p. 169. pl. 10. ff. 5, 6 (1846); Borck, l. c. p. 74 (1848).

Micropteryx Brachyptera, Steph. Ill. Brit. Ent., Mand. vi. p. 13. n. 3 (1835).

Platycleis Brachypterus, Fieb. Kelch, Kenntn. Orth. p. 2. n. 4 (1852).

Decticus (Platycleis) Brachypterus, Fisch. l. c. p. 277. n. 8, pl. 13. ff. 10, 10 *a, b* (1853).

Decticus Pachypterus, Rudow, l. c. p. 314. n. 60 (1873).

Platycleis Brachyptera, Fieb. Lotos, iii. p. 152. n. 12 (1853); Syn. Eur. Orth. p. 43. n. 12 (1854); Brunn. Verh. zool.-bot. Ges. Wien, xi. p. 290 (1861); Prodr. Eur. Orth. p. 356. n. 15 (1882); Friv. l. c. p. 130. n. 7 (1867); Finot, Orth. France, pp. 116, 118 (1883); Faune France, Orth. pp. 204, 208 (1889); Burr, Brit. Orth. p. 57, pl. 5. f. 1 (1897); Tümp. l. c. p. 265 (1900); Jacobs. & Bianchi, l. c. p. 412 (1903).

Platycleis Alpinus, Fieb. ll. cc. p. 151. n. 6 (1853); p. 41. n. 6 (1854).

Var. *Locusta Marginata, Thunb.* l. c. p. 283 (1815). *Platycleis Brachyptera*, var. *Macroptera, Stål*, Rec. Orth. ii. p. 111 (1874).	
27. **C. Tamerlanus, Sauss.** (*Decticus* (*Platycleis*) *T.*) l. c. p. 46. n. 10, pl. 2. f. 18 (1874). *Platycleis Tamerlana, Jacobs. & Bianchi*, l. c. p. 413 (1903).	Samarcand.
28. **C. Striata, Kitt.** (*Decticus Striatus*) Bull. Mosc. xxii. (2) p. 462, pl. 8. f. 4 (1849). *Decticus* (*Platycleis*) *Striatus, Sauss.* l. c. p. 47. n. 11 (1874).	Kirghis Steppes.
29. **C. Tibialis, Fisch. Waldh.** (*Decticus T.*) l. c. p. 168, pl. 29. f. 5 (1846); Jacobs. & Bianchi, l. c. p. 417 (1903).	Irkutsk.
30. **C. Abbreviata, Serv.** (*Decticus Abbreviatus*) l. c. p. 490. n. 8 (1839). *Platycleis Saussuriana, Frey-Gessner*, Mitth. Schweiz. ent. Ges. iv. p. 8, pl. 1. f. 1 *a, b* (1872). *Platycleis Saussureana, Brunn.* Prodr. Eur. Orth. p. 357. n. 15 (1882); Finot, ll. cc. pp. 116, 118 (1883): pp. 204, 209 (1889): Bol. Ann. Sci. Nat. Porto, vi. pp. 25, 27 (1900); Jacobs. & Bianchi, l. c. p. 413 (1903). *Platycleis Saussurea, Tümp.* l. c. pp. 226, 265 (1900). *Platycleis Noui, Saulcy*, Bull. Soc. d'Hist. Nat. Metz, (2) xvii. p. 190 (1887).	N. Spain, Pyrenees, Jura, Alps, Apennines.
31. **C. Raia, Burr,** (*Platycleis R.*) l. c. p. 19 (1899).	Herzegovina.
32. **C. Fusca, Brunn.** (*Platycleis F.*) l. c. p. 358. n. 16 (1882); Jacobs. & Bianchi, l. c. p. 413 (1903).	Greece.
33. **C. Schereri, Werner,** (*Platycleis S.*) Jacobs. & Bianchi, l. c. p. 413 (1903).	Asia Minor.
34. **C. Prenjica, Burr,** (*Platycleis P.*) l. c. p. 19 (1899); Jacobs. & Bianchi, l. c. p. 414 (1903).	Herzegovina.
35. **C. Pulchra, Werner,** (*Platycleis P.*) Jacobs. & Bianchi, l. c. p. 414 (1903).	Asia Minor.
36. **C. Azami, Finot,** (*Platycleis A.*) Bull. Soc. Ent. France, lxi. p. xxxv (1892).	S. France.
*37. **C. Roeselii, Hagenb.** (*Locusta R.*) l. c. p. 39. f. 24 (1822). [Roesel, l. c. p. 128, pl. 20. f. 9.]	N., Central, & E. Europe.

Micropteryx Roeselii, *Steph.* l. c. vi. p. 13. n. 2 (1835).

Platycleis Roeselii, *Brunn.* l. c. p. 358. n. 17 (1882); Finot, Orth. France, pp. 116, 119 (1883); Faune France, Orth. pp. 205, 209 (1889); Burr, Brit. Orth. pp. 56, 58, pl. 5. f. 2 (1897); Tümp. l. c. pp. 226, 261, pl. 21 (1900).

Platycleis Roeseli, *Bol.* Ann. Sci. Nat. Porto, vi. pp. 25, 26 (1900); Jacobs. & Bianchi, l. c. p. 414, pl. 8 (1903); Adel. Ann. Mus. Zool. Pétersb. viii. p. xxxv (1903).

Locusta Brevipennis, *Charp.* l. c. p. 114 (1825); Phil. l. c. p. 25. n. 10 (1830).

Decticus Brevipennis, *Burm.* l. c. p. 710 (1838); Serv. Ins. Orth. p. 490 (1839); Fisch. Waldh. l. c. p. 172. n. 14 (1846); Borck, Skand. Rätv. Ins. p. 77. n. 4 (1848).

Decticus (*Platycleis*) *Brevipennis*, *Fisch.* l. c. p. 274. n. 6, pl. 13. ff. 9, 9 *a*, *b* (1853); Türk, l. c. ii. p. 373. n. 21 (1858); Rudow, l. c. p. 313 (1873).

Platycleis Brevipennis, *Fieb.* ll. cc. p. 152. n. 11 (1853); p. 42. n. 11 (1854); Selys, Ann. Soc. Ent. Belge, xi. p. 28 (1868); Friv. l. c. p. 130. n. 6 (1868).

Decticus Sinuatus, *Fisch.* l. c. p. 170. n. 12, pl. 29. f. 6 (1846).

Var. *Locusta Diluta*, *Charp.* l. c. p. 116 (1825).

Decticus Diluta, *Herr.-Schäff.* Nomencl. Ent. ii. p. 12 (1840).

Decticus Pellucida, *Herr.-Schäff.* l. c. (1840).

Platycleis Roeselii, var. *Macroptera*, *Brunn.* l. c. p. 359 (1882).

Var. *Platycleis Roeseli*, var. *Bispina*, *Bol.* Ann. Soc. Ent. Belge, xliii. p. 602 (1899). Asia Minor.

38. **C. Oporina, Bol.** (*Platycleis O.*) An. Soc. Españ. xvi. p. 108 (1887); Ann. Sci. Nat. Porto, vi. pp. 24, 26 (1900). Spain.

39. **C. Domogledi, Brunn.** (*Platycleis D.*) l. c. p. 360. n. 18 (1882); Jacobs. & Bianchi, l. c. p. 415 (1903). Hungary, Servia, Bulgaria.

40. **C. Marqueti, Saulcy,** (*Platycleis M.*) l. c. p. 81 (1887) ; Finot. Faune France, Orth. pp. 205, 211, pl. 11. ff. 143, 143 *bis*, *ter*, 4 (1889) ; Bol. Ann. Sci. Nat. Porto. vi. pp. 25, 27 (1900).	Pyrenees.
41. **C. Buyssoni, Saulcy,** (*Platycleis B.*) l. c. p. 190 (1887) ; Finot, l. c. pp. 205, 211 (1889) ; Bol. l. c. pp. 25, 27 (1900).	id., Alps, Vosges, Metz.
42. **C. Oblongicollis, Brunn.** (*Platycleis O.*) l. c. p. 360. n. 19 (1882) ; Jacobs. & Bianchi, l. c. p. 415 (1903).	Servia.
43. **C. Marmorata, Fieb.** (*Platycleis M.*) ll. cc. p. 259 (1853) ; p. 76 (1854) ; Brunn. l. c. p. 361. n. 20 (1882); Jacobs. & Bianchi. l. c. p. 415 (1903).	Venetia, Croatia, Hungary.
44. **C. Amplipennis, Brunn.** (*Platycleis A.*) l. c. p. 361. n. 21 (1882) ; Jacobs. & Bianchi, l. c. p. 416 (1903).	Servia, Hungary.
45. **C. Concinnus, Walk. (*Decticus C.*) Cat. Derm. Salt. B. M. ii. p. 260. n. 31 (1869).	Nepal.

Genus 154. **Tettigonia.** (*Type* no. 1.)

Linn. Syst. Nat. (ed. x.) i. p. 429 (1758) ; Schrank, Enum. Ins. Austr. p. 244 (1781) ; Kirb. Proc. R. Dublin Soc. vi. p. 580 (1890).

Decticus, *Serv.* Ann. Sci. Nat. xxii. p. 155 (1831) ; Ins. Orth. p. 484 (1839) : Steph. Ill. Brit. Ent.. Mand. vi. p. 16 (1835) ; Westw. Mod. Classif. Ins. ii. Syn. Gen. p. 45 (1839); Burm. Handb. Ent ii. p. 709 (1838) ; Fisch. Waldh. Orth. Ross. p. 153 (1846) ; Borck, Skand. Rätv. Ins. p. 67 (1848) ; Fisch. Orth. Eur. p. 268 (1853) ; Fieb. Lotos. iii. p. 148 (1853) ; Syn. Eur. Orth. p. 39 (1854) ; Friv. Értek. Termész. Kör. i. (12) p. 124 (1867) ; Herm. Verh. zool.-bot. Ges. Wien, xxiv. pp. 199, 206 (1874) ; Bol. Ortópt. Españ. pp. 236, 239 (1876) ; An. Soc. Españ. vi. pp. 318, 321 (1877) ; Ann. Sci. Nat. Porto, vi. p. 27 (1900) : Brunn. Prodr. Eur. Orth. pp. 248, 362 (1882) : Ann. Mus. Genova, xxxiii. p. 188 (1893) : Finot, Orth. France. pp. 92, 120 (1883) ; Faune France, Orth. pp. 175, 213 (1889) ; Auriv. Ent. Tidskr. xxi. p. 252 (1900) : Burr, Brit. Orth. p. 59 (1897) ; Tümp. Geradfl. Mitteleuropas, pp. 223, 225, 262 (1900) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 418 (1903).

Chelidoptera, pt., *Wesm.* Bull. Acad. Brux. v. p. 591 (1838).

*1. **T. Verrucivora, Linn.** (*Gryllus Tettigonia Verrucivorus*) Syst. Nat. (ed. x.) i. p. 431. n. 38 (1758); Schrank, l. c. p. 246. n. 468 (1781).

Europe, N. & W. Asia.

Gryllus Tettigonia Verrucivora, Stoll, Spect. Saut. p. 42, pl. 23 *b*. f. 92 (1813).

Gryllus Verrucivorus, Linn. Faun. Suec. (ed. ii.) p. 237. n. 870 (1761); Scop. Ent. Carn. p. 108. n. 321 (1763); Ratzeb. Forst. Ins. iii. p. 276, pl. 14. f. 6 (1844).

Locusta Verrucivora, De Geer, Mém. Ins. iii. p. 430. n. 2, pl. 21. ff. 1, 2 (1773); Fabr. Syst. Ent. p. 286. n. 23 (1775); Rossi, Fauna Etrusca, i. p. 266. n. 647 (1790); Schrank, Fauna Boica, ii. p. 35. n. 1030 (1801); Latr. Hist. Nat. Crust. Ins. xii. p. 130. n. 2 (1804); Panz. Faun. Ins. Germ. fasc. 89. pls. 20, 21 (1805); Thunb. Mém. Acad. Pétersb. v. p. 283 (1815); Zett. Orth. Suec. p. 63. n. 4 (1821); Charp. Hor. Ent. p. 124 (1825); Phil. Orth. Berol. p. 21. n. 5 (1830).

Decticus Verrucivorus, Serv. ll. cc. p. 156. n. 1 (1831); p. 484. n. 1 (1838); Steph. l. c. p. 17. n. 1 (1835); Wesm. l. c. p. 591. n. 1 (1838); Burm. l. c. p. 710. n. 2 (1838); Fisch. Waldh. l. c. p. 156. n. 2, pl. 4. ff. 2, 3 (1846); Borck, l. c. p. 68. n. 1 (1848); Fisch. l. c. p. 280. n. 2, pl. 13. ff. 2, 2 *a–m* (1853); Türk, Wien. Ent. Mon. ii. p. 373. n. 24 (1858); Meyer-Dür, Neue Denkschr. Schweiz. Ges. (2) vii. (6) p. 22. n. 45 (1859); Friv. l. c. p. 125. n. 1 (1867); Gräber, Verh. zool.-bot. Ges. Wien, xvii. p. 264. n. 6 (1867); Rudow, Zeitschr. ges. Naturw. xlii. p. 312. n. 54 (1873); Bol. ll. cc. p. 240. n. 1 (1876); p. 322 (1877); p. 27. n. 1 (1900); Brunn. Prodr. Eur. Orth. p. 363. n. 1 (1882); Finot, ll. cc. p. 120 (1883); p. 213, pl. 11. f. 144 (1889); Auriv. l. c. p. 252. n. 1 (1900); Burr, l. c. p. 59, pl. 5. f. 3 (1897); Tümp. l. c. pp 225, 262, pl. 22 (1900); Jacobs. & Bianchi, l. c. p. 419, pl. 9 (1903).

Decticus Verucivorus, Fieb. ll. cc. p. 149. n. 2 (1853); p. 39. n. 2 (1854).	
Acrida Verrucivora, Duncan, Jardine's Nat. Libr.. Ins. i. p. 253. pl. 13. f. 2 (1840).	
Var. *Acrida Bingleii, Curt.* Brit. Ent. ii. pl. 82 (1825); Steph. l. c. p. 17. n. 2 (1835).	
Var. *Decticus Verrucivorus,* var. *Buyssoni, Azam,* Rev. Sci. Bourbonn. xv. p. 39 (1902).	
*2. **T. Albifrons, Fabr.** (*Locusta A.*) l. c. p. 286. n. 20 (1775); Cyr. Ent. Neap. pl. 10. f. 4 (1792); Latr. l. c. p. 133. n. 8 (1804); Charp. l. c. p. 125 (1825); Germ. Faun. Ins. Eur. fasc. 20. pl. 14 (1838).	Madeira, N. Africa, S. Europe, W. Asia.
Decticus Albifrons, Serv. Ins. Orth. p. 486 (1839); Burm. l. c. p. 709. n. 1 (1838); Fisch. Waldh. l. c. p. 154. n. 1, pl. 28. f. 1 (1846); Fisch. l. c. p. 278. n. 1, pl. 13. f. 1 (1853); Fieb. ll. cc. p. 148. n. 1 (1853); p. 39. n. 1 (1854); Herm. l. c. p. 206, pl. 5. ff. 54–58 (1874); Bol. ll. cc. p. 241. n. 2, pl. 5. ff. 16, 16 *a*, *b* (1876); p. 323, pl. 4. ff. 16, 16 *a*, *b* (1877); pp. 27, 28. n. 2 (1900); Marq. Bull. Soc. d'Hist. Nat. Toulouse, xi. p. 153 (1877); Brunn. l. c. p. 365. n. 2 (1882); Finot, ll. cc. pp. 120, 121 (1883); pp. 213, 214 (1889); Burr, l. c. p. 60 (1897); Tümp. l. c. p. 263 (1900); Jacobs. & Bianchi, l. c. p. 419 (1903).	
Var. *Decticus Monspeliensis, Serv.* l. c. p. 487 (1839).	
3. **T. Assimilis, Fieb.** (*Decticus A.*) ll. cc. p. 149. n. 3 (1853); p. 39. n. 3 (1854); Brunn. l. c. p. 366. n. 3 (1882); Jacobs. & Bianchi, l. c. p. 419 (1903).	Astrachan, Tiflis, Persia, Syria.
♀. *Decticus Syriacus, Fieb.* ll. cc. n. 4 (1853); p. 40. n. 4 (1854).	
4. **T. (?) Stchukini, Fisch. Waldh.** (*Decticus S.*) l. c. p. 159, pl. 29. f. 4 (1846).	Dauria.
Decticus Stschukini, Jacobs. & Bianchi, l. c. p. 420 (1903).	
*5. **T. Macrocephalus, Fisch. Waldh.** (*Decticus M.*) l. c. p. 162. n. 6, pl. 29. f. 1 (1846).	Kirghis Steppes, Siberia.

6. **T. Japonica, Bol.** (*Decticus Japonicus*) An. Soc. Españ. xix. p. 327 (1890); Jacobs. & Bianchi, l. c. p. 420 (1903).	Yezo.
7. **T. (?) Fuscescens, Blanch.** (*Decticus F.*) Gay, Hist. Chile, Zool. vi. p. 44 (1851).	Coquimbo.

Genus 155. **Psorodonotus.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien. xi. p. 290 (1861); Prodr. Eur. Orth. pp. 248, 366 (1882); Ann. Mus. Genova, xxxiii. p. 188 (1893); Herm. Verh. zool.-bot. Ges. Wien, xxiv. pp. 200, 208 (1874); Bol. Ortópt. Españ. p. 236 (1876); An. Soc. Españ. vi. p. 318 (1877); Jacobs. & Bianchi, Prem. i. Lozhn. Ross. Imp. p. 417 (1903).

‖*Peltastes, Fisch. Waldh.* (*nec Rossi*), Bull. Mosc. 1839 (1) pp. 102, 111; Guér. Rev. Zool. 1839, p. 271.

‖*Pterolepis, Fisch. Waldh.* (*nec Ramb.*) Orth. Ross. p. 211 (1846).

*1. **P. Venosus, Fisch. Waldh.** (*Peltastes V.*) Bull. Mosc. 1839 (1) p. 112, pl. 3. ff. 2, 3; Orth. Ross. pl. 20. ff. 3, 4 (1846). *Pterolepis Venosa, Fisch. Waldh.* Orth. Ross. p. 212 (1846). *Pterolepis Venosus, Jacobs. & Bianchi,* l. c. p. 418 (1903).	Irkutsk.
2. **P. Fieberi, Fieb.** (*Pterolepis F.*) Lotos, iii. p. 154. n. 11 (1853); Syn. Eur. Orth. p. 44. n. 11 (1854). *Psorodonotus Fieberi, Herm.* l. c. p. 208, pl. 6. ff. 70–75 (1874); Brunn. Prodr. Eur. Orth. p. 367. n. 1, pl. 10. f. 89 (1882); Jacobs. & Bianchi, l. c. p. 417 (1903). *P. Pancici, Brunn.* Verh. zool.-bot. Ges. Wien, xi. p. 291, pl. 10. f. 5 A, B (1874).	Istria, Servia, Bulgaria, Armenia.
3. **P. Specularis, Fisch. Waldh.** (*Peltastes S.*) Bull. Mosc. 1839 (1) p. 112. n. 2; Orth. Ross. pl. 20. f. 5 (1846). *Pterolepis Specularis, Fisch. Waldh.* Orth. Ross. p. 213, pl. 20. f. 5 (1846). *P. Specularis, Brunn.* Prodr. Eur. Orth. p. 367. n. 2 (1882); Jacobs. & Bianchi, l. c. p. 418 (1903).	Taurida, Tiflis, Crimea, Syria (?).

4. **P. (?) Hastatus, Fisch. Waldh.** (*Peltastes H.*) Bull. Mosc. 1839 (1) p. 112. n. 3. Siberia.
Pterolepis Radiata, Fisch. Waldh. Orth. Ross. p. 214 (1846).
Peltastes Radiatus, Fisch. Waldh. l. c. pl. 20. f. 6 (1846).
Pterolepis Hastatus, Jacobs. & Bianchi, l. c. p. 418 (1903).

Genus 156. **Aprosphylus.**

Pict. Mém. Soc. Genève, xxx. (6) p. 65 (1888).

1. **A. Hybridus, Pict.** l. c. p. 67, pl. 2. f. 22 (1888). S. Africa.

SUBFAM. IX.

PHASGONURINÆ.

Genus 157. **Phasgonura.** (*Type* no. 1.)

Steph. Ill. Brit. Ent., Mand. vi. p. 15 (1835); Westw. Mod. Class. Ins. ii. Syn. Gen. p. 45 (1840).

Tettigonia, pt., *Linn.* Syst. Nat. (ed. x.) i. p. 429 (1758); Schrank. Enum. Ins. Austr. p. 244 (1781); Rehn, Canad. Ent. xxxiii. pp. 120, 121 (1901).

| *Locusta, Geoffr.* (*nec Linn.*) Hist. Ins. i. p. 396 (1762); De Geer, Mém. Ins. iii. p. 478 (1773); Fabr. Syst. Ent. p. 282 (1775); Rossi, Fauna Etrusca. i. p. 266 (1790); Latr. Hist. Nat. Crust. Ins. iii. p. 278 (1802), xii. p. 130. n. 1 (1804); Zett. Orth. Suec. p. 59 (1821); Phil. Orth. Berol. p. 17 (1830); Serv. Ann. Sci. Nat. xxii. p. 151 (1831); Ins. Orth. p. 527 (1839); Burm. Handb. Ent. ii. p. 713 (1838); Wesm. Bull. Acad. Brux. v. p. 592 (1838); Fisch. Waldh. Orth. Ross. p. 147 (1846); Borck, Skand. Rätv. Ins. p. 55 (1848); Fieb. Lotos, iii. p. 171 (1853); Syn. Eur. Orth. p. 47 (1884); Fisch. Orth. Eur. p. 250 (1853); Türk, Wien. Ent. Mon. ii. p. 371. n. 11 (1858); Friv. Értek. Termész. Kör. i. (12) p. 113 (1868); Bol. Ortópt. Españ. pp. 237, 263 (1876); An. Soc. Españ. vi. pp. 319, 345 (1877); Actas Soc. Españ. xxii. p. 22 (1893); Ann.

Sci. Nat. Porto, vi. p. 12 (1900); Brunn. Prodr. Eur. Orth. p. 306 (1882); Finot, Orth. France, pp. 91, 103 (1883); Faune France. Orth. pp. 174, 191 (1889); Burr, Brit. Orth. p. 54 (1897); Auriv. Ent. Tidskr. xxi. p. 252 (1900): Tümp. Geradfl. Mitteleuropas, pp. 222, 225, 263 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 392 (1903).

! *Acrida*, *Kirb.* (*nec Linn.*) Zool. Journ. i. p. 432 (1825): Curt. Brit. Ent. ii. pl. 82 text (1825); Steph. Cat. Brit. Ins. i. p. 300 (1829).

Conocephalus, pt., *Thunb.* Mém. Acad. Petersb. v. p. 278 (1815); Sam. Ent. Comp. p. 218 (1819).

Eumenymus, *Pict.* Mém. Soc. Genève. xxx. (6) p. 58 (1888). (*Type* no. 6.)

*1. **P. Viridissima, Linn.** (*Gryllus Tettigonia Viridissimus*) Syst. Nat. (ed. x.) i. p. 430. n. 37 (1758); Schrank, Enum. Ins. Austr. p. 244. n. 466 (1781). Europe, N. Africa, N. & W. Asia.

Gryllus Tettigonia Viridissima, *Stoll*, Spect. Saut. p. 42, pl. 23 *b*. f. 91 (1813).

Gryllus Viridissimus, *Linn.* Faun. Suec. (ed. ii.) p. 237. n. 369 (1761): Scop. Ent. Carn. p. 107 (1763); Ratzeb. Forst. Ins. iii. p. 276. pl. 14. f. 7 (1844).

Locusta Viridis Cantatrix, *De Geer*, l. c. p. 428. n. 1 (1773).

Locusta Viridissima, *Fabr.* l. c. p. 286. n. 22 (1775); Rossi, l. c. p. 266. n. 646 (1790); Schrank, Fauna Boica, ii. p. 34. n. 1028 (1801); Latr. l. c. xii. p. 129 (1804); Panz. Faun. Ins. Germ. fasc. 89. pls. 18, 19 (1805); Zett. l. c. p 59. n. 1 (1821): Charp. Hor. Ent. p. 108 (1825); Phil. l. c. p. 18. n. 1 (1830); Serv. ll. cc. p. 152. n. 1 (1831); p. 529 (1839); Wesm. l. c. p. 593. n. 1 (1838); Burm. l. c. p. 713. n. 1 (1838); Fisch. Waldh. l. c. p. 148. n. 1, pl. 4. f. 1 (1846); Borck, l. c. p. 56, pl. 2. f. 2 (1848); Fieb. ll. cc. p. 171. n. 1 (1853); p. 47. n. 1 (1854); Fisch. l. c. p. 251. n. 1, pl. 14. ff. 5, 5 *a–f* (1853): Löw. Verh. zool.-bot. Ges. Wien, vi. p. 407 (1861); Graber, Verh. zool.-bot. Ges. Wien, xvii. p. 264. n. 3 (1867); Friv. l. c. p. 114. n. 1 (1868); Rudow, Zeitschr. ges. Naturw. xlii. p. 315.

n. 65 (1873); Bol. ll. cc. p. 263. n. 1, pl. 5. ff. 13, 13*a* (1876); p. 345. n. 1, pl. 4. ff. 13, 13*a* (1877); pp. 23, 24 (1893); p. 12. n. 1 (1900): Brunn. Prodr. Eur. Orth. p. 307. n. 1 (1882); Finot, ll. cc. p. 103 (1883); p. 191 (1889); Auriv. l. c. p. 252. n. 1 (1900); Burr, l. c. p. 54, pl. 4. f. 11 (1897); Tümp. l. c. pp. 225, 263, pl. 21 (1900); Jacobs. & Bianchi, l. c. p. 392, pl. 8 (1903).

Conocephalus Viridissimus, Thunb. l. c. p. 278 (1815); Sam. l. c. p. 218 (1819).

Phasgonura Viridissima, Steph. Ill. Brit. Ent., Mand. vi. p. 16. n. 1 (1825).

2. **P. Savignyi, Luc.** (*Locusta S.*) Expl. Alg. iii. p. 14. n. 25 (1849).
[Sav. Descr. Égypte, Orth. pl. 4. ff. 1', 1².]

Algeria, Egypt.

*3. **P. Caudata, Charp.** (*Locusta C.*) Orth. pl. 33 (1845); Fieb. ll. cc. p. 171. n. 2 (1853); p. 47. n. 2 (1854); Fisch. l. c. p. 252. n. 2, pl. 14. f. 7 (1853); Türk, Wien. Ent. Mon. ii. p. 372. n. 12 (1858); Löw, l. c. p. 407 (1861); Friv. l. c. p. 115. n. 2 (1867); Rudow, l. c. p. 315. n. 67 (1873); Sauss. Fedchenko, Reise Turk. p. 41. n. 3 (1874); Brunn. l. c. p. 308. n. 2, pl. 8. f. 72 A–E (1882); Bol. Actas Soc. Españ. xxii. pp. 23, 24. n. 2 (1893); Tümp. l. c. pp. 225, 262 (1900); Jacobs. & Bianchi, l. c. p. 393 (1903).

S.E. Europe, W. & Central Asia.

Conocephalus Kolenatii, Fisch. Waldh. l. c. p. 145. n. 2, pl. 29. ff. 1, 2 (1846).

Locusta Longicauda, Eversm. Addit. p. 8, pl. A. ff. 2, 2 *a*, *b* (1848).

Locusta Prasina, Fieb. Kelch, Grundl. Orth. p. 3. n. 2 (1852).

*4. **P. Cantans, Fuessly** (*Gryllus C.*) Verz. Schweiz. Ins. p. 23. n. 439. pl. 1. f. 5 *a*, *b* (1775); Gmel. Syst. Nat. iv. (1) p. 2069. n. 119 (1783).

Locusta Cantans, Charp. l. c. p. 109 (1825); Burm. l. c. p. 714. n. 2 (1838); Fisch. Waldh. l. c. p. 151. n. 3 (1846); Fieb. l. c. p. 172. n. 3 (1853); Fisch. l. c.

N. & E. Europe, Alps, Pyrenees, Irkutsk, Armenia.

p. 253, pl. 14. f. 6 *a, b* (1853) : Löw. l. c. p. 407 (1861) ; Türk. l. c. p. 372 (1861) ; Graber, l. c. p. 264. n. 4 (1867) ; Friv. l. c. p. 115. n. 3 (1867) ; Rudow, l c. p. 315. n. 66 (1873) ; Bol. Ortópt. Españ. pp. 263, 264 (1776) ; An. Soc. Españ. vi. pp. 345, 346 (1777) ; Actas Soc. Españ. xxii. pp. 23, 24 (1893) ; Ann. Sci. Nat. Porto, vi. p. 12 (1900) ; Brunn. l. c. p. 309. n. 3 (1882); Finot, ll. cc. pp. 103, 104 (1883) ; pp. 191, 192 (1889) ; Tümp. l. c. p. 262. pl. 21 (1900) ; Jacobs. & Bianchi, l. c. p. 393, pl. 8 (1903).	
Decticus Cantans, Fisch. Waldh. l. c. pl. 4. ff. 6, 7 (1846).	
Locusta Gavernicnsis, Serv. Ins. Orth. p. 530. n. 2 (1839).	
5. **P. Hispanica, Bol.** (*Locusta H.*) Actas Soc. Españ. xxii. p. 24 (1893) ; Ann. Sci. Nat. Porto, vi. p. 12 (1900).	Spain.
6. **P. Vaucheriana, Pict.** (*Eumenymus Vaucherianus*) l. c. p. 59, pl. 3. f. 36 (1888).	Tangier.
Locusta Vaucheriana, Krauss, Zool. Jahrb. Syst. ix. p. 545. n. 54 (1896).	
Locusta Maroccana, Bol. Actas Soc. Españ. xxii. pp. 23, 25. n. 5 (1893).	
7. **P. Algerica, Bol.** (*Locusta A.*) l. c. pp. 24, 25. n. 6 (1893).	Algeria.
8. **P. Marginifera, Walk. (*Locusta M.*) Cat. Derm. Salt. B. M. ii. p. 284. n. 15 (1869).	Africa.

Genus 158. **Calliphona.** (*Type* no. 1.)

Krauss, Zool. Anz. xv. p. 169 (1892).

1. **C. Kœnigi, Krauss,** (*C. Königi*) l. c. p. 170 (1892).	Tenerife.
2. **C. Alluaudi, Bol.** Actas Soc. Españ. xxii. p. 50. n. 25 (1893).	Canaries.

Genus 159. **Amphiestris.**

Fieb. Lotos. iii. p. 187 (1853); Syn. Eur. Orth. p. 56 (1854); Bol. Ortópt. Españ. p. 219 (1876): An. Soc. Españ. vi. p. 301 (1877); Brunn. Prodr. Eur. Orth. p. 310 (1882).

‖ *Barbitistes. Ramb.* (*nec Charp.*) Faune Andal. ii. p. 53 (1839); Fisch. Orth. Eur. p. 211 (1853).

1. **A. Bætica, Ramb.** (*Barbitistes B.*) l. c. p. 54. pl. 3. ff. 1. 2 (1839). *Barbitistes Bæticus, Fisch.* l. c. p. 211. n. 1, pl. 12. ff. 1, 1 *a–e*, 2 (1853). *Amphiestris Bætica, Fieb.* ll. cc. p. 188 (1853): p. 56 (1854): Lotos. iv. p. 272 (1854); Bol. ll. cc. p. 219, pl. 5. f. 10 (1876): p. 301. pl. 4. f. 10 (1877); Brunn. l. c. p. 310. n. 1, pl. 8. f. 73 (1882).	Andalusia.

Genus 160. **Glyphonotus.**

Redt. Wien. Ent. Zeit. viii. p. 31 (1889): Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 392 (1903).

*1. **G. Thoracicus, Fisch. Waldh.** (*Locusta Thoracica*) Orth. Ross. p. 150, pl. 21. f. 5 (1846). *G. Thoracicus, Redt.* l. c. p. 31 (1889); Jacobs. & Bianchi, l. c. p. 392 (1903).	Alatau, Turcomania Turkestan.

Genus 161. **Onconotus.** (*Type* no. 3.)

Fisch. Waldh. Bull. Mosc. xii. (1) p. 106 (1839); Orth. Ross. p. 201 (1846); Fieb. Lotos, iii. p. 204 (1853), iv. p. 274 (1854); Syn. Eur. Orth. p. 60 (1854); Fisch. Orth. Eur. p. 208 (1853); Friv. Értek. Termész. Kör. i. (12) p. 86 (1867); Brunn. Prodr. Eur. Orth. p. 311 (1882); Ivan. Trud. Kharkov Univ. xxi. p. 313 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 391 (1903).

1. **O. Marginatus, Fabr.** (*Locusta Marginata*) Ent. Syst. Suppl. p. 193 (1798); Fisch. l. c. p. 210 (1853). *Bradyporus Marginatus, Burm.* Handb. Ent. ii. p. 678. n. 3 (1838).	S. Russia.

2. **O. Servillei, Fisch. Waldh.** Orth. Ross. p. 204, pl. 25. ff. 4, 5 (1846); Fieb. Lotos, iv. p. 274. n. 2 (1854); Fisch. l. c. p. 208. n. 1, pl. 11. f. 8 *b* (1853); Friv. l. c. p. 87. n. 1, pl. 1. ff. 5, 5 *a*, *b* (1867); Brunn. l. c. p. 311. n. 1, pl. 9. ff. 74 A, B (1882); Jacobs. & Bianchi, l. c. p. 391 (1903). *O. Crassicaudus, Ivan.* l. c. p. 317 (1888). *Bradyporus Laxmanni, Herr.-Schäff.* (*nec Pall.*) Panz. Faun. Ins. Germ. Heft clvi. pl. 18 (1838).	S.E.Europe.
*3. **O. Laxmanni, Pall.** (*Gryllus L.*) Reise, i. p. 468. n. 52 (1771); Spic. Zool. ix. p. 19, pl. 2. ff. 2, 3 (1772). *Bradyporus Laxmanni, Charp.* Hor. Ent. p. 97 (1825); Burm. l. c. p. 677. n. 1 (1838). *O. Laxmanni, Fisch. Waldh.* Bull. Mosc. xii. (1) p. 108 (1839); Orth. Ross. p. 203. n. 1, pl. 9. f. 7 (1846); Fieb. Lotos, iv. p. 274. n. 1 (1854); Fisch. l. c. p. 209 note (1853); Jacobs. & Bianchi, l. c. p. 391, pl. 10 (1903). *O. Tenuicaudus, Ivan.* l. c. p. 319 (1888). *O. Eversmanni, Fisch. Waldh.* Orth. Ross. p. 205, pl. 31. f. 8 (1846); Fieb. l. c. p. 274. n. 3 (1854); Fisch. l. c. p. 210 (1853). *O. Motchulskii, Fisch. Waldh.* l. c. p. 206, pl. 31. f. 7 (1846); Fieb. l. c. p. 274. n. 4 (1854). *O. Coriaceus, Fisch. Waldh.* l. c. p. 207. n. 5, pl. 31. f. 9 (1846); Fieb. l. c. p. 274. n. 5 (1854). *O. Boschnakïi, Fisch. Waldh.* l. c. p. 208. n. 6, pl. 31. f. 6 (1846). *O. Boschniakii, Fisch.* l. c. p. 210 (1853); Fieb. l. c. p. 275. n. 6 (1854).	S. Russia, Siberia.

SUBFAM. X.

SAGINÆ.

Genus 162. **Terpandrus.**

Stal, Rec. Orth. ii. p. 103 (1874); Sauss. Ann. Soc. Ent. France, lxi. pp. 6. 7 (1892); Brunn. Ann. Mus. Genova, xxxiii. p. 183 (1893).

*1. **T. Horridus, Burm.** (*Hexacentrus H.*) Handb. Ent. ii. p. 714. n. 2 (1838). *T. Horridus, Stal*, l. c. p. 107 (1874); Sauss. l. c. p. 8 (1892). *Locusta Vigentissima, Serv.* Ins. Orth. p. 530 (1839); McCoy, Prodr. Zool. Victoria, ii. (11) p. 37, pl. 109 (1885); Frogg. Agric. Gaz. N. S. Wales, xv. p. 737 (1904). *Locusta Bicolor, Walk.* Cat. Derm. Salt. B. M. ii. p. 286. n. 18 (1869).	Australia.

Genus 163. **Emptera.**

Sauss. Ann. Soc. Ent. France, (6) viii. p. 148 (1888).

1. **E. Indica, Herbst,** (*Locusta I.*) Fuessly, Arch. Ins. p. 193. n. 7, pl. 53. f. 2 (1786). *Saga Indica, Burm.* Handb. Ent. ii. p. 714. n. 4 (1838). *E. Indica, Sauss.* l. c. p. 149 (1888).	India (?).

Genus 164. **Saga.** (*Type* no. 1.)

Charp. Hor. Ent. p. 95 (1825) ; Brullé, Hist. Ins. ix. p. 158 (1835) ; Burm. Handb. Ent. ii. p. 716 (1838) ; Serv. Ann. Sci. Nat. xxii. p. 163 (1831) ; Ins. Orth. p. 538 (1839) ; Fisch. Waldh. Orth. Ross. p. 181 (1846) ; Fieb. Lotos, iii. p. 171 (1853) ; Fisch. Orth. Eur. p. 241 (1853) ; Costa, Faun. Nap., Ort. Locust. pp. 4, 7 (1871) ; Friv. Értek. Termész. Kör. i. (12) p. 108 (1867) ; Stal, Rec. Orth. ii. p. 104 (1874) ; Bol. Ortópt. Españ. pp. 237, 265 (1876) ; An. Soc. Españ. vi. pp. 319, 347 (1877) ; Krauss, Sitz. Akad. Wiss. Wien, Math.-Nat. Cl. lxxviii. (1) p. 506 (1879) ; Brunn. Prodr. Eur. Orth. p. 407 (1882) ; Ann. Mus. Genova, xxxiii. p. 183 (1893) ; Sauss. Ann. Soc. Ent. France, (6) viii. p. 129 (1888) ; Finot, Orth. France, p. 93 (1883) ; Faune France, Orth. pp. 175, 224 (1889) ; Tümp. Geradfl. Mitteleuropas, pp. 223, 227, 272 (1900) ; Werner, Zool. Anz. xxvi. p. 529 (1903) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 388 (1903).

Tettigopsis, Fisch. Waldh. Notice sur le Tettigopsis, p. 13 (1830) ; Bull. Mosc. vi. p. 361 (1833). (*Type* no. 1.)

*1. **S. Pedo, Pall.** (*Gryllus P.*) Reise, i. p. 467. n. 51 (1771).

S. Europe, N. & W. Asia.

Tettigopsis Pedo, Fisch. Waldh. ll. cc. p. 15. n. 1 (1830) : p. 373. n. 2 (1833).

S. Pedo, Jacobs. & Bianchi, l. c. p. 388 (1903).

Gryllus Tettigonia Giganteus, Vill. Linn. Ent. i. p. 451. n. 29, pl. 3. f. 7 (1789).

Locusta Serrata, Fabr. Ent. Syst. ii. p. 43. n. 37 (1793) : Latr. Hist. Nat. Crust. Ins. xii. p. 134. n. 11 (1804).

Saga Serrata, Charp. l. c. p. 95 (1825) ; Brullé, Expéd. Morée, Ins. Orth. p. 87. n. 54 (1833) ; p. 159, pl. 16 (1835) ; Burm. l. c. p. 716. n. 1 (1838) ; Fisch. Waldh. Orth. Ross. p. 183, pl. 5. f. 1 (*nec* 2) (1846) ; Fisch. l. c. p. 242. n. 1, pl. 14. ff. 9, 9 *a–f* (1853) ; Fieb. Lotos, iv. p. 224. n. 3 (1854) ; Türk, Wien. Ent. Mon. ii. p. 371. n. 9 (1858) ; Friv. l. c. p. 109, pl. 5. f. 1 (1867) ; Bol. ll. cc.

p. 265. n. 1. pl. 6. ff. 6, 6 *a. b* (1876): p. 347 (1877): Marq. Bull. Soc. Toulouse. xi. p. 155 (1877); Krauss, l. c. p. 506. n. 79. pl. 3. ff. 4. 4 A–C (1879): Brunn. Prodr. Eur. Orth. p. 408. n. 1 (1882): Finot, ll. cc. p. 127 (1883); p. 224 (1889); Sauss. l. c. pp. 130. 132. n. 1 (1888); Werner, l. c. p. 530 (1893); Tümp. l. c. p. 272, pl. 22 (1900); Jacobs. & Bianchi, l. c. pl. 9 (1903).

Tettigopsis Serrata, Fisch. Waldh. Notice sur le Tettigopsis. p. 15. n. 2 (1830).

‖ *Gryllus Tettigonia Onos*, ♀, *Stoll* (*nec Pall.*). Spectres, Saut. p. 24. pl. 11 *a*. f. 43 (1813).

Tettigopsis Nudipes, Fisch. Waldh. l. c. p. 15. n. 3 (1830); Bull. Mosc. vi. p. 374 (1833), *larva*.

2. **S. Cappadocia, Werner,** l. c. pp. 529, 530 (1903). Asia Minor.

3. **S. Lucasii, Sauss.** l. c. pp. 132. 135 (1888). Syria.

S. Lucasi, Jacobs. & Bianchi, l. c. p. 388 (1903).

4. **S. Longicaudata, Krauss,** l. c. p. 508. n. 2 (1779); Sauss. l. c. pp. 130, 131, 138. n. 10 (1888); Werner, l. c. p. 530 (1903); Jacobs. & Bianchi, l. c. p. 308 (1903). Asia Minor.

5. **S. Puella, Werner,** l. c. pp. 529, 530 (1903); Jacobs. & Bianchi, l. c. p. 389 (1903). id.

*6. **S. Ornata, Burm.** l. c. p. 717. n. 2 (1838): Krauss, l. c. p. 510 (1879): Sauss. l. c. p. 137. n. 9 (1888). Egypt.

[Savigny. Descr. de l'Égypte. Ins. Orth. pl. 4. f. 11.]

S. Savignyi, Sauss. l. c. p. 132. n. 8 (1888).

7. **S. Kraussi, Kirb.** (n. n.). Syria, Asia Minor.

‖ *S. Ornata, Krauss* (*nec Burm.*) l. c. p. 508. n. 3 (1879); Werner, l. c. pp. 529, 530 (1903); Jacobs. & Bianchi, l. c. p. 389 (1903).

8. **S. Ledereri, Sauss.** l. c. pp. 131, 134 (1888); Jacobs. & Bianchi, l. c. p. 389 (1903). Syria.

*9. **S. Vittata, Fisch. Waldh.** (*Tettigopsis Vittata*) Notice sur le Tettigopsis, p. 16. n. 4, plate (1830); Bull. Mosc. vi. p. 373. n. 1 (1833); Orth. Ross. pl. 6 (1846).	S.E.Europe, Otranto, Palestine.
S. Vittata, Fisch. Waldh. Orth. Ross. p. 184. n. 2 (1846); Fisch. l. c. p. 213. n. 2 (1853); Krauss, l. c. pp. 509, 511. n. 6 (1879); Brunn. l. c. p. 409. n. 2 (1882); Sauss. l. c. pp. 130, 132. n. 2 (1888); Jacobs. & Bianchi, l. c. p. 389 (1903).	
‖ *Tettigopsis Serrata*, ♂, *Fisch. Waldh.* l. c. pl. 5. f. 2 (1846).	
Saga Italica, Costa, l. c. p. 7, pl. 12. f. 1 (1871).	
*10. **S. Ephippigera, Fisch. Waldh.** l. c. p. 185. n. 3, pl. 30. ff. 1, 2 (1846); Fieb. Lotos, iv. p. 223. n. 1 (1854); Krauss, l. c. pp. 509, 510. n. 4 (1879); Sauss. l. c. pp. 132, 134. n. 6 (1888); Werner, l. c. pp. 529, 530 (1903); Jacobs. & Bianchi, l. c. p. 389 (1903).	Caucasus, Caspian, Syria.
11. **S. Syriaca, Luc.** Bull. Soc. Ent. France, (4) iv. p. 5 (1864); Sauss. l. c. p. 132. n. 9, p. 136. n. 8 (1888); Jacobs. & Bianchi, l. c. p. 390 (1903).	Syria, Palestine.
S. Monstrosa, Krauss, l. c. pp. 509, 510. n. 5 (1879).	
12. **S. Brunneri, Sauss.** l. c. pp. 131, 133 (1888); Werner, l. c. pp. 529, 530 (1903); Jacobs. & Bianchi, l. c. p. 390 (1903).	Syria, Asia Minor, Samos, Balkans.
*13. **S. Natoliæ, Serv.** Ins. Orth. p. 541. n. 2 (1839); Krauss, l. c. pp. 509, 511. n. 7 (1879); Brunn. l. c. p. 409. n. 3, pl. 10. f. 93, A. B (1882); Sauss. l. c. pp. 131, 133. n. 4 (1888); Werner, l. c. pp. 529, 530 (1903); Jacobs. & Bianchi, l. c. p. 390 (1903).	Balkans, Dalmatia, Bulgaria, Asia Minor, Syria.
‖ *Gryllus Tettigonia Onos, Stoll* (*nec Pall.*), Spectres, Saut. p. 24, pl. 11 *a*. f. 42 (1813).	
Saga Synophrys, Charp. Germar, Zeitschr. Ent. iii. p. 319 (1841); Fisch. l. c. p. 244. n. 3, pl. 14. ff. 8, 8 *a*, *b* (1853).	
‖ *S. Gigantea, Herr.-Schäff.* (*nec Vill.*) Nomencl. Ent. ii. Orth. p. 15 (1840); Fieb. Lotos, iv. p. 224. n. 2 (1854).	

||*Locusta* (*Saga*) *Pedo*, *Haan* (*nec Pall.*), Temminck, Verhandel., Orth. pp. 208, 209. n. 5 (1842).

14. **S.** (**?**) **Quadrisignata, Phil.** Zeitschr. ges. Naturw. xxi. p. 235 (1863). Chile.

Genus 165. **Clonia.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xii. p. 352 (1855); Rec. Orth. ii. pp. 104, 117 (1874); Sauss. Ann. Soc. Ent. France, (6) viii. pp. 129, 138 (1888), lxi. p. 14 (1892).

*1. **C. Wahlbergi, Stål,** ll. cc. p. 352 (1855); p. 118. n. 1 (1874); Sauss. ll. cc. p. 147. n. 6 (1888); p. 15. n. 1 (1892); Distant, Naturalist in Transvaal, p. 83, fig. (1892). S. Africa.

*2. **C. Vittata, Thunb.** (*Locusta V.*) Nov. Spec. Ins. v. p. 102 (1789); Mém. Acad. Pétersb. v. p. 280 (1815). id.

C. Vittata, *Stål*, Rec. Orth. ii. p. 119. n. 2 (1874).

***Saga Maculosa*, *Walk.* Cat. Derm. Salt. B. M. ii. p. 294. n. 16 (1869).

C. Maculosa, *Sauss.* l. c. p. 146. n. 5 (1888).

Genus 166. **Hemiclonia, Kirb.** (n. n.). (*Type* no. 1.)

Clonia, *a. a*, *Stål*, Rec. Orth. ii. p. 120 (1874).

Clonia, *sect.* 1, *Sauss.* Ann. Soc. Ent. France, (6) viii. p. 141 (1888).

*1. **H. Melanoptera, Linn.** (*Gryllus Tettigonia Melanopterus*) Syst. Nat. (ed. x.) i. p. 430. n. 34 (1758); Mus. Ludov. Ulr. p. 134. n. 28 (1764). S. Africa.

Locusta Melanoptera, *Fabr.* Syst. Ent. p. 285. n. 18 (1776).

C. Melanoptera, *Stål*, l. c. p. 120. n. 3 (1874); Sauss. l. c. p. 141. n. 1 (1888).

Locusta (*Saga*) *Melanoptera*, *Haan*, Temminck, Verhandel., Orth. pp. 208, 209. n. 2 (1842).

Gryllus Tettigonia Azurea, Stoll, Spectres, Saut. p. 27, pl. 13 *a*. f. 53 (1813). *Saga Azurea, Serv.* Ins. Orth. p. 540. n. 1 (1838); Burm. Handb. Ent. ii. p. 717. n. 3 (1838). *Conocephalus Spinigerus, Thunb.* Mém. Acad. Pétersb. v. p. 277 (1815). *Saga Elegans, Blanch.* Hist. Ins. iii. p. 29. n. 1 (1840).	
*2. **H. Lalandæi, Sauss.** (*Clonia L.*) l. c. p. 142. n. 2 (1888). *Clonia Lalandei, Sauss.* l. c. lxi. p. 15. n. 3 (1892). ‖ *Saga Azurea,* var. (?), *Walk.* (*nec Stoll*) Cat. Derm. Salt. B. M. ii. p. 291. n. 11 (1869).	S. Africa.
*3. **H. Tessellata, Sauss.** (*Clonia Tesselata*) l. c. (6) viii. p. 143. n. 3 (1888). *C. Tessellata, Sauss.* l. c. lxi. p. 15. n. 2 (1892).	id.
4. **H. Minuta, Haan,** (*Locusta* (*Saga*) *M.*) l. c. pp. 208, 209. n. 3 (1842). *C. Minuta, Sauss.* l. c. (6) viii. p. 144. n. 4 (1888).	id.

Genus 167. **Peringueyella.** (*Type* no. 1.)

Sauss. Ann. Soc. Ent. France, (6) viii. p. 150 (1888).
Peringueylla, Brunn. Ann. Mus. Genova, xxxiii. p. 184 (1893).

1. **P. Jocosa, Sauss.** l. c. p. 152, pl. 5. ff. 1, 2 (1888).	S. Africa.
*2. **P. Macrocephala, Schaum,** (*Saga M.*) Ber. Akad. Wiss. Berlin, 1853, p. 778. n. 14; Peters' Reise Mossamb. v. p. 128, pl. 7. f. 13 (1862). *P. Macrocephala, Sauss.* l. c. p. 153. n. 2 (1888).	Mozambique.
3. **P. Præditoria, Dist.** (*Hemisaga P.*) Naturalist in Transvaal, pp. 63, 258, plate (1892).	Transvaal.

Genus 168. **Hemisaga.** (*Type* no. 2.)

Sauss. Ann. Soc. Ent. France, (6) viii. p. 148 (1888), lxi. p. 12 (1892); Brunn. Ann. Mus. Genova, xxxiii. p. 183 (1893).
Xiphosaga, Sauss. l. c. (6) viii. p. 154 (1888). (*Type* no. 2.)
(?) *Terpandrulus, Brunn.* l. c. p. 183 (1893) (*absque typ.*).

1. **H. Denticulata, White, (*Saga D.*) Grey, Exped. Austral. ii. p. 469 (1841); Walk. Cat. Derm. Salt. B. M. ii. p. 292. n. 13 (1869). *Clonia* (?) *Denticulata, Sauss.* l. c. (6) viii. p. 145. n. 5 (1888). *H. Denticulata, Sauss.* l. c. lxi. p. 13 (1892). *H. Hastata, Sauss.* l. c. (6) viii. p. 149. n. 1 (1888).	Australia.
2. **H. Lutea, Walk. (*Saga L.*) l. c. p. 292. n. 14 (1869). *Xiphosaga Lutea, Sauss.* l. c. p. 154 (1888). *H. Denticulata*, var. *Lutea, Sauss.* l. c. lxi. p. 14 (1892).	id.

Genus 169. **Pachysaga.**

Brunn. Ann. Mus. Genova, xxxiii. p. 183 (1893).

1. *sp. ined.*	LordHowe's I., Java.

Genus 170. **Miosaga.**

Sauss. Ann. Soc. Ent. France, lxi. pp. 6, 7, 10 (1892).

1. **M. Orthoxipha, Sauss. l. c. p. 11 (1892).	Australia.

SUBFAM. XI.

TYMPANOPHORINÆ.

Genus 171. **Tympanophora.**

White, Grey, Journ. Exped. Austral. ii. p. 468 (1841).

1. **T. Pellucida, White, l. c. p. 468 (1841); Brunn. Ann. Mus. Genova, xxxiii. pp. 182, 183, f. 5 (1841).	Australia.

SUBFAM. XII.

CONOCEPHALINÆ.

Genus 172. **Panacanthus.** (*Type* no. 2.)

Walk. Cat. Derm. Salt. B. M. ii. p. 332 (1869); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 328, 334 (1891).

1. **P. Varius, Walk. l. c. p. 333. n. 1 (1869); Redt. l. c. p. 335. n. 1 (1891).	Quito.
2. **P. Spinosus, Redt.** l. c. n. 2, pl. 3. f. 1 (1891).	Panama.

Genus 173. **Storniza.** (*Type* no. 2.)

Walk. Cat. Derm. Salt. B. M. ii. p. 333 (1869).
Martinezia, *Bol.* An. Soc. Españ. x. p. 494 (1881); Viaje al Pacif., Ins. p. 82 (1884). (*Type* no. 1.)

1. **S. Cuspidata, Haan,** (*Locusta* (*Conocephalus*) *C.*) Temminck, Verhandel., Orth. p. 212. n. 1 (1842). *Martinezia Cuspidata*, *Bol.* ll. cc. p. 494, pl. 8. f. 5 (1881); p. 84, pl. 2. f. 7 (1884). *Panacanthus Cuspidatus*, *Redt.* Verh. zool.-bot. Ges. Wien, xli. p. 336. n. 3 (1891); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 85 (1898).	Brazil, Ecuador.

2. **S. Pallicornis, Walk. l. c. p. 334. n. 1 (1869).	Bogota.
3. **S. Tuberculata, Redt.** (*Paracanthus Tuberculatus*) l. c. p. 336. n. 4 (1891).	Medellin.

Genus 174. **Rhynchocerus.**

Karsch, Entom. Nachr. xxii. p. 347 (1896).

1. **R. Quinqueductus, Karsch,** l. c. p. 348 (1896).	Sumatra.

Genus 175. **Loboscelis.**

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 328, 337 (1891).

*1. **L. Pilipes, Redt.** l. c. p. 338, pl. 3. f. 2 *a, b* (1891).	Brazil.

Genus 176. **Dædalus.** (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 328, 338 (1891).

1. **D. Apterus, Redt.** l. c. p. 338, pl. 3. f. 3 (1891).	Venezuela.
2. **D. Porteri, Bol.** (*Dædaleus P.*) Revista Chilena, vii. p. 142 (1903).	Brazil.

Genus 177. **Copiphora.** (*Type* no. 7.)

Serv. Ann. Sci. Nat. xxii. p. 147 (1831); Ins. Orth. p. 512 (1839).

Copidophora, *Agass.* Zool. Nomencl. Ind. Univ. p. 98 (1846).

Copiophora, *Burm.* Handb. Ent. ii. p. 702 (1838); Stal, Œfv. Vet.-Akad. Förh. xxx. (4) p. 50 (1873); Rec. Orth. ii. pp. 97, 104 (1874); Pict. Mém. Soc. Genève, xxx. (6) p. 44 (1888); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 339 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 376 (1898).

*1. **C. Cultricornis, Pict.** (*Copiophora C.*) l. c. p. 47. n. 9, pl. 2. f. 23 (1888); Redt. l. c. pp. 340, 341. n. 3 (1891); Sauss. & Pict. l. c. p. 377. n. 1, pl. 19. ff. 33, 34 (1898).	Panama.
*2. **C. Monoceros, Sauss. & Pict.** l. c. p. 378. n. 2 (1898).	Guatemala.
3. **C. Cochleata, Redt.** (*Copiophora C.*) l. c. p. 341. n. 2, pl. 3. f. 4 (1891); Sauss. & Pict. l. c. pp. 376, 378. n. 3 (1898).	Panama.
*4. **C. Cornuta, De Geer,** (*Locusta C.*) Mém. Ins. iii. p. 441. n. 3, pl. 37. f. 7 (1773); Blanch. Hist. Ins. iii. p. 26. n. 3 (1840). *C. Cornuta, Serv.* Ins. Orth. p. 514. n. 2, pl. 10. f. 7 (1839). *Copiophora Cornuta, Burm.* l. c. p. 703. n. 2 (1838); Charp. Orthopt. pl. 43 (1843); Stål, Rec. Orth. ii. p. 104. n. 1 (1874); Redt. l. c. p. 340. n. 1 (1891); Sauss. & Pict. l. c. pp. 376, 378. n. 4 (1898).	Costa Rica, Guiana, Brazil.
*5. **C. Rhinoceros, Pict.** (*Copiophora R.*) l. c. p. 48, pl. 2. f. 25 (1888); Redt. l. c. p. 342. n. 5 (1891).	Nicaragua, Panama.
6. **C. Producta, Bol.** (*Copiocera P.*) Revista Chilena, vii. p. 143 (1903).	Paraguay.
*7. **C. Longicauda, Serv.** Ann. Sci. Nat. xxii. p. 147 (1831); Ins. Orth. p. 513. n. 2 (1839). *Copiophora Longicauda, Burm.* l. c. p. 703. n. 3 (1838); Redt. l. c. pp. 340, 343. n. 6 (1891); Sauss. & Pict. l. c. pp. 376, 378. n. 6 (1898). *Copiophora Conspersa, Stål,* l. c. p. 104. n. 2 (1874). *C. Licornis, Pict.* l. c. pp. 44, 45, pl. 2. ff. 24, 24*a* (1888); Stål, l. c. p. 104. n. 2 (1874).	Guiana, Brazil.
8. **C. Gracilis, Scudd.** (*Copiophora G.*) Proc. Bost. Soc. N. H. xii. p. 339 (1869); Pict. l. c. pp. 44, 46. n. 5 (1888).	Napo.
9. **C. Azteca, Sauss. & Pict. (*Copiophora A.*) l. c. p. 379. n. 7, pl. 19. f. 1 (1898).	Mexico.
10. **C. Mucronata, Thom.** (*Copiophora M.*) Hayden, Rep. Geol. Surv. Montana, 1871, p. 444 (1872); Canad. Ent. iv. p. 16 (1872); Glover, Ill. N. Amer. Orth. pl. 7. f. 8, pl. 8. f. 14 (1872).	Washington (introd.).

*11. **C. Capito, Stål,** (*Copiophora C.*) l. c. p. 105. n. 3 (1874); Pict. l. c. pp. 44, 45. n. 3 (1888); Redt. l. c. pp. 340, 342. n. 4 (1891); Sauss. & Pict. l. c. pp. 377, 379. n. 8 (1898). *Copiophora Carinata, Pict.* l. c. pp. 44, 46. n. 8 (1888).	Centr. Amer., Brazil.
12. **C. (?) Flavoscripta, Walk. (*Copiophora F.*) Cat. Derm. Salt. B. M. ii. p. 332. n. 7 (1869).	Venezuela.
13. **C. Cephalotes, Sauss. & Pict.** (*Copiophora C.*) l. c. p. 380. n. 9, pl. 19. f. 2 (1898).	Rio Janeiro.
*14. **C. Brevicornis, Redt.** (*Copiophora B.*) l. c. pp. 340, 343. n. 7 (1891); Sauss. & Pict. l. c. p. 376 (1898); Bol. l. c. p. 144 (1903).	Peru, Antilles.
15. **C. Borellii, Giglio-Tos,** (*Copiophora B.*) Boll. Mus. Torino, ix. (184) p. 40 (1894).	Paraguay.
16. **C. Festæ, Giglio-Tos,** (*Copiophora F.*) l. c. xiii. (311) p. 85 (1898).	Ecuador.
17. **C. Subulata, Stoll,** (*Gryllus Tettigonia S.*) Spectres, Saut. p. 27, pl. 13 *a*. f. 51 (1813), *larva*.	Cape (?).
18. **C. Coronata, Redt.** (*Copiophora C.*) l. c. p. 344. n. 9 (1891); Pict. & Sauss. l. c. p. 377 (1898).	Amazons.

Genus 178. **Lamniceps.**

Bol. Rev. Chilena, vii. p. 144 (1903).

1. **L. Giglio-Tosi, Bol.** l. c. p. 145 (1903).	Paraguay.

Genus 179. **Lirometopum.** (*Type* no. 1.)

Scudd. Proc. Bost. Soc. N. H. xvii. p. 457 (1875); Redt. Verh. zool.-bot. Ges. Wien, xli. p. 345 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 380 (1898).

*1. **L. Coronatum, Scudd.** l. c. p. 458. p. 456. ff. 1, 2 (1875); Redt. l. c. p. 345. pl. 3. f. 6 *a*, *b* (1891); Sauss. & Pict. l. c. p. 380. n. 1, pl. 19. f. 3 (1898).	N. Granada, Central America.

*2. **L.** (?) **Brevirostris, Stål,** (*Copiophora B.*) Œfv. Vet.-Akad. Förh. xiii. (4) p. 50 (1873); Redt. l. c. p. 344. n. 8, pl. 3. f. 5 (1891); Sauss. & Pict. l. c. pp. 377, 380. n. 10 (1898).	N. Granada, Panama, Dominica, Sta. Lucia.

Genus 180. **Montesa.**

Walk. Cat. Derm. Salt. B. M. ii. p. 300 (1869).

1. **M. Nigridens, Walk. l. c. n. 1 (1869).	Tapajos, Santarem (eadem ?).

Genus 181. **Basileus.**

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 385 (1898).

1. **B. Repandus, Walk. (*Locusta Repanda*) Cat. Derm. Salt. B. M. ii. p. 284. n. 16 (1869). *B. Diadematus, Sauss. & Pict.* l. c. p. 385. n. 1, pl. 19. ff. 11, 12 (1898).	Pernambuco, Cayenne.

Genus 182. **Exocephala.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 160 (1831); Ins. Orth. p. 507 (1839); Burm. Handb. Ent. ii. p. 723 (1838); Redt. Verh. zool.-bot. Ges. Wien, xli. p. 345 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 381 (1898).
Moncheca, Walk. Cat. Derm. Salt. B. M. ii. p. 289 (1869). (*Type* no. 1.)
Vestria, Stål, Rec. Orth. ii. pp. 97, 105 (1874). (*Type* no. 2.)

*1. **E. Bisulca, St. Farg. & Serv.** (*Locusta B.*) Encycl. Méth., Ins. x. p. 342. n. 4 (1825). *E. Bisulca, Serv.* ll. cc. p. 160. n. 1 (1831); p. 508 (1839); Redt. l. c. p. 346. n. 1, pl. 3. f. 7 (1891); Sauss. & Pict. l. c. p. 381. n. 1 (1898). ***Moncheca Pretiosa, Walk.* l. c. p. 289. n. 1 (1869).	S. & Centr. Amer.
2. **E. Nigricauda, Stål,** (*Vestria N.*) l. c. p. 105. n. 1 (1874). *E. Nigricauda, Redt.* l. c. p. 347. n. 2 (1891).	S. Amer.(?).

3. **E. Viridis, Redt**. l. c. p. 347. n. 3 (1891).	Santarem, Peru.
4. **E. Parva, Bol.** (*Escocephala P.*) Revista Chilena, vii. p. 145 (1903).	Paraguay.
5. **E. Spinifrons, Sauss. & Pict. l. c. pp. 381, 382. n. 2 (1898).	Cayenne.
*6. **E. Punctata, Redt.** l. c. p. 348. n. 4 (1891).	Chiriqui.
7. **E. Elegans, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 86 (1898).	Ecuador.

Genus 183. **Eriolus.** (*Type* no. 5.)

Bol. Mém. Soc. Zool. France, i. p. 150 (1888); Redt. Verh. zool.-bot. Ges. Wien, xli. p. 348 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 382 (1898).

1. **E. Spiniger, Redt.** l. c. p. 349. n. 1, pl. 3. f. 8 (1891); Sauss. & Pict. l. c. p. 382 (1898).	Cayenne.
2. **E. Mexicanus, Sauss.** (*Copiophora Mexicana*) Rev. Zool. (2) xi. p. 207 (1859). *E. Mexicanus, Sauss. & Pict.* l. c. p. 383. n. 1, pl. 19. ff. 4, 5 (1898).	Mexico.
3. **E. Consobrinus, Sauss. & Pict. l. c. p. 384. n. 2, pl. 19. ff. 6, 7 (1898).	Guatemala, Panama.
4. **E. Frater, Redt.** l. c. p. 350. n. 4 (1891).	S. Amer. (?).
5. **E. Caraibeus, Bol.** l. c. p. 151 (1888); Redt. l. c. p. 350. n. 3 (1891).	Cuba.
6. **E. Falcatus, Sauss. & Pict.** l. c. p. 384. n. 3, pl. 19. f. 8 (1898).	Guatemala.
7. **E. Acutipennis, Sauss. & Pict. l. c. p. 384. n. 4, pl. 19. ff. 9, 10 (1898).	Panama.
8. **E. Longipennis, Redt.** l. c. p. 350. n. 2 (1891); Sauss. & Pict. l. c. p. 385. n. 5 (1898).	Costa Rica.
9. **E. Brevipennis, Redt.** l. c. p. 351. n. 5 (1891); Sauss. & Pict. l. c. pp. 383, 385 (1898).	Guatemala.

Genus 184. **Gryporhynchus.**

Redt. Verh. zool.-bot. Ges. Wien, xli. p. 351 (1891).

1. **G. Acutipennis, Redt.** l. c. p. 352. pl. 3. f. 9 (1891).	Brazil.

Genus 185. **Mygalopsis.**

Redt. Verh. zool.-bot. Ges. Wien, xli. p. 352 (1891).

1. **M. Pauperculus, Walk. (*Pseudorhynchus(?) P.*) Cat. Derm. Salt. B. M. ii. p. 331. n. 5 (1869). *M. Ferruginea*, *Redt.* l. c. p. 353, pl. 3. f. 10 (1891).	Swan River.

Genus 186. **Acanthacara.**

Scudd. Proc. Bost. Soc. Nat. Hist. xii. p. 335 (1869).

1. **A. Acuta, Scudd.** l. c. p. 336. n. 12 (1869).	Quito.

Genus 187. **Belocephalus.**

Scudd. Proc. Bost. Soc. Nat. Hist. xvii. p. 458 (1875); Redt. Verh. zool.-bot. Ges. Wien, xli. p. 353 (1891).

1. **B. Subapterus, Scudd.** l. c. p. 459 (1875); Redt. l. c. p. 353 (1891). ‖*Acanthacara Acuta*, *Glov.* (*nec Scudd.*) Ill. N. Amer. Orth. pl. 16. f. 17 (1874); Thom. Bull. U.S. Surv. Territ. i. p. 71 (1874).	Florida.

Genus 188. **Poascirtus.**

Sauss. Abhandl. Senckenb. Ges. xxi. p. 618 (1899).

1. **P. Voeltzkowi, Sauss.** l. c. p. 619, pl. 37. ff. 13-16 (1899).	Nossi Bé.

Genus 189. **Eurymetopa.**

Redt. Verh. zool.-bot. Ges. Wien, xli. p. 354 (1891).

1. **E. Obesa, Redt.** l. c. p. 354, pl. 3. f. 11 (1891).	Peru.

Genus 190. **Liostethus.** (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. p. 355 (1891).

1. **L. Gladius, Redt.** l. c. n. 1, pl. 3. f. 12 (1891).	Upper Amazons.
2. **L. Pugio, Redt.** l. c. p. 356. n. 2 (1891).	Venezuela, Bahia.

Genus 191. **Oxyprora.** (*Type* no. 4.)

Stål, Œfv. Vet.-Akad. Förh. xiii. (4) p. 50 (1873); Rec. Orth. ii. pp. 98, 106 (1874); Redt. Verh. zool.-bot. Ges. Wien, xli. p. 358 (1891).

1. **O. Ascendens, Walk. (*Conocephalus A.*) Cat. Derm. Salt. B. M. ii. p. 305. n. 13 (1869).	Jamaica.
2. **O. Surinamensis, Redt.** l. c. p. 359. n. 1 (1891).	Surinam, Brazil.
*3. **O. Acanthoceras, Haan,** (*Locusta* (*Conocephalus*) *A.*) Temminck, Verhandel., Orth. p. 212. n. 12 (1842).	Brazil.
‖ *O. Acuminata, Redt.* (*nec Linn.*) l. c. p. 359. n. 2 (1891).	
4. **O. Acuminata, Linn.** (*Gryllus Tettigonia Acuminatus*) Syst. Nat. (ed. x.) i. p. 429. n. 29 (1758); (ed. xii.) i. (2) p. 696. n. 23 (1767); Mus. Lud. Ulr. p. 130 (1764).	id.
Locusta Acuminata, De Geer, Mém. Ins. iii. p. 442. n. 4, pl. 37. f. 8 (1773).	
(?) *O. Acuminatus, Stål,* Rec. Orth. ii. p. 106. n. 1 (1874).	
*5. **O. Rostrata, Redt.** l. c. p. 360. n. 3 (1891).	id.
6. **O. Flavicornis, Redt.** l. c. n. 4 (1891).	Bahia.
7. **O. Curvirostris, Redt.** l. c. p. 361. n. 5 (1891).	Iquitos.

Genus 192. **Oxyprorella.**

Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 69 (1898).

1. **O. Dives, Giglio-Tos,** l. c. p. 70 (1898).	Ecuador.

Genus 193. **Pedinostethus.**

Redt. Verh. zool.-bot. Ges. Wien, xli. p. 361 (1891).

1. **P. Exiguus, Redt.** l. c. p. 362, pl. 3. f. 15 (1891).	Madagascar

Genus 194. **Xestophrys.**

Redt. Verh. zool.-bot. Ges. Wien, xli. p. 362 (1891).

1. **X. Javanicus, Redt.** l. c. pl. 3. f. 16 (1891).	Java.

Genus 195. **Lanista.**

Bol. Jorn. Sci. Lisboa, (2) i. p. 223 (1890); Redt. Verh. zool.-bot. Ges. Wien, xli. p. 363 (1891); Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 139 (1893).

1. **L. Annulicornis, Walk. (*Conocephalus A.*) Cat. Derm. Salt. B. M. ii. p. 312. n. 35 (1869). *L. Annulicornis, Bol.* l. c. p. 223. n. 208, pl. 1. f. 11 (1890); (?) Redt. l. c. p. 363, pl. 3. f. 17 (1891). ***Pseudorhynchus Africanus, Walk.* l. c. v. p. 38 (1871).	E., W., & Centr. Africa.

Genus 196. **Clasma.**

Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 139 (1893).

1. **C. Parvispinosa, Karsch,** l. c. p. 140. n. 116, fig. (1893).	Togo.

Genus 197. **Plastocorypha.** (*Type* no. 1.)

Karsch, Stettin. Ent. Zeit. lvii. p. 353 (1896).

*1. **P. Nigrifrons, Redt.** (*Pseudorhynchus N.*) Verh. zool.-bot. Ges. Wien, xli. p. 368. n. 6 (1891).	Cameroons.
2. **P. Vandicana, Karsch,** l. c. p. 354. n. 124 (1896).	W. & E. C. Africa.

Genus 198. **Pseudorhynchus.** (*Type* no. 3.)

Serv. Ins. Orth. p. 509 (1839); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 329, 364 (1891); Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 139, 140 (1893); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 325, 337, 382 (1902–3).

*1. **P. Pungens, Schaum,** (*Conocephalus P.*) Ber. Akad. Berlin, 1853, p. 778. n. 13; Peters' Reise Mossamb. v. p. 127, pl. 7. f. 12 (1862); Gerst. Decken, Reisen Ost-Afr. iii. (2) p. 30. n. 43 (1873). *P. Pungens, Redt.* l. c. p. 365. n. 1, pl. 3. f. 18 (1891).	E. & Centr. Africa.

2. **P. Lanceolatus, Fabr. (*Locusta Lanceolata*) Syst. Ent. p. 284. n. 12 (1775). *Conocephalus Lanceolatus*, *Burm.* Handb. Ent. ii. p. 704. n. 1 (1838). *Pyrgocorypha Hastata*, *Bol.* Jorn. Sci. Lisboa, (2) i. p. 222. n. 207 (1890). *P. Hastatus*, *Redt.* l. c. p. 366. n. 2 (1891).	W. Africa.
3. **P. Sicarius, Serv.** Ins. Orth. p. 510. n. 1 (1839); Redt. l. c. p. 367. n. 3 (1891).	Africa (?).
*4. **P. Hastifer, Schaum,** (*Conocephalus H.*) ll. cc. p. 778. n. 12 (1853); p. 126, pl. 7. f. 11 (1862). ‖*P. Hastifer*, *Redt.* l. c. p. 367. n. 4 (1891).	Mozambique, Sennaar, S. Africa.
5. **P. Porrigens, Walk. (*Conocephalus P.*) Cat. Derm. Salt. B. M. ii. p. 313. n. 36 (1869).	Natal.
*6. **P. Flavescens, Serv.** (*Conocephalus F.*) Ann. Sci. Nat. xxii. p. 148. n. 1 (1831). *P. Flavescens*, *Serv.* Ins. Orth. p. 511. n. 2 (1839).	Java.
*7. **P. Lessonii, Serv.** l. c. n. 3 (1839). ***Conocephalus Alienus*, *Walk.* l. c. ii. p. 324. n. 14 (1869).	Java, Christmas I. Australia.
8. **P. Nobilis, Walk. (*Conocephalus N.*) l. c. p. 326. n. 73 (1869). *Conocephalus Princeps*, *Bol.* Viaje al Pacifico, Ins. p. 89 note (1884). *P. Princeps*, *Redt.* l. c. p. 369. n. 7 (1891).	India, China, Burma.
*9. **P. Crassiceps, Haan,** (*Locusta* (*Conocephalus*) *C.*) Temminck, Verhandel., Orth. p. 212. n. 16 (1842). ***Conocephalus Strenuus*, *Walk.* l. c. ii. p. 319 n. 52 (1869). *P. Acuminatus*, *Redt.* l. c. p. 371. n. 11 (1891).	Japan, India, Burma, Java, Sumatra.
10. **P. Antennalis, Stål,** (*Pyrgocorypha A.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 46 (1877). *Pseudorhynchus Antennalis*, *Redt.* l. c. p. 369. n. 8, pl. 3. ff. 19, 20 (1891); Jacobs. & Bianchi, l. c. pp. 337, 382 (1902–3).	Philippines, Burma, Japan.
11. **P. Gigas, Redt.** l. c. p. 370. n. 9 (1891).	Burma.
12. **P. Concisus, Walk. (*Conocephalus C.*) l. c. ii. p. 322. n. 58 (1869).	China.
13. **P. Minor, Redt.** l. c. p. 370. n. 10 (1891).	Philippines, Celebes.
*14. **P. Flavolineatus, Redt.** l. c. p. 368. n. 5 (1891).	India, Siam.

*15. **P. Froggatti, Kirb.** (n. n.). ‖*P. Lessonii, Frogg.* (*nec Serv.*) Agric Gaz. N. S. Wales, xv. p. 737, f. 4 (1904).	Australia.

Genus 199. **Pyrgocorypha.** (*Type* no. 7.)

Stål, Œfv. Vet.-Akad. Förh. xiii. (4) p. 50 (1873) ; Rec. Orth. ii. pp. 98, 107 (1874) : Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 329, 371 (1891) ; Scudd. Guide N. Amer. Orth. p. 54 (1897) ; Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 386 (1898).

1. **P. Nigridens, Burm.** (*Conocephalus N.*) Handb. Ent. ii. p. 704. n. 2 (1838).	Brazil (?).
*2. **P. Sallei, Sauss.** (*Conocephalus S.*) Rev. Zool. (2) xi. p. 207 (1859). *P. Sallei, Redt.* l. c. p. 372. n. 1 (1891) ; Sauss. & Pict. l. c. p. 386. n. 1, pl. 19. ff. 15, 16 (1898).	Mexico.
3. **P. Rogersi, Sauss. & Pict. l. c. p. 387. n. 2, pl. 19. ff. 13, 14 (1898).	Costa Rica.
*4. **P. Uncinata, Harr.** (*Conocephalus Uncinatus*) Ins. Injur. Veget. p. 132 (1841) ; (ed. iii.) p. 164 (1862) ; Scudd. Bost. Journ. Nat. Hist. vii. p. 450. n. 4 (1862). *P. Uncinata, Redt.* l. c. pp. 372, 373. n. 2 (1891) ; Sauss. & Pict. l. c. pp. 386, 387. n. 3 (1898).	Southern States, Mexico, Guatemala, Cuba.
*5. **P. Hamata, Scudd.** (*Conocephalus Hamatus*) Proc. Bost. Soc. Nat. Hist. xx. p. 87 (1879). *P. Hamata, Redt.* l. c. pp. 372, 373. n. 3, pl. 3. f. 21 (1891) ; Sauss. & Pict. l. c. pp. 386, 387. n. 4 (1898).	Mexico, Centr. Amer.
6. **P. Inermis, Sauss. & Pict.** l. c. pp. 386, 387. n. 5, pl. 19. f. 17 (1898).	Costa Rica.
7. **P. Subulata, Thunb.** (*Conocephalus Subulatus*) Mém. Acad. Pétersb. v. p. 271 (1815). *P. Subulata, Stål,* Recens. Orth. ii. p. 107. n. 1 (1874); Redt. l. c. pp. 372, 374. n. 4, pl. 3. f. 22 (1891). ***Conocephalus Dorsalis, Walk.* Cat. Derm. Salt. B. M. ii. p. 319. n. 51 (1869). ***Conocephalus Spatulatus, Walk.* l. c. p. 322. n. 57 (1869). *Conocephalus Javanicus, Bol.* Viaje al Pacif., Ins. p. 88 note (1884).	China, Burma, Java, Sumatra, Borneo.

8. **P. Velutina, Redt,** l. c. pp. 372, 374. n. 5 (1891).	Cambodia.
9. **P. Planispina, Haan,** (*Locusta* (*Conocephala*) *P.*) Temminck, Verhandel., Orth. p. 212. n. 15 (1842).	Java.

Genus 200. **Dorycoryphus.**

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 329, 375 (1891).

1. **D. Longirostris, Redt.** l. c. p. 375, pl. 3. f. 23 (1891).	Brazil.

Genus 201. **Coryphodes.**

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 329, 375 (1891).

1. **C. Acuta, Redt.** l. c. p. 376, pl. 3. f. 24 (1891).	Bolivia.

Genus 202. **Ruspolia.**

Schulth.-Schindl. Ann. Mus. Genova, xxxix. p. 207 (1898).

1. **R. Pygmæa, Schulth.-Schindl.** l. c. p. 208. n. 1 (1895).	Somali.

Genus 203. **Caulopsis.** (*Type* no. 4.)

Redt. Verh. zool.-bot. Ges. Wien, xli. p. 376 (1891);
Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 388 (1898).

*1. **C. Gracillima, Walk.** (*Conocephalus Gracillimus*) Cat. Derm. Salt. B. M. ii. p. 307. n. 22 (1869).	Brazil.
*2. **C. Cuspidata, Scudd.** (*Conocephalus Cuspidatus*) Proc. Boston Soc. Nat. Hist. xx. p. 88. n. 93 (1879). *C. Cuspidata, Redt.* l. c. p. 377. n. 2 (1891).	Surinam, Cayenne, Cuba.
3. **C. Prora, Scudd.** (*Conocephalus P.*) l. c. p. 89. n. 94 (1879).	Nicaragua.
*4. **C. Gracilis, Redt.** l. c. p. 377. n. 1, pl. 3. f. 25, *a*, *b* (1891).	Mexico, Venez. Cuba
5. **C. Acutula, Scudd.** (*Conocephalus Acutulus*) l. c. p. 89. n. 95 (1879).	California.
6. **C. Oberthuri, Bol.** Revista Chilena, vii. p. 146 (1903).	Paraguay.
7. **C. Sponsa, Stoll,** (*Locusta Tettigonia S.*) Spectres, Saut. p. 21, pl. 9 *a*. f. 36 (1813).	Surinam (?).

Genus 204. **Conocephaloides.** (*Type* no. 125.)

Perkins, Fauna Hawaiiensis, Orth. p. 13 (1899).

‖*Conocephalus*, *Serv.* (*nec Thunb.*) Ann. Sci. Nat. xxii. p. 148 (1831); Ins. Orth. p. 514 (1839); Burm. Handb. Ent. ii. p. 704 (1838); Fisch. Waldh. Orth. Ross. p. 143 (1846); Fisch. Orth. Eur. p. 245 (1853); Fieb. Lotos, iv. p. 222 (1854); Friv. Értek. Termész. Kör. i. (12) p. 110 (1867); Stål, Rec. Orth. ii. pp. 99, 108 (1874); Bol. Ortópt. Españ. pp. 235, 238 (1876); An. Soc. Españ. vi. pp. 317, 320 (1877); Viaje al Pacif., Ins. p. 87 (1884); Brunn. Prodr. Eur. Orth. pp. 246, 304 (1882); Finot, Orth. France, p. 91 (1883); Faune France, Orth. pp. 174, 189 (1889); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 330, 377 (1891); Beut. Bull. Amer. Mus. Nat. Hist. vi. p. 279 (1894); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 388 (1898); Tümp. Geradfl. Mitteleuropas, pp. 222, 225, 260 (1901); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 325, 337, 382 (1902–3); Blatchl. Rep. Indiana Dept. Geol. xxvii. p. 363 (1903).

1. **C. Aduncus, Scudd.** (*Conocephalus A.*) Proc. Boston Soc. Nat. Hist. xx. p. 87. n. 92 (1879); Redt. l. c. pp. 378, 386, n. 1, pl. 3. f. 26 (1891). — Cuba.

2. **C. Flavirostris, Redt.** (*Conocephalus F.*) l. c. pp. 378, 386. n. 2, pl. 3. f. 27 (1891). — Brazil.

3. **C. Subulatus, Bol.** (*Conocephalus S.*) An. Soc. Españ. x. p. 498 (1881); Viaje al Pacif., Ins. p. 99 (1884); Redt. l. c. pp. 379, 387. n. 3 (1891). — Ecuador, Peru.

*4. **C. Monoceros, Stoll,** (*Gryllus Locusta M.*) Spectres, Saut. p. 34, pl. 17 *b*. f. 65 (1813). — Cayenne, Santarem.
Locusta Xiphias, *St. Farg. & Serr.* Encycl. Méth., Ins. x. p. 342. n. 1 (1825).
Conocephalus Xiphias, *Serv.* Ins. Orth. p. 516. n. 1 (1839).

5. **C. Lancifer, Burm.** (*Copiophora Lancifera*) l. c. p. 703. n. 4 (1838). — Bahia.
Conocephalus (*Copiophora*) *Lancifera*, *Haan*, Temminck, Verhandel., Orth. p. 211. n. 4 (1842).
Conocephalus Lancifer, *Redt.* l. c. pp. 379, 387. n. 4, pl. 3. f. 28 (1891).

6. **C. Carinatus, Redt.** (*Conocephalus C.*) l. c. pp. 379, 388. n. 5 (1891). — Fonte Boa.

7. **C. Puiggarii, Bol.** (*Conocephalus P.*) Viaje al Pacif., Ins. p. 91 note, pl. 2. f. 81 (1884). *Conocephalus Puiggari, Redt.* l. c. pp. 379, 388. n. 6 (1891).	Brazil.
8. **C. Nigricans, Redt.** (*Conocephalus N.*) l. c. pp. 379, 388. n. 7, pl. 3. f. 29 (1891).	id.
9. **C. Procerus, Redt.** (*Conocephalus P.*) l. c. pp. 379, 389. n. 8 (1891).	Buenos Aires.
10. **C. (?) Colorificus, Walk. (*Pseudorhynchus* (?) *C.*) Cat. Derm. Salt. B. M. ii. p. 330. n. 4 (1869).	Brazil.
*11. **C. Truncatirostris, Redt.** (*Conocephalus T.*) l. c. pp. 379, 389. n. 9, pl. 3. f. 30 (1891).	id.
12 **C. Lyristes, Rehn,** (*Conocephalus L.*) Proc. Acad. Nat. Sci. Philad. lvii. p. 45, pl. 1. ff. 8, 9 (1905).	Florida.
13. **C. Bruneri, Blatchl.** (*Conocephalus B.*) l. c. pp. 364, 367. n. 91, f. 90 (1903).	Indiana.
14. **C. Nigromaculatus, Redt.** (*Conocephalus N.*) l. c. pp. 379, 390. n. 10, pl. 3. f. 31 (1891).	Argentina, &c.
15. **C. Purpurascens, Walk. (*Conocephalus P.*) l. c. p. 309. n. 27 (1869).	Demerara.
16. **C. Crassus, Bol.** (*Conocephalus C.*) An. Soc. Españ. x. p. 499 (1881); Viaje al Pacif., Ins. p. 102, pl. 3. f. 6 (1884); Redt. l. c. pp. 379, 390. n. 11 (1891).	Ecuador, Cayenne, Surinam.
17. **C. Ichneumoneus, Bol.** (*Conocephalus I.*) Viaje al Pacif., Ins. p. 90 (1884); Redt. l. c. pp. 379, 391. n. 12 (1891).	Brazil.
*18. **C. Nigropunctatus, Redt.** (*Conocephalus N.*) l. c. pp. 380, 391. n. 13, pl. 3. f. 32 (1891).	S. America, Cuba.
*19. **C. Guttatus, Serv.** (*Conocephalus G.*) Ins. Orth. p. 518. n. 3 (1839); Guér. Ramon de la Sagra, Hist. Cuba, Ins. p. 355 (1857); Bol. Mém. Soc. Zool. France, i. p. 149. n. 106 (1888); Redt. l. c. p. 392. n. 14, pl. 3. f. 33 (1891); Griff. Boll. Mus. Torino, xi. (232) p. 26 (1896); Sauss. & Pict. l. c. p. 390. n. 1 (1898). *Conocephalus Guttata, Haan,* l. c. p. 212. n. 21 (1842). *Gryllus Locusta Fenestratus*, pt., *Stoll*, l. c. p. 33, pl. 17 *b*. f. 64 (1813).	Mexico, S. & Centr. America, W. Indies.

*20. **C. Pichinchæ, Bol.** (*Conocephalus P.*) An. Soc. Españ. x. p. 498 (1881); Viaje al Pacif., Ins. p. 100 (1884); Redt. l. c. p. 319. n. 15 (1891); Sauss. & Pict. l. c. pp. 388, 390. n. 2 (1898).	Ecuador, Cuba.
21. **C. Elongatus, Redt.** (*Conocephalus E.*) l. c. p. 393. n. 16 (1891).	Peru.
*22. **C. Tuberculatus, De Geer,** (*Locusta Tuberculata*) Mém. Ins. iii. p. 444. n. 5, pl. 38. f. 1 (1773). *Conocephalus Tuberculatus, Stål,* Recens. Orth. ii. p. 110. n. 5 (1874). *Gryllus Tettigonia Oxycephala, Stoll,* l. c. p. 19, pl. 8 *a.* ff. 30–32 (1813). *Conocephalus Irroratus, Burm.* l. c. p. 705. n. 4 (1838); Bol. Viaje al Pacif., Ins. p. 101 (1884); Redt. l. c. p. 394. n. 18 (1891); Sauss. & Pict. l. c. pp. 389, 390. n. 3, pl. 19. ff. 18–20 (1898). *Conocephalus Dentifrons, Sauss.* Rev. Zool. (2) xi. p. 207 (1859). ***Conocephalus Alligatus, Walk.* l. c. ii. p. 308. n. 25 (1869).	id., Ecuador, Brazil.
23. **C. Exaltatus, Walk. (*Conocephalus E.*) l. c. p. 311. n. 30 (1869). *Conocephalus Pustulatus, Redt.* l. c. p. 395. n. 20, pl. 3. f. 34 (1891).	Venezuela, Bogota, Theresopolis.
*24. **C. Mexicanus, Sauss.** (*Conocephalus M.*) l. c. p. 208 (1859); Redt. l. c. p. 395. n. 21 (1891); Sauss. & Pict. l. c. pp. 389, 390, pl. 19. f. 21 (1898). ***Conocephalus Contingens, Walk.* l. c. p. 304. n. 10 (1869).	Southern States, Mexico, S. & Centr. America.
25. **C. Tristani, Sauss. & Pict.** (*Conocephalus T.*) l. c. pp. 389, 391. n. 6, pl. 19. f. 22 (1898).	Costa Rica.
26. **C. Aztecus, Sauss. & Pict. (*Conocephalus A.*) l. c. pp. 389, 391. n. 7 (1898).	Mexico, Costa Rica.
*27. **C. Maxillosus, Fabr.** (*Locusta Maxillosa*) Syst. Ent. p. 284. n. 8 (1775); Blanch. Hist. Nat. Ins. iii. p. 25. n. 2 (1840). *Conocephalus Maxillosus, Serv.* Ann. Sci Nat. xxii. p. 149. n. 3 (1831); Ins. Orth. p. 520 (1839); Redt. l. c. p. 396. n. 22 (1891). ‖ *Locusta Lanceolata, Beauv.* (*nec Fabr.*) Ins. Afr. Amér. p. 219, pl. 7. f. 4 (1805).	S. & Centr. America, W. Indies.

Locusta Affinis, *Beauv.* l. c. f. 5 (1805).	
***Conocephalus Viridator*, *Walk.* l. c. ii. p. 308. n. 24 (1869).	
***Conocephalus Abbreviatus*, *Walk.* l. c. p. 327. n. 75 (1869).	
Conocephalus Muticus, *Redt.* l. c. p. 393. n. 17 (1891).	
28. **C. Maculosus, Redt.** (*Conocephalus M.*) l. c. p. 396. n. 23 (1891).	Brazil.
*29. **C. Brevis, Redt.** (*Conocephalus B.*) l. c. p. 397. n. 24 (1891).	Montevideo, Theresopolis
30. **C. Malivolans, Scudd.** (*Conocephalus M.*) Proc. Bost. Soc. Nat. Hist. xx. p. 90 (1878).	Florida.
*31. **C. Obscurellus, Redt.** (*Conocephalus O.*) l. c. pp. 380, 397. n. 25 (1891); Sauss. & Pict. l. c. pp. 389, 392. n. 8 (1898).	NewOrleans toVenezuela Antilles.
*32. **C. Infuscatus, Scudd.** (*Conocephalus I.*) l. c. xvii. p. 265 (1875).	Peru.
33. **C. Colligatus, Walk. (*Conocephalus C.*) l. c. p. 309. n. 26 (1869).	S. America, Antilles.
‖*Conocephalus Heteropus*, *Brunn.* (*nec Bol.*) Proc. Zool. Soc. Lond. 1892, pp. 200, 215. n. 6.	
*34. **C. Fratellus, Griff.** (*Conocephalus F.*) Miscell. Ent. vii. p. 5 (1899).	Panama, S. America, Antilles.
‖*Conocephalus Frater*, *Redt.* (*nec Kirb.*) l. c. pp. 381, 399. n. 29 (1891); Griff. Boll. Mus. Torino, xi. (232) p. 26 (1896); Sauss. & Pict. l. c. pp. 389, 392. n. 10 (1898).	
*35. **C. Saturatus, Griff.** (*Conocephalus S.*) Miscell. Ent. vii. p. 5 (1899).	S. America. Antilles.
‖*Conocephalus Infuscatus*, *Redt.* (*nec Scudd.*) l. c. pp. 380, 398. n. 26 (1891).	
36. **C. Vittipennis, Walk. (*Conocephalus V.*) l. c. ii. p. 327. n. 74 (1869).	Brazil, Montevideo.
Conocephalus Fuscomarginatus, *Redt.* l. c. pp. 383, 398. n. 27 (1891).	
37. **C. Fuscostriatus, Redt.** (*Conocephalus F.*) l. c. pp. 380, 399. n. 28 (1891); Sauss. & Pict. l. c. pp. 389, 392. n. 9 (1898).	S. States, Mexico, Antilles.
38. **C. Brachypterus, Redt.** (*Conocephalus B.*) l. c. pp. 381, 400. n. 31 (1898).	Brazil.

39. **C. Heteropus, Bol.** (*Conocephalus H.*) An. Soc. Españ. x. p. 496 (1881): Viaje al Pacifico. Ins. p. 94 (1884); Redt. l. c. pp. 381, 400. n. 30 (1891).	Brazil, Peru, Chile.
40. **C. Conifrons, Redt.** (*Conocephalus C.*) l. c. pp. 381, 401. n. 33 (1891).	Brazil.
*41. **C. Globifer, Redt.** (*Conocephalus G.*) l. c. pp. 381, 401. n. 34, pl. 3. f. 35 (1891).	id., Honduras.
42. **C. Nigrolimbatus, Redt.** (*Conocephalus N.*) l. c. pp. 381, 401. n. 35 (1891).	Cuba.
*43. **C. Macropterus, Redt.** (*Conocephalus M.*) l. c. pp. 381, 402. n. 36 (1891); Sauss. & Pict. l. c. pp. 389, 392. n. 11 (1898).	Mexico, S. & Centr. America, Antilles.
44. **C. Aries, Scudd.** (*Conocephalus A.*) Proc. Boston Soc. N. H. xx. p. 91 (1878).	Mexico.
45. **C. Necessarius, Redt.** (*Conocephalus N.*) l. c. pp. 381, 402. n. 37 (1891); Sauss. & Pict. l. c. pp. 389, 393. n. 12 (1898).	id.
*46. **C. Robustus, Scudd.** (*Conocephalus R.*) Boston Journ. Nat. Hist. vii. p. 449. n. 2 (1862); Beut. l. c. p. 280, pl. 6. f. 9 (1894); Blatchl. l. c. pp. 364, 368, 369, f. 91 (1903).	Massachusetts.
*47. **C. Ensiger, Harr.** (*Conocephalus E.*) Rep. Ins. Mass. p. 131 (1841); (ed. 3) pp. 163, 164, f. 79 (1862); Glover, Ill. N. Amer. Orth. pl. 4. f. 12 (1872); Redt. l. c. pp. 381, 403. n. 39 (1891); Beut. l. c. p. 281, pl. 6. f. 8 (1894); Blatchl. l. c. pp. 364, 365. n. 89, ff. 88, 89 (1903). ‖ *Gryllus Tettigonia Acuminata*, pt., *Stoll* (*nec Linn.*), l. c. p. 18, pl. 8 *a*. f. 27 (1813).	N. America.
48. **C. Nebrascensis, Brunn.** (*Conocephalus N.*) Canad. Ent. xxiii. p. 72 (1891); Blatchl. l. c. pp. 364, 366. n. 90 (1903).	Nebraska, Indiana.
49. **C. Exiliscanorus, Davis,** (*Conocephalus E.*) Canad. Ent. xix. p. 57 (1887); Beut. l. c. p. 280, pl. 7. ff. 1, 2 (1894).	Staten I.
50. **C. Restrictus, Walk. (*Conocephalus R.*) l. c. ii. p. 329. n. 78 (1869).	Hab. —— ?
*51. **C. Testaceus, Redt.** (*Conocephalus T.*) l. c. pp. 381, 403. n. 40 (1891); Sauss. & Pict. l. c. pp. 389, 393. n. 13 (1898).	Mexico, Brazil (eadem ?).

52. **C. Crepitans, Scudd.** (*Conocephalus C.*) l. c. p. 450. n. 5 (1862) : Brun. Bull. Washburn Coll. i. p. 128. n. 22 (1885) ; Redt. l. c. pp. 381, 404. n. 41 (1891) ; Sauss. & Pict. l. c. pp. 389, 393. n. 14 (1898).	Texas. Nebraska. Missouri, Kansas, Arkansas.
53. **C. Bilineatus, Thunb. (*Conocephalus B.*) l. c. p. 275 (1815); Walk. l. c. ii. p. 306. n. 14 (1869), *larva*.	St. Domingo
54. **C. Palustris, Blatchley,** (*Conocephalus P.*) Canad. Ent. xxv. p. 89 (1893) : Rep. Indiana Dept. Geol. xxvii. pp. 364, 370. n. 93. f. 92 *a, b* (1903).	Indiana.
55. **C. Rufescens, Redt.** (*Conocephalus R.*) l. c. pp. 382, 404. n. 42 (1891).	Brazil.
56. **C. Triops, Linn.** (*Gryllus Tettigonia T.*) Syst. Nat. (ed. x.) i. p. 430. n. 30 (1758); Mus. Ulr. p. 131 (1764).	N. America.
Conocephalus Triops, Thunb. Mém. Acad. Pétersb. v. p. 272 (1815) ; Stål, Recens. Orth. ii. p. 110. n. 4 (1874).	
Conocephalus Obtusus, Burm. l. c. p. 705. n. 5 (1838).	
Conocephalus Dissimilis, Serv. Ins. Orth. p. 518. n. 4 (1839) ; Harr. ll. cc. p. 132 note (1841) ; p. 164 note (1862) : Redt. l. c. pp. 382, 405. n. 43 (1891) ; Beut. l. c. p. 281, pl. 7. ff. 3, 4 (1894).	
57. **C. Retusus, Scudd.** (*Conocephalus R.*) Proc. Boston Soc. Nat. Hist. xx. p. 93. n. 99 (1878).	Georgia.
*58. **C. Nieti, Sauss.** (*Conocephalus N.*) Rev. Zool. (2) xi. p. 208 (1859).	Texas, Mexico, Guatemala, Antilles.
Conocephalus Nietoi, Bol. Viaje al Pacif., Ins. p. 92 (1884) : Mém. Soc. Zool. France, i. p. 150. n. 109 (1888) ; Redt. l. c. pp. 382, 405. n. 44 (1891) ; Sauss. & Pict. l. c. pp. 389, 393. n. 16, pl. 19. ff. 23, 24 (1898).	
59. **C. Hebes, Scudd.** (*Conocephalus H.*) l. c. p. 92 (1878) : Bol. Mém. Soc. Zool. France, i. p. 150. n. 108 (1888).	Mexico, Antilles, N. Orleans.
60. **C. Exilis, Kirb.** (n. n.).	Galapagos.
‖ *Conocephalus Insulanus, Scudd.* (*nec Redt.*) Bull. Mus. Harvard Coll. xxv. p. 21, pl. 3. ff. 2, 3 (1893).	

61. **C. Tenuicauda, Scudd.** (*Conocephalus T.*) Proc. Boston Soc. Nat. Hist. xii. p. 333 (1869).	Napo.
*62. **C. Argentinus, Redt.** (*Conocephalus A.*) l. c. pp. 382, 406. n. 45 (1891).	Buenos Aires.
63. **C. Gladiator, Redt.** (*Conocephalus G.*) l. c. pp. 382, 406. n. 46 (1891) ; Sauss. & Pict. l. c. pp. 389, 394. n. 17 (1898).	Mexico.
64. **C. Atlanticus, Brunn.** (*Conocephalus A.*) Entom. News. x. p. 38 (1899).	E. United States.
65. **C. Vittifrons, Redt.** (*Conocephalus V.*) l. c. pp. 382, 406. n. 47. pl. 3. f. 37 (1891).	Buenos Aires.
66. **C. Simulator, Walk. (*Conocephalus S.*) l. c. ii. p. 310. n. 28 (1869). *Conocephalus Adustus, Redt.* l. c. pp. 381, 400. n. 32 (1891).	Brazil, Cuba.
67. **C. Parvus, Redt.** (*Conocephalus P.*) l. c. pp. 382, 407. n. 48 (1891).	Uruguay.
68. **C. Alienus, Walk. (*Conocephalus A.*) l. c. ii. p. 308. n. 23 (1869).	Guayaquil.
69. **C. Anodon, Redt.** (*Conocephalus A.*) l. c. pp. 382, 407. n. 49, pl. 3. f. 38 (1891).	Brazil.
70. **C. Scudderii, Bol.** (*Conocephalus S.*) An. Soc. Españ. x. p. 497 (1881). *Conocephalus Scudderi, Bol.* Viaje al Pacif., Ins. p. 98 (1884) ; Redt. l. c. pp. 382, 407. n. 50 (1891).	Ecuador, Upper Amazons.
71. **C. Macroxiphus, Redt.** l. c. pp. 384, 417. n. 73 (1891).	Cayenne.
72. **C. Conspersus, Redt.** (*Conocephalus C.*) l. c. pp. 384, 418. n. 76 (1891).	Brazil.
73. **C. Occidentalis, Sauss.** (*Conocephalus O.*) Rev. Zool. (2) xi. p. 208 (1859) ; (?) Bol. Viaje al Pacif.. Ins. p. 96 (1884) ; Mém. Soc. Zool. France, i. p. 150. n. 107 (1888).	Haiti, Cuba, Ecuador.
74. **C. Meridionalis, Kirb.** (n. n.). *Conocephalus Occidentalis, Redt. (nec Sauss.)* l. c. pp. 384, 419. n. 77 (1891).	S. Brazil, Argentina.
*75. **C. Spiniger, Redt.** (*Conocephalus S.*) l. c. pp. 384, 419. n. 78 (1891).	Brazil, Argentina.
76. **C. Viridis, Redt.** (*Conocephalus V.*) l. c. pp. 384, 419. n. 79 (1891).	Brazil.
77. **C. Kraussi, Redt.** (*Conocephalus K.*) l. c. pp. 384, 420. n. 80 (1891).	id.

78. **C. Cocanus, Bol.** (*Conocephalus C.*) An. Soc. Españ. x. p. 497 (1881); Viaje al Pacif., Ins. p. 97 (1884); Redt. l. c. pp. 384, 420. n. 81 (1891).	Ecuador.
79. **C. Proximus, Redt.** (*Conocephalus P.*) l. c. pp. 384, 420. n. 82 (1891).	Brazil.
80. **C. Rugosicollis, Bol.** (*Conocephalus R.*) ll. cc. p. 496 (1881); p. 93 (1884); Redt. l. c. pp. 384, 421. n. 83, pl. 3. f. 44 (1891).	Chile.
*81. **C. Laticeps, Redt.** (*Conocephalus L.*) l. c. pp. 385, 421. n. 84, pl. 3. f. 45 (1891); Sauss. & Pict. l. c. pp. 389, 394, pl. 19. f. 25 (1898).	Bogota, Costa Rica.
82. **C. Clausus, Scudd.** (*Conocephalus C.*) Proc. Bost. Soc. Nat. Hist. xx. p. 94 (1878).	Mexico.
*83. **C. Ensifer, Bol.** (*Conocephalus Ensiferus*) Viaje al Pacif., Ins. p. 88 note, pl. 2. f. 9 (1884).	Peru.
Conocephalus Ensifer, *Redt.* l. c. pp. 385, 422. n. 86 (1891).	
84. **C. Hoplomachus, Rehn,** (*Conocephalus H.*) Proc. Acad. Nat. Sci. Philad. lvi. p. 46, pl. 1. ff. 10, 11 (1905).	Florida.
85. **C. Punctipes, Redt. (*Conocephalus P.*) l. c. pp. 385, 422. n. 87 (1891).	St. Vincent.
86. **C. Brunneri, Redt.** (*Conocephalus B.*) l. c. pp. 385, 423. n. 88 (1891).	Brazil, Argentina.
87. **C. Prasinus, Redt.** (*Conocephalus P.*) l. c. pp. 385, 423. n. 89 (1901); Sauss. & Pict. l. c. pp. 389, 394. n. 19 (1898).	Mexico.
*88. **C. Surinamensis, Redt.** (*Conocephalus S.*) l. c. pp. 385, 423. n. 90 (1891); Sauss. & Pict. l. c. pp. 389, 394. n. 20 (1898).	Surinam, Antilles.
89. **C. Carbonarius, Redt.** (*Conocephalus C.*) l. c. pp. 385, 424. n. 91 (1891).	Cuba.
90. **C. Vernalis, Kirb. (*Conocephalus V.*) Journ. Linn. Soc. Lond., Zool. xx. p. 534 (1890).	Fernando Noronha.
Var. *Frater*, *Kirb.* l. c. (1890).	id.
*91. **C. Bolivari, Redt.** (*Conocephalus B.*) l. c. pp. 385, 425. n. 95 (1891).	Buenos Aires.
92. **C. Fuscinervis, Redt.** (*Conocephalus F.*) l. c. pp. 385, 427. n. 91 (1891).	Cuba.
93. **C. Gracilipes, Bol.** (*Conocephalus G.*) Viaje al Pacif., Ins. p. 87 note (1884).	Surinam.

*94. **C. Indicus, Redt.** (*Conocephalus I.*) l. c. pp. 382, 408. n. 51 (1891).	India, China, Java, &c.
95. **C. Blandus, Serv.** (*Conocephalus B.*) Ins. Orth. p. 521 (1839); Redt. l. c. pp. 382, 408. n. 52 (1891). *Conocephalus Mucro, Haan,* l. c. pp. 211, 212. n. 14 (1842).	Java.
96. **C. Coniceps, Redt.** (*Conocephalus C.*) l. c. pp. 382, 408. n. 53, pl. 3. f. 39 (1891).	Borneo.
*97. **C. Lineatipes, Bol.** (*Conocephalus L.*) J. Sci. Lisboa, (2) i. p. 225 (1890); Redt. l. c. pp. 382, 509. n. 54 (1891).	Angola, Borneo, Australia&c.
98. **C. Saussurei, Redt.** (*Conocephalus S.*) l. c. pp. 382, 409. n. 55 (1891).	Sumatra.
99. **C. Pyrifer, Redt.** (*Conocephalus P.*) l. c. pp. 383, 410. n. 56, pl. 3. f. 40 (1891).	Borneo.
100. **C. Picteti, Redt.** (*Conocephalus P.*) l. c. pp. 383, 410. n. 57 (1891).	Sumatra.
101. **C. Ustulatus, Redt.** (*Conocephalus U.*) l. c. pp. 383, 411. n. 58 (1891).	id.
*102. **C. Troudeti, Le Guill.** (*Conocephalus T.*) Rev. Zool. 1841, p. 294.	Australia, N. Guinea.
*103. **C. Cornutus, Redt.** (*Conocephalus C.*) l. c. pp. 383, 411. n. 59 (1891).	Amboina, Australia&c.
104. **C. Mimeticus, Redt.** (*Conocephalus M.*) l. c. pp. 383, 411. n. 60 (1891).	Sydney.
*105. **C. Coarctatus, Redt.** (*Conocephalus C.*) l. c. pp. 383, 412. n. 61 (1891); Fritze, Rev. Suisse Zool. vii. p. 340 (1899).	Sumatra.
*106. **C. Veruger, Serv.** (*Conocephalus V.*) l. c. p. 520. n. 6 (1839); Jacobs. & Bianchi, l. c. p. 382 (1903). *Locusta* (*Conocephalus*) *Verrugera*, pt., *Haan*, l. c. pp. 212, 213. n. 20 (1842). *Conocephalus Verruger, Redt.* l. c. pp. 383, 412. n. 62 (1891).	Java, Japan.
107. **C. Clarus, Walk. (*Conocephalus C.*) l c. ii. p. 324. n. 65 (1869).	Sumatra.
108. **C. Longiceps, Redt.** (*Conocephalus L.*) l. c. pp. 383, 412. n. 63 (1891).	New Caledonia.
109. **C. Sobrinus, Bol.** (*Conocephalus S.*) Viaje al Pacif., Ins. p. 88 note (1884); Redt. l. c. pp. 383, 413. n. 64 (1891).	Java, Borneo, Celebes.
110. **C. Brachixiphus, Redt.** (*Conocephalus B.*) l. c. pp. 383, 413. n. 65 (1891).	China, Java, &c.
111. **C. Varius, Walk. (*Conocephalus V.*) l. c. ii. p. 320. n. 53 (1869).	Japan, China,

	‖ *Conocephalus Lanceolatus, Thunb.* (*nec Fabr.*) Mém. Pétersb. xv. p. 272 (1815).	Philippines, Silhet.
	‖ *Conocephalus Acuminatus, Burm.* (*nec Linn.*) l. c. p. 705. n. 3 (1838).	
	‖ *Conocephalus Thunbergii, Stål* (*nec Montr.*), Recens. Orth. ii. p. 109. n. 2 (1874).	
	Conocephalus Thunbergi, Redt. l. c. pp. 383, 414. n. 66 (1891); Jacobs. & Bianchi, l. c. p. 382 (1903).	
112.	**C. Ultimus, Krausze,** (*Conocephalus U.*) Ins. Börse, 1904, p. 213.	Tonkin.
*113.	**C. Pallidus, Redt.** (*Conocephalus P.*) l. c. pp. 383, 414. n. 67 (1891).	India, Java, &c.
*114.	**C. Roberti, Le Guill.** (*Conocephalus R.*) l. c. p. 294. n. 18 (1841).	Friendly & Navigators' Isl.
	** *Conocephalus Insularis, Walk.* l. c. ii. p. 325. n. 70 (1869).	
115.	**C. (?) Thunbergi, Montr.** (*Conocephalus Thumbergii*) Ann. Sci. Phys. Nat. Lyon. (2) vii. p. 88 (1855).	Woodlark I.
**116.	**C. Extensor, Walk.** (*Conocephalus E.*) l. c. ii. p. 329. n. 79 (1869).	Penang, Australia, Pacific Islands.
	Conocephalus Australis, Bol. l. c. p. 90 note (1884); Redt. l. c. pp. 383, 415. n. 68, pl. 3. f. 41 (1891).	
117.	**C. Cristovallensis, Montr.** (*Conocephalus C.*) l. c. p. 88 (1855).	Woodlark I.
118.	**C. Gracilis, Redt.** (*Conocephalus G.*) l. c. pp. 383, 415. n. 69 (1891).	Penang, Borneo, &c.
*119.	**C. Insulanus, Redt.** (*Conocephalus I.*) l. c. pp. 383, 416. n. 70 (1891).	Borneo.
*120.	**C. Nasutus, Thunb.** (*Conocephalus N.*) Mém. Acad. Pétersb. xv. p. 273 (1815).	China, Japan, India, Siam, Java.
	‖ *Locusta Acuminata, Don.* (*nec Linn.*) Ins. China, pl. 11. f. 2 (1798).	
	‖ *Conocephalus Acuminatus, Redt.* l. c. pp. 384, 416. n. 71 (1891); Jacobs. & Bianchi, l. c. p. 383 (1903).	
**121.	**C. Turpis, Walk.** (*Conocephalus T.*) l. c. ii. p. 323. n. 63 (1869).	Philippines.
**122.	**C. Rosaceus, Walk.** (*Conocephalus R.*) l. c. p. 321. n. 56 (1869); Jacobs. & Bianchi, l. c. p. 384 (1903).	N. China.
**123.	**C. Femoralis, Walk.** (*Conocephalus F.*) l. c. p. 321. n. 55 (1869).	China (?).

124. **C. Incertus, Walk. (*Conocephalus I.*) l. c. p. 320. n. 51 (1869). *Conocephalus Breviceps, Redt.* l. c. pp. 384, 417. n. 72. pl. 3. f. 42 (1891).	India, Ceylon.
125. **C. Remotus, Walk. (*Conocephalus R.*) l. c. p. 326. n. 71 (1869). ***C. Hawaiiensis, Perk.* l. c. p. 13, pl. 1. f. 8 (1899).	Hawaiian Islands.
126. **C. Halmaheræ, Brunn.** (*Conocephalus H.*) Abhandl. Senckenb. Ges. xxiv. p. 265 (1898).	Gilolo.
127. **C. Lineosus, Walk. (*Conocephalus L.*) l. c. ii. p. 318. n. 50 (1869). ***Conocephalus Latipennis, Walk.* l. c. p. 328. n. 77 (1869). *Conocephalus Fuscipes, Redt.* l. c. pp. 385, 421. n. 85 (1891) ; Jacobs. & Bianchi, l. c. p. 383 (1903).	China, Japan, India, Ceylon, Burma.
128. **C. Dubius, Redt.** (*Conocephalus D.*) l. c. pp. 385, 424. n. 92 (1891) ; Jacobs. & Bianchi, l. c. p. 383 (1903).	Japan.
129. **C. Interruptus, Walk. (*Conocephalus I.*) l. c. ii. p. 318. n. 49 (1869). *Conocephalus Brevipennis, Redt.* l. c. pp. 385, 425. n. 93 (1891) ; Jacobs. & Bianchi, l. c. p. 383 (1903).	N. India. Japan.
130. **C. Vaginalis, Redt.** (*Conocephalus V.*) l. c. pp. 385, 426. n. 98 (1891).	Australia.
131. **C. Affinis, Redt.** (*Conocephalus A.*) l. c. pp. 380, 394. n. 19 (1891).	Madagascar
132. **C. Abruptus, Walk. (*Conocephalus A.*) l. c. ii. p. 317. n. 45 (1869). *Conocephalus Madagassus, Redt.* l. c. pp. 384, 417. n. 74. pl. 3. f. 43 (1891).	id.
133. **C. Lemur, Redt.** (*Conocephalus L.*) l. c. pp. 384, 418. n. 75 (1891).	id.
134. **C. Indicator, Walk. (*Conocephalus I.*) l. c. p. 313. n. 37 (1869).	Natal.
135. **C. Amplus, Walk. (*Conocephalus A.*) l. c. p. 315. n. 40 (1869) ; Redt. l. c. pp. 385, 425. n. 94, pl. 3. f. 46 (1891).	id.
*136. **C. Longipennis, Redt.** (*Conocephalus L.*) ll. cc. n. 96, pl. 3. f. 47 (1891).	E. Africa.
137. **C. Albidonervis, Redt.** (*Conocephalus A.*) l. c. pp. 385. 426. n. 97 (1891).	Madagascar

*138. **C. Nitidulus, Scop.** (*Gryllus N.*) Del. Flor. Faun. Insubr. i. p. 62, pl. 24 B (1786); Griff. Boll. Mus. Torino, xi. (220) p. 1 (1896).

S. Europe,
Africa,
W. Asia.

Conocephalus Nitidulus, Griff. l. c. p. 2 (1896); Jacobs. & Bianchi, l. c. p. 383 (1903).

‖ *Gryllus Tetigonia Acuminatus, Sulz.* (*nec Linn.*) Gesch. Ins. p. 83, pl. 9. f. 1 (1776).

‖ *Locusta Tuberculata, Rossi* (*nec De Geer*), Fauna Etrusca, i. p. 269. n. 651 (1790); Mant. p. 103 (1792); Latr. Hist. Nat. Crust. Ins. xii. p. 132. n. 7 (1804).

‖ *Conocephalus Tuberculatus, Fieb.* Lotos, iv. p. 223. n. 1 (1854).

Locusta Erythrosoma, St. Farg. & Serv. Encycl. Méth., Ins. x. p. 342. n. 2 (1825).

Locusta Mandibularis, Charp. Hor. Ent. p. 106 (1825); Germ. Faun. Ins. Eur. fasc. xv. pl. 10 (1817 ?).

Conocephalus Mandibularis, Serv. Ann. Sci. Nat. xxii. p. 149 (1831); Ins. Orth. p. 521. n. 9 (1839); Burm. l. c. p. 705. n. 6 (1838); Fisch. Waldh. l. c. p. 144. n. 1, pl. 8. f. 5 (1846); Luc. Expl. Alg., Zool. iii. p. 13, iv. Orth. pl. 2. f. 6 (1849); Fisch. Orth. Eur. p. 245. n. 1, pl. 14. ff. 1, 1 *a–d* (1853); Friv. Értek. Termés. Kör. i. (12) p. 110 (1868); Stål, Recens. Orth. ii. p. 109. n. 3 (1874); Bol. Ortópt. Españ. p. 238. n. 1, pl. 5. f. 15 (1876); An. Soc. Españ. vi. p. 320, pl. 4. f. 15 (1877); Marq. Bull. Soc. Toulouse, vi. p. 152 (1877); Brunn. Prodr. Eur. Orth. p. 304. n. 1, pl. 8. f. 71 A, B (1882); Finot, Orth. France, p. 102 (1883); Faun. France, Orth. p. 190, pl. 9. f. 128 (1889); Redt. l. c. pp. 386, 427. n. 101 (1891); Griff. l. c. vii. (133) p. 3 (1892), viii. (141) p. 16 (1893); Tümp. Geradfl. Mitteleurop. pp. 225, 260 (1901).

Locusta Brevicauda, Brullé, Barth. & Webb, Hist. Nat. Canar., Ins. p. 76, pl. 5. f. 5 (1838).

Locusta Lineata, Bris. Bull. Soc. Ent. France, (2) vii. p. lxxx (1849); (2) ix. p. lxxvi (1851).

***Conocephalus Consobrinus*, *Walk.* l. c. ii. p. 315. n. 41 (1869).	
***Conocephalus Vicinus*, *Walk.* l. c. p. 316. n. 42 (1869).	
***Conocephalus Subvittatus*, *Walk.* l. c. n. 43 (1869).	
Conocephalus Ambiguus, var. *Subvittata*, *Bol.* Jorn. Sci. Lisboa, (2) i. p. 225 (1890).	
Conocephalus Ambiguus, *Stål*, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 62 (1876); Bol. l. c. p. 224 (1890).	
Conocephalus Ambiguus, var. *Minor*, *Bol.* l. c. p. 224 (1890).	
Conocephalus Ambiguus, var. *Macropterus*, *Bol.* l. c. p. 125 (1890).	
139. **C. Diversus, Walk. (*Conocephalus D.*) l. c. p. 314. n. 38 (1869).	S. Africa.
140. **C. Obscurus, Walk. (*Conocephalus O.*) l. c. n. 39 (1869).	Sierra Leone.
141. **C. Intactus, Walk. (*Conocephalus I.*) l. c. p. 328. n. 76 (1869).	Hab. —— ?
142. **C. Differens, Serv. *Conocephalus D.*) Ins. Orth. p. 519. n. 5 (1839); Butl. Phil. Trans. clxviii. p. 547 (1879).	Mauritius, Bourbon, Rodriguez.
143. **C. Breviceps, Walk.** (*Conocephalus B.*) l. c. v. p. 37 (1871).	Hab. —— ?

Genus 205. **Bucrates.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 708 (1838); Stal, Recens. Orth. ii. p. 99 (1874); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 330, 429 (1891).

*1. **B. Capitatus, De Geer,** (*Locusta Capitata*) Mém. Ins. iii. p. 455. n. 15, pl. 40. f. 1 (1773).	Guatemala, Panama, Venezuela, Colombia, Brazil.
B. Capitatus, *Burm.* l. c. p. 709 (1838); Redt. l. c. p. 429. n. 1, pl. 3. f. 48 *a*, *b* (1891); Griff. Boll. Mus. Torino, xi. (232) p. 26 (1896).	
** *Conocephalus* (?) *Latifrons*, *Walk.* Cat. Derm. Salt. B. M. ii. p. 310. n. 29 (1869).	
2. **B. Cocanus, Bol.** An. Soc. Españ. x. p. 495 (1881); Viaje al Pacif., Ins. p. 85, pl. 3. f. 4 (1884); Redt. l. c. p. 430. n. 2 (1891).	Ecuador.

Genus 206. **Parabucrates.**

Scudd. Proc. Bost. Soc. N. H. xxvii. p. 211 (1894).

1. **P. Brevicauda, Scudd.** (*Conocephalus B.*) l. c. xii. p. 333 (1869).	Napo.

Genus 207. **Banza.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. iii. p. 477 (1870).

Microsaga, Sauss. Ann. Soc. Ent. France, (6) viii. p. 154 (1888); lxi. p. 15 (1892). (*Type* no. 1.)

Brachymetopa, Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 330, 430 (1891); Perkins, Fauna Haw., Orth. p. 8 (1899). (*Type* no. 1.)

1. **B. Parvula, Walk. (*Saga P.*) l. c. ii. p. 293. n. 15 (1869).	Honolulu, Oahu,
***B. Nigrifrons, Walk.* l. c. iii. p. 477. n. 1 (1870).	Loo-Choo(?)
Brachymetopa Discolor, Redt. l. c. p. 431. n. 1, pl. 3. f. 49 (1891); Perk. l. c. p. 9. n. 1, pl. 1. ff. 1, 10, pl. 2. ff. 1, 1 *a* (1899).	
*2. **B. Blackburni, Borm.** (*Conocephalus B.*) Ann. Mus. Genova, xviii. p. 346 (1882).	Honolulu, Oahu.
Brachymetopa Blackburni, Redt. l. c. p. 431. n. 2 (1891); Perk. l. c. p. 9. n. 2, pl. 1. f. 2 (1899).	
3. **B. Nitida, Brunn. (*Brachymetopa N.*) Proc. Zool. Soc. Lond. 1895, p. 894; Perk. l. c. p. 9. n. 3, pl. 1. ff. 3, 3 *a, b*, pl. 2. ff. 2, 2 *a* (1899).	Hawaii.
Brachymetopa Nitida, var. *Hiloensis, Perk.* l. c. p. 10 (1899).	
Brachymetopa Nitida, var. *Punæ, Perk.* l. c. (1899).	
Brachymetopa Nitida, var. *Crassipes, Perk.* l. c. (1899).	
4. **B. Kauaiensis, Perk. (*Brachymetopa K.*) l. c. p. 10. n. 4 (1899).	Kauai.
5. **B. Unica, Perk. (*Brachymetopa U.*) l. c. p. 10. n. 5, pl. 1. f. 4 (1899).	Honolulu, Oahu.
6. **B. Affinis, Perk. (*Brachymetopa A.*) l. c. p. 11. n. 6 (1899).	Kauai.
7. **B. Brunnea, Perk. (*Brachymetopa Parvula*, var. *Brunnea*) l. c. p. 11. pl. 1. f. 6 *a* (1899).	West Maui.
Var. *Brachymetopa Parvula, Perk.* (*nec Walk.*) l. c. p. 11, pl. 1. f. 6 (1899).	

8. **B. Mauiensis, Perk. (*Brachymetopa M.*) l. c. p. 12, pl. 1. f. 5, pl. 2. ff. 4, 4 *a* (1899). *Brachymetopa Mauiensis*, var. *Ochracea*, *Perk.* l. c. p. 12 (1899).	Maui.
9. **B. Molokaiensis, Perk. (*Brachymetopa M.*) l. c. p. 12. n. 9 (1899).	Molokai.
10. **B. Deplanata, Brunn. (*Brachymetopa D.*) l. c. p. 894 (1895): Perk. l. c. p. 12. n. 10, pl. 1. f. 7, pl. 2. ff. 3, 3 *a* (1899).	Lanai.

SUBFAM. XIII.

AGRŒCIINÆ.

Genus 208. **Hyperomerus.**

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 330, 432 (1891).

1. **H. Crassipes, Redt.** l. c. p. 432, pl. 3. f. 50 (1891).	Upper Amazons.

Genus 209. **Liosternus.**

Brongn. Bull. Soc. Ent. France, 1897, p. 80.

1. **L. Vittatus, Brongn.** l. c. (1897).	Australia.

Genus 210. **Erechthis.**

Bol. Mém. Soc. Zool. France, i. p. 151 (1888).

1. **E. Gundlachi, Bol.** l. c. (1888). *Subria Gundlachi*, *Redt.* Verh. zool.-bot. Ges. Wien, xli. p. 434. n. 1 (1891).	Cuba.

Genus 211. **Subria.** (*Type* no. 1.)

Stål, Recens. Orth. ii. p. 101 (1874); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 433 (1891); Brongn. Bull. Soc. Ent. France, 1897, p. 83.

1. **S. Grandis, Walk. (*Xiphidium Grande*) Cat. Derm. Salt. B. M. ii. p. 270. n. 11 (1869). ***Xiphidium Præcipuum*, *Walk.* l. c. p. 271. n. 12 (1869).	Demerara, Colombia, Upper Amazons.

S. Amazonica, Redt. l. c. pp. 433, 434. n. 2 (1891); Bol. Actas Soc. Españ. xxv. p. 18 (1896).

S. Nitida, Stål, l. c. p. 114 (1871); Redt. l. c. pp. 434, 435. n. 3 (1891).

2. **S. Concolor, Redt.** l. c. pp. 434, 435. n. 3 (1891). — Amboina.

*3. **S. Sulcata, Redt.** l. c. pp. 434, 435. n. 5, pl. 3. f. 51 (1891). — Ind., Burm., Java, &c.

4. **S. Microcephala, Brongn.** l. c. p. 84 (1897).

Genus 212. **Episattus.**

Brongn. Bull. Soc. Ent. France, 1897, p. 82.

1. **E. Marmoratus, Brongn.** l. c. p. 83 (1897). — Madagascar

Genus 213. **Scytocera.**

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 436 (1891).

1. **S. Longicornis, Redt.** l. c. p. 436, pl. 3. f. 52 (1891). — Mindanao.

Genus 214. **Æthiomerus.** (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 437 (1891).

1. **Æ. Madacassus, Redt.** l. c. p. 437. n. 1. pl. 3. f. 53 *a–c* (1891). — Madagascar

2. **Æ. Adelphus, Redt.** l. c. pp. 437, 438. n. 2 (1891); Griff. Boll. Mus. Torino. viii. (144) p. 3 (1893) — id.

3. **Æ. Stenorhinus, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 620, pl. 37. f. 17 (1899). — Zanzibar.

Genus 215. **Allomenus.**

Sauss. Abhandl. Senckenb. Ges. xxi. p. 621 (1899).

1. **A. Bimacula, Sauss.** l. c. p. 622, pl. 37. f. 10 (1899). — Madagascar

Genus 216. **Anelytra.** (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 438 (1891).

1. **A. Nigrifrons, Redt.** l. c. pp. 438, 439. n. 1, pl. 3. f. 54 (1891).	Australia.
2. **A. Punctata, Redt.** ll. cc. n. 2 (1891).	Burma.
3. **A. Lateralis, Erichs.** (*Agraecia L.*) Arch. f. Naturg. viii. p. 249. n. 242 (1842). *A. Lateralis, Redt.* ll. cc. n. 3 (1891).	Tasmania.
4. **A. Concolor, Redt.** l. c. pp. 438, 440. n. 4 (1891).	Bombay.

Genus 217. **Ischnophyllus.**

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 440 (1891).

1. **I. Viridipennis, Redt.** l. c. p. 440, pl. 3. f. 55 (1891).	Ceylon.

Genus 218. **Oxystethus.** (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 441 (1891); Brongn. Bull. Soc. Ent. France, 1897, p. 80.

1. **O. Intermedius, Redt.** l. c. p. 441. n. 1 (1891).	Java.
2. **O. Pulcher, Bol.** An. Soc. Ent. France, lxviii. p. 776, pl. 11. ff. 17, 17 *a* (1900).	S. India.
3. **O. Subapterus, Redt.** l. c. pp. 441, 442. n. 2 (1891).	Burma.
4. **O. Lobatus, Redt.** ll. cc. n. 3 (1891).	id.
5. **O. Brevipennis, Redt.** l. c. pp. 441, 443. n. 4 (1891).	Java.
6. **O. Homœacanthus, Redt.** ll. cc. n. 5, pl. 3. f. 56 (1891).	id.
7. **O. Heteracanthus, Redt.** l. c. pp. 441, 443. n. 6 (1891).	Cambodia.
8. **O. Geniculatus, Bol.** Actas Soc. Españ. 1898, p. 142.	Borneo.
9. **O. Harmandi, Brongn.** l. c. p. 82 (1897).	Bangkok.

Genus 219. **Liara.**

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 444 (1891).

1. **L. Rufescens, Redt.** l. c. p. 444, pl. 3. f. 57 (1891).	Burma.

Genus 220. **Psacadonotus.** (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 445 (1891).

*1. **P. Seriatus, Redt.** l. c. p. 445. n. 1, pl. 3. f. 58 *a*, *b* (1891).	West Australia.
2. **P. Irregularis, Redt.** l. c. n. 2 (1891) (*larva*).	id.

Genus 221. **Acrodonta.** (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 446 (1891); Bol. Ann. Soc. Ent. France, lxviii. p. 777 (1900).

1. **A. Subaptera, Redt.** l. c. p. 446, pl. 3. f. 59 (1891); Bol. l. c. p. 777 (1900).	Ceylon.
2. **A. Nigrospinosa, Bol.** l. c. p. 778, pl. 11. ff. 18, 18 *a* (1900).	Madura.

Genus 222. **Oxylakis.** (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 447 (1891).

*1. **O. Punctipennis, Redt.** l. c. p. 447, pl. 4. f. 60 (1891).	Borneo, Singapore.
2. **O. Truncatipennis, Bol.** Ann. Soc. Ent. France, lxviii. p. 778 (1900).	Madura.

Genus 223. **Eppia.**

Stål, Bihang Vet.-Akad. Handl. iii. (14) p. 42 (1876); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 447 (1891).

1. **E. Truncatipennis, Stål,** l. c. p. 42 (1876); Redt. l. c. p. 448, pl. 4. f. 61 (1891).	Guatemala Chiriqui.

Genus 224. **Eschatocerus.** (*Type* no. 3.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 331, 448 (1891).

1. **E. Bipunctatus, Bol.** (*Agrœcia Bipunctata*) Viaje al Pacif., Ins. p. 103, pl. 3. f. 7 (1884). *E. Bipunctatus, Redt.* l. c. p. 449. n. 1 (1891).	Upper Amazons, Napo.
2. **E. Nigrovittatus, Bol.** (*Agrœcia Nigrovittata*) l. c. p. 105. n. 2, pl. 3. f. 8 (1884). *E. Nigrovittatus, Redt.* l. c. p. 449. n. 2 (1891).	Ecuador.
3. **E. Dorsatus, Redt.** l. c. p. 450. n. 3, pl. 4. f. 62 (1891).	Upper Amazon.
4. **E. Spinifrons, De Geer,** (*Locusta S.*) Mém. Ins. iii. p. 456. n. 16, pl. 40. f. 2 (1773). *Agrœcia Spinifrons, Stål,* Rec. Orth. ii. p. 115. n. 1 (1874). *E. Spinifrons, Redt.* l. c. p. 450. n. 4 (1891).	Surinam, Demerara.
5. **E. Punctifrons, Redt.** l. c. p. 451. n. 5 (1891).	Upper Amazons.
6. **E. Virescens, Redt.** l. c. n. 6 (1891).	Fonte Boa.

Genus 225. **Agrœcia.** (*Type* no. 7.)

Agraecia, Serv. (*errore*) Ann. Sci. Nat. xxii. p. 152 (1831); Ins. Orth. p. 525 (1839).

Agrœcia, Burm. Handb. Ent. ii. p. 707 (1838); Stål, Recens. Orth. ii. p. 101 (1874); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 330, 331, 451 (1891).

1. **A. Viridipennis, Redt.** l. c. pp. 452, 453. n. 1 (1891).	Brazil.
2. **A. Subulata, Redt.** ll. cc. n. 2 (1891).	id.
3. **A. Nigrifrons, Redt.** ll. cc. n. 3 (1891).	id.; Bahia
4. **A. Sansibara, Redt.** l. c. pp. 452, 454. n. 4 (1891).	Zanzibar.
5. **A. Vittata, Redt.** ll. cc. n. 5 (1891) (*larva*).	Colombia.
6. **A. Vittipes, Redt.** ll. cc. n. 6 (1891).	Brazil.

7. **A. Punctata, St. Farg. & Serv.** (*Locusta P.*) Encycl. Méth., Ins. x. p. 342. n. 5 (1825). *Agræcia Punctata, Serv.* Ann. Sci. Nat. xxii. p. 153 (1832); Ins. Orth. p. 526, pl. 11. f. 3 (1839). *Agræcia Punctata, Burm.* l. c. p. 707 (1839); Redt. l. c. pp. 452, 455. n. 7 (1891).	Brazil: Bahia.
*8. **A. Maculata, Redt.** ll. cc. n. 8, pl. 4. f. 63 (1891).	Theresopolis
9. **A. Festæ, Griff.** Boll. Mus. Torino, xi. (232) p. 28 (1896); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 395. n. 2 (1898).	Darien.
10. **A. Abbreviata, Redt.** l. c. pp. 452, 456. n. 9 (1891).	Brazil.
*11. **A. Differens, Redt.** ll. cc. n. 10 (1891).	Australia.

Genus 226. **Habetia, Kirb.** (n. n.).

Orthoxiphus, Dohrn (*nec Sauss.*), Stett. Ent. Zeit. lxvi. p. 240 (1905).

1. **H. Spada, Brunn.** (*Agræcia S.*) Abhandl. Senckenb. Ges. xxiv. p. 266, pl. 20. f. 51 (1898); Dohrn, l. c. (1905).	N. Guinea.

Genus 227. **Coptaspis.** (*Type* no. 2.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 332, 456 (1891).

1. **C. Crassinervosa, Redt.** l. c. p. 457. n. 1 (1891).	New Caledonia.
2. **C. Brevipennis, Redt.** l. c. n. 2, pl. 4. f. 64 (1891).	Sydney.

Genus 228. **Loja.**

Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 88 (1898).

1. **L. Lævis, Giglio-Tos,** l. c. (1898).	Ecuador.

Genus 229. **Secsiva.**

Walk. Cat. Derm. Salt. B. M. ii. p. 301 (1869).

1. **S. Univitta, Walk. l. c. n. 1 (1869).	N. Australia.

Genus 230. **Nicsara.** (*Type* no. 6.)

Walk. Cat. Derm. Salt. B. M. ii. p. 286 (1869).
Lobaspis, *Redt.* Verh. zool.-bot. Ges. Wien. xli. pp. 332, 458 (1891); Brunn. Abhandl. Senckenb. Ges. xxiv. p. 267 (1898). (*Type* no. 5.)

*1. **N. Nigrifrons, Brunn.** (*Lobaspis N.*) l. c. pp. 267, 268. n. 1 (1898).	Lombok.
2. **N. Inflata, Brunn.** (*Lobaspis I.*) ll. cc. n. 2 (1898).	S. Celebes.
3. **N. Strigatipes, Bol.** (*Lobaspis S.*) Actas Soc. Españ. 1898. p. 140.	New Guinea.
4. **N. Multispinosa, Bol.** (*Lobaspis M.*) l. c. p. 141 (1898).	id.
*5. **N. Bifasciata, Redt.** (*Lobaspis B.*) l. c. pp. 458, 459. n. 1, pl. 4. f. 65 (1891); Brunn. l. c. p. 267. n. 3 (1898).	N. Australia.
6. **N. Trigonalis, Walk. l. c. ii. p. 287. n. 1 (1869).	Australia.
7. **N. Inferior, Brunn.** (*Lobaspis I.*) l. c. pp. 267, 269. n. 4 (1869).	S. Celebes.
8. **N. Cornuta, Redt.** (*Lobaspis C.*) ll. cc. n. 2 (1891); Brunn. l. c. p. 267. n. 5 (1898).	Lord Howe's I.
9. **N. Quadrituberculata, Redt.** (*Lobaspis Q.*) l. c. pp. 458, 460. n. 4 (1891).	Australia.
10. **N. Spuria, Redt.** (*Lobaspis S.*) ll. cc. n. 3 (1891); Brunn. l. c. p. 267. n. 7 (1898).	id.
11. **N. Bimaculata, Redt.** (*Lobaspis B.*) l. c. pp. 459, 462. n. 7 (1891); Brunn. l. c. p. 267. n. 8 (1898).	Gilolo.
12. **N. Moluccana, Redt.** (*Lobaspis M.*) ll. cc. n. 8 (1891); Brunn. l. c. p. 267. n. 9 (1898).	Amboina.
13. **N. Tuberculata, Redt.** (*Lobaspis T.*) l. c. pp. 458, 461. n. 5 (1891); Brunn. l. c. p. 267. n. 11 (1898).	Cape York.

14. **N. Falcata, Redt.** (*Lobaspis F.*) l. c. pp. 458, 461. n. 6 (1891).	Peak Downs.
15. **N. Hageni, Dohrn,** (*Lobaspis H.*) Stett. Ent. Zeit. lxvi. p. 238 (1905).	New Guinea.
16. **N. Minuta, Dohrn,** (*Lobaspis M.*) l. c. p. 239 (1905).	Sumba.
17. **N. Thoracica, Dohrn,** (*Lobaspis T.*) l. c. (1905).	Obi.

Genus 231. **Paralobaspis.**

Giglio-Tos. Boll. Mus. Torino, xiii. (311) p. 89 (1898).

1. **P. Picta, Giglio-Tos,** l. c. (1898).	Ecuador.

Genus 232. **Veria.**

Walk. Cat. Derm. Salt. B. M. ii. p. 394 (1869).
Alphopteryx, Redt. Verh. zool.-bot. Ges. Wien. xli. pp. 332, 463 (1891).

1. **V. Colorata, Walk. l. c. p. 394. n. 1 (1869). *Alphopteryx 10-maculata, Redt.* l. c. p. 463, pl. 4. f. 66 (1891).	Australia.

Genus 233. **Metholce.**

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 28 (1871).
Glaphyronotus, Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 332, 464 (1891).

1. **M. Nigritarsis, Walk. l. c. p. 29. n. 1 (1871), *immature.* *Glaphyronotus Roseipennis, Redt.* l. c. p. 464, pl. 4. f. 68 (1891).	Moreton Bay, Sydney.

Genus 234. **Encalypta.**

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 332, 465 (1891).

1. **E. Cucullata, Redt.** l. c. p. 465, pl. 4. f. 67 (1891).	Madagascar

Genus 235. **Nannagrœcia.** (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 332, 466 (1891).

1. **N. Gracilipes, Redt.** l. c. p. 466 (1891).	Tapajos.
2. **N. Wattenwylia, Griff.** Boll. Mus. Torino, xiii. (323) p. 2 (1898).	Ecuador.

Genus 236. **Anthracites.** (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 332, 466 (1891).

1. **A. Nitidus, Redt.** l. c. p. 467, pl. 4. f. 70 (1891).	Mindanao.
2. **A. Geniculatus, Dohrn,** Stett. Ent. Zeit. lxvi. p. 241 (1905).	id.
3. **A. Femoralis, Dohrn,** l. c. (1905).	Minahassa.
4. **A. Bloyeti, Brongn.** Bull. Soc. Ent. France, 1897, p. 87.	E. Africa.

Genus 237. **Uchucha.**

Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 89 (1898).

1. **U. Grisea, Giglio-Tos,** l. c. p. 90 (1898).	Ecuador.

SUBFAM. XIV.

SALOMONINÆ.

Genus 238. **Dicranocercus.**

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 332, 467 (1891); Brongn. Bull. Soc. Philom. (8) viii. pp. 124, 125 (1896).

1. **D. Niger, Redt.** l. c. p. 468, pl. 4. f. 71 (1891); Brongn. l. c. p. 126, f. 1 (1896).	Sunda I., Sulu.

Genus 239. **Macroxiphus.** (*Type* no. 2.)

Pict. Mém. Soc. Genève, xxx. (6) p. 52 (1888); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 332, 468 (1891); Brongn. Bull. Soc. Philom. (8) viii. pp. 124, 127 (1896); Dohrn, Stett. Ent. Zeit. lxvi. p. 242 (1905).

1. **M. Sumatranus, Haan,** (*Locusta Sumatrana*) Temminck, Verhandel.. Orth. pp. 215. 216. n. 3. pl. 19. f. 2 (1842). *M. Sumatranus, Dohrn*, l. c. pp. 242, 244. n. 3 (1905).	Sumatra.
*2. **M. Nasicornis, Pict.** l. c. p. 54. n. 2, pl. 2. ff. 26, 26 *a* (1888). ‖*M. Sumatranus, Redt.* (*nec Haan*) l. c. pp. 468, 469. n. 2, pl. 4. f. 72 (1891); Brongn. l. c. pp. 127, 128. n. 2 (1896).	Java, Borneo, Sumatra.
3. **M. Vaginatus, Pict.** l. c. p. 53. n. 1, pl. 2. f. 27 (1888); Redt. l. c. p. 468. n. 1 (1891); Brongn. l. c. pp. 127, 129. n. 2 (1896); Dohrn, l. c. pp. 242, 243. n. 2 (1905).	Java, N. Borneo.
*4. **M. Megapterus, Brongn.** l. c. pp. 127, 130. n. 3. f. 2 (1896).	N. Borneo.
5. **M. (?) Loboensis, Haan,** (*Locusta L.*) l. c. pp. 215, 216. n. 2 (1842).	New Guinea.
6. **M. Atomarius, Dohrn,** l. c. pp. 242, 243. n. 1 (1905).	N. Borneo.
7. **M. Pictipes, Dohrn,** l. c. pp. 243, 245. n. 4 (1905).	id.
8. **M. Nigrifrons, Dohrn,** l. c. pp. 242, 246. n. 5 (1905).	Sumatra.

Genus 240. **Gallienia.**

Brongn. Bull. Soc. Philom. (8) viii. pp. 124, 131 (1896).

1. **G. Elegans, Brongn.** l. c. p. 132. ff. 3, 4 (1896).	Madagascar

Genus 241. **Salomona.** (*Type* no. 4.)

Blanch. Voy. Pole Sud. Zool. iv. p. 361 (1853): Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 332, 469 (1891); Brongn. Bull. Soc. Philom. (8) viii. pp. 124, 133 (1896).

1. **S. Rugifrons, Walk. (*Agraecia R.*) Cat. Derm. Salt. B. M. ii. p. 297. n. 7 (1869). *S. Rugifrons, Redt.* l. c. pp. 470, 471. n. 1, pl. 4. f. 73 (1891): Brongn. l. c. pp. 136, 140. n. 1, ff. 5–8 (1896).	Fiji. N. Guinea.

S. Marmorata, Blanch. (♀ *nec* ♂) l. c. p. 362 (1855).	
Acanthodis Marmorata, ♀, *Blanch.* l. c. Orth. pl. 2. f. 6 (1853).	
2. **S. Antennata, Redt.** l. c. pp. 470, 472. n. 2 (1891).	Fiji.
3. **S. Brongniarti, Brunn.** Abhandl. Senckenb. Ges. xxiv. p. 270. n. 1 (1898).	id.
4. **S. Marmorata, Blanch.** (*Acanthodis M.*, ♂ *nec* ♀) l. c. pl. 2. f. 5 (1853).	Solomon Islands.
S. Marmorata, Blanch. (♂ *nec* ♀) l. c. p. 362 (1855).	
5. **S. Gamma, Redt.** l. c. pp. 470, 473. n. 5 (1891); Brongn. l. c. pp. 136, 146. n. 3, ff. 14, 15 (1896).	New Guinea.
6. **S. Godeffroyi, Pict.** (*Agræcia G.*, ♂ *nec* ♀) Mém. Soc. Genève, xxx. (6) p. 50, pl. 2. ff. 29, 29 *a* (1888).	N. Britain, N. Ireland, Duke of York I.
S. Sigma, Redt. l. c. pp. 470, 473. n. 6 (1891); Brongn. l. c. pp. 136, 147. n. 4 (1896).	
7. **S. Solida, Walk. (*Agræcia S.*) l. c. ii. p. 295. n. 5 (1869).	Australia, N. Zealand, Pacific Isl.
***Agræcia Phæopsis, Walk.* l. c. p. 299. n. 11 (1869), *larva.*	
Agræcia Godeffroyi, ♀ (*nec* ♂), *Pictet*, l. c. p. 50. n. 2 (1888).	
S. Godeffroyi, Redt. l. c. pp. 471, 475. n. 9 (1891); Brongn. l. c. pp. 137, 157. n. 13 (1896).	
8. **S. Lævifrons, Redt.** l. c. pp. 470, 472. n. 3 (1891); Brongn. l. c. pp. 137, 148. n. 5 (1896).	N. Guinea.
9. **S. Ustulata, Redt.** l. c. pp. 470, 472. n. 4 (1891); Brongn. l. c. pp. 137, 148. n. 6 (1896).	id.
10. **S. Suturalis, Redt.** l. c. pp. 471, 474. n. 7 (1891); Brongn. l. c. pp. 137, 149. n. 6 (1896).	Samoa.
11. **S. Françoisi, Brongn.** l. c. pp. 137, 149. n. 8 (1896).	Hab. ——?
12. **S. Megacephala, Haan,** (*Locusta M.*) Temminck, Verhandel., Orth. p. 209, pl. 19. f. 1 (1842).	N. Guinea, Aru, Bouru.
S. Megacephala, Redt. l. c. pp. 471, 474. n. 8 (1891); Brongn. l. c. pp. 137, 150. n. 9 (1896).	

13. **S. Truncata, Redt.** l. c. pp. 471, 475. n. 10 (1891) ; Brongn. l. c. pp. 137, 151. n. 10, ff. 16–18 (1896).	Pelew I., Dorey, N. Hebrides.
*14. **S. Haani, Brongn.** l. c. pp. 137, 154, ff. 19–20 (1896). ‖ *Agræcia Marmorata, Walk. (nec Blanch.)* l. c. p. 296. n. 6 (1869). (?) *S. Marmorata, Redt.* l. c. p. 471, 476. n. 13 (1891) ; Brongn. l. c. pp. 136, 143. n. 2, ff. 9–13 (1896).	New Hebrides.
15. **S. Laticeps, Haan,** (*Locusta L.*) l. c. p. 210 (1842). *S. Laticeps, Redt.* l. c. pp. 471, 476. n. 12 (1891) ; Brongn. l. c. pp. 137, 157 (1896).	Amboina.
16. **S. Ornata, Brunn.** l. c. p. 270. n. 2. pl. 20. f. 52 (1898).	Gilolo.
17. **S. Redtenbacheri, Brongn.** l. c. pp. 138, 159. n. 14, ff. 24, 25 (1896).	New Hebrides.
18. **S. Picteti, Brongn.** l. c. pp. 138, 161, 162. n. 15, ff. 21–23 (1896).	New Guinea.
19. **S. Coriacea, Redt.** l. c. pp. 471, 476. n. 11 (1891) ; Brongn. l. c. pp. 138, 164. n. 16 (1896).	Moluccas, Aru, Batchian.
20. **S. Pallidifrons, Brunn.** l. c. p. 271. n. 3 (1898).	N. Guinea.
21. **S. Raffrayi, Brongn.** l. c. pp. 138, 165. n. 17, f. 26 (1896).	id.
22. **S. Semicruciata, Brunn.** l. c. p. 272. n. 4 (1898).	id.
*23. **S. Pupus, Pict.** (*Agræcia P.*) l. c. p. 49. n. 1, pl. 2. ff. 28, 28 *a* (1888). *S. Pupus, Redt.* l. c. pp. 471, 477. n. 14 (1891) ; Brongn. l. c. pp. 131, 166. n. 18 (1896).	N. Britain, N. Ireland, N. Guinea.
24. **S. Inusta, Brunn.** l. c. p. 273. n. 5 (1898).	N. Guinea.
25. **S. Vittifrons, Walk. (*Agræcia V.*) l. c. p. 298. n. 8 (1869). *S. Dohrni, Redt.* l. c. pp. 471, 477. n. 15 (1891) ; Brongn. l. c. p. 138. n. 19 (1896). *S. Dorhni, Brongn.* l. c. p. 167. n. 19 (1896).	Philippines.
26. **S. Conspersa, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 46 (1877).	id.

27. **S. Triangularis, Brunn.** l. c. p. 273. n. 6 (1898).	Lombok.
28. **S. Tetra, Walk. (*Agræcia T.*) l. c. p. 299. n. 10 (1869).	Philippines.
29. **S. Javanica, Redt.** l. c. pp. 471, 478. n. 16 (1891); Brongn. l. c. pp. 138, 168. n. 20 (1896).	Java.
30. **S. Obscura, Gieb.** (*Agræcia O.*) Zeitschr. ges. Naturw. xviii. p. 117 (1861).	id.
31. **S. Sparsa, Walk.** (*Agræcia S.*) l. c. ii. p. 298. n. 9 (1869).	Sarawak.
32. **S. Saussurei, Brongn.** l. c. pp. 138, 169. n. 21 (1896).	Hab. —— ?
33. **S. Maculifrons, Stål,** l. c. p. 46 (1877); Redt. l. c. pp. 471, 478. n. 17 (1891); Brongn. l. c. pp. 138, 170. n. 22 (1896).	Philippines.
34. **S. Brevicollis, Stål,** l. c. p. 46 (1877); Redt. l. c. pp. 471, 478. n. 18 (1891); Brongn. l. c. pp. 138, 170. n. 23 (1896).	id.
35. **S. Liturata, Redt.** l. c. pp. 471, 479. n. 19 (1891); Brongn. l. c. pp. 138, 171. n. 24 (1896).	New Caledonia.
36. **S.** (?) **Macrocephala, Montr.** (*Locusta M.*) Ann. Soc. Phys. Nat. Lyon, (2) vii. (1) p. 87 (1855).	Woodlark I.

Genus 242. **Rhytidaspis.**

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 479 (1891); Brongn. Bull. Soc. Philom. (8) viii. pp. 124, 172 (1896).

1. **R. Picta, Redt.** l. c. p. 480, pl. 4. f. 74 (1891); Brongn. l. c. p. 173, ff. 27–32 (1896).	New Guinea.

Genus 243. **Centrocephalus.**

Brongn. Bull. Soc. Philom. (8) viii. pp. 124, 176 (1896).

1. **C. Viridis, Brongn.** l. c. p. 177, ff. 33, 34 (1896).	Madagascar

Genus 241. **Odontolakis.** (*Type* no. 7.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 480 (1891); Brongn. Bull. Soc. Philom. (8) viii. pp. 124, 178 (1896).

1. **O. Varia, Redt.** l. c. p. 481. n. 1 (1891); Brongn. l. c. pp. 179, 180. n. 1 (1896).	Madagascar
2. **O. Speculata, Brongn.** l. c. pp. 179, 181. n. 2, ff. 35, 36 (1896).	id.
3. **O. Armata, Redt.** l. c. pp. 481, 482. n. 2 (1891); Brongn. l. c. pp. 179, 183. n. 3 (1896).	id.
4. **O. Lanzti, Brongn.** l. c. pp. 179, 183. n. 4 (1896).	id.
5. **O. Hastata, Redt.** l. c. pp. 481, 482. n. 3 (1891); Brongn. l. c. pp. 179, 185. n. 5 (1896).	id.
6. **O. Bicolor, Brongn.** l. c. pp. 179, 185. n. 6 (1896).	id.
7. **O. Megacephala, Burm.** (*Copiophora M.*) Handb. Ent. ii. p. 703. n. 1 (1838). *Conocephalus Megacephala*, *Haan*, Temminck, Verhandel., Orth. p. 211. n. 5 (1842). *O. Megacephala*, *Redt.* l. c. pp. 481, 483. n. 4, pl. 4. f. 75 (1891); Brongn. l. c. pp. 179, 186. n. 7 (1896).	I. St. Johanna, Mozambique.
8. **O. Sexpunctata, Serv.** (*Conocephalus Sexpunctatus*) Ins. Orth. p. 517 (1839). *Conocephalus Sexpunctata*, *Haan*, l. c. p. 211. n. 9 (1842). *Copiophora Sexpunctata*, *D'Orb.* Dict. d'Hist. Nat. xi. Orth. pl. 3. f. 1 (1848). *O. Sexpunctata*, *Redt.* l. c. pp. 481, 483. n. 5 (1891); Brongn. l. c. pp. 180, 187. n. 8 (1896).	Madagascar
9. **O. Tibialis, Redt.** l. c. pp. 481, 484. n. 6 (1891); Brongn. l. c. pp. 180, 189. n. 9 (1896).	Nossi Bé, Madagascar
10. **O. Alluaudi, Brongn.** l. c. pp. 180, 190. n. 10 (1896).	Madagascar
11. **O. Brunneri, Brongn.** l. c. pp. 179, 190. n. 11 (1896).	id.
*12. **O. Nigripes, Redt.** l. c. pp. 481, 485. n. 7 (1891); Brongn. l. c. pp. 180, 192. n. 12 (1896).	id.
13. **O. Virescens, Redt.** l. c. pp. 481, 485. n. 8 (1891); Brongn. l. c. pp. 180, 192. n. 13 (1896).	id.

Genus 245. **Euconchophora.** (*Type* no. 1.)

Brongn. Bull. Soc. Philom. (8) viii. pp. 125, 193 (1896).
‖ *Conchophora, Redt. (nec Gray)* Verh. zool.-bot. Ges. Wien, xli. pp. 333, 486 (1891).

*1. **E. Spinigera, Redt.** (*Conchophora S.*) l. c. p. 486. n. 1, pl. 4. f. 76 *a* (1891). *E. Spinigera, Brongn.* l. c. p. 194. n. 1 (1896).	Madagascar
2. **E. Infuscata, Brongn.** l. c. pp. 194, 195. n. 2 (1896).	id.
3. **E. Subulata, Redt.** (*Conchophora S.*) l. c. pp. 486, 487. n. 2 (1891). *E. Subulata, Brongn.* l. c. pp. 194, 196. n. 3 (1896).	id.

Genus 246. **Amblylakis.** (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 487 (1891); Brongn. Bull. Soc. Philom. (8) viii. pp. 125, 196 (1896).
Amblyakis, Sauss. Abhandl. Senckenb. Ges. xxi. p. 622 (1899).

1. **A. Nigrolimbata, Redt.** l. c. pp. 487, 488, pl. 4. f. 76 *b* (1891); Brongn. l. c. p. 197. n. 1 (1896).	Madagascar
*2. **A. Inermis, Redt.** l. c. pp. 487, 488. n. 2 (1891); Brongn. l. c. pp. 197, 198. n. 2 (1896). *Amblyakis Inermis, Sauss.* Abhandl. Senckenb. Ges. xxi. p. 625. n. 2 (1899).	id.
3. **A. Leprosipes, Sauss.** (*Amblyakis L.*) l. c. n. 1, pl. 37. f. 22 (1899).	id.

Genus 247. **Dicranacrus.** (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 489 (1891); Sauss. Abhandl. Senckenb. Ges. xxi. p. 622 (1899).
Dicranucrus, Brongn. Bull. Soc. Philom. (8) viii. pp. 125, 199 (1896).

1. **D. Fuscifer, Redt.** l. c. p. 489. n. 1, pl. 4. f. 77 (1891). *Dicranucrus Fuscifer, Brongn.* l. c. pp. 199, 200. n. 1 (1896).	Nossi Bé, Madagascar

2. **D. Nasutus, Sauss.** l. c. p. 623, n. 1, pl. 37. f. 19 (1899).	Madagascar
3. **D. Voeltzkowi, Sauss.** l. c. n. 2, pl. 37. f. 20 (1899).	id.
4. **D. Piceus, Redt.** l. c. pp. 489, 490. n. 2 (1891). *Dicranucrus Piceus, Brongn.* l. c. pp. 199, 202. n. 2 (1896).	id.
5. **D. Variegatus, Redt.** l. c. pp. 489, 490. n. 3 (1891). *Dicranucrus Variegatus, Brongn.* l. c. pp. 199, 204. n. 3 (1896).	id.
6. **D. Furcatus, Sauss.** l. c. p. 624, pl. 37. f. 21 (1899).	id.

Genus 248. **Oncodopus.** (*Type* no. 1.)

Brongn. Bull. Soc. Philom. (8) viii. pp. 125, 205 (1896); Sauss. Abhandl. Senckenb. Ges. xxi. pp. 622, 626 (1899).

*1. **O. Zonatus, Brongn.** l. c. pp. 206, 207, ff. 37–39 (1896); Sauss. l. c. p. 626, pl. 27. f. 23 (1899).	Madagascar
*2. **O. Redtenbacheri, Brongn.** l. c. pp. 207, 208 (1896).	id.

Genus 249. **Cestrophorus.**

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 491 (1891); Brongn. Bull. Soc. Philom. (8) viii. pp. 125, 209 (1896).

1. **C. Paradoxus, Redt.** l. c. p. 491, pl. 4. f. 78 (1891); Brongn. l. c. p. 210 (1896).	Madagascar

Genus 250. **Colossopus.**

Sauss. Abhandl. Senckenb. Ges. xxi. pp. 622, 627 (1899).

1. **C. Grandidieri, Sauss.** l. c. p. 628, pl. 27. ff. 24–27 (1899).	Madagascar

SUBFAM. XV.

XIPHIDIINÆ.

Genus 251. **Teratura.**

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 492 (1891).

1. **T. Monstrosa, Redt.** l. c. p. 492, pl. 4. f. 79 *a, b* (1891).	Burma.

Genus 252. **Paraxiphidium.**

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 493 (1891).

1. **P. Versicolor, Redt.** l. c. p. 493, pl. 4. f. 79 *c* (1891).	Peru.

Genus 253. **Orchelimum.** (*Type* no. 15.)

Serv. Ins. Orth. p. 522 (1839); Prov. Faune Ent. Canad. ii. p. 53 (1883); Scudd. Guide N. Amer. Orth. p. 55 (1897); McNeill, Canad. Ent. xxxii. p. 77 (1900).

Xiphidium, subg. *Orchelimum*, *Redt.* Verh. zool.-bot. Ges. Wien, xli. p. 494 (1891); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 281, 289 (1894); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 396 (1898); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 363, 381 (1903).

1. **O. Delicatum, Brun.** Ent. News, iii. p. 265 (1892); McNeill, l. c. pp. 77, 80 (1900); Blatchl. l. c. pp. 382, 389. n. 107 (1903). ‖ *O. Gracile, Brun. (nec Harr.)* Canad. Ent. xxiii. p. 70 (1891). *Xiphidium Gracilimum, Griff.* Miscell. Ent. vii. p. 5 (1899).	Nebraska.
2. **O. Gladiator, Brun.** l. c. p. 71 (1891); McNeill, l. c. pp. 77, 81 (1900); Blatchl. l. c. pp. 382, 390. n. 108 (1903).	id.
3. **O. Minor, Brun.** l. c. p. 72 (1891); McNeill, l. c. pp. 77, 81 (1900); Davis, Canad. Ent. xxxvi. p. 132 (1904).	Colombia, New Jersey.
4. **O. Vulgare, Harr.** Rep. Ins. Mass. p. 130 (1841); (ed. 3) p. 162, f. 77 (1862); Prov. l. c. p. 54 (1883); Beut. l. c.	N. America.

p. 282. pl. 6. ff. 1, 5 (1894); McNeill, l. c. pp. 78, 81 (1900); Howard, Insect Book, pp. 336, 337. f. 224 (1902); Blatchl. l. c. pp. 382, 383. n. 102, f. 96 (1903). ‖ *Xiphidium Agile, Redt.* (*nec De Geer*) l. c. pp. 495, 500. n. 2, pl. 4. f. 80 (1891). ‖ *Orchelimum Agile, Morgan,* Bull. U. S. Dept. Agric. Ent. n. s. xxx. p. 30, f. 18 (1901).	
5. **O. Gracile, Harr.** ll. cc. p. 131 (1841); p. 163, f. 78 (1862); McNeill, l. c. pp. 78, 81 (1900).	Massachusetts, New Jersey.
6. **O. Robustum, Redt.** (*Xiphidium R.*) l. c. pp. 494, 499. n. 1 (1891); McNeill, l. c. pp. 78, 81 (1900).	New Orleans.
7. **O. Campestre, Blatchl.** Canad. Ent. xxv. p. 91 (1893); Rep. Indiana Dept. Geol. xxvii. pp. 382, 386. n. 104 (1903); McNeill, l. c. pp. 78, 81 (1900).	Indiana.
*8. **O. Glaberrimum, Burm.** (*Xiphidium G.*) Handb. Ent. ii. p. 707. n. 1 (1838); Redt. l. c. pp. 495, 501. n. 3 (1891). *O. Glaberrimum, Scudd.* Bost. Journ. N. Hist. vii. p. 453. n. 3 (1862); Brun. Bull. Washb. Coll. i. p. 128 (1885); McNeill, l. c. pp. 78, 81 (1900); Psyche, vi. p. 25. n. 36 (1891); Blatchl. l. c. pp. 382, 385. n. 103 (1903): Hanc. Psyche, xi. p. 69, pl. 5 (1904).	N. America.
9. **O. Longipenne, Scudd.** (*O. Longipennis*) l. c. p. 453. n. 5 (1862). *O. Longipenne, McNeill,* ll. cc. pp. 79, 82 (1900); p. 25. n. 37 (1891). *Xiphidium Inerme, Redt.* l. c. pp. 495, 501. n. 4 (1891).	Texas, Kansas, Nebraska.
10. **O. Concinnum, Scudd.** l. c. p. 452. n. 2 (1862); McNeill, ll. cc. pp. 79, 82 (1900); p. 25. n. 38 (1891); Beut. l. c. p. 282 (1894). *Xiphidium Concinnum, Redt.* l. c. pp. 495, 502. n. 5 (1891).	United States.
11. **O. Herbaceum, Serv.** l. c. p. 524. n 3 (1839).	N America.
12. **O. Indianense, Blatchl.** Canad. Ent. xxv. p. 90 (1893); Proc. Indiana Acad. Sci. 1892, p. 137 (1894); Rep. Indiana Dept. Geol. xxvii. pp. 382, 388. n. 106, f. 97 (1903); McNeill, Canad. Ent. xxxii. pp. 79, 82 (1900).	Indiana.

13. **O. Silvaticum, McNeill,** Psyche, vi. p. 26. n. 40 (1891). *O. Sylvaticum, Blatchl.* Proc. Indiana Acad. Sci. 1892, p. 136 (1894); McNeill, Canad. Ent. xxxii. pp. 79, 82 (1900).	Illinois, Indiana.
14. **O. Spinulosum, Redt.** (*Xiphidium S.*) l. c. pp. 495, 503. n. 9 (1891). *O. Spinulosum, McNeill,* l. c. p. 79 (1900); Howard, l. c. pl. 35. f. 3 (1902). *O. Spinulorum, McNeill,* l. c. p. 82 (1900).	N. Carolina.
15. **O. Cuticulare, Serv.** l. c. p. 523. n. 1 (1839); McNeill, l. c. pp. 79, 82 (1900). *Xiphidium Cuticulare, Redt.* l. c. pp. 495, 503. n. 7 (1891).	Texas.
16. **O. Agile, De Geer,** (*Locusta Agilis*) Mém. Ins. iii. p. 457. n. 16, pl. 40. f. 3 (1773); Harr. ll. cc. p. 130 (1841); p. 162 (1862). *Xiphidium Agile, Burm.* l. c. p. 707. n. 2 (1838). *O. Agile, Scudd.* l. c. p. 453. n. 4 (1862); McNeill, l. c. pp. 79, 82 (1900). *O. Glaucum, Serv.* l. c. p. 524. n. 2 (1839).	United States.
17. **O. Validum, Walk. (*Xiphidium V.*) Cat. Derm. Salt. B. M. ii. p. 277. n. 33 (1869). *O. Nigripes, Scudd.* Proc. Bost. Soc. Nat. Hist. xvii. p. 459. n. 14 (1875); McNeill, l. c. pp. 80, 83 (1900); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 382, 387. n. 105 (1903). *Xiphidium Nigripes, Redt.* l. c. pp. 495, 502. n. 6 (1891).	Texas. Missouri, Colorado, Kansas, Indiana, Nebraska.
18. **O. Nitidum, Redt.** (*Xiphidium N.*) l. c. pp. 495, 503. n. 8 (1891); McNeill, l. c. pp. 80, 83 (1900).	Georgia.
19. **O. Bruneri, Blatchl.** Canad. Ent. xxv. p. 92 (1893); Proc. Indiana Acad. Sci. 1892, p. 139 (1894); McNeill, l. c. pp. 80, 83 (1900).	Indiana.
20. **O. Volantum, McNeill,** Psyche, vi. p. 26 (1891); Canad. Ent. xxxii. pp. 80, 83 (1900); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 382, 390 (1903).	Illinois.
21. **O. Laticauda, Redt.** (*Xiphidium L.*) l. c. pp. 495, 504. n. 10 (1891). *O. Laticauda, McNeill,* Canad. Ent. xxxii. pp. 80, 83 (1900).	New Orleans.

22. **O. Ortoni, Scudd.** l. c. xvii. p. 459 (1875).	Peru.
23. **O. Senegalense, Krauss,** Sitzungsb. Akad. Wien, Math.-Nat. Cl. lxxvi. (1) p. 60, pl. 1. f. 12 (1877). *Xiphidium Senegalense, Redt.* l. c. pp. 495, 504. n. 11 (1891); Sjöst. Bih. Svenska Akad. xxvii. (4 : 3) p. 40 (1902).	Senegambia
24. **O. Sphagnorum, Walk.** (*Decticus S.*) l. c. ii. p. 258. n. 27 (1869).	Hudson's Bay.

Genus 251. **Anisoptera.** (*Type* no. 76.)

Latr. Cuv. Règne Anim. (ed. ii.) v. p. 184 note (1829) : Serv. Ann. Sci. Nat. xxii. p. 156 (1831) ; Fisch. Bull. Mosc. vi. p. 372 (1833) ; Wesm. Bull. Acad. Brux. v. p. 593 (1838).

Conocephalus, Thunb. Mém. Acad. Pétersb. v. p. 214 (1815), *nom. spec.* (*Type* no. 47.)

Xiphidion, Serv. l. c. p. 159 (1831); Ins. Orth. p. 505 (1839); Steph. Ill. Brit. Ent., Mand. vi. p. 13 (1835); Westw. Mod. Classif. Ins. ii. Syn. Gen. p. 45 (1839) ; Blanch. Hist. Nat. Ins. iii. p. 25 (1840) ; Fisch. Waldh. Orth. Ross. p. 138 (1846) ; Finot, Orth. France, pp. 90, 101 (1883) ; Faune France, Orth. pp. 174, 187 (1889). (*Type* no. 16.)

Xiphidium, Burm. Handb. Ent. ii. p. 707 (1838) ; Herr.-Schäff. Nomencl. Ent., Orth. p. 3 (1840) ; Fisch. Waldh. l. c. p. 177 (1846); Borck, Skand. Rätv. Ins. p. 60 (1848); Fisch. Orth. Eur. p. 246 (1853) ; Friv. Értek. Termész. Kör. i. (12) p. 111 (1867) ; Stål, Recens. Orth. ii. pp. 100, 111 (1874) ; Bol. Ortópt. Españ. pp. 237, 260 (1876) ; An. Soc. Españ. vi. pp. 319, 342 (1877) ; Ann. Sci. Nat. Porto, vi. p. 10 (1900) ; Brunn. Prodr. Eur. Orth. pp. 246, 300 (1882) ; Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 493 (1891) ; Beut. Bull. Amer. Mus. Nat. Hist. vi. p. 283 (1894) ; Burr, Brit. Orth. pp. 50, 53 (1897) ; Scudd. Guide N. Amer. Orth. p. 55 (1897) ; Canad. Ent. xxx. p. 183 (1898) ; Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 91 (1898); Auriv. Ent. Tidskr. xxi. pp. 249, 252 (1900); Tümp. Geradfl. Mitteleuropas, pp. 222, 225, 260 (1900) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 325, 338, 384 (1902–3) ; Blatchl. Rep. Indiana Dept. Geol. xxvii. p. 371 (1903).

Xyphidium, Fieb. Lotos, iii. p. 170 (1853) ; Syn. Eur. Orth. p. 46 (1854).

Paletta, Walk. Cat. Derm. Salt. B. M. ii. p. 249 (1869). (*Type* no. 42.)

1. **A. Vitticolle, Blanch.** (*Locusta Vitticollis*) Gay, Faun. Chil., Zool. vi. p. 46 ; [Orth. pl. 2. f. 5] (1851) ; Phil. Zeitschr. ges. Naturw. xxi. p. 234 (1863). *Xiphidium Vitticolle*, *Redt.* l. c. pp. 495, 504. n. 12 (1891).	Chile.
*2. **A. Longipes, Redt.** (*Xiphidium L.*) l. c. pp. 495, 505. n. 13, pl. 4. f. 18 (1891).	S. Brazil, Argentina.
3. **A. Attenuatum, Scudd.** (*Xiphidium A.*) Trans. Amer. Ent. Soc. ii. p. 305 (1869); Canad. Ent. xxx. p. 183 (1898) ; Redt. l. c. pp. 495, 505. n. 14 (1891) ; Brun. Canad. Ent. xxiii. p. 57 (1891) ; Blatchl. l. c. pp. 372, 379. n. 101, f. 95 (1903).	Illinois, Kansas.
4. **A. Nigropleurum, Brun.** (*Xiphidium N.*) l. c. p. 58 (1891). *Xiphidium Nigropleura*, *Blatchl.* l. c. pp. 372, 376. n. 98 (1903).	Kansas.
5. **A. Gracillimum, Morse,** (*Xiphidium G.*) Canad. Ent. xxxiii. p. 236 (1891).	Florida.
6. **A. Spinosum, Morse,** (*Xiphidium S.*) l. c. p. 201 (1891).	California.
7. **A. Occidentale, Morse,** (*Xiphidium O.*) l. c. p. 202 (1891). Var. *Xiphidium Occidentale Camurum*, *Morse*, l. c. p. 202 (1891). Var. *Xiphidium Occidentale Caudatum*, *Morse*, l. c. p. 203 (1891).	id., Oregon.
8. **A. Vicinum, Morse,** (*Xiphidium V.*) l. c. p. 203 (1891). Var. *Xiphidium Vicinum*, var. *Productum*, *Morse*, l. c. p. 204 (1891).	California, Oregon, Washington
*9. **A. Fasciatum, De Geer,** (*Locusta Fasciata*) Mém. Ins. iii. p. 458, pl. 40. f. 4 (1773). *Xiphidion Fasciatum*, *Serv.* Ann. Sci. Nat. xxii. p. 159 (1831). *Xiphidium Fasciatum*, *Burm.* l. c. p. 708. n. 4 (1838) ; Prov. Faune Ent. Canad. ii. p. 29 (1883) ; Redt. l. c. pp. 495, 506, n. 15, pl. 4. f. 82 (1891); Beut. l. c. p. 283. pl. 6. f. 7 (1894) ; Griff. Boll. Mus. Torino, xi. (232) p. 30 (1896) ; Sauss. & Pict. Biol. Centr.-Amer., Orth. i. pp. 396, 398. n. 7 (1898) ; Blatchl. l. c. pp. 371, 372. n. 94 (1903).	America.

10. **A. Cinereum, Thunb.** (*Conocephalus Cinereus*) Mém. Acad. Pétersb. v. p. 273 (1815). *Xiphidium Cinereum*, *Stål*, Recens. Orth. ii. p. 113. n. 6 (1874).	Jamaica.
*11. **A. Saltator, Sauss.** (*Xiphidium S.*) Rev. Zool. (2) xi. p. 208 (1859); Redt. l. c. pp. 496, 507. n. 16 (1891); Sauss. & Pict. l. c. pp. 396, 399. n. 10, pl. 19. f. 28 (1898). *Xiphidium Fasciatum*, var. *Saltator*, *Griff.* l. c. p. 30 (1896); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 91 (1898).	Panama, S. America, W. Indies.
12. **A. Equatoriale, Giglio-Tos,** (*Xiphidium E.*) l. c. pp. 91, 92 (1898).	Ecuador.
13. **A. Resinum, Sauss. & Pict. (*Xiphidium R.*) l. c. p. 398. n. 8, pl. 19. ff. 26, 27 (1898).	Mexico.
14. **A. Unispina, Sauss. & Pict. (*Xiphidium U.*) l. c. n. 9 (1898).	id.
*15. **A. Versicolor, Redt.** (*Xiphidium V.*) l. c. pp. 496, 507. n. 17 (1891); Giglio-Tos, l. c. pp. 91, 92 (1898).	Fonte Boa, Ecuador.
*16. **A. Fuscum, Fabr.** (*Locusta Fusca*) Ent. Syst. ii. p. 43. n. 38 (1793); Panz. Faun. Ins. Germ. fasc. xxxiii. pl. 2 (1796); Coqueb. Icon. p. 6, pl. 1. f. 3 (1799); Latr. Hist. Nat. Crust. Ins. iii. p. 101 (1802), xii. p. 132. n. 6 (1804); Charp. Hor. Ent. p. 111 (1825); Phil. Orth. Berol. p. 19. n. 2, pl. 1. f. 2 (1830). *Xiphidion Fuscum*, *Serv.* Ann. Sci. Nat. xxii. p. 157 (1831); Ins. Orth. p. 506. n. 1 (1839); Blanch. l. c. p. 25 (1840); Finot, ll. cc. p. 101 (1883); p. 187, pl 9. f. 127 (1889). *Xiphidion Fusca*, *Steph.* l. c. p. 14. n. 2 (1835); Westw. l. c. p. 45 (1839). *Xiphidium Fuscum*, *Burm.* l. c. p. 708. n. 3 (1838); Fisch. Waldh. l. c. p. 178. n. 1, pl. 8. f. 3 (1846); Borck, l. c. p. 61 note (1848); Fisch. l. c. p. 247. n. 1, pl. 14. ff. 2, 2 *a–d*, ff. 3, 3 *a–d* (1853); Friv. l. c. p. 111 (1867); Sauss. Fedchenko, Reise Turk., Orth. p. 40. n. 1 (1874); Marq. Bull. Soc. Toulouse, xi. p. 155	S. & Centr. Europe, N. Africa, Centr. Asia, Amur.

(1877); Brunn. l. c. pp. 300, 301. n. 1 (1882); Redt. l. c. pp. 496, 508, pl. 4. f. 83 (1891); Tümp. l. c. pp. 225, 261 (1900); Jacobs. & Bianchi, l. c. p. 384, f. 41 (1903).	
Xiphidium Fusca, Herr.-Schäff. l. c. p. 14 (1840).	
Xyphidium Fuscum, Fieb. ll. cc. p. 170. n. 3 (1853); p. 46. n. 3 (1854).	
Conocephalus Discolor, Thunb. l. c. p. 275 (1815).	
17. **A. Thoracicum, Fisch. Waldh.** (*Xiphidium T.*) l. c. p. 179. n. 2, pl. 8. f. 4 (1846); Fisch. l. c. p. 249. n. 3 (1853); Brunn. l. c. p. 301. n. 2 (1882).	S. Russia, Spain.
Xyphidium Thoracicum, Fieb. Lotos, iv. p. 223. n. 5 (1854).	
‖*Xiphidium Concolor, Bol.* (*nec Burm.*) Ortópt. Españ. p. 261. n. 1, pl. 5. f. 14, pl. 6. ff. 10, 10 *a* (1876); An. Soc. Españ. vi. p. 343. n. 1, pl. 4. f. 14, pl. 5. ff. 10, 10 *a* (1877).	
18. **A. Chinense, Redt.** (*Xiphidium C.*) l. c. pp. 426, 509. n. 19, pl. 4. f. 85 (1891); Jacobs. & Bianchi, l. c. p. 385 (1903).	Amur.
19. **A. Exemptum, Walk. (*Xiphidium E.*) Cat. Derm. Salt. B. M. ii. p. 274. n. 19 (1869); Jacobs. & Bianchi, l. c. p. 386 (1903).	Corea.
20. **A. Posticum, Walk.** (*Xiphidium P.*) l. c. p. 274. n. 20 (1869).	Silhet.
20 *bis*. **A. Modestum, Redt.** (*Xiphidium M.*) l. c. pp. 496, 510. n. 20, pl. 4. f. 86 (1891).	Australia, N. Guinea, Fiji, &c.
21. **A. Concolor, Burm.** (*Xiphidium C.*) l. c. p. 708. n. 6 (1838); Redt. l. c. pp. 496, 510. n. 21 (1891).	Egypt.
Xyphidium Concolor, Fieb. Lotos, iv. p. 223. n. 1 (1854).	
[Savigny, Descr. Égypte, Orth. pl. 4. ff. 31, 32.]	
22. **A. Stramineum, Haan,** (*Locusta* (*Xiphidium*) *Straminea*), Temminck, Verhandel., Orth. pp. 188, 189. n. 2 (1842).	id.
23. **A. Flavum, Redt.** (*Xiphidium F.*) l. c. pp. 496, 511. n. 22 (1891).	Celebes.

24. **A. Melænum, Haan,** (*Locusta* (*Xiphidium*) *Melæna*) l. c. pp. 188, 189. n. 9 (1842). *Xiphidium Melanum, Redt.* l. c. pp. 496, 511. n. 23 (1891).	Java, Sumatra, Borneo, Celebes.
25. **A. Nigrogeniculatum, Redt.** (*Xiphidium N.*) l. c. pp. 496, 511. n. 24 (1891).	Borneo.
26. **A. Infumatum, Redt.** (*Xiphidium I.*) l. c. pp. 496, 512. n. 25 (1891).	Mioko.
*27. **A. Longipenne, Haan,** (*Locusta* (*Xiphidium*) *Longipennis*) l. c. pp. 188, 189. n. 3 (1842). *Xiphidium Longipenne, Redt.* l. c. pp. 496, 512. n. 26 (1891).	India, Ceylon, Penang, Sumatra, Aru, &c.
28. **A. Longicorne, Redt.** (*Xiphidium L.*) l. c. pp. 496, 513. n. 27 (1891).	Java, Borneo, &c.
29. **A. Maoricum, Walk. (*Xiphidium M.*) l. c. ii. p. 276. n. 30 (1869). *Xiphidium Antipodum, Scudd.* Proc. Boston Soc. Nat. Hist. xvii. p. 460 (1875). *Xiphidium Vittatum, Redt.* l. c. pp. 497. 513. n. 28 (1891).	N. Zealand, Aru (?).
30. **A. Albescens, Walk. (*Xiphidium A.*) l. c. ii. p. 275. n. 29 (1869).	S. Australia.
31. **A. Oceanicum, Le Guill.** (*Xiphidion O.*) Rev. Zool. 1841, p. 294. n. 17.	Hamoa, Aru.
32. **A. Spinipes, Stål,** (*Xiphidium S.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 47 (1877).	Philippines.
33. **A. Affine, Redt.** (*Xiphidium A.*) l. c. pp. 497, 513. n. 29 (1891).	id., Fiji, Aru, Samoa.
34. **A. Armatipes, Karsch,** (*Xiphidium A.*) Berlin. Ent. Zeitschr. xxxviii. p. 142 (1893).	W. Africa.
35. **A. Gladiatum, Redt.** (*Xiphidium G.*) l. c. pp. 497, 514. n. 30, pl. 4. f. 8 (1891); Jacobs. & Bianchi, l. c. p. 38 (1903).	Japan.
36. **A. Borneense, Redt.** (*Xiphidium B.*) l. c. pp. 497, 514. n. 31 (1891).	Borneo.
*37. **A. Lætum, Redt.** (*Xiphidium L.*) ll. cc. n. 32, pl. 4. f. 87 (1891).	N. Australia.
*38. **A. Maculatum, Le Guill.** (*Xiphidium M.*) l. c. p. 294. n. 16 (1841); Redt. l. c. pp. 497, 515. n. 33 (1891); Jacobs. & Bianchi, l. c. p. 385 (1903). *Locusta* (*Xiphidium*) *Lepida, Haan*, l. c. pp. 188, 189. n. 8 (1842).	Africa, S. & E. Asia; Malay Archipelago.
39. **A. Sinense, Walk. (*Xiphidium S.*) l. c. v. Suppl. p. 35 (1871).	Hong Kong.

40. **A. Brevicorne, Karsch,** (*Xiphidium B.*) l. c. xxxviii. p. 142 (1893).	W. Africa (Adeli).
41. **A. Continuum, Walk. (*Xiphidium C.*) l. c. ii. p. 271. n. 13 (1869). (?)‖*Xiphidium Maculatum*, pt., *Redt.* (*nec Le Guill.*) l. c. pp. 497, 515. n. 33 (1891); Karsch. l. c. p. 141 (1893).	Sierra Leone.
*42. **A. Iris, Serv.** (*Xiphidion I.*) Ins. Orth. p. 506. n. 2 (1839). *Xiphidium Iris*, *Stål*, Eugenies Resa, Orth. p. 323. n. 64 (1860); Recens. Orth. ii. p. 112. n. 1 (1874); Redt. l. c. pp. 497, 515. n. 34 (1891). ***Palotta Inornata*, *Walk.* l. c. ii. p. 250. n. 1 (1869).	E. & W. Africa, Madagascar, Mauritius, Rodriguez.
43. **A. Tenellum, Walk. (*Xiphidium T.*) l. c. ii. p. 272. n. 16 (1869).	Natal.
44. **A. Punctipenne, Walk. (*Xiphidium P.*) l. c. n. 14 (1869).	S. Africa.
45. **A. Aberrans, Redt.** (*Xiphidium A.*) l. c. pp. 497, 516. n. 35 (1891).	Rio Grande do Sul.
46. **A. Africanum, Redt.** (*Xiphidium A.*) l. c. pp. 497, 516. n. 36 (1891).	Gaboon.
47. **A. Bituberculatum, Redt.** (*Xiphidium B.*) l. c. pp. 497, 517. n. 37 (1891).	Australia.
*48. **A. Conocephalus, Linn.** (*Gryllus Tettigonia C.*) Syst. Nat. (ed. xii.) i. (2) p. 696. n. 19 (1767). *Locusta Conocephala*, *Fabr.* Syst. Ent. p. 285. n. 14 (1775). *Conocephalus Hemipterus*, *Thunb.* Mém. Acad. Pétersb. v. p. 272 (1815). *Locusta Æthiopica*, *Thunb.* Nov. Insect. Spec. v. p. 103 (1789); Diss. Acad. iii. p. 222 (1801); Mém. Acad. Pétersb. v. p. 280 (1815). *Xiphidium Æthiopicum*, *Stål*, Recens. Orth. ii. p. 113. n. 4 (1874); Bol. Ortópt. Españ. p. 262. n. 2, pl. 6. ff. 9, 9*a* (1876); An. Soc. Españ. vi. p. 344. n. 2, pl. 5. ff. 11, 11*a* (1877); An. Sci. Nat. Porto, vi. p. 11 (1900); Brunn. l. c. pp. 300, 303. n. 4 (1882); Redt. l. c. pp. 497, 517. n. 38 (1891). *Xiphidium Concolor*, *Burm.* l. c. p. 708. n. 6 (1838).	Spain, Africa.

Xyphidium Concolor, Fieb. Lotos, iv. p. 223. n. 1 (1854). [Sav. Descr. Égypte, Orth. pl. 4. ff. 2, 3.]	
49. **A. Tenue, Walk. (*Xiphidium T.*) l. c. ii. p. 272. n. 15 (1869).	S. Africa.
50. **A. Hecticum, Gerst.** (*Xiphidium H.*) Arch. f. Nat. xxxv. p. 214 (1869); Decken's Reisen Ost-Afrika, Ins. p. 31 (1873).	Senegal, Mombasa.
51. **A. Lugubre, Redt.** (*Xiphidium L.*) l. c. pp. 497, 518. n. 39 (1891).	Egypt.
52. **A. Guineense, Redt.** (*Xiphidium G.*) l. c. n. 40 (1891).	Gaboon.
53. **A. Strictum, Scudd.** (*Xiphidium S.*) Proc. Boston Soc. Nat. Hist. xvii. p. 460. n. 15 (1875); Canad. Ent. xxx. p. 183 (1898); Redt. l. c. pp. 497, 519. n. 41 (1891); Sauss. & Pict. l. c. pp. 396, 399. n. 11 (1898); Blatchl. l. c. pp. 372, 378. n. 100 (1903).	United States.
*54. **A. Scudderi, Blatchl.** (*Xiphidium S.*) Canad. Ent. xxiv. p. 26 (1892); Scudd. Canad. Ent. xxx. p. 183 (1898).	Indiana.
*55. **A. Natalense, Redt.** (*Xiphidium N.*) l. c. pp. 498, 519, pl. 4. f. 90 (1891).	Natal.
56. **A. Caudale, Walk. (*Xiphidium C.*) l. c. ii. p. 273. n. 17 (1869).	id.
57. **A. Somali, Burr,** (*Xiphidium S.*) Proc. Zool. Soc. Lond. 1900, p. 45.	Somali.
*58. **A. Hastatum, Charp.** (*Locusta Hastata*) Hor. Ent. p. 113 (1825); Fisch. l. c. p. 249 (1853). *Xyphidium Hastatum, Fieb.* l. c. p. 223. n. 2 (1854). *Xiphidium Hastatum, Friv.* l. c. p. 112. n. 2 (1867); Brunn. Prodr. Eur. Orth. p. 303. n. 5, pl. 8. f. 70 (1882); Redt. l. c. pp. 498, 519. n. 43, pl. 4. f. 89 (1891); Jacobs. & Bianchi, l. c. p. 386 (1903).	S.E. Europe, W. Asia, Kashmir.
59. **A. Saltans, Scudd.** (*Xiphidium S.*) Rep. U.S. Geol. Surv. Nebraska, p. 249 (1871); Canad. Ent. xxx. p. 184 (1898); Blatchl. l. c. pp. 372, 377. n. 99, f. 94 (1903). *Xiphidium Modestum, Brun.* Canad. Ent. xxiii. p. 56 (1891). *Xiphidium Tæniatum, Redt.* l. c. pp. 498, 520. n. 44 (1891).	Nebraska, Kansas, Texas.

60. **A. Gossypii, Scudd.** (*Xiphidium G.*) Proc. Bost. Soc. Nat. Hist. xvii. p. 462 (1875); Canad. Ent. xxx. p. 184 (1898).	Southern United States.
*61. **A. Brevipenne, Scudd.** (*Xiphidium B.*) Canad. Nat. vii. p. 285 (1862); Canad. Ent. xxx. p. 184 (1898); Glover, Ill. N. Amer. Orth. pl. 4. f. 11 (1872); Redt. l. c. pp. 498, 520. n. 45, pl. 4. f. 91 (1891); Sauss. & Pict. l. c. pp. 397, 399. n. 13 (1898); Blatchl. l. c. pp. 372, 373. n. 95, f. 93 (1903).	N. America, Cuba.
Xiphidium Brevipennis, Scudd. Bost. Journ. Nat. Hist. vii. p. 451 (1862); Prov. Faune Ent. Canad. ii. p. 29 (1883); Beut. l. c. p. 283, pl. 6. f. 6 (1894).	
*62. **A. Ictum, Scudd.** (*Xiphidium I.*) Proc. Boston Soc. Nat. Hist. xvii. p. 461 (1875); Redt. l. c. pp. 498, 521. n. 46 (1891); Sauss. & Pict. l. c. pp. 397, 400. n. 14 (1898).	Mexico, Guatemala.
63. **A. Meridionale, Scudd.** (*Xiphidium M.*) l. c. xvii. p. 460 (1875).	Brazil.
64. **A. Truncatum, Redt.** (*Xiphidium T.*) l. c. pp. 498, 522. n. 47 (1891).	id.
65. **A. Nemorale, Scudd.** (*Xiphidium N.*) l. c. p. 462 (1875); Beut. l. c. p. 284 (1894); Canad. Ent. xxx. p. 184 (1898); Blatchl. l. c. pp. 372, 374. n. 96 (1903).	United States.
Xiphidium Curtipenne, Redt. l. c. pp. 498, 522. n. 48 (1891).	
66. **A. Exitiosum, McNeill,** (*Xiphidium E.*) Proc. Washington Acad. Sci. iii. pp. 501, 502, f. 42 (1901).	Galapagos.
*67. **A. Propinquum, Redt.** (*Xiphidium P.*) l. c. pp. 498, 522. n. 49 (1891); Sauss. & Pict. l. c. pp. 397, 400. n. 15 (1903).	Cent. Amer., Venezuela, Antilles.
68. **A. Brachypterum, Redt.** (*Xiphidium B.*) l. c. pp. 498, 523. n. 50 (1891).	S. America.
69. **A. Borellii, Giglio-Tos,** (*Xiphidium B.*) Boll. Mus. Torino, xii. (302) p. 41 (1897).	Bolivia.
*70. **A. Ensiferum, Scudd.** (*Xiphidium Ensifer*) Bost. Journ. Nat. Hist. vii. p. 451. n. 3 (1862).	Texas, Illinois, Iowa.

Xiphidium Ensiferum, Redt. l. c. pp. 498, 523. n. 51 (1891) ; Scudd. Canad. Ent. xxx. p. 183 (1898) ; Blatchl. l. c. pp. 372, 375. n. 97 (1903).	
71. **A. Caizanum, Giglio-Tos,** (*Xiphidium C.*) l. c. xii. (302) p. 42 (1897).	Bolivia.
*72. **A. Mexicanum, Sauss.** (*Xiphidium M.*) Rev. Zool. (2) xi. p. 208 (1859) ; Redt. l. c. pp. 498, 524. n. 52 (1891) ; Sauss. & Pict. l. c. pp. 397, 400. n. 17 (1898).	Mexico, Guatemala.
73. **A. Angustifrons, Redt.** (*Xiphidium A.*) l. c. pp. 498, 524. n. 53 (1891) ; Griff. l. c. xi. (232) p. 29 (1896) ; Sauss. & Pict. l. c. pp. 397, 400. n. 18 (1898).	Colombia, Panama.
74. **A. Festæ, Giglio-Tos,** (*Xiphidium F.*) l. c. xiii. (311) pp. 91, 92 (1898).	Ecuador.
75. **A. Japonicum, Redt.** (*Xiphidium J.*) l. c. pp. 498, 525. n. 54 (1891).	Japan.
*76. **A. Dorsale, Latr.** (*Locusta Dorsalis*) Hist. Nat. Crust. Ins. xii. p. 133. n. 9 (1804) ; Charp. Hor. Ent. p. 112, pl. 2. f. 4 (1825) ; Phil. Orth. Berol. p. 19. n. 3, pl. 1. f. 8 (1830) ; Wesm. Bull. Acad. Brux. v. p. 593 (1838).	Europe.
Xiphidium Dorsale, Burm. l. c. p. 708. n. 5 (1838) ; Borck, l. c. p. 60 (1848) ; Fisch. l. c. p. 248. n. 2, pl. 14. f. 4 *a–d* (1853) ; Friv. l. c. p. 113 (1867) ; Brunn. l. c. pp. 300, 302. n. 3 (1882) ; Redt. l. c. pp. 499, 525. n. 55 (1891) ; Burr, l. c. p. 53, pl. 4. f. 10 (1897) ; Burr & Harwood, Proc. Ent. Soc. Lond. 1900, p. 5 ; Ent. Rec. xii. pp. 128, 129 (1900) ; Bol. Ann. Sci. Nat. Porto, vi. p. 11. n. 2 (1900) ; Auriv. Ent. Tidskr. xxi. p. 252 (1900) ; Tümp. l. c. p. 261 (1900) ; Jacobs. & Bianchi, l. c. p. 286 (1903).	
Xiphidium Dorsalis, Steph. l. c. p. 14. n. 2 (1835).	
Xiphidion Dorsale, Finot, ll. cc. pp. 101, 102 (1883) ; pp. 187, 189 (1889).	
Xiphidium Dorsata, Herr.-Schäff. l. c. p. 14 (1840).	
Xyphidium Dorsale, Fieb. Lotos, iii. p. 170. n. 4 (1853) ; Syn. Eur. Orth. p. 46. n. 4 (1858).	

‖*Locusta Fusca*, *Zett.* (*nec Fabr.*) Orth. Suec. p. 60. n. 2 (1821).	
Conocephalus Discolor, ♀, *Thunb.* l. c. p. 275 (1815).	
77. **A. Javanicum, Redt.** (*Xiphidium J.*) l. c. pp. 499, 526. n. 56 (1891).	Java.
78. **A. Amabile, Stål,** (*Xiphidium A.*) Eugenies Resa, Orth. p. 323 (1860).	Manila.
79. **A. Latifrons, Redt.** (*Xiphidium L.*) l. c. pp. 499, 526. n. 57 (1891).	Australia.
*80. **A. Bilineatum, Erichs.** (*Xiphidium B.*) Arch. f. Nat. viii. p. 249. n. 213 (1842).	Australia, Tasmania, N. Zealand, Moluccas.
** *Decticus Semivittatus*, *Walk.* l. c. ii. p. 263. n. 36 (1869).	
Xiphidium Geniculare, *Redt.* l. c. pp. 499, 527. n. 58 (1891).	
81. **A. Trivittatum, Stål,** (*Xiphidium T.*) l. c. p. 323. n. 65 (1860).	Tahiti.
82. **A. Cognatum, Redt.** (*Xiphidium C.*) l. c. pp. 499, 527. n. 59 (1891).	Borneo.
83. **A. Honorei, Bol.** (*Xyphidium H.*) Ann. Soc. Ent. France, lxviii. p. 779 (1900).	Madura.
84. **A. Pictum, Redt.** (*Xiphidium P.*) l. c. pp. 499, 528. n. 60 (1891), *larva.*	Calcutta, Burma.
85. **A. Signatum, Redt.** (*Xiphidium S.*) ll. cc. n. 61 (1891).	Ceylon.
86. **A. Trifasciatum, Redt.** (*Xiphidium T.*) ll. cc. n. 62 (1891).	id.
87. **A. Vestitum, Redt.** (*Xiphidium V.*) l. c. pp. 499, 529. n. 63 (1891).	Philippines.
88. **A. Adustum, Redt.** (*Xiphidium A.*) ll. cc. n. 64 (1891).	Amboina.
89. **A. Formosum, Redt.** (*Xiphidium F.*) l. c. pp. 499, 530. n. 65 (1891).	Java.
90. **A. Bivittatum, Bol.** (*Xyphidium B.*) l. c. p. 780 (1900).	Madura.
91. **A. Carbonarium, Redt.** (*Xiphidium C.*) l. c. pp. 499, 530. n. 66, pl. 4. f. 92 (1891).	W.Africa, Accra.

Genus 255. **Odontoxiphidium.**

Morse, Can. Ent. xxxiii. p. 129 (1891).

1. **O. Apterum, Morse,** l. c. (1891).	Florida.

Genus 256. **Lipotactes.**

Brunn. Abhandl. Senckenb. Ges. xxiv. p. 274 (1898).

1. **L. Alienus, Brunn.** l. c. pl. 20. f. 53 (1898).	Borneo.

SUBFAM. XVI.

LISTROCELINÆ.

Genus 257. **Xiphidiopsis.** (*Type* no. 4.)

Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 531 (1891).

1. **X. Straminula, Walk. (*Locusta* (?) *S.*) Cat. Derm. Salt. B. M. v. Suppl. p. 36 (1871).	Bombay, Ceylon.
X. Citrina, Redt. l. c. pp. 531, 532. n. 1 (1891).	
2. **X. Militaris, Bol.** (*Xyphidiopsis M.*) Ann. Soc. Ent. France, lxviii. p. 781 (1900).	Madura.
3. **X. Capreola, Redt.** l. c. pp. 531, 532. n. 2, pl. 4. f. 93 (1891).	Java.
4. **X. Fallax, Redt.** ll. cc. n. 3 (1891).	id., Borneo, Sumatra.
5. **X. Distincta, Redt.** l. c. pp. 531, 533. n. 4 (1891).	Java.
6. **X. Forficata, Bol.** (*Xyphidiopsis F.*) l. c. p. 782, pl. 12. f. 19 (1900).	Madura.

Genus 258. **Phlugis.** (*Type* no. 3.)

Stål, Eugenies Resa, Orth. p. 324 (1860).

Pilugis, Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 15 (1871). (*Type* no. 5.)

Thysdrus, Stål, Recens. Orth. ii. p. 102 (1874); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 533 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 400 (1898). (*Type* no. 1.)

1. **P. Coriaceus, Redt.** (*Thysdrus C.*) l. c. p. 534. n. 1 (1891).	Brazil.
2. **P. Nemoptera, Bol.** Mém. Soc. Zool. France, i. p. 153 (1888).	id.
Thysdrus Nemoptera, Redt. l. c. pp. 534. 535. n. 2, pl. 4. f. 94 (1891).	

3. **P. Teres, De Geer,** (*Locusta T.*) Mém. Ins. iii. p. 458. n. 18 (1773). *Thysdrus Teres, Stål,* Recens. Orth. ii. p. 116. n. 1 (1874); Redt. l. c. pp. 534, 535. n. 3 (1891); Griff. Bol. Mus. Torino, xi. (232) p. 30 (1896); Sauss. & Pict. l. c. p. 401. n. 1 (1898).	Panama, S. America.
4. **P. Cephalotes, Bol.** l. c. p. 154 (1888). *Thysdrus Cephalotes, Redt.* l. c. pp. 534, 536. n. 4 (1891).	Brazil.
*5. **P. Mantispa, Bol.** l. c. p. 154 (1888). *Thysdrus Mantispa, Redt.* l. c. pp. 534, 536. n. 5 (1891); Sauss. & Pict. l. c. p. 401. n. 3 (1898). ‖*Phlugis Teres, Walk.* (*nec De Geer*) l. c. v. Suppl. p. 15 (1871).	Mexico, Panama, S. America.
6. **P. Marginatus, Redt.** (*Thysdrus M.*) l. c. pp. 534, 537. n. 6 (1891).	Upper Amazons.
7. **P. Caudatus, Redt.** (*Thysdrus C.*) ll. cc. n. 7 (1891).	id.
*8. **P. Virens, Thunb.** (*Conocephalus V.*) Mém. Acad. Pétersb. v. p. 274 (1815). *Thysdrus Virens, Stål,* l. c. p. 117. n. 2 (1874); Redt. l. c. pp. 534, 538. n. 8 (1891); Sauss. & Pict. l. c. p. 401. n. 2, pl. 19. f. 29 (1898). *P. Chrysopa, Bol.* l. c. p. 152. n. 114 (1888).	Mexico, Panama, S. America, Cuba.
*9. **P. Abnormis, Redt.** (*Thysdrus A.*) l. c. pp. 534, 538, pl. 4. f. 95 (1891).	"Retalulen."
10. **P. Macilentus, Redt.** (*Thysdrus M.*) l. c. pp. 534, 539. n. 10 (1891).	Colombia.
11. **P. Mexicanus, Sauss. & Pict. (*Thysdrus M.*) l. c. pp. 401, 402. n. 4 (1898).	Mexico, Cent. Amer.
12. **P. Infirmus, Sauss. & Pict. (*Thysdrus I.*) ll. cc. n. 5, pl. 19. ff. 30–32 (1898).	Guatemala, Cayenne.
13. **P. Spinipes, Fabr. (*Locusta S.*) Syst. Ent. p. 283. n. 7 (1775). *Locusta* (*Xiphidium*) *Spinipes, Haan,* Temminck, Verhandel., Orth. pp. 188, 190. n. 10 (1842). *Thysdrus Tener, Stål,* l. c. p. 117. n. 3 (1874); Redt. l. c. pp. 534, 539 (1891).	Brazil.

Genus 259. **Phisis.** (*Type* no. 3.)

Stål, Eugenies Resa, Orth. p. 321 (1860); Walk. Cat. Derm. Salt. B. M. iii. p. 469 (1870).
Teuthras, *Stål*, Recens. Orth. ii. pp. 102, 116 (1874); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 540 (1891).
Nocera, *Walk.* l. c. i. pp. 101, 214 (1869). (*Type* no. 3.)

1. **P. Dumosus, Karsch,** (*Teuthras D.*) Stettin. Ent. Zeit. lvii. p. 354 (1896).	W. Africa, Togo.
2. **P. Spinifera, Butl. Ann. Nat. Hist. (4) xvii. p. 410 (1876); Phil. Trans. clxviii. p. 547, pl. 54. ff. 1, 1 *a* (1879). *Teuthras Spinifer*, *Redt.* l. c. pp. 540, 541. n. 2 (1891).	Rodriguez.
*3. **P. Pectinata, Guér.** Voy. Coquille, Ins. p. 150, pl. 10. f. 1 (1830); Serv. Ins. Orth. p. 398. n. 3 (1839). *Locusta Pectinata*, *Haan*, Temminck, Verhandel., Orth. pp. 216, 217. n. 12 (1842). *Teuthras Pectinatus*, *Stål*, Recens. Orth. ii. p. 116. n. 1 (1874); Redt. l. c. pp. 540, 542. n. 4, pl. 4. f. 96 *a*, *b* (1891). ***Nocera Pallida*, *Walk.* l. c. i. p. 101. n. 1 (1869).	Nicobar, Ceylon, Borneo, Bouru, Tahiti, Samoa, &c.
4. **P. Gracilipes, Stål,** (*Teuthras G.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 46 (1877); Redt. l. c. pp. 540, 542. n. 5 (1891).	Philippines.
5. **P. Listeri, Kirb. Proc. Zool. Soc. Lond. 1888, p. 547; Mon. Christmas I. p. 149, pl. 13. f. 6 (1900).	Christmas Isl.
6. **P. Echinata, Redt.** (*Teuthras Echinatus*) l. c. p. 540. n. 1, pl. 4. f. 96 (1891).	Fiji.
7. **P. Rapax, Redt.** (*Teuthras R.*) l. c. pp. 540, 541. n. 3 (1891).	id.
8. **P. (?) Pogonopoda, Montr.** (*Locusta Pogonopoda*) Ann. Soc. Agric. Lyon. (2) vii. (1) p. 88 (1855).	Woodlark I.

Genus 260. **Axylus.**

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 46 (1877); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 542 (1891).

1. **A. Castaneus, Stål,** l. c. p. 46 (1877); Redt. l. c. p. 543 (1891).	Philippines.

Genus 261. **Decolya.**

Bol. An. Soc. Ent. France, lxviii. p. 782 (1900).

1. **D. Visenda, Bol.** l. c. p. 783, pl. 12. f. 20 *a–c* (1900).	S. India.

Genus 262. **Hexacentrus.** (*Type* no. 9.)

Serv. Ann. Sci. Nat. xxii. p. 145 (1831) ; Burm. Handb. Ent. ii. p. 714 (1838) : Stål, Recens. Orth. ii. p. 102 (1874) ; Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 547 (1891).

Piura, *Walk.* Cat. Derm. Salt. B. M. ii. p. 281 (1869). (*Type* no. 8.)

Tedla, *Walk.* l. c. p. 393 (1869). (*Type* no. 8.)

1. **H. Pusillus, Redt.** l. c. p. 548. n. 1 (1891).	Java.
2. **H. Inflatus, Redt.** l. c. p. 549. n. 2, pl. 4. f. 98 (1891).	Gaboon.
*3. **H. Dorsatus, Redt.** l. c. n. 3 (1891).	id., Cameroons.
*4. **H. Australis, Redt.** l. c. p. 550. n. 4 (1891).	Fiji.
5. **H. Stæli, Krausze,** (*H. Ståli*) Insekten-Börse, 1904, p. 213.	Tonkin.
6. **H. Elegans, Redt.** l. c. p. 550. n. 5 (1891).	Cambodia.
7. **H. Major, Redt.** l. c. p. 551. n. 6 (1891).	India.
8. **H. Munda, Walk. (*Piura M.*) l. c. ii. p. 282. n. 1 (1869). *Tedla Sellata*, *Walk.* l. c. p. 393. n. 1 (1869). ♀. *Tedla Simplex*, *Walk.* l. c. iii. p. 484 (1870). *H. Annulicornis*, *Stål*, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 46. n. 1 (1877) ; Redt. l. c. pp. 548, 551. n. 7, pl. 4. f. 99 (1891).	Japan, China, India, Philippines, Moluccas.
*9. **H. Unicolor, Serv.** l. c. p. 146. n. 1 (1831) ; Redt. l. c. pp. 458, 552. n. 8 (1891). *Locusta Unicolor*, *Serv.* Ins. Orth. p. 531. n. 4, pl. 9. f. 4 (1839).	Amoy, Singapore, Java, Borneo.

H. Plantaris, Burm. l. c. p. 714. n. 1 (1838).	
Locusta Plantaris, Haan, Temminck, Verhandel., Orth. pp. 215, 216. n. 8 (1842).	
10. **H. Bilineata, Montr.** (*Locusta B.*) Ann. Sci. Nat. Phys. Lyon, (2) vii. p. 87 (1855).	Woodlark I.
11. **H. Fruhstorferi, Dohrn,** Stett. Ent. Zeit. lxvi. p. 237 (1905).	Tonkin.
12. **H. Femoralis, Dohrn,** l. c. p. 238 (1905).	Sumatra.

Genus 263. **Monocerophora.**

Walk. Cat. Derm. Salt. B. M. i. p. 157 (1869).

*1. **M. Longispina, Burm.** (*Listroscelis L.*) Handb. Ent. ii. p. 715. n. 3 (1838); Redt. Verh. zool.-bot. Ges. Wien, xli. p. 544. n. 1, pl. 4. f. 97 (1891).	Brazil.
***M. Minax, Walk.* l. c. i. p. 158 (1869).	

Genus 264. **Cerberodon.**

Perty, Del. Anim. Art. p. 119 (1832).

*1. **C. Viridis, Perty,** l. c. p. 120, pl. 23. f. 10 (1832).	Brazil.
Listroscelis Viridis, Burm. Handb. Ent. ii. p. 715. n. 1 (1838); Serv. Ins. Orth. p. 397. n. 2 (1839); Redt. Verh. zool.-bot. Ges. Wien, xli. p. 544. n. 2 (1891).	

Genus 265. **Listroscelis.** (*Type* no. 2.)

Serv. Ann. Sci. Nat. xxii. p. 160 (1831); Ins. Orth. p. 396 (1839); Burm. Handb. Ent. ii. p. 715 (1838); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 333, 543 (1891).

*1. **L. Atrata, Redt.** l. c. pp. 544, 545. n. 3 (1891).	Brazil.
*2. **L. Armata, Serv.** ll. cc. p. 161. n. 1 (1831); p. 398. n. 2, pl. 11. f. 1 (1839); Burm. l. c. p. 715. n. 2 (1838); Sauss. Rev. Zool. (2) xi. p. 208 (1859); Redt. ll. cc. n. 4 (1891).	id., Cayenne.
*3. **L. Ferruginea, Redt.** l. c. pp. 544, 546. n. 5 (1891).	Brazil.
4. **L. Arachnoides, Redt.** ll. cc. n. 6 (1891).	Colombia.

SUBFAM. XVII.

EUMEGALODONTINÆ.

Genus 266. **Lesina.** (*Type* no. 2.)

Walk. Cat. Derm. Salt. B. M. ii. p. 231 (1869).
‖*Megalodon*, *Brullé* (*nec Sowerby*), Hist. Nat. Ins. ix. p. 156 (1835); Burm. Handb. Ent. ii. p. 724 (1838); Serv. Ins. Orth. p. 536 (1839); Blanch. Hist. Nat. Ins. iii. p. 28 (1840); Haan, Temminck, Verhandel., Orth. p. 210 (1842); Redt. Verh. zool.-bot. Ges. Wien, xli. pp. 329, 356 (1891).

*1. **L. Ensifer, Brullé,** (*Megalodon E.*) l. c. p. 157, pl. 15. f. 4 (1835); Burm. l. c. p. 724 (1838); Serv. l. c. p. 537. n. 1 (1839); Blanch. l. c. p. 28 (1840); Charp. Orth. pl. 9 (1841); Westw. Cab. Orient. Ent. p. 33, pl. 16. f. 2 (1845); Maindron, La Nature, xv. p. 129, fig. (1887); Redt. l. c. p. 357. n. 1 (1891). *Locusta* (*Megalodon*) *Ensifer*, *Haan*, l. c. p. 210 (1842). *Eumegalodon Ensifer*, *Brongn.* N. Arch. Mus. (3) iii. p. 279, pl. 12. ff. 1–4 (1892).	Java, Borneo, Sumatra, India (eadem ?).
2. **L. Lutescens, Walk. l. c. p. 232. n. 1 (1869), *larva*.	Amboina.

Genus 267. **Eumegalodon.**

Brongn. Bull. Soc. Ent. France, lx. p. clxxvi (1892); N. Arch. Mus. (3) iii. p. 279 (1892).

*1. **E. Blanchardi, Brongn.** (*Megalodon B.*) Le Naturaliste, xii. pp. 286–288, fig. (1890); Bull. Soc. Ent. France, (6) x. p. clxxiii (1891); Redt. Verh. zool.-bot. Ges. Wien, xli. p. 357. n. 2, pl. 3. f. 13 *a*, *b* (1891). *Eumegalodon Blanchardi*, *Brongn.* N. Arch. Mus. (3) iii. p. 282, pl. 12. ff. 5–8 (1892).	Borneo.

SUBFAM. XVIII.

PROPHALANGOPSINÆ.

Genus 268. **Prophalangopsis.**

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 116 (1871).
‖*Tarraga*, *Walk.* (*nec Walk.*, *Blatt.*) l. c. i. p. 100 (1869); Sauss. Rev. Suisse Zool. v. p. 241 (1898).

1. **P. Obscura, Walk. (*Tarraga O.*) l. c. p. 100. n. 1 (1869); Sauss. l. c. p. 244. n. 1, pl. 9. f. 8 (1898).	India.

SUBFAM. XIX.

PSEUDOPHYLLINÆ.

Genus 269. **Mustius.** (*Type* no. 1.)

Stål, Recens. Orth. ii. p. 50 (1874); Karsch, Ent. Nachr. xvi. p. 272 (1890); Berlin. Ent. Zeitschr. xxxvi. p. 79 (1891): xxxviii. p. 136 (1893); Pict. & Sauss. Icon. Saut. Vertes, p. 6 (1892); Brunn. Mon. Pseudoph. pp. 9, 24 (1895).

*1. **M. Afzelii, Stål,** (*Pseudophyllus A.*) Œfvers. Vet.-Akad. Förh. xxx. (4) p. 48 (1873). *Mustius Afzelii, Stål,* Recens. Orth. ii. p. 67 (1874); Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 81, pl. 2. ff. 1, 1 *a* (1891); Brunn. l. c. pp. 24, 25. n. 1, pl. 1. f. 1 (1895); Obs. Color. Ins. p. 5, pl. 4. f. 41 (1897).	Sierra Leone, Adeli.
2. **M. Eurypterus, Karsch,** Stettin. Ent. Zeit. lvii. p. 347 (1896).	Cameroons
3. **M. Inversus, Brunn.** Mon. Pseudoph. pp. 24, 25. n. 2 (1895).	id.
4. **M. Vittifer, Walk. (*Pseudophyllus V.*) Cat. Derm. Salt. B. M. v. Suppl. p. 43 (1871).	Sierra Leone.

*5. **M. Serrulatus, Bol.** An. Soc. Españ. xv. p. 345 (1886); Brunn. l. c. pp. 24, 26. n. 3 (1895).	Ashanti.
6. **M. Superbus, Sjöst.** Bihang Svensk. Akad. xxvii. (4:3) p. 29 (1902).	Cameroons.

Genus 270. **Zabalius.** (*Type* no. 1.)

Bol. An. Soc. Españ. xv. p. 346 (1886).

Matæus, Karsch, Ent. Nachr. xvi. p. 272 (1890); Berlin. Ent. Zeitschr. xxxvi. pp. 76, 82 (1891); Brunn. Mon. Pseudoph. pp. 9, 26 (1895). (*Type* no. 3.)

Phyllotribonia, Pict. & Sauss. Icon. Saut. Vertes, p. 10 (1892). (*Type* no. 3.)

*1. **Z. Lineolatus, Stål,** (*Pseudophyllus L.*) Œfvers. Vet.-Akad. Förh. xxx. (4) p. 48 (1873). *Cratylus Lineolatus, Stål,* Recens. Orth. ii. p. 68 (1874). *Pseudophyllus Aridus,* ♀, *Walk.* Cat. Derm. Salt. B. M. ii. p. 399. n. 1 (1869). *Mustius (Zabalius) Guineensis, Bol.* An. Soc. Españ. xv. p. 342 (1886). *Matæus Guineensis, Brunn.* l. c. pp. 27, 28. n. 1, pl. 1. f. 2 (1895). *Matæus Longipennis, Karsch,* Berlin. Ent. Zeitschr. xxxvi. pp. 83, 84. n. 1 (1891). *Matæus Cazamancæ, Pict. & Sauss.* l. c. p. 23, pl. 3. f. 13 (1892).	Guinea, Cameroons, Congo, Angola, Uganda.
2. **Z. Latipennis, Karsch,** (*Matæus L.*) l. c. pp. 83, 84. n. 2 (1891); Brunn. l. c. pp. 27, 28. n. 2 (1895).	Guinea, Gaboon, Lagos, &c.
3. **Z. Apicalis, Bol.** (*Mustius A.*) l. c. p. 346 (1886). *Matæus Apicalis, Brunn.* l. c. pp. 27, 28. n. 3 (1895). *Matæus Granulicollis, Karsch,* Ent. Nachr. xvi. p. 266. n. 9 (1890); Berlin. Ent. Zeitschr. xxxvi. pp. 83, 85, pl. 2. f. 2 (1891).	Ashanti, Adeli.
Var. *Phyllotribonia Verruculosa, Pict. & Sauss.* l. c. p. 23, pl. 3. f. 17 (1892). *Matæus Apicalis,* var. *Major, Brunn.* l. c. p. 29 (1895).	Central Africa.

4. **Z. Aridus, Walk. (*Pseudophyllus A.*, ♂ *nec* ♀) l. c. p. 399. n. 1 (1869). Congo, Natal, Benguela.
Pseudophyllus Ophthalmicus, *Walk.* l. c. p. 400. n. 2 (1869).
Mustius Amplipennis, *Bol.* l. c. p. 345 (1886).
Matæus Amplipennis, *Brunn.* l. c. pp. 27, 29. n. 4 (1895).

5. **Z. Sumatranus, Brunn.** (*Matæus S.*) l. c. pp. 27, 29. n. 5 (1895). Sumatra, Java.

6. **Z. Orientalis, Karsch,** (*Matæus O.*) Berlin. Ent. Zeitschr. xxxvi. pp. 83, 85. n. 4 (1891); Brunn. l. c. pp. 27, 30. n. 6 (1895). Usambara, Zanzibar.

7. **Z. Acinaces, Karsch,** (*Matæus A.*) l. c. pp. 83, 85. n. 5 (1891): Brunn. l. c. pp. 27, 30. n. 7 (1895). Cameroons.

*8. **Z. Bocagei, Bol.** (*Mustius B.*) J. Sci. Lisboa, (2) i. p. 221. n. 204 (1890). Congo.
Matæus Bocagei, *Brunn.* l. c. pp. 27, 30. n. 8 (1895).

9. **Z. Ampulla, Brunn.** (*Matæus A.*) l. c. pp. 28, 31. n. 9 (1895). Gaboon.

10. **Z. Albifasciatus, Karsch,** (*Matæus A.*) Stett. Ent. Zeit. lvii. p. 347 (1896). Cameroons.

Genus 271. **Opisthodicrus.**

Karsch, Ent. Nachr. xvi. p. 272 (1890); Berlin. Ent. Zeitschr. xxxvi. pp. 76, 86 (1891); Brunn. Mon. Pseudoph. pp. 9, 31 (1895).

1. **O. Cochlearistylus, Karsch,** Berlin. Ent. Zeitschr. xxxvi. p. 87. n. 1, pl. 2. f. 4 (1891); Brunn. l. c. p. 32, pl. 1. f. 3 (1895). Cameroons.

Genus 272. **Liocentrum.**

Karsch, Ent. Nachr. xvi. p. 272 (1890); Berlin. Ent. Zeitschr. xxxvi. pp. 76, 87 (1891); Brunn. Mon. Pseudoph. pp. 9, 32 (1895).

*1. **L. Aduncum, Karsch,** Berlin. Ent. Zeitschr. xxxvi. p. 88. no. 1, pl. 2. f. 3 (1891): Brunn. l. c. p. 32. n. 1 (1895). Cameroons, Gaboon, Sierra Leone.

Genus 273. **Oxyaspis.** (*Type* no. 2.)

Brunn. Mon. Pseudoph. pp. 10, 33 (1895).

1. **O. Senegalensis, Bol.** (*Mustius S.*) An. Soc. Españ. xv. p. 346 (1886). *O. Senegalensis, Brunn.* l. c. p. 33. n. 1 (1895).	Senegal.
2. **O. Congensis, Brunn.** l. c. pp. 33, 34. n. 2, pl. 1. f. 5 (1895).	Congo.

Genus 274. **Micta.**

Karsch, Stettin. Ent. Zeit. lvii. p. 348 (1896).

1. **M. Spinulosa, Karsch,** l. c. n. 117 (1896).	Togoland.

Genus 275. **Cratylus.** (*Type* no. 1.)

Stål, Recens. Orth. ii. p. 51 (1874); Pict. & Sauss. Icon. Saut. Vertes, p. 6 (1892): Brunn. Mon. Pseudoph. pp. 10, 34 (1895).

*1. **C. Fenestratus, Stoll,** (*Gryllus Tettigonia F.*) Spectres, Saut. p. 12, pl. 5 *a*. f. 13 (1813). *Locusta (Pseudophyllus) Fenestrata, Haan,* Temminck, Verhandel., Orth. p. 203. n. 2 (1842). *C. Fenestratus, Pict. & Sauss.* l. c. p. 14, pl. 1. ff. 5, 5 *a* (1892); Brunn. l. c. p. 34. n. 1, pl. 1. f. 6 (1895). *Conocephalus Inflatus, Thunb.* Mém. Acad. Pétersb. v. p. 276 (1815). *Cratylus Inflatus, Stål,* l. c. p. 68 (1874). *Pseudophyllus Myops, Serv.* Ins. Orth. p. 468. n. 4 (1839).	Amboina, Ceylon, Sumatra, Java.
2. **C. Elongatus, Brunn.** l. c. pp. 34, 35. n. 2 (1895).	Palawan.

Genus 276. **Pseudophyllus.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 143 (1831) ; Ins. Orth. p. 464 (1839) : Brullé, Hist. Nat. Ins. ix. p. 136 (1835) ; Blanch. Hist. Nat. Ins. iii. p. 21 (1840) ; Haan, Temminck, Verhandel., Orth. p. 203 (1842) ; Brunn. Mon. Pseudoph. pp. 10, 36 (1895).

Chloracris, Pict. & Sauss. Icon. Saut. Vertes, p. 10 (1892). (*Type* no. 2.)

*1. **P. Prasinus, Pict. & Sauss.** (*Chloracris Prasina*) l. c. p. 22, pl. 3. ff. 14, 14 *b* (1892). ‖*P. Neriifolius, Serv.* (*nec Stoll*) ll. cc. p. 143. n. 1 (1831) ; p. 466 (1839) ; Blanch. l. c. p. 21. n. 1 (1840) ; Brunn. l. c. p. 36. n. 1, pl. 1. f. 7 *a*, *b* (1895). *Locusta* (*Pseudophyllus*) *Neriifolia, Haan*, l. c. p. 203. n. 1 (1842).	China, Java.
*2. **P. Brullei, Pict. & Sauss.** (*Chloracris B.*) l. c. p. 22. n. 2 (1892). *P. Brullei, Brunn.* l. c. pp. 36, 37. n. 2 (1895). ‖*P. Neriifolius, Brullé* (*nec Stoll*), l. c. p. 137, pl. 12 (1835).	Java, Silhet.
3. **P. Harrisoni, Rehn,** Proc. Acad. Philad. liv. p. 21 (1902).	Sumatra.

Genus 277. **Rhomboptera.** (*Type* no. 2.)

Brunn. Mon. Pseudoph. pp. 10, 38 (1895).

1. **R. Teter, Walk. (*Pseudophyllus T.*) Cat. Derm. Salt. B. M. ii. p. 411. n. 26 (1869).	Philippines.
2. **R. Honorabilis, Brunn.** l. c. p. 38. n. 1, pl. 1. f. 8 (1895).	Burma, Sumatra.

Genus 278. **Cleandrus.** (*Type* no. 1.)

Stål, Recens. Orth. ii. p. 50 (1874) : Pict. & Sauss. Icon. Saut. Vertes, p. 6 (1892) ; Brunn. Mon. Pseudoph. pp. 10, 38 (1895).

*1. **C. Neriifolius, Stoll,** (*Gryllus Tettigonia Neriifolia*) Spectres, Saut. p. 11, pl. 4 *a*. f. 11 (1813). *Pseudophyllus Graniger, Serv.* Ins. Orth. p. 467. n. 2 (1839); Karsch, Ent. Nachr. xiii. p. 259 (1887). *C. Graniger, Stål,* l. c. p. 67. n. 1 (1874); Pict. & Sauss. l. c. p. 13. n. 2, pl. 1. ff. 3, 4 (1892); Brunn. l. c. p. 39. n. 1, pl. 1. f. 9 (1895).	Java, Sumatra, Borneo, Mindanao.
2. **C. Uninotatus, Serv.** (*Pseudophyllus U.*) l. c. p. 468. n. 3 (1839).	Java.
3. **C. Ligatus, Brunn.** l. c. pp. 39, 40. n. 2 (1895).	Sikkim.
4. **C. Titan, White, (*Pseudophyllus T.*) Ann. Nat. Hist. xviii. p. 24 (1846). ‖ *C. Neriifolius, Pict. & Sauss.* (*nec Stoll*) l. c. p. 12. n. 1, pl. 1. ff. 1, 1 *a*, *b*, 2, 2 *a* (1892). *C. Rex, Brunn.* Ann. Mus. Genova, xxxiii. p. 172. n. 1 (1893); Mon. Pseudoph. pp. 39, 40. n. 3 (1895).	Silhet, Burma, Cambodia, Canton, Sumatra, Burma, N. Caledonia.
5. **C. Latipennis, Brunn.** l. c. pp. 39, 40. n. 4 (1895).	Philippines, Celebes.
6. **C. Fortis, Walk. (*Pseudophyllus F.*) Cat. Derm. Salt. B. M. ii. p. 413. n. 28 (1869), *larva*. *Cratylus Obesus, Stål,* Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 44. n. 1 (1877); Brunn. l. c. pp. 34, 35. n. 3 (1895).	Philippines.
7. **C. Tener, Walk. (*Pseudophyllus T.*) l. c. p. 402. n. 10 (1869).	Ceylon.

Genus 279. **Climacoptera.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 10, 41 (1895).

1. **C. Venosus, Walk. (*Pseudophyllus V.*) Cat. Derm. Salt. B. M. ii. p. 403. n. 11 (1869). ♂. *Pseudophyllus Concinnus, Walk.* l. c. p. 404. n. 13 (1869). *C. Procera, Brunn.* l. c. pp. 41, 42. n. 1, pl. 1. f. 10 (1895).	Silhet, Darjiling, Assam.

2. **C. Parallelus, Walk. (*Pseudophyllus P.*) l. c. p. 412. n. 27 (1869). *C. Ornata, Brunn.* l. c. p. 42. n. 2 (1895).	Java.
3. **C. Superba, Bol.** Ann. Soc. Ent. France, lxviii. p. 773 (1900).	S. India.

Genus 280. **Onomarchus.** (*Type* n. 1.)

Stal. Recens. Orth. ii. p. 51 (1874); Pict. & Sauss. Icon. Saut. Vertes, p. 6 (1892); Brunn. Mon. Pseudoph. pp. 10, 42 (1895).

*1. **O. Leuconotus, Serv.** (*Pseudophyllus L.*) Ins. Orth. p. 469. n. 5 (1839). *O. Leuconotus, Stal*, l. c. p. 68. n. 1 (1874): Brunn. l. c. p. 43. n. 1, pl. 1. f. 11 (1895).	Java, Borneo, Malacca, Cambodia, Mindanao.
Var. *Pseudophyllus Cretaceus, Serv.* l. c. p. 470. n. 6 (1839). *O. Cretaceus, Pict. & Sauss.* l. c. p. 15. n. 2, pl. 2. ff. 8, 8 *a* (1892).	Java.
Var. *O. Latipennis, Pict. & Sauss.* l. c. n. 1, pl. 2. ff. 6, 7, 7 *a* (1892).	China.
Var. *O. Mandarinus, Pict. & Sauss.* l. c. p. 16. n. 3 (1892).	Tonkin.
**Var. *Pseudophyllus Tenebrosus, Walk.* Cat. Derm. Salt. B. M. ii. p. 410. n. 25 (1869).	Burma.
2. **O. Submuticus, Brunn.** l. c. pp. 43, 44. n. 2 (1895).	Sumatra.
3. **O. Nobilis, Brunn.** ll. cc. n. 3 (1895).	id.

Genus 281. **Brunnea.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 10, 44 (1895).

1. **B. Cincticollis, Brunn.** l. c. p. 45. n. 1, pl. 2. f. 12 (1895).	Perak, Sumatra.
*2. **B. Vraxi, Bol.** Actas Soc. Españ. 1898, p. 141.	Borneo.

Genus 282. **Temnophyllus.**

Brunn. Mon. Pseudoph. pp. 10, 46 (1895).

1. **T. Speciosus, Brunn.** l. c. p. 46. n. 1, pl. 2. f. 13 (1895).	Malacca, Borneo.

Genus 283. **Microprion.** (*Type* no. 2.)

Pict. & Sauss. Icon. Saut. Vertes, pp. 8, 17 (1892).

1. **M. Philippinensis, Pict. & Sauss.** l. c. p. 18. n. 1 (1892).	Philippines.
*2. **M. Elliptifolia, Pict. & Sauss.** l. c. n. 2, pl. 2. ff. 11, 11 *a, b* (1892).	Java.
3. **M. Atrosignatus, Brunn.** (*Temnophyllus A.*) Mon. Pseudoph. pp. 46, 47. n. 2 (1895).	id.
4. **M. Assimilis, Walk. (*Pseudophyllus A.*) Cat. Derm. Salt. B. M. ii. p. 401. n. 9 (1869).	Silhet.

Genus 284. **Hemigyrus.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 175 (1893);
Mon. Pseudoph. pp. 10, 47 (1895).

1. **H. Amplus, Brunn.** ll. cc. p. 175. n. 1, pl. 6. f. 61 (1893); p. 47. n. 1, pl. 2. f. 14 (1895).	Burma.
2. **H. Acutifolius, Brunn.** l. c. pp. 47, 48. n. 2 (1895).	Hab. —— ?

Genus 285. **Brochopeplus.** (*Type* no. 1.)

Pict. & Sauss. Icon. Saut. Vertes, p. 12 (1892);
Brunn. Mon. Pseudoph. pp. 10, 48 (1895).

1. **B. Exaltatus, Walk. (*Zumala Exaltata*) Cat. Derm. Salt. B. M. ii. p. 414. n. 2 (1869). *B. Reticulatus, Pict. & Sauss.* l. c. p. 25. n. 1, pl. 3. ff. 20, 20 *a, b* (1892); Brunn. Ann. Mus. Genova, xxxiii. p. 176 (1893); Mon. Pseudoph. p. 49. n. 1, pl. 2. f. 15 (1895).	Ceylon.

2. **B. Mutilatus, Walk. (*Zumala Mutilata*) l. c. p. 415. n. 3 (1869). Ceylon.
B. Pumilio, Brunn. l. c. p. 49. n. 2 (1895).

Genus 286. **Zumala.**

Walk. Cat. Derm. Salt. B. M. ii. p. 413 (1869).

1. **Z. Robusta, Walk. l. c. n. 1 (1869). Ceylon.

Genus 287. **Astralia, Kirb.** (n. n.).

1. **A. Albisellata, Walk. (*Aprion Albisellatum*) Cat. Derm. Salt. B. M. iii. p. 429. n. 13 (1870). Amboina.

Genus 288. **Scutotribonia.** (*Type* no. 2.)

Pict. & Sauss. Icon. Saut. Vertes, p. 11 (1892);
Brunn. Mon. Pseudoph. p. 49 (1895).

1. **S. Cingalensis, Walk. (*Zumala C.*) Cat. Derm. Salt. B. M. ii. p. 415. n. 4 (1869). Ceylon.
2. **S. Humbertiana, Pict. & Sauss.** l. c. p. 24, pl. 3. ff. 18, 18 *a, b* (1892); Brunn. l. c. p. 50. n. 1, pl. 2. f. 16 (1895). id.

Genus 289. **Mioacris.** (*Type* no. 2.)

Pict. & Sauss. Icon. Saut. Vertes, p. 7 (1892).
Chlorotribonia, Pict. & Sauss. l. c. (1892); Brunn. Mon. Pseudoph. pp. 11, 50 (1895). (*Type* no. 1.)

1. **M. Brevifolia, Haan,** (*Locusta* (*Aprion*) *B.*) Temminck, Verhandel., Orth. p. 207. n. 9, pl. 19. f. 3 (1842). Java, Sumatra.
Chlorotribonia Brevifolia, Brunn. l. c. p. 50. n. 1, pl. 2. f. 17 (1895).
M. Javana, Pict. & Sauss. l. c. p. 16. n. 1 (1892).
Chlorotribonia Acutipennis, Pict. & Sauss. l. c. p. 16. n. 1, pl. 2. ff. 9, 9 *a–c* (1892).
2. **M. Major, Brunn.** (*Chlorotribonia M.*) l. c. pp. 50, 51. n. 2 (1895). Kina Balu.

Genus 290. **Promeca.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 11, 52 (1895).

*1. **P. Fuscescens, Haan,** (*Locusta* (*Aprion*) *F.*) Temminck, Verhandel., Orth. pp. 205, 206. n. 7 (1842).	Java.
P. Vittata, Brunn. l. c. p. 52. n. 1, pl. 2. f. 18 (1895).	
2. **P. Junghuhni, Gieb.** (*Pseudophyllus J.*) Zeitschr. ges. Naturw. xviii. p. 120 (1861).	id.
3. **P. Unicolor, Brunn.** l. c. p. 52. n. 2 (1895).	Kina Balu.
4. **P. Quadripunctata, Brunn.** l. c. p. 53. n. 3 (1895).	Java.
5. **P. (?) Productum, Walk. (*Aprion P.*) Cat. Derm. Salt. B. M. iii. p. 428. n. 11 (1870).	Ceylon.
6. **P. (?) Longicaudus, Burm.** (*Pseudophyllus L.*) Handb. Ent. ii. p. 698. n. 2 (1838).	Singapore.

Genus 291. **Phyllomimus.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 44 (1873); Recens. Orth. ii. p. 52 (1874); Brunn. Mon. Pseudoph. pp. 11, 53 (1895).

1. **P. Detersus, Walk. (*Pseudophyllus D.*) Cat. Derm. Salt. B. M. ii. p. 406. n. 15 (1869).	China, Philippines, Java, Celebes, Moluccas.
***Pseudophyllus Sinensis, Walk.* l. c. n. 16 (1869).	
P. Granulosus, Stål, ll. cc. p. 48. n. 1 (1873); p. 69 (1874); Brunn. l. c. pp. 54, 55. n. 1 (1895).	
P. Truncatifolia, Pict. & Sauss. Icon. Saut. Vertes, p. 19, pl. 2. f. 10 (1892).	
2. **P. Acutipennis, Brunn.** l. c. pp. 54, 55. n. 2 (1895).	Philippines.
3. **P. Amplipennis, Brunn.** l. c. pp. 54, 56. n. 3 (1895).	id.
4. **P. Rufatus, Brunn.** ll. cc. n. 4 (1895).	id.

5. **P. Apterus, Brunn.** ll. cc. n. 5 (1895).	Assam, Calcutta.
*6. **P. Pallidus, Brunn.** l. c. pp. 54, 57. n. 6 (1895). *P. Pallidus*, var. *Major, Brunn.* l. c. p. 57 (1895).	Borneo, Sumatra, Singapore, &c.
*7. **P. Inversus, Brunn.** l. c. pp. 54, 57. n. 7 (1895).	Java, Sumatra.
8. **P. Reticulosus, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 45. n. 1 (1877); Brunn. l. c. pp. 54, 58. n. 8 (1895).	Philippines.
9. **P. Inquinatus, Brunn.** l. c. pp. 55, 58. n. 9 (1895).	Penang.
10. **P. Major, Brunn.** ll. cc. n. 10 (1895).	Sumatra.
11. **P. Truncatus, Brunn.** Ann. Mus. Genova, xxxiii. p. 173. n. 1, pl. 6. f. 59 (1893): Mon. Pseudoph. pp. 55, 59. n. 11 (1895).	Burma.
12. **P. Mutilatus, Brunn.** Mon. Pseudoph. pp. 55, 59. n. 12 (1895).	Philippines.
13. **P. Nodulosus, Bol.** Ann. Soc. Ent. France, lxviii. p. 774 (1900).	S. India.

Genus 292. **Phyllozelus.** (*Type* no. 2.)

Pict. & Sauss. Icon. Saut. Vertes, p. 11 (1892); Brunn. Ann. Mus. Genova, xxxiii. p. 174 (1893); Mon. Pseudoph. pp. 11, 60 (1895).

1. **P. Siccus, Walk. (*Pseudophyllus S.*) Cat. Derm. Salt. B. M. ii. p. 403. n. 12 (1869). *P. Infumatus, Brunn.* ll. cc. p. 174. n. 1, pl. 6. f. 60 (1893); p. 60. n. 1, pl. 2. f. 20 (1895).	India, Burma, Ceylon, Sumatra (eadem ?).
2. **P. Genicularis, Pict. & Sauss.** l. c. p. 24. n. 1, pl. 3. f. 16 (1892); Brunn. Mon. Pseudoph. p. 60. n. 2 (1895).	Hab. —— ?
3. **P. Signatus, Walk. (*Pseudophyllus S.*) l. c. p. 407. n. 17 (1869).	India.
4. **P. Breviusculus, Walk. (*Pseudophyllus B.*) l. c. p. 405. n. 15 (1869).	Ceylon.

Genus 293. **Micropion.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. p. 11 (1895).
‖*Microprion, Brunn.* (*nec Pict. & Sauss.*) l. c. p. 61 (1895).

1. **M. Opacus, Walk. (*Pseudophyllus O.*) Cat. Derm. Salt. B. M. ii. p. 409. n. 20 (1869). *M. Ceylonicus, Brunn.* l. c. p. 61. n. 1, pl. 2. f. 21 (1895).	Ceylon.
2. **M. Lituratus, Walk. (*Pseudophyllus L.*) l. c. p. 408. n. 18 (1869).	id.

Genus 294. **Tomias.**

Karsch, Ent. Nachr. xvi. p. 272 (1890); Berlin. Ent. Zeitschr. xxxvi. pp. 76, 89 (1891); Brunn. Mon. Pseudoph. pp. 11, 62 (1895).

1. **T. Stenopterus, Karsch,** Berlin. Ent. Zeitschr. xxxvi. p. 90. n. 1, pl. 2. f. 5 (1891); Brunn. l. c. p. 62. n. 1 (1895).	Cameroons.

Genus 295. **Semiophygas.** (*Type* no. 1.)

Karsch, Stett. Ent. Zeit. lvii. p. 349 (1896).

1. **S. Arescus, Karsch,** l. c. n. 118. f. 42 (1896).	Togoland.
2. **S. Hadrus, Karsch,** l. c. p. 350. n. 119 (1896).	Cameroons.

Genus 296. **Gonyatopus.** (*Type* no. 4.)

Brunn. Mon. Pseudoph. pp. 11, 62 (1895).

1. **G. Integer, Stål,** (*Phyllomimus I.*) Œfvers. Vet.-Akad. Förh. xxxiv. (10) p. 45 (1877); Brunn. l. c. p. 63. n. 1 (1895).	Philippines.
2. **G. Pustulatus, Walk. (*Aprion Pustulatum*) Cat. Derm. Salt. B. M. iii. p. 429. n. 12 (1870).	Ceylon.
3. **G. Inquinatus, Brunn.** l. c. p. 63. n. 2 (1895).	id.
4. **G. Pilosus, Brunn.** l. c. pp. 63, 64, pl. 3. f. 23 (1895).	Java.

Genus 297. **Timanthes.** (*Type* no. 2.)

Stål, Œfvers. Vet.-Akad. Förh. xxxiv. (10) p. 45 (1877); Brunn. Mon. Pseudoph. pp. 11, 64 (1895).

*1. **T. Lobifolia, Haan,** (*Locusta* (*Aprion*) *L.*) Temminck, Verhandel., Orth. pp. 205, 206. n. 6, pl. 18. ff. 11, 12 (1842). *T. Lobifolius, Brunn.* l. c. pp. 64, 65. n. 1, pl. 3. f. 24 (1895).	Sumatra, Java.
2. **T. Signatipennis, Stål,** l. c. p. 45 (1877).	Philippines.
3. **T. Latifolius, Brunn.** l. c. p. 65. n. 2 (1895).	Calcutta.
4. **T. Sublituratus, Walk. (*Pseudophyllus S.*) Cat. Derm. Salt. B. M. ii. p. 408. n. 19 (1869).	India.
5. **T. Javanicus, Brunn.** l. c. p. 65. no. 3 (1895).	Java.

Genus 298. **Lacipoda.**

Brunn. Mon. Pseudoph. pp. 11, 66 (1895).

1. **L. Immunda, Brunn.** l. c. p. 66. n. 1, pl. 3. f. 25 (1895).	Borneo.

Genus 299. **Aprion.** (*Type* no. 1.)

Serv. Ins. Orth. p. 471 (1839).
‖ *Tympanoptera, Brunn.* (*nec Pict. & Sauss.*) Mon. Pseudoph. pp. 11, 66 (1895), *eadem* ?

1. **A. Virescens, Serv.** l. c. p. 472. n. 1 (1839).	Java.
2. **A. Porrectus, Walk. (*A. Porrectum*) Cat. Derm. Salt. B. M. iii. p. 427. n. 10 (1870).	Silhet.
3. **A. Extraordinarius, Brunn.** (*Tympanoptera Extraordinaria*) l. c. p. 67. n. 1, pl. 3. f. 26 *a* (1895).	Borneo.
4. **A. Atroterminatus, Brunn.** (*Tympanoptera Atroterminatum*) l. c. n. 2, pl. 3. f. 26 *b*, *c* (1895).	id.
5. **A. (?) Semivitreus, Serv.** (*A* (?) *Semivitreum*) l. c. p. 473. n. 2 (1839).	Java.
6. **A. (?) Arcufolia, Haan,** (*Locusta* (*Aprion*) *A.*) Temminck, Verhandel., Orth. pp. 204, 205. n. 2 (1842).	Padang.

Genus 300. **Despœna.** (*Type* no. 1.)

Despoina, Brunn. Mon. Pseudoph. pp. 12, 68 (1895).

1. **D. Superba, Brunn.** (*Despoina S.*) l. c. p. 68. n. 1, pl. 3. f. 27 *a, b* (1895).	Borneo.
2. **D. Spinosa, Brunn.** (*Despoina S.*) l. c. pp. 68, 69. n. 2, pl. 3. f. 27 *c* (1895).	id.

Genus 301. **Stenampyx.**

Karsch, Ent. Nachr. xvi. p. 273 (1890); Berlin. Ent. Zeitschr. xxxvi. pp. 77, 92 (1891); Brunn. Mon. Pseudoph. pp. 12, 69 (1895).

1. **S. Annulicornis, Karsch,** Berlin. Ent. Zeitschr. xxxvi. p. 93, pl. 3. f. 7 (1891); xxxviii. p. 137. n. 113 (1893); Brunn. l. c. p. 70. n. 1, pl. 3. f. 28 (1895).	W. Africa.

Genus 302. **Stizoscepa.**

Karsch, Stettin. Ent. Zeitschr. lvii. p. 350 (1895).

1. **S. Basinotata, Karsch,** l. c. p. 351. n. 120, f. 43 (1895).	Cameroons.

Genus 303. **Tympanoptera.** (*Type* no. 1.)

Pict. & Sauss. Icon. Saut. Vertes, pp. 8, 19 (1892). (*Type* no. 1.)
Oxyscelus, Brunn. Mon. Pseudoph. pp. 12, 70 (1895).

1. **T. Grioleti, Pict. & Sauss.** l. c. p. 20. n. 1, pl. 3. f. 15 (1892). *Oxyscelus Grioleti, Brunn.* l. c. p. 71. n. 1, pl. 3. f. 29 (1895).	Moluccas, Java, Mindanao.
2. **T. Angustipennis, Brunn.** (*Oxyscelus A.*) l. c. n. 2 (1895).	N. Guinea.

Genus 304. **Lagarodes.**

Karsch, Ent. Nachr. xvi. p. 272 (1890); Berlin. Ent. Zeitschr. xxxvi. pp. 77, 90 (1891); Brunn. Mon. Pseudoph. pp. 12, 71 (1895).

1. **L. Facetus, Karsch,** Berlin. Ent. Zeitschr. xxxvi. p. 91. n. 1, pl. 2. f. 6 (1891); Brunn. l. c. p. 72. n. 1 (1895).	Cameroons.

Genus 305. **Morsimus.** (*Type* no. 14.)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 44 (1877).
‖ *Aprion*, *Haan* (*nec Serv.*), Temminck, Verhandel., Orth. p. 204 (1842); Pict. & Sauss. Icon. Saut. Vertes, pp. 9, 20 (1892); Brunn. Mon. Pseudoph. pp. 12, 72 (1895).
Acanthoprion, *Pict. & Sauss.* l. c. pp. 12, 26 (1892). (*Type* no. 13.)

1. **M. Confinis, Brunn.** (*Aprion C.*) l. c. pp. 73, 74. n. 1 (1895).	Moluccas.
*2. **M. Acutelaminatus, Brunn.** (*Aprion A.*) l. c. pp. 73, 75. n. 2 (1895).	Sumatra.
3. **M. Carinatus, Walk. (*Aprion Carinatum*) Cat. Derm. Salt. B. M. iii. p. 426. n. 8 (1870).	India, Ceylon.
** *Aprion Gracile*, *Walk.* l. c. n. 9 (1870).	
** *Aprion Strictum*, *Walk.* l. c. v. Suppl. p. 45 (1871).	
Aprion Oculatum, *Pict. & Sauss.* l. c. p. 21. n. 1 (1892); Brunn. l. c. pp. 73, 75. n. 3 (1895).	
4. **M. Ampullacea, Haan,** (*Locusta* (*Aprion*) *A.*) l. c. p. 205. n. 3 (1842).	Padang.
5. **M. Oleifolia, Fabr.** (*Locusta O.*) Ent. Syst. ii. p. 35. n. 6 (1793).	Tranquebar, Java.
Pseudophyllus Oleifolius, *Serv.* Ins. Orth. p. 470. n. 7 (1839).	
Locusta (*Aprion*) *Oleifolia*, *Haan*, l. c. p. 205. n. 4 (1842).	
6. **M. Maculifolia, Pict. & Sauss.** (*Aprion M.*) l. c. p. 21. n. 2, pl. 3. f. 19 (1892).	Sumatra, Malacca, Java, Coch.China.
Aprion Maculifolius, *Brunn.* l. c. pp. 73, 75. n. 4 (1895).	
7. **M. Obliquevenosus, Brunn.** (*Aprion O.*) l. c. pp. 74, 76. n. 5 (1895).	Java.
8. **M. Curviferus, Walk. (*Aprion Curviferum*) l. c. v. Suppl. p. 45 (1871).	India, Ceylon.
Aprion Robustus, *Brunn.* l. c. pp. 74, 76. n. 6 (1895).	
9. **M. Rhodei, Brunn.** (*Aprion R.*) ll. cc. n. 7 (1895).	N. Guinea.
*10. **M. Suspectus, Brunn.** (*Aprion S.*) l. c. pp. 74, 77. n. 8 (1895); (?) Bol. Ann. Soc. Ent. France, lxviii. p. 775 (1900).	Ceylon, Madura (eadem?).

11. **M. Inversus, Brunn.** (*Aprion I.*) l. c. pp. 74, 77. n. 9 (1895).	N. Guinea.
12. **M. Immunis, Brunn.** (*Aprion I.*) ll. cc. n. 10 (1895).	id.
13. **M. Aztecus, Pict. & Sauss.** (*Acanthoprion Aztecum*) l. c. p. 26, pl. 3. f. 21 (1892). *Aprion Aztecus, Brunn.* l. c. pp. 74, 77. n. 11 (1895).	Mexico (?).
14. **M. Areatus, Stål,** l. c. p. 44. n. 1 (1877).	Philippines.
*15. **M. Oceanicus, Pict. & Sauss.** (*Tympanoptera Oceanica*) l. c. p. 20. n. 2, pl. 2. f. 12 (1892). *Aprion Oceanicus, Brunn.* l. c. pp. 74, 78. n. 13, pl. 3. f. 31 (1895).	Fiji.
16. **M. Serraticollis, Bol.** An. Soc. Españ. xix. p. 325 (1890). *Aprion Serraticollis, Brunn.* l. c. pp. 74, 78. n. 12 (1895).	N. Guinea, Waigiou.

Genus 306. **Chondrodera.** (*Type* no. 1.)

Karsch, Ent. Nachr. xvi. pp. 266, 273 (1890); Berlin. Ent. Zeitschr. xxxvi. pp. 77, 93 (1891); Brunn. Mon. Pseudoph. pp. 12, 79 (1895).

1. **C. Notatipes, Karsch,** ll. cc. p. 267. n. 10 (1890); p. 94. n. 1, pl. 3. f. 8 (1891); Brunn. l. c. p. 79. n. 1 (1895).	Gaboon.
2. **C. Subvitrea, Karsch,** Berlin. Ent. Zeitschr. xxxvi. p. 95. n. 2 (1891); Brunn. l. c. p. 80. n. 2 (1895).	Gaboon, Niger.
3. **C. Rubromarginata, Haan,** (*Locusta* (*Aprion*) *R.*) Temminck, Verhandel., Orth. pp. 205, 206. n. 5 (1842).	Borneo.
4. **C. Borneensis, Brunn.** l. c. pp. 79, 80. n. 3, pl. 3. f. 32 (1895).	id., Sumatra.

Genus 307. **Acauloplax.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxvi. pp. 77, 95 (1891); Brunn. Mon. Pseudoph. pp. 12, 80 (1895).

1. **A. Exigua, Karsch,** l. c. p. 95. n. 1, pl. 3. f. 9 (1891); Brunn. l. c. p. 81. n. 1 (1895).	Kilimandjaro.
2. **A. Asiatica, Brunn.** l. c. n. 2 (1895).	Celebes.

Genus 308. **Cymatomera.** (*Type* no. 1.)

Schaum. Ber. Akad. Berlin, 1853. p. 777 ; Peters, Reise Mossamb. v. p. 122 (1862) ; Stål, Recens. Orth. ii. pp. 53, 69 (1874) ; Karsch, Ent. Nachr. xvi. p. 274 (1890) ; Berlin. Ent. Zeitschr. xxxvi. pp. 77, 96 (1891) ; Brunn. Mon. Pseudoph. pp. 12, 82 (1895).

*1. **C. Denticollis, Schaum,** ll. cc. p. 778. n. 10 (1853) ; p. 123, pl. 7. f. 9 (1862) ; Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 97. n. 1 (1891); Brunn. l. c. p. 83. n. 1 (1895). *C. Schaumi, Stål,* Œfv. Vet.-Akad. Förh. xiii. p. 170 (1856).	E. Africa.
2. **C. Pallidipes, Brunn.** l. c. pp. 83, 84. n. 2 (1895).	Loanda.
*3. **C. Paradoxa, Gerst.** Arch. f. Naturg. xxxv. p. 214. n. 42 (1869) ; Decken, Reisen in Ost-Afrika. ii. p. 29. n. 42. pl. 2. f. 4 (1873) ; Karsch, l. c. pp. 97, 98. n. 2 (1891) ; Brunn. l. c. p. 84. n. 3 (1895).	E. Africa.
4. **C. Modesta, Brunn.** l. c. pp. 83, 84. n. 4 (1895).	id., Madagascar
5. **C. Hyperborea, Rehn,** Proc. Acad. Philad. liii. p. 380 (1901).	Gallaland.
6. **C. Brunneri, Brancs.** Jahresh. Ver. Trencsin. Com. xvii.–xviii. p. 257, pl. 9. f. 2 (1897).	Ashanti (?).
*7. **C. Spinosa, Brunn.** l. c. pp. 83, 85. n. 5 (1895).	E. Africa.
*8. **C. Argillata, Karsch,** l. c. pp. 97, 98, pl. 3. f. 10 (1891) ; Brunn. l. c. pp. 83. 85. n. 6 (1895).	W. Africa, Mombasa.
9. **C. Spilophora, Walk. Cat. Derm. Salt. B. M. iii. p. 455. n. 3 (1870). *C. Brancsiki, Brunn.* l. c. pp. 83, 86. n. 7, pl. 4. f. 34 (1895).	E. Africa.

Genus 309. **Sathrophyllia.** (*Type* no. 2.)

Stål, Recens. Orth. ii. pp. 54, 70 (1874); Brunn. Mon. Pseudoph. pp. 13, 86 (1895).

*1. **S. Rugosa, Linn.** (*Gryllus Tettigonia Rugosus*) Syst. Nat. (ed. x.) i. p. 430. n. 31 (1758) ; Mus. Ludov. Ulr. p. 132. n. 23 (1764).	India, Ceylon.

Conocephalus Rugosus, *Thunb.* Mém. Acad. Pétersb. v. p. 278 (1815).
Acanthodis Rugosa, *Serv.* Ins. Orth. p. 454 (1839).
Locusta Rugosa, *Haan*, Temminck, Verhandel., Orth. p. 201. n. 1 (1842).
S. Rugosa, *Stål*, l. c. p. 70. n. 1 (1874); Brunn. l. c. p. 87. n. 1, pl. 4. f. 35 (1895).

2. **S. Fuliginosa, Stål,** l. c. p. 70. n. 2 (1874); Brunn. l. c. pp. 87, 88. n. 2 (1895). India.

*3. **S. Cornuta, Thunb.** (*Conocephalus Cornutus*) l. c. p. 277 (1815). Ceylon.
S. Rugosa, var. *b*, *Stål*, l. c. p. 70 (1874).

*4. **S. Marmorata, Stål,** l. c. p. 71. n. 3 (1874); Brunn. l. c. pp. 87, 88. n. 3 (1895). Ind., Ceyl., Burm., &c.

*5. **S. Torrida, Stål,** l. c. p. 71. n. 4 (1874). India.

*6. **S. Femorata, Fabr.** (*Locusta F.*) Mant. Ins. i. p. 233. n. 12 (1787); Haan, l. c. p. 202. n. 2 (1842). id., Cambodia, Java, Borneo, Sumatra.
(?) *Gryllus Tettigonia Femorata*, *Stoll*, Spectres, Saut. p. 16, pl. 6 *a*. f. 22 (1813).
Pseudophyllus Fenestratus, *Burm.* Handb. Ent. ii. p. 698. n. 3 (1838).
S. Femorata, *Stål*, l. c. p. 72. n. 5 (1874); Brunn. l. c. p. 88. n. 4 (1895).

Genus 310. **Platenia.**

Dohrn, Stettin. Ent. Zeit. xlix. p. 353 (1888); Brunn. Mon. Pseudoph. pp. 13, 89 (1895).

1. **P. Semialata, Dohrn,** l. c. p 354, pl. 2. f. 4 *a–c* (1888); Brunn. l. c. p. 89. n. 1 (1895). Palawan.

Genus 311. **Tegra.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. iii. p. 439 (1870).
Tarphe, Stål, Recens. Orth. p. 54 (1874); Brunn. Mon. Pseudoph. pp. 13, 90 (1895). (*Type* no. 1.)

*1. **T. Novæ-Hollandiæ, Haan,** (*Locusta N.*) Temminck, Verhandel., Orth. pp. 201, 202. n. 4, pl. 19. f. 4 (1842). *Tegra Novæ-Hollandiæ, Walk.* l. c. p. 439. n. 1 (1870). *Tarphe Novæ-Hollandiæ, Stål,* l. c. p. 72. n. 1 (1870); Brunn. l. c. p. 90. n. 1, pl. 4. f. 37 (1895).	India, Malacca, Java, Borneo, Australia.
*2. **T. Viridinotata, Stål,** (*Tarphe V.*) l. c. n. 2 (1870); Brunn. l. c. pp. 91, 92. n. 2 (1895).	India, Siam, Java.
3. **T. Longepilosa, Brunn.** (*Tarphe L.*) l. c. pp. 90, 91. n. 3 (1895).	Sumatra.
4. **T. Angustata, Stoll,** (*Locusta Tettigonia A.*) Spectres, Saut. p. 14, pl. 5 *a.* f. 17 (1813).	Java.
5. **T. Viridivitta, Walk. (*Cymatomera V.*) l. c. iii. p. 456. n. 5 (1870).	Malabar.
6. **T. Fasciata, Brunn.** (*Tarphe F.*) l. c. pp. 90, 91. n. 4 (1895).	Silhet, Sikkim.
7. **T. Immunis, Brunn.** (*Tarphe I.*) Ann. Mus. Genova, xxxiii. p. 177. n. 2, pl. 6. f. 62 (1893); Mon. Pseudoph. pp. 90, 92. n. 5 (1895).	Burma.

Genus 312. **Olcinia.** (*Type* no. 2.)

Stål. Œfvers. Vet.-Akad. Förh. xxxiv. (10) p. 45 (1877); Brunn. Mon. Pseudoph. pp. 13, 92 (1895).

1. **O. Crenifolia, Haan,** (*Locusta C.*) Temminck, Verhandel., Orth. pp. 201, 202. n. 3, pl. 19. f. 6 (1842). *O. Crenifolia, Brunn.* l. c. pp. 92, 93. n. 1, pl. 4. f. 38 (1905).	Java, Borneo.
2. **O. Erosifolia, Stål,** l. c. p. 45. n. 1 (1877); Brunn. l. c. pp. 92, 93. n. 2 (1895).	Philippin

Genus 313. **Sanna.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. iii. p. 438 (1870).

Termera, *Stål*, Recens. Orth. ii. p. 54 (1874): Brunn. Mon. Pseudoph. pp. 13, 93 (1895). (*Type* no. 1.)

1. **S. Imperialis, White, (*Locusta* (*Acanthodis*) *I.*) Ann. Nat. Hist. xviii. p. 23, pl. 1. f. 1 (1846). — N. India.
Acanthodis Imperialis, *Westw.* Cab. Orient. Ent. p. 51, pl. 5. f. 1 (1848).
Termera Imperialis, *Stål*, l. c. p. 72. n. 1 (1874); Brunn. l. c. p. 94. n. 1 (1895).

2. **S. Regalis, Brunn.** (*Termera R.*) l. c. n. 2, pl. 4. f. 39 (1895). — Sikkim.

Genus 314. **Typhoptera, Kirb.** (n. n.). (*Type* no. 1.)

Capnoptera, *Brunn.* (*nec Loew*) Mon. Pseudoph. pp. 13, 94 (1895); Annandale, Proc. Zool. Soc. Lond. 1900, pp. 854, 855.

1. **T. Quadrituberculata, Westw.** (*Pseudophyllus 4-tuberculatus*) Cab. Orient. Ent. p. 34, pl. 16. f. 3 (1848). — P. Wales I., Cochin China, Borneo.
Capnoptera Quadrituberculata, *Brunn.* l. c. p. 95. n. 1 (1895).

2. **T. Unicolor, Brunn.** (*Capnoptera U.*) l. c. pp. 95, 96. n. 2 (1895). — Malacca.

*3. **T. Pfeifferæ, Brunn.** (*Capnoptera P.*) l. c. pp. 95, 96. n. 3 (1895). — Borneo.

4. **T. Pallidemaculata, Brunn.** (*Capnoptera P.*) ll. cc. n. 4 (1895). — "Umaria."

5. **T. Donovani, Don.** (*Gryllus D.*) Nat. Repository, ii. pl. lxix. (1834). — India (?).
Acanthodis Donovani, *Westw.* l. c. p. 51, pl. 25. f. 2 (1848).
Capnoptera Donovani, *Brunn.* l. c. pp. 95, 97. n. 5 (1895).

6. **T. Staudingeri, Brunn.** (*Capnoptera S.*) ll. cc. n. 6, pl. 4. f. 40 (1895). — Borneo.

7. **T. Fusca, Fritze,** (*Capnoptera F.*) Rev. Suisse Zool. vii. p. 340, pl. 16. f. 2 (*nec* 3!) (1899). — id.

Genus 315. **Pantecphylus.**

Karsch, Ent. Nachr. xvi. p. 274 (1890); Berlin. Ent. Zeitschr. xxxvi. pp. 78, 99 (1891); Brunn. Mon. Pseudoph. pp. 13, 98 (1895).

1. **P. Cerambycinus, Karsch,** Berlin. Ent. Zeitschr. xxxvi. p. 100. n. 1, pl. 3. f. 11 *a*, *b* (1891); Brunn. l. c. p. 98. n. 1, pl. 4. f. 41 (1895).	Cameroons.

Genus 316. **Callimenellus.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 25 (1871).
Phanerotus, Brunn. Ann. Mus. Genova. xxxiii. p. 178 (1893); Mon. Pseudoph. pp. 13, 99 (1895). (*Type* no. 3.)

1. **C. Fumidus, Walk. l. c. p. 25. n. 1 (1871).	China.
2. **C. Opacus, Brunn.** (*Phanerotus O.*) ll. cc. p. 178. n. 1. pl. 6. f. 63 (1893); p. 99. n. 1, pl. 4. f. 42 (1895).	Tenasserim.
*3. **C. Ferrugineus, Brunn.** (*Phanerotus F.*) Mon. Pseudoph. p. 99. n. 2 (1895).	Hongkong, Luzon, Cambodia.
4. **C. Personatus, Pict.** (*Cocconotus Personata*) Mém. Soc. Genève. xxx. (6) p. 17. n. 1, pl. 1. f. 6 (1888).	Hab. —— ?

Genus 317. **Aphractus.** (*Type* n. 1.)

Brunn. Mon. Pseudoph. pp. 14, 100 (1895).

1. **A. Acuminatus, Brunn.** l. c. p. 100. n. 1, pl. 4, f. 43 (1895).	Chile.
2. **A. Abbreviatus, Brunn.** l. c. n. 2 (1895).	id.

Genus 318. **Polycleptis.** (*Type* no. 1.)

Karsch, Ent. Nachr. xvii. pp. 100, 105 (1891);
Brunn. l. c. pp. 14, 101 (1895).

1. **P. Scutellifera, Karsch,** l. c. pp. 101, 106, ff. 3, 4 (1891); Brunn. l. c. p. 101. n. 1 (1895).	Chile.
2. **P. Inermis, Karsch,** l. c. p. 107 (1891); Brunn. l. c. pp. 101, 102, pl. 4. f. 44 (1895).	id.

Genus 319. **Xerophyllopteryx.**

Rehn, Ent. News, xvi. p. 180 (1905).
|| *Xeropteryx, Brunn.* (*nec Butl.*) Mon. Pseudoph. pp. 14, 102 (1895).

*1. **X. Fumosa, Brunn.** (*Xeropteryx F.*) l. c. p. 103. n. 1, pl. 5. f. 45 (1895).	Guadeloupe Dominica, Santa Lucia.

Genus 320. **Championica.**

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 405 (1898).

1. **C. Montana, Sauss. & Pict. l. c. n. 1, pl. 20. f. 1 (1898).	Chiriqui.

Genus 321. **Tetragonomera.** (*Type* no. 3.)

Stål, Recens. Orth. ii. pp. 60, 76 (1874);
Brunn. Mon. Pseudoph. pp. 14, 103 (1895).

1. **T. Obtusa, Brunn.** l. c. p. 104. n. 1 (1895).	Bahia.
2. **T. Inconspicua, Brunn.** l. c. n. 2 (1895).	Surinam.
*3. **T. Marmorata, Burm.** (*Acanthodis M.*) Handb. Ent. ii. p. 701. n. 8 (1838). *T. Marmorata, Brunn.* l. c. pp. 104, 105, pl. 5. f. 46 (1895). *Acanthodis Immaculipennis, Serv.* Ins. Orth. p. 453. n. 2 (1839).	id., Brazil.
4. **T. Circumcincta, Serv.** (*Acanthodis C.*) l. c. p. 456. n. 6 (1839).	Hab. —— ?

Genus 322. **Schochia.**

Brunn. Mon. Pseudoph. pp. 14, 105 (1895).

1. **S. Lævis, Brunn.** l. c. p. 105. n. 1, pl. 5. f. 47 (1895).	Bahia.

Genus 323. **Tetanopus.**

Brunn. Mon. Pseudoph. pp. 14, 106 (1895).

1. **T. Nitidus, Brunn.** l. c. p. 106. n. 1, pl. 5. f. 48 (1895).	Chiriqui, Ecuador.

Genus 324. **Sagephorus.**

Brunn. Mon. Pseudoph. pp. 14, 106 (1895).

1. **S. Spinosus, Brunn.** l. c. p. 107. n. 1, pl. 5. f. 49 (1895).	Mexico.

Genus 325. **Polyglochin.** (*Type* no. 1.)

Karsch, Ent. Nachr. p. 275 (1890); Berlin. Ent. Zeitschr. xxxvi. p. 100 (1891); Brunn. Mon. Pseudoph. pp. 15, 107 (1895).

*1. **P. Peculiaris, Karsch,** Berlin. Ent. Zeitschr. xxxvi. p. 101. n. 1, pl. 3. f. 12 (1891); Brunn. l. c. p. 108. n. 1 (1895).	Sierra Leone.
2. **P. Herinaceus, Karsch,** Stettin. Ent. Zeit. lvii. p. 352. n. 121 (1896).	Cameroons.

Genus 326. **Batodromeus.**

Karsch, Stettin. Ent. Zeit. lvii. p. 352 (1896).

1. **B. Subulo, Karsch,** (*Polyglochin S.*) Entom. Nachr. xix. p. 198 (1893); Brunn. Mon. Pseudoph. p. 108. n. 2 (1895).	Cameroons.

Genus 327. **Orpacophora, Kirb.** (n. n.). (*Type* no. 1.)

Acanthodis, pt., *Serv.* Ann. Sci. Nat. xxii. p. 150 (1831); Ins. Orth. p. 450 (1839); Burm. Handb. Ent. ii. p. 699 (1838); Blanch. Hist. Nat. Ins. iii. p. 21 (1840); Stål, Œfv. Vet. Akad. Förh. xxx. (4) p. 46 (1873); Recens. Orth. ii. pp. 63, 81 (1874); Brunn. Mon. Pseudoph. pp. 15, 108 (1895), *nec Brullé.*

1. **O. Coronata, Linn.** (*Gryllus Tettigonia Coronatus*) Syst. Nat. (ed. x.) i. p. 430. n. 32 (1758). *Locusta Coronata, De Geer*, Mém. Ins. iii. p. 448. n. 9, pl. 38. f. 5 (1773); Fabr. Syst. Ent. p. 285. n. 17 (1775). *Acanthodis Coronata, Serv.* ll. cc. p. 151. n. 4 (1831); p. 458. n. 9 (1839); Burm. l. c. p. 702. n. 9 (1838); Blanch. l. c. p. 21. n. 2 (1840); Stål, Recens. Orth. ii. p. 81. n. 1 (1874); Brunn. l. c. pp. 109, 110. n. 1 (1895).	S. America.
2. **O. Attenuata, Brunn.** (*Acanthodis A.*) ll. cc. n. 2, pl. 5. f. 51 (1895).	Bahia.
3. **O. Bicuspidata, Brunn.** (*Acanthodis B.*) ll. cc. n. 3 (1895).	Colombia.
4. **O. Humilis, Brunn.** (*Acanthodis H.*) ll. cc. pp. 109, 111. n. 4 (1895).	Costa Rica (?).
5. **O. Unispinosa, Brunn.** (*Acanthodis U.*) ll. cc. n. 5 (1895).	Guatemala.
*6. **O. Cristulata, Brunn.** (*Acanthodis C.*) l. c. pp. 109, 112. n. 6 (1895); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 407. n. 4, pl. 20. ff. 2, 3 (1898).	Nicaragua, Panama.
7. **O. Speculifera, Bol.** (*Acanthodis S.*) An. Soc. Españ. x. p. 485, pl. 9. f. 2 (1881); Viaje al Pacif., Artr. p. 63, pl. 1. f. 7, pl. 2. f. 1 (1884); Brunn. l. c. pp. 109, 112. n. 7 (1895).	Ecuador.
8. **O. Variegata, Brunn.** (*Acanthodis V.*) ll. cc. n. 8 (1895).	Mexico.
9. **O. Modesta, Brunn.** (*Acanthodis M.*) l. c. pp. 109, 113. n. 9 (1895).	Colombia.
10. **O. Repanda, Stål,** (*Pleminia R.*) Recens. Orth. ii. p. 78. n. 2 (1874). *Acanthodis Repanda, Brunn.* l. c. pp. 109, 113. n. 10 (1895).	Mexico.
11. **O. Antennata, Scudd.** (*Acanthodis (?) Antennatus*) Proc. Bost. Soc. Nat. Hist. xii. p. 332. n. 5 (1869).	Napo.

Genus 328. **Calamoptera.**

Sauss. Rev. Zool. (2) xiii. p. 130 (1861).

1. **C. Imhoffiana, Sauss.** (*Acanthodis* (*Calamoptera*) *I.*) l. c. (1861).	Mexico.

Genus 329. **Adeclus.** (*Type* no. 2.)

Brunn. Mon. Pseudoph. pp. 15, 114 (1895).

1. **A. Brevipennis, Brunn.** l. c. p. 114. n. 1 (1895) ; Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 408. n. 1 (1898).	Mexico.
*2. **A. Spiculatus, Stål,** (*Acanthodis Spiculata*) Œfv. Vet.-Akad. Förh. xxx. (4) p. 49 (1873). *A. Spiculatus, Brunn.* l. c. p. 114. n. 2, pl. 5. f. 52 (1895).	Colombia.
3. **A. (?) Cuspidatus, Stål,** (*Acanthodis Cuspidata*) Recens. Orth. ii. p. 83. n. 3 (1874).	id.

Genus 330. **Apereisis.**

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 46 (1871).

1. **A. Albidifer, Walk. l. c. n. 1 (1871).	Brazil.

Genus 331. **Hæmodiasma.**

Brunn. Mon. Pseudoph. pp. 15, 115 (1895).

*1. **H. Tessellata, Brunn.** l. c. p. 115. n. 1, pl. 5. f. 53 (1895) ; Obs. Color. Ins. p. 8, pl. 6. f. 74 (1897).	Chiriqui.

Genus 332. **Diacanthodis.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. iii. p. 451 (1870) ;
Brunn. Mon. Pseudoph. pp. 15, 115 (1895).

*1. **D. Formidabilis, Serv.** (*Acanthodis F.*) Ins. Orth. p. 459. n. 10 (1839). *D. Formidabilis, Walk.* l. c. p. 455. n. 1 (1870) ; Brunn. l. c. p. 116. n. 1 (1839).	Brazil.

2. **D. Aberrans, Brunn.** l. c. pp. 116, 117. n. 2 (1895). N. S. Wales (?).
3. **D. Reflexa, Brunn.** ll. cc. n. 3, pl. 5. f. 54 (1895). Bahia.
4. **D. Granosa, Brunn.** ll. cc. n. 4 (1895). Cayenne.

Genus 333. **Dasyscelus.** (*Type* no. 5.)

Brunn. Mon. Pseudoph. pp. 15, 118 (1895).

1. **D. Atrifrons, Brunn.** l. c. pp. 118, 119. n. 1 (1895). Colombia.
*2. **D. Normalis, Brunn.** l. c. p. 119. n. 2 (1895). Uruguay, B. Aires.
3. **D. Demigratus, Brunn.** l. c. n. 3 (1895). B. Aires: Gaboon (?).
4. **D. Minimus, Brunn.** l. c. n. 4 (1895). Bolivia.
5. **D. Planiusculus, Brunn.** l. c. pp. 119, 120, pl. 5. f. 55 (1895). Brazil.
*6. **D. Dilatatus, Brunn.** ll. cc. n. 6 (1895). Theresopolis

Genus 334. **Anonistus.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 46 (1871).
Phyllostachys, *Stål*, Œfv. Vet.-Akad. Förh. xxx. (4) p. 45 (1873); Recens. Orth. ii. pp. 61, 76 (1874); Brunn. Mon. Pseudoph. pp. 15, 120 (1895). (*Type* no. 1.)

*1. **A. Scariosa, Burm.** (*Acanthodis S.*) Handb. Ent. ii. p. 700. n. 1 (1838). Brazil.
Phyllostachys Scariosa, *Stål*, ll. cc. p. 45 (1873); p. 76. n. 1 (1874); Brunn. l. c. p. 121. n. 1, pl. 5. f. 56 (1895).
Acanthodis Humilis, *Serv.* Ins. Orth. p. 455. n. 5 (1839).
***Anonistus Obliterans*, *Walk.* l. c. p. 47 (1871).

2. **A. Scops, Burm.** (*Acanthodis S.*) l. c. p. 702. n. 10 (1838). Bahia.
Phyllostachys Scops, *Brunn.* l. c. p. 121. n. 2 (1895).
Phyllostachys Nitidula, *Stål*, ll. cc. p. 48. n. 1 (1873); p. 76. n. 2 (1874).

Genus 335. **Pleminia.** (*Type* no. 1.)

Stål, Recens. Orth. ii. pp. 61, 77 (1874); Brunn. Mon. Pseudoph. pp. 15, 122 (1895).

1. **P. Brachyptera, Burm.** (*Acanthodis B.*) Handb. Ent. ii. p. 700. n. 2 (1838).	Brazil.
P. Brachyptera, Stål, l. c. p. 77. n. 1 (1874); Brunn. l. c. pp. 122, 123. n. 1, pl. 6. f. 57 (1895).	
Acanthodis Microptera, Serv. Ins. Orth. p. 456. n. 7 (1839).	
2. **P. Ruficornis, Walk. (*Meroncidius R.*) Cat. Derm. Salt. B. M. iii. p. 451. n. 32 (1870).	Hab. —— ?
3. **P. Marginifer, Walk. (*Meroncidius M.*) l. c. p. 452. n. 35 (1870).	Brazil.
P. Sellata, Brunn. l. c. pp. 123, 124. n. 6 (1895).	
4. **P. Marginata, Walk.** (*Meroncidius Marginatus*) l. c. p. 450. n. 31 (1870).	Para.
5. **P. Modesta, Brunn.** l. c. pp. 122, 123. n. 2 (1895).	Brazil.
6. **P. Brachyxipha, Brunn.** ll. cc. n. 3 (1895).	Bahia.
*7. **P. Vicina, Brunn.** l. c. pp. 123, 124. n. 5 (1895).	Brazil.
8. **P. Inficita, Walk. (*Meroncidius I.*) l. c. p. 447. n. 25 (1870).	Hab. —— ?
9. **P. Mutica, Brunn.** ll. cc. n. 7 (1895).	Upp. Amaz.
10. **P. Miserabilis, Blanch.** (*Acanthodis M.*) Gay, Hist. Chil., Zool. vi. p. 54. n. 1 [Ort. pl. 3. f. 4, ined.?] (1854); Phil. Zeitschr. ges. Naturw. xxi. p. 235 (1863).	Chile.
11. **P. Argentina, Berg,** Comun. Mus. Nac. B. Aires, i. p. 264 (1900).	B. Aires, Paraguay.
12. **P. (?) Personata, Sjöst.** Bihang Svenska Akad. xxvii. (4:3) p. 31 (1902).	Cameroons.

Genus 336. **Habrocomes.**

Karsch, Ent. Nachr. xvi. p. 275 (1890); Berlin. Ent. Zeitschr. xxxvi. pp. 78, 102 (1891).

1. **H. Lanosus, Karsch,** Berlin. Ent. Zeitschr. xxxvi. p. 103. n. 1. pl. 3. f. 13 (1891).	Sierra Leone.
Pleminia Lanosa, Brunn. Mon. Pseudoph. pp. 122, 124. n. 4 (1895).	

Genus 337. **Lichenochrus.** (*Type* no. 17.)

Karsch, Ent. Nachr. xvi. pp. 268, 275 (1890); Berlin. Ent. Zeitschr. xxxvi. pp. 79, 105 (1891); Brunn. Mon. Pseudoph. pp. 16, 125 (1895); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 409 (1898).

1. **L. Infumatus, Brunn.** l. c. pp. 125, 126. n. 1 (1895).	Rio Janeiro.
*2. **L. Longixiphus, Brunn.** l. c. pp. 125, 127. n. 2 (1895).	Bahia.
3. **L. Fuscoalatus, Brunn.** ll. cc. n. 3 (1895).	Theresopolis.
4. **L. Vulturinus, De Geer,** (*Locusta Vulturina*) Mém. Ins. iii. p. 451. n. 11, pl. 39. f. 2 (1773). *Brisilis Vulturina, Stål,* Recens. Orth. ii. p. 80. n. 3 (1874). *Lichenochrus Vulturinus, Brunn.* l. c. pp. 125, 127. n. 4 (1895). *Conocephalus Trifidus, Thunb.* Mém. Acad. Pétersb. v. p. 277 (1815).	Surinam, Tapajos.
5. **L. Malleolatus, Brunn.** l. c. pp. 125, 128. n. 5 (1895).	Guiana.
6. **L. Viridinervis, Kirb. (*Meroncidius V.*) Journ. Linn. Soc. Lond., Zool. xx. p. 536 (1894).	Fernando Noronha.
7. **L. Variabilis, Brunn.** l. c. pp. 126, 128. n. 6 (1895).	Pernambuco, Colombia.
8. **L. Vaginalis, Sauss. & Pict.** l. c. p. 409. n. 2 (1898).	Guatemala.
9. **L. Brevistylus, Sauss. & Pict.** l. c. pp. 409, 410. n. 3 (1898).	Mexico.
10. **L. Decoloratus, Brunn.** l. c. pp. 126, 128. n. 7 (1895).	Gaboon.
11. **L. Modestus, Brunn.** ll. cc. pp. 126, 129. n. 8 (1895).	Colombia.
12. **L. Hilaris, Brunn.** ll. cc. n. 9 (1895).	Brazil.
13. **L. Nigrifrons, Sauss. & Pict.** l. c. p. 410. n. 5 (1898).	Mexico.
14. **L. Marmoratus, Sjöst.** Bihang Svenska Akad. xxvii. (4 : 3) p. 32 (1902).	Cameroons.
15. **L. Maculosus, Sjöst.** l. c. p. 34, pl. 2. f. 2 (1902).	id.
16. **L. Flavifrons, Sjöst.** l. c. p. 35 (1902).	id.

17. **L. Osorioi, Bol.** (*Platyphyllum O.*) An. Soc. Españ. xv. p. 346 (1886). *L. Osorioi, Brunn.* l. c. pp. 126, 129. n. 10, pl. 6. f. 58 (1895). *L. Crassipes, Karsch,* ll. cc. p. 269. n. 11 (1890); p. 107. n. 1, pl. 4. f. 15 (1891).	W. Africa.
18. **L. Turpis, Brunn.** l. c. pp. 126, 130. n. 11 (1895).	Guinea.
19. **L. Castaneus, Brunn.** ll. cc. n. 12 (1895).	S. America.
20. **L. Nitidus, Brunn.** l. c. pp. 126, 131. n. 13 (1895).	Jamaica.
21. **L. Tessellatus, Brunn.** ll. cc. n. 14 (1895).	Venezuela.
22. **L. Muticus, Brunn.** ll. cc. n. 15 (1895).	Chiriqui.

Genus 338. **Acanthodis.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 150 (1831); Ins. Orth. p. 450 (1839); Brullé, Hist. Nat. Ins. ix. p. 138 (1835); Burm. Handb. Ent. ii. p. 699 (1838); Blanch. Hist. Nat. Ins. iii. p. 21 (1840), *nec Stål.*

Brisilis, Stål, Œfvers. Vet.-Akad. Förh. xxx. (4) p. 46 (1873); Recens. Orth. ii. pp. 62, 78 (1874); Brunn. Mon. Pseudoph. pp. 16, 132 (1895). (*Type* no. 1.)

*1. **A. Aquilina, Linn.** (*Gryllus Tettigonia Aquilinus*) Syst. Nat. (ed. x.) i. p. 430. n. 33 (1758); Mus. Ludov. Ulr. p. 133. n. 24 (1764). *Gryllus Tettigonia Aquilina, Stoll,* Spectres, Saut. p. 20, pl. 9 *a*. f. 34 (1813). *Locusta Aquilina, De Geer,* Mém. Ins. iii. p. 450. n. 10, pl. 36. f. 6, pl. 39. f. 1 (1773). *Acanthodis Aquilina, Serv.* ll. cc. p. 151. n. 5 (1831); p. 451. n. 1 (1839); Burm. l. c. p. 701. n. 7 (1838); Blanch. l. c. p. 21. n. 1 (1840). *Meroncidius Aquilinus, Walk.* Cat. Derm. Salt. B. M. iii. p. 441. n. 2 (1870). *Brisilis Aquilina, Stål,* Recens. Orth. ii. p. 79. n. 2 (1874); Brunn. l. c. pp. 131, 132. n. 1, pl. 6. f. 59 (1895). *Conocephalus Armatus, Thunb.* Mém. Acad. Pétersb. v. p. 276 (1815).	S. America.

2. **A. Curvidens, Stål,** (*Brisilis C.*) Bihang Svenska Akad. iii. (14) p. 39 (1876); Brunn. l. c. pp. 132, 133. n. 2 (1895).	Chiriqui.
3. **A. Longicauda, Stål,** (*Brisilis L.*) Recens. Orth. ii. p. 79. n. 1 (1874); Brunn. ll. cc. n. 3 (1895).	Para, Tapajos.
4. **A. Tenebrosa, Brunn.** (*Brisilis T.*) l. c. pp. 132, 134. n. 4 (1895).	Bolivia.
5. **A. Unicolor, Brunn.** (*Brisilis U.*) ll. cc. n. 5 (1895).	Surinam, Venezuela.
6. **A. Grisea, Giglio-Tos,** (*Brisilis G.*) Boll. Mus. Torino, xiii. (311) p. 93 (1898).	Ecuador.

Genus 339. **Pristes.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 16, 135 (1895).

*1. **P. Tuberosus, Stål,** (*Platyphyllum Tuberosum*) Bihang Svenska Akad. iii. (14) p. 39 (1876). *Pristes Tuberosus, Brunn.* l. c. p. 135. n. 1, pl. 6. f. 60 (1895); Griff. Boll. Mus. Torino, xi. (232) p. 16, (234) p. 1, fig. (1896); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 411. n. 1 (1898).	Nicaragua, Costa Rica, Panama, Colombia, Upper Amazons.
2. **P. Minor, Brunn.** l. c. pp. 135, 136. n. 2 (1895).	Venezuela.

Genus 340. **Stenoschema.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 16, 136 (1895).

1. **S. Gracile, Brunn.** l. c. pp. 136, 137. n. 1, pl. 6. f. 61 (1895).	Upper Amazons.
2. **S. Brevipenne, Brunn.** l. c. p. 137. n. 2 (1895).	Pernambuco.

Genus 341. **Leurophyllum, Kirb.** (n. n.).

(*Type* no. 8.)

‖*Platyphyllum*, pt., *Serv.* Ins. Orth. p. 443 (1839); Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 46 (1873); Recens. Orth. ii. pp. 62, 81 (1874); Brunn. Mon. Pseudoph. pp. 16, 137 (1895), *nec Serv.* 1831; *nec Burm.*

1. **L. Transiens, Brunn.** (*Platyphyllum T.*) l. c. pp. 138, 139. n. 1 (1895).	Peru, Bolivia.
2. **L. Unicolor, Brunn.** (*Platyphyllum U.*) ll. cc. n. 2 (1895).	Tapajos, Ucayali.
3. **L. Granulosum, Brunn.** (*Platyphyllum G.*) ll. cc. n. 3 (1895).	Bolivia.
4. **L. Pleminioides, Brunn.** (*Platyphyllum P.*) l. c. pp. 138, 140. n. 4 (1895).	Amazons, Surinam.
5. **L. Guttatum, Brunn.** (*Platyphyllum G.*) ll. cc. n. 5 (1895).	Amazons.
6. **L. Brevixiphum, Brunn.** (*Platyphyllum B.*) ll. cc. n. 6 (1895).	Upper Amazons.
7. **L. Angustixiphum, Brunn.** (*Platyphyllum A.*) l. c. pp. 138, 141. n. 7 (1895).	Bolivia.
8. **L. Consanguineum, Serv.** (*Acanthodis Consanguinea*) Ins. Orth. p. 454. n. 3 (1839). *Platyphyllum Consanguineum, Stål*, Recens. Orth. ii. p. 81. n. 2 (1874); Bol. Viaje al Pacif., Artr. p. 62 (1884); Brunn. l. c. pp. 138, 141. n. 8 (1895); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 412. n. 3, pl. 20. ff. 36, 37 (1898). *Acanthodis Regina, Sauss.* Rev. Zool. (2) xi. p. 207 (1859).	Brazil, Cayenne, Ecuador.
9. **L. Luridum, Brunn.** (*Platyphyllum L.*) l. c. pp. 138, 142. n. 9 (1895).	Surinam, Guatemala.
10. **L. Toltecum, Sauss.** (*Acanthodis Tolteca*) l. c. p. 206 (1859). *Platyphyllum Toltecum, Brunn.* l. c. pp. 139, 142. n. 10 (1895); Sauss. & Pict. l. c. p. 412. n. 2, pl. 20. ff. 33–35 (1898).	Mexico, Vera Cruz.
11. **L. Unispinulosum, Brunn.** (*Platyphyllum U.*) l. c. pp. 139, 142. n. 11 (1895).	Surinam.
*12. **L. Maculipenne, Serv.** (*Platyphyllum M.*) l. c. p. 447. n. 5 (1839); Brunn. l. c. pp. 139, 143. n. 12, pl. 6. f. 62 (1895).	Brazil, Guiana, Peru, &c.

***Meroncidius Macularis*, *Walk.* Cat. Derm. Salt. B.M. iii. p. 445. n. 21 (1870). *Brisilis Gladius*, *Bol.* An. Soc. Españ. x. p. 486, pl. 9. f. 3 (1881); Viaje al Pacif., Ins. p. 60 (1884).	
13. **L. Regimbarti, Griff.** (*Platyphyllum R.*) Boll. Mus. Torino, xiii. (328) p. 1 (1898).	Peru.
14. **L. Varius, Walk. (*Meroncidius V.*) l. c. p. 446. n. 22 (1870).	Santarem.

Genus 342. **Platyphyllum.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 145 (1831); Ins. Orth. p. 443 (1839); Brullé, Hist. Nat. Ins. ix. p. 138 (1835); Blanch. Hist. Nat. Ins. iii. p. 22 (1840); Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 46 (1873); Recens. Orth. ii. p. 62 (1874).
(?) *Platyphyllus*, *Burm.* Handb. Ent. ii. p. 699 (1838).
Lissophyllum, *Brunn.* Mon. Pseudoph. pp. 16, 143 (1895). (*Type* no. 1.)

1. **P. Viridifolium, St. Farg. & Serv.** (*Locusta Viridifolia*) Encycl. Méth., Ins. x. p. 342. n. 3 (1825). *Platyphyllum Viridifolium*, *Serv.* ll. cc. p. 145. n. 1 (1831); p. 445. n. 2, pl. 10. f. 1 (1839). ? ‖*Platyphyllus Camellifolius*, *Burm.* (*nec Fabr.*) l. c. p. 699 (1838). ? ‖*Lissophyllium Camellifolium*, *Brunn.* l. c. p. 144. n. 1, pl. 6. f. 63 (1895).	Brazil.
2. **P. Intermedium, Brunn.** (*Lissophyllum I.*) l. c. pp. 144, 145. n. 2 (1895).	id., Paraguay.
3. **P. Exiguum, Brunn.** (*Lissophyllum E.*) ll. cc. n. 3 (1895).	Peru.
4. **P. Spinulosum, Brunn.** (*Lissophyllum S.*) ll. cc. n. 4 (1895).	Jamaica.
5. **P. Granulosum, Brunn.** (*Lissophyllum G.*) l. c. pp. 144, 146. n. 5 (1895).	Peru.
6. **P. Angustixiphum, Brunn.** (*Lissophyllum A.*) ll. cc. n. 6 (1895).	Bogota.

Genus 343. **Jamaicana.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 16, 146 (1895).

1. **J. Subguttata, Walk. (*Meroncidius Subguttatus*) Cat. Derm. Salt. B. M. iii. p. 445. n. 20 (1870).	Jamaica.
J. Vittata, Brunn. l. c. p. 147. n. 2, pl. 6. f. 64 (1895).	
*2. **J. Unicolor, Brunn.** l. c. n. 1 (1895).	id.
3. **J. Lativittata, Walk.** (*Meroncidius Lativittatus*) l. c. p. 448. n. 27 (1870).	Santarem.

Genus 344. **Meroncidius.** (*Type* no. 5.)

Serv. Ann. Sci. Nat. xxii. p. 149 (1831); Ins. Orth. p. 448 (1839); Burm. Handb. Ent. ii. p. 700 (1838); Stål, Recens. Orth. ii. pp. 64, 83 (1874); Brunn. Mon. Pseudoph. pp. 17, 148 (1895).

Meroncidium, Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 46 (1873).

1. **M. Glabratus, Burm.** (*Acanthodis Glabrata*) l. c. p. 700. n. 3 (1838).	Brazil.
M. Glabratus, Brunn. l. c. p. 149. n. 1 (1895).	
2. **M. Fuscus, Brunn.** l. c. pp. 149, 150. n. 2 (1895).	Guatemala.
3. **M. Ochraceus, Stoll,** (*Gryllus Tettigonia Ochracea*) Spectres, Saut. p. 27, pl. 13 *a*. f. 52 (1813).	Brazil, Paraguay, Montevideo.
Acanthodis Ochracea, Burm. l. c. p. 701. n. 5 (1838).	
M. Ochraceus, Brunn. l. c. pp. 149, 150. n. 3 (1895).	
4. **M. Alutaceus, Stål,** Recens. Orth. ii. p. 84. n. 2 (1874).	Brazil.
5. **M. Obscurus, Serv.** ll. cc. p. 150. n. 1 (1831); p. 449. n. 1, pl. 10. f. 2 (1839).	Cayenne.
*6. **M. Flavolimbatus, Brunn.** l. c. pp. 149, 150. n. 4 (1895).	Brazil, Paraguay.
‖*M. Obscurus*, var. (?), *Walk.* (*nec Serv.*) Cat. Derm. Salt. B. M. iii. p. 441. n. 1 (1870).	

7. **M. Marginatus, Walk. l. c. p. 450. n. 31 (1870).	Para.
8. **M. Inornatus, Walk. l. c. p. 453. n. 37 (1870).	Monte Video.
*9. **M. Intermedius, Brunn.** l. c. pp. 149, 150. n. 5, pl. 6. f. 66 (1895).	Brazil.
10. **M. Major, Brunn.** l. c. pp. 149, 151. n. 6 (1895).	S. America.
11. **M. Conspersus, Scudd.** (*Meroncidium Conspersum*) Proc. Boston Soc. Nat. Hist. xii. p. 332. n. 6 (1869).	Napo (?).

Genus 345. **Triencentrus.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 17, 151 (1895).

1. **T. Amazonicus, Brunn.** l. c. p. 152. n. 1, pl. 6. f. 67 (1895).	Upper Amazons.
2. **T. Fratellus, Brunn.** l. c. n. 2 (1895).	Peru.

Genus 346. **Adenes.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxvi. pp. 79, 112 (1891); Brunn. Mon. Pseudoph. pp. 17, 152 (1895).

1. **A. Obesus, Karsch,** l. c. p. 113. n. 1, pl. 4. f. 18 (1891); Brunn. l. c. p. 153. n. 1 (1895).	Gold Coast.
2. **A. Gravidus, Karsch,** l. c. p. 113. n. 2 (1891).	Adafoah.
3. **A. Albifrons, Brunn.** l. c. p. 153. n. 2 (1895).	Guinea.

Genus 347. **Mormotus.** (*Type* no. 2.)

Karsch, Ent. Nachr. xvi. pp. 269, 276 (1890); Berlin. Ent. Zeitschr. xxxvi. p. 109 (1891); Brunn. Mon. Pseudoph. pp. 17, 153 (1895).

*1. **M. Montesi, Bol.** (*Platyphyllum M.*) An. Soc. Españ. xv. p. 347 (1886). *M. Obtusatus, Brunn.* l. c. pp. 154, 155. n. 3 (1895).	W. Africa.

*2. **M. Nigrospinosus, Karsch,** ll. cc. p. 270. n. 12 (1890) ; pp. 110, 111, pl. 4. ff. 17, 17 *a* (1891).	W. Africa.
‖*M. Montesi, Brunn.* (*nec Bol.*) l. c. pp. 154, 155. n. 1 (1895) ; Sjöst. Bihang Svensk. Akad. xxvii. (4 : 3) p. 37 (1902).	
3. **M. Angustus, Brunn.** ll. cc. n. 2 (1895).	Cameroons.
*4. **M. Clavaticercus, Karsch,** Berlin. Ent. Zeitschr. xxxvi. pp. 110, 111. n. 2 (1891); Brunn. l. c. pp. 154, 155. n. 4 (1895).	Sierra Leone.
*5. **M. Rastricercus, Karsch,** l. c. pp. 110, 111. n. 3, pl. 4. f. 17 *b* (1891) ; Brunn. l. c. pp. 154, 156. n. 5, pl. 7. f. 69 (1895).	W. Africa.
6. **M. Curvicauda, Brunn.** ll. cc. n. 6 (1895).	Gaboon.
7. **M. Insignis, Brunn.** ll. cc. n. 7 (1895).	Cameroons.
8. **M. Erectistylus, Karsch,** Stett. Ent. Zeit. lvii. p. 352. n. 122 (1896).	Togo.

Genus 348. **Orchestridoptera.**

Sjöst. Bihang Svensk. Akad. xxvii. (4 : 3) p. 36 (1902).

1. **O. Rufipes, Sjöst.** l. c. p. 37, pl. 1. f. 1 *a*, *b* (1902).	Cameroons.

Genus 349. **Tympanocompus.**

Karsch, Berlin. Ent. Zeitschr. xxxvi. pp. 79, 107 (1891) ; Brunn. Mon. Pseudoph. pp. 17, 157 (1895).

1. **T. Acclivis, Karsch,** l. c. p. 108. n. 1, pl. 4. f. 16 (1891) ; Brunn. l. c. p. 157. n. 1, pl. 7. f. 70 (1895).	Cameroons.

Genus 350. **Hoplidostylus.**

Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 136, 138 (1893) ; Brunn. Mon. Pseudoph. pp. 17, 157 (1895).

1. **H. Argillatus, Karsch,** l. c. p. 138. n. 115, f. 20 (1893) ; Brunn. l. c. p. 158. n. 1 (1895).	Togo.

Genus 351. **Adapantopsis.**

Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 136 (1893).

1. **A. Transmarinus, Krauss,** (*Meroncidius T.*) Zool. Jahrb. Syst. v. p. 664. n. 18, pl. 45. ff. 10, 10 B (1890). *Adapantus Transmarinus, Brunn.* Mon. Pseudoph. p. 159. n. 1 (1895). *Platyphyllum Osorioi, Bol.* An. Soc. Españ. xv. p. 346 (1886). *Adapantopsis Ossorioi, Karsch,* l. c. xxxviii. p. 137. n. 114 (1893). *Adapantus Egenus, Karsch,* l. c. xxxvi. p. 105. n. 2 (1891).	W. Africa.

Genus 352. **Adapantus.**

Karsch, Berlin. Ent. Zeitschr. xxxvi. pp. 79, 103 (1891); Brunn. Mon. Pseudoph. pp. 17, 158 (1895).

1. **A. Bardus, Karsch,** l. c. p. 105. n. 1, pl. 4. ff. 14, 14 *a* (1891); Brunn. l. c. p. 159. n. 2 (1895).	Cameroons.

Genus 353. **Brachyauchenus.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 17, 160 (1895).

1. **B. Castaneus, Brunn.** l. c. p. 160. n. 1, pl. 7. f. 73 (1895).	Bogota.
2. **B. Amœnus, Brunn.** l. c. pp. 160, 161. n. 2 (1895).	Peru.
3. **B. Atrosignatus, Brunn.** ll. cc. n. 3 (1895).	Quito.
4. **B. Festæ, Griff.** Boll. Mus. Torino, xi. (232) p. 16 (1896); Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 413. n. 2 (1898).	Panama.

Genus 354. **Chœroparnops.** (*Type* no. 3.)

Dohrn, Stett. Ent. Zeit. xlix. p. 359 (1888).

Echinacris, Pict. Mém. Soc. Genève, xxx. (6) p. 19 (1888); Brunn. Mon. Pseudoph. pp. 18, 162 (1895). (*Type* no. 2.)

1. **C. Tuberculata, Walk. (*Panoploscelis T.*) Cat. Derm. Salt. B. M. iii. p. 436. n. 2 (1870).	Para.

2. **C. Hispida, Pict.** (*Echinacris H.*) l. c. p. 20, pl. 1. ff. 5, 5 *a* (1888); Brunn. l. c. p. 162. n. 1. pl. 7. f. 74 (1895).	Upper Amazons.
3. **C. Hahneli, Dohrn,** l. c. p. 360. n. 1 (1888).	Fonteboa.
4. **C. Garleppi, Dohrn,** l. c. n. 2, pl. 2. f. 3 *a, b* (1888).	Ucayali.
5. **C. Platythorax, Dohrn,** l. c. n. 3 (1888).	Huallaga.
6. **C. Tuberculosa, Walk. (*Panoploscelis* (?) *T.*) l. c. p. 436. n. 3 (1870).	Ega.
7. **C. Fulvus, Dohrn,** l. c. p. 360. n. 3 (1888). *Echinacris Fulva, Brunn.* l. c. pp. 162, 163. n. 2 (1895).	Manaos.
8. **C. Alata, Brunn.** (*Echinacris A.*) ll. cc. n. 3 (1895); (?) Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 94 (1898).	Iquitos; Ecuador (?)

Genus 355. **Gongrocnemis.** (*Type* no. 3.)

Brunn. Mon. Pseudoph. pp. 18, 163 (1895);
Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 414 (1898).

*1. **G. Tibialis, Brunn.** l. c. pp. 164, 165. n. 1 (1895).	Panama, Colombia.
2. **G. Dentipes, Sauss. & Pict. l. c. p. 415. n. 2 (1898).	Costa Rica.
*3. **G. Pallidespinosa, Brunn.** l. c. pp. 164, 165. n. 2, pl. 7. f. 75 (1895); Sauss. & Pict. l. c. p. 416. n. 3 (1898).	Mexico, Guatemala.
*4. **G. Deminuta, Brunn.** l. c. pp. 164, 166. n. 3 (1895); Sauss. & Pict. l. c. n. 4 (1898).	Guatemala.
5. **G. Fissa, Sauss. & Pict. l. c. p. 417. n. 5, pl. 20. f. 4 (1898).	id.
6. **G. Bivittata, Brunn.** l. c. pp. 164, 166. n. 4 (1895).	Mexico, Guatemala.
7. **G. Zendala, Sauss. & Pict. l. c. p. 418. n. 7 (1898).	Mexico.
*8. **G. Incerta, Brunn.** l. c. pp. 165, 167. n. 5 (1895).	Mexico, Guatemala.
9. **G. Nigrospinosa, Brunn.** ll. cc. n. 6 (1895).	Mexico.
10. **G. Accola, Brunn.** ll. cc. n. 7 (1895); Sauss. & Pict. l. c. p. 418. n. 10, pl. 20. f. 5 (1898).	Guatemala.

11. **G. Atrosignata, Brunn.** l. c. pp. 165. 168. n. 8 (1895).	Peru.
12. **G. Unicolor, Brunn.** ll. cc. n. 9 (1895).	Brazil.
13. **G. Circumdata, Walk. (*Meroncidius Circumdatus*) l. c. iii. p. 446. n. 23 (1870). *G. Mutica, Brunn.* l. c. pp. 165, 168. n. 10 (1895) ; Sauss. & Pict. l. c. p. 419. n. 11, pl. 20. f. 6 (1898).	Mexico.
14. **G. Parva, Brunn.** l. c. pp. 165, 169. n. 11 (1895).	Brazil.
15. **G. Tenebrosa, Walk. (*Meroncidius Tenebrosus*) l. c. p. 447. n. 24 (1870). *G. Azteca, Sauss. & Pict.* l. c. p. 419. n. 12 (1898).	Mexico.
16. **G. Munda, Brunn.** l. c. pp. 165, 169. n. 12 (1895).	id.
17. **G. Brevicauda, Sauss. & Pict.** l. c. p. 420. n. 14 (1898).	Costa Rica.
18. **G. Truncatistyla, Brunn.** l. c. pp. 165, 169. n. 13 (1895).	Amazons.
19. **G. Davidis, Griff.** Boll. Mus. Torino, xi. (232) p. 17 (1896) ; Sauss. & Pict. l. c. p. 420. n. 15 (1898).	Panama.

Genus 356. **Anchiptolis.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 18, 170 (1895) ;
Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 421 (1898).

*1. **A. Mexicana, Sauss.** (*Acanthodis M.*) Rev. Zool. (2) xi. p. 206 (1859). *Anchiptolis Mexicana, Sauss. & Pict.* l. c. p. 421. n. 1, pl. 20. ff. 8–10 (1898). ♀. *Acanthodis Azteca, Sauss.* l. c. p. 296 (1859). *Anchiptolis Inconstans, Brunn.* l. c. p. 170. n. 1 (1895). ‖*Meroncidius Specularis*, var. (?), *Walk.* (*nec Fabr.*) Cat. Derm. Salt. B. M. iii. p. 442. n. 4 (1870).	Mexico, Guatemala.
2. **A. Gaumeri, Sauss. & Pict. l. c. p. 422. n. 2, pl. 20. f. 11 (1898).	Mexico.
3. **A. Subconspersa, Sauss. & Pict. l. c. n. 3 (1898).	Guatemala.

4. **A. Tenuistylus, Sauss. & Pict. l. c. n. 4 (1898).	Guatemala.
5. **A. Peruviana, Sauss. & Pict.** l. c. p. 423. n. 5. pl. 20. f. 12 (1898).	Peru.
6. **A. Pleminioides, Brunn.** l. c. p. 170. n. 2 (1895).	Amazons.
7. **A. Obtusus, Brunn.** l. c. pp. 170, 171. n. 3 (1895).	id., Bolivia.
8. **A. Excelsior, Brunn.** ll. cc. n. 4 (1895).	Amazons.
9. **A. Atrifrons, Giglio-Tos,** Boll. Mus. Torino, xv. (377) p. 7 (1900).	Urucum.

Genus 357. **Idiarthron.** (*Type* no. 3.)

Brunn. Mon. Pseudoph. pp. 18, 173 (1895);
Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 423 (1893).

*1. **I. Incurvum, Stål,** (*Meroncidius Incurvus*) Bihang Svenska Akad. iii. (14) p. 41 (1876). *I. Incurvum, Brunn.* l. c. p. 172. n. 1, pl. 7. f. 77 *c* (1895); Sauss. & Pict. l. c. p. 425. n. 1, pl. 20. ff. 13–15 (1898).	Panama, Venezuela, Amazons.
2. **I. Furcatum, Sauss. & Pict. l. c. p. 425. n. 2, pl. 20. ff. 16–19 (1898).	Costa Rica.
*3. **I. Atrispinus, Stål,** (*Meroncidius A.*) Recens. Orth. ii. p. 84 (1874). *I. Atrispinum, Brunn.* l. c. pp. 172, 173. n. 2, pl. 7. f. 77 *a, b* (1895); Sauss. & Pict. l. c. p. 426. n. 3, pl. 20. ff. 20, 21 (1898).	id., Guatemala, Costa Rica.
4. **I. Clavicercum, Rehn,** Trans. Amer. Ent. Soc. xxix. p. 27 (1902).	Guatemala.
5. **I. Subquadratum, Sauss. & Pict. l. c. p. 426. n. 4, pl. 20. ff. 22, 23 (1898).	id.
6. **I. Subnotatum, Brunn.** l. c. pp. 172, 173. n. 3 (1895); Sauss. & Pict. l. c. p. 426. n. 5 (1898).	Bogota, Costa Rica.

Genus 358. **Drepanoxiphus.**

Brunn. Mon. Pseudoph. pp. 18, 173 (1895).

1. **D. Minutus, Brunn.** l. c. p. 174. n. 1, pl. 7. f. 78 (1895).	Chiriqui.

Genus 359. **Enthacanthodes.**

Brunn. Mon. Pseudoph. pp. 18, 174 (1895).

1. **E. Semimuticus, Brunn.** l. c. p. 174. n. 1, pl. 7. f. 79 (1895).	Brazil.

Genus 360. **Nesœcia.** (*Type* no. 2.)

Scudd. Bull. Mus. Harvard Coll. xxv. p. 20 (1893).
‖*Liparoscelis*, *McNeill* (*nec Stål*), Proc. Washington Acad. Sci. iii. p. 496 (1901).

*1. **N. (?) Nigrispina, Stål,** (*Liparoscelis N.*) Œfv. Vet.-Akad. Förh. xxx. (4) p. 49. n. 2 (1873); Recens. Orth. ii. p. 86. n. 2 (1874). *Liparoscelis Nigrispinis, Brunn.* Mon. Pseudoph. p. 175. n. 1 (1895).	Mexico.
2. **N. Cooksoni, Butl. (*Agraecia C.*) Proc. Zool. Soc. Lond. 1877, p. 87. *N. Cooksoni, Scudd.* l. c. p. 21, pl. 3. ff. 9, 10 (1893). *Liparoscelis Cooksoni, Brunn.* l. c. pp. 175, 176. n. 2 (1895); McNeill, l. c. p. 497, f. 38 (1901).	Galapagos: Charles Is.
3. **N. Ensifer, McNeill,** (*Liparoscelis Cooksoni Ensifer*) l. c. p. 498, f. 39 (1901).	Galapagos: Hood I.
4. **N. Paludicola, McNeill,** (*Liparoscelis P.*) l. c. p. 499, f. 40 (1901).	iid.
5. **N. Pallida, McNeill,** (*Liparoscelis Pallidus*) l. c. p. 500, f. 41 (1901).	Galapagos: Barr'gton I.

Genus 361. **Liparoscelis.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 47 (1873); Recens. Orth. ii. p. 64 (1874); Brunn. Mon. Pseudoph. pp. 18, 174 (1895).

*1. **L. Pallidispina, Stål,** ll. cc. p. 49. n. 1 (1873); p. 85. n. 1 (1874); Brunn. l. c. pp. 175, 176. n. 3, pl. 7. f. 80 (1895).	Mexico.
2. **L. Modesta, Brunn.** ll. cc. n. 4 (1895).	Colombia.

Genus 362. **Trichotettix.**

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 47 (1873); Recens. Orth. ii. p. 64 (1874); Brunn. Mon. Pseudoph. pp. 18, 177 (1895).

1. **T. Pilosula, Stål,** Œfv. Vet.-Akad. Förh. xxx. (4) p. 49. n. 1 (1873). — Colombia.
T. Pilosulus, Stål, Recens. Orth. ii. p. 87. n. 1 (1874).
T. Pilosus, Brunn. l. c. p. 177. n. 1 (1895).

Genus 363. **Gnathoclita.** (*Type* no. 1.)

Haan, Temminck, Verhandel., Orth. p. 208 (1842); Brunn. Mon. Pseudoph. pp. 19, 178 (1895).

1. **G. Vorax, Stoll,** (*Gryllus Acheta V.*) Spectres. Gryll. Achet. p. 8, pl. 4 *c.* ff. 19, 20 (1813). — Surinam.
Anostostoma Vorax, Serv. Ins. Orth. p. 389, pl. 8. f. 3 (1839).
Locusta (*Gnathoclita*) *Vorax, Haan,* l. c. p. 208 (1842).
G. Vorax, Brunn. l. c. p. 179. n. 1, pl. 7. f. 82 (1895).
2. **G. Sodalis, Brunn.** l. c. n. 2 (1895). — Hab. —— ?

Genus 364. **Dicranostomus.** (*Type* no. 1.)

Dohrn, Stett. Ent. Zeit. xlix. p. 361 (1888); Brunn. Mon. Pseudoph. pp. 19, 179 (1895).

1. **D. Monoceros, Dohrn,** l. c. p. 362, pl. 2 *a, b* (1888). — Peru.
D. Monocerus, Brunn. l. c. p. 180. n. 1 (1895).
*2. **D. Nitidus, Brunn.** l. c. n. 2, pl. 7. f. 83 (1895). — id.

Genus 365. **Bliastes.** (*Type* no. 28.)

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 47 (1873); Recens. Orth. ii. p. 65 (1874); Brunn. Mon. Pseudoph. pp. 19, 180 (1895).

1. **B. Denticulatus, Brunn.** l. c. pp. 181, 183. n. 1 (1895).	S. America.
2. **B. Longelaminatus, Brunn. ll. cc. n. 2 (1895).	W. Indies, Grenada.
3. **B. Salomonoides, Brunn.** l. c. pp. 181, 184. n. 3 (1895).	Martinique.
4. **B. Superbus, Redt. Proc. Zool. Soc. Lond. 1892, p. 211, pl. 16. f. 12 ; Brunn. l. c. pp. 181, 184. n. 4 (1895).	W. Indies, St. Vincent.
5. **B. Triguttatus, Brunn.** l. c. pp. 181, 185. n. 5 (1895).	Venezuela.
6. **B. Lineolatus, Brunn.** ll. cc. n. 6 (1895).	Colombia.
7. **B. Scabrifrons, Brunn.** l. c. pp. 182, 187. n. 9 (1895).	S. America.
8. **B. Lineatifrons, Brunn.** ll. cc. n. 10 (1895) ; Sauss. & Pict. Biol. Centr.-Amer., Orth. i. pp. 428, 429. n. 3 (1898).	Honduras.
9. **B. Lævifrons, Brunn.** l. c. pp. 182, 187, pl. 7. f. 84 (1895).	Venezuela.
10. **B. Ochraceus, Brunn.** l. c. pp. 182, 188. n. 12 (1895).	Ecuador.
11. **B. Bivittatus, Brunn.** ll. cc. n. 13 (1895).	Surinam.
12. **B. Pallidenotatus, Brunn.** l. c. pp. 182, 189. n. 15 (1895).	Amazons.
13. **B. Submarginatus, Walk. (*Meroncidius S.*) Cat. Derm. Salt. B. M. iii. p. 450. n. 30 (1870). *B. Limbatus, Brunn.* l. c. pp. 182, 190. n. 16 (1895).	Para.
14. **B. Verrucosus, Brunn.** ll. cc. n. 17 (1895).	Peru.
15. **B. Vittifrons, Walk. (*Meroncidius V.*) l. c. v. Suppl. p. 45 (1871). **♀. *B. Tæniatifrons, Sauss. & Pict.* Biol. Centr.-Amer., Orth. i. pp. 428, 429. n. 4, pl. 20. f. 25 (1898).	Chontales, Guatemala.
*16. **B. Atrifrons, Brunn.** l. c. pp. 182, 190. n. 18 (1895) ; Sauss. & Pict. l. c. pp. 428, 429. n. 5, pl. 20. f. 24 (1898).	Chiriqui.
17. **B. Venustus, Brunn.** l. c. pp. 182, 191. n. 19 (1895).	Upper Amazons.
18. **B. Viridifolius, Brunn.** ll. cc. n. 20 (1895).	Amazons.
19. **B. Granosus, Brunn.** l. c. pp. 183, 192. n. 21 (1895).	id. ; Peru.

20. **B. Connexus, Brunn.** l. c. pp. 183, 192. n. 22 (1895).	Cayenne, Ucayali.
21. **B. Fasciatus, Brunn.** ll. cc. n. 23 (1895).	Costa Rica.
22. **B. Acuminatus, Brunn.** l. c. pp. 183, 193. n. 24 (1895).	Amazons.
23. **B. (?) Specularis, Fabr.** (*Locusta S.*) Syst. Ent. p. 284. n. 10 (1775).	America.
24. **B. (?) Reticulatus, Fabr.** (*Locusta Reticulata*) Ent. Syst. ii. p. 40. n. 28 (1793).	Guadeloupe
*25. **B. Moristoides, Brunn.** l. c. pp. 183, 193. n. 25 (1895).	Mexico, W. Indies.
26. **B. Indistinctus, Walk. (*Meroncidius I.*) l. c. p. 451. n. 33 (1870).	Brazil (?).
27. **B. (?) Falconarius, De Geer,** (*Locusta Falconaria*) Mém. Ins. iii. p. 452. n. 12, pl. 39. f. 4 (1773).	Surinam.
28. **B. Discoidalis, Walk. (*Meroncidius D.*) l. c. iii. p. 448. n. 26 (1870).	Jamaica.
***Meroncidius Subnotatus, Walk.* l. c. p. 449. n. 28 (1870).	
***Meroncidius Fumosus, Walk.* l. c. n. 29 (1870).	
B. Platyphylloides, Brunn. l. c. pp. 183, 194. n. 26 (1895).	
29. **B. (?) Albomarginatus, Serv.** (*Acanthodis Albomarginata*) Ins. Orth. p. 457. n. 8 (1839).	Cayenne.
30. **B. Punctifrons, Stål,** ll. cc. p. 49. n. 1 (1873); p. 91. n. 1 (1874); Brunn. l. c. pp. 183, 194. n. 27 (1895).	Colombia.

Genus 366. **Parabliastes.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 19, 195 (1895).

1. **P. Contortipes, Brunn.** l. c. p. 195. n. 1, pl. 7. f. 85 (1895).	Guiana.
2. **P. Signatifrons, Brunn.** l. c. p. 195. n. 2 (1895).	Amazons.
3. **P. Vermiculatus, Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 430. n. 1 (1898).	Panama.

Genus 367. **Nastonotus.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. France, (6) x. p. 143 (1890).

1. **N. Tarsatus, Bol.** l. c. p. 144 (1890). *Bliastes Tarsatus, Brunn.* Mon. Pseudoph. pp. 181, 186. n. 7 (1895).	Venezuela.
2. **N. Reductus, Brunn.** (*Bliastes R.*) ll. cc. n. 8 (1895).	id.

Genus 368. **Clisis.**

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 47 (1871).

1. **C. Annulicornis, Walk. l. c. n. 1 (1871).	Brazil.

Genus 369. **Æmasia.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 19, 196 (1895).

*1. **Æ. Viridis, Brunn.** l. c. p. 196. n. 1, pl. 7. f. 86 (1895).	Peru.
2. **Æ. Major, Brunn.** l. c. p. 196. n. 2 (1895).	Tapajos.

Genus 370. **Panoploscelis.**

Scudd. Proc. Boston Soc. Nat. Hist. xii. p. 333 (1869); Dohrn, Stett. Ent. Zeit. xlix. pp. 355, 356 (1888); Brunn. Mon. Pseudoph. pp. 19, 196 (1895).

*1. **P. Armata, Scudd.** l. c. p. 334. n. 10 (1869); Walk. Cat. Derm. Salt. B. M. iii. p. 435. n. 1 (1870); Dohrn, l. c. p. 358, pl. 2. f. 1 (1888); Brunn. l. c. p. 197. n. 1, pl. 8. f. 87 (1895).	Amazons. Rio Negro.

Genus 371. **Stenotettix.**

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 47 (1873); Recens. Orth. ii. p. 66 (1874); Brunn. Mon. Pseudoph. pp. 19, 198 (1895).

1. **S. Macilentus, Stål,** ll. cc. p. 50 (1873); p. 94. n. 1 (1874); Brunn. l. c. p. 198. n. 1 (1895).	Colombia.

Genus 372. **Cocconotus.** (*Type* no. 18.)

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 46 (1873); Recens. Orth. ii. pp. 65, 89 (1874); Bol. Viaje al Pacif., Ins. p. 70 (1884); Brunn. Mon. Pseudoph. pp. 19, 198 (1895); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 95 (1898); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 425 (1898).

1. **C. Nigrescens, Brunn.** l. c. pp. 199, 201. n. 1 (1895); Sauss. & Pict. l. c. pp. 431, 432. n. 1 (1898).	Colombia.
2. **C. Meroncidioides, Brunn.** l. c. pp. 191, 201. n. 2 (1895); Giglio-Tos, l. c. p. 95 (1898); Sauss. & Pict. l. c. pp. 431, 432. n. 2 (1898).	Mexico.
3. **C. Fraternus, Sauss. & Pict. l. c. pp. 431, 433. n. 3 (1898).	Panama.
4. **C. Sagittatus, Sauss. & Pict. ll. cc. n. 4, pl. 20. f. 29 (1898).	id.
5. **C. Constrictus, Brunn.** l. c. pp. 199, 202. n. 3 (1895); Sauss. & Pict. l. c. pp. 431, 433. n. 5 (1898).	Chiriqui.
6. **C. Retiarius, Stål,** Recens. Orth. ii. p. 90. n. 3 (1874); Brunn. l. c. pp. 199, 202. n. 4 (1895); Sauss. & Pict. l. c. pp. 431, 435. n. 6 (1898).	Colombia.
7. **C. Tricornis, Thunb.** (*Conocephalus T.*) Mém. Acad. Pétersb. v. p. 278 (1815). *Cocconotus Tricornis, Stål,* l. c. p. 90. n. 4 (1874); Brunn. l. c. pp. 199, 202. n. 5 (1895).	W. Indies, St. Bartholomew.
8. **C. Striolatus, Redt. (*Bliastes S.*) Proc. Zool. Soc. Lond. 1892, p. 212, pl. 16. f. 13. *C. Striolatus, Brunn.* l. c. pp. 199, 203. n. 6 (1895).	W. Indies, St. Vincent.
9. **C. Bellicosus, Rehn,** Trans. Amer. Ent. Soc. xxix. p. 30 (1902).	Cocos I.
*10. **C. Globosus, Brunn.** l. c. pp. 199, 203. n. 7, pl. 8. f. 89 (1895); Sauss. & Pict. l. c. pp. 431, 434. n. 7, pl. 20. ff. 26–28 (1898).	Mexico, Guatemala.
11. **C. Pelloneræ, Griff.** Boll. Mus. Torino, xi. (232) p. 22 (1896); xiii. (319) p. 3 (1898); Giglio-Tos, l. c. xiii. (311) p. 96 (1898); Sauss. & Pict. l. c. pp. 431. 431. n. 8 (1898).	Panama, Ecuador.

12. **C. Modestus, Brunn.** l. c. pp. 200, 204. n. 8 (1895); Griff. l. c. xiii. (319) p. 5 (1898); Sauss. & Pict. l. c. pp. 432, 435. n. 9 (1898).	Guatemala.
13. **C. Sharpi, Griff.** l. c. xiii. (319) p. 5 (1898).	Ecuador.
14. **C. Ferrugineus, Brunn.** l. c. pp. 200, 204. n. 9 (1895).	Amazons.
15. **C. Atrifrons, Brunn.** l. c. pp. 200, 205. n. 11 (1895).	Guayaquil.
16. **C. Æthiops, Brunn.** ll. cc. n. 12 (1895).	Colombia.
17. **C. Lignicolor, Rehn,** l. c. p. 29 (1902).	Nicaragua.
18. **C. Degeeri, Stål,** (*Meroncidium De Geeri*) Eugenies Resa, Orth. p. 322. n. 62 (1860). *Meroncidius Degeeri, Walk.* Cat. Derm. Salt. B. M. iii. p. 443. n. 11 (1870). *C. DeGeeri, Stål,* Recens. Orth. ii. p. 89. n. 1 (1874); Griff. l. c. xi. (232) p. 21 (1896). *C. Degeeri, Brunn.* l. c. pp. 200, 206. n. 13 (1895); Sauss. & Pict. l. c. pp. 432, 435. n. 11 (1898).	Panama.
19. **C. Aratifrons, Brunn.** l. c. pp. 200, 206. n. 14 (1895); Pict. & Sauss. l. c. pp. 432, 435. n. 12 (1898).	Colombia.
20. **C. Maculifrons, Stål,** Œfv. Vet.-Akad. Förh. xxx. (4) p. 49. n. 1 (1873); Recens. Orth. ii. p. 89. n. 2 (1874); Brunn. l. c. pp. 200, 207. n. 15 (1895); Sauss. & Pict. l. c. pp. 432, 436. n. 13 (1898).	id.
21. **C. Inca, Sauss. & Pict.** ll. cc. n. 14 (1898).	Peru.
22. **C. Amorii, Bol.** An. Soc. Españ. x. pp. 489, 491 (1881); Viaje al Pacif., Ins. p. 72, pl. 3. f. 2 (1884); Brunn. l. c. pp. 200, 207. n. 16 (1895); Giglio-Tos, l. c. xiii. (311) p. 96 (1898).	Upper Amazons.
23. **C. Parvulus, Giglio-Tos,** l. c. p. 97 (1898).	Ecuador.
24. **C. Nigroantennatus, Brunn.** l. c. pp. 200, 207. n. 17 (1895).	Peru.
25. **C. Viridiafflatus, Brunn.** l. c. pp. 200, 208. n. 18 (1895); Sauss. & Pict. l. c. pp. 432, 436. n. 15 (1898).	Colombia.
26. **C. Differens, Bol.** ll. cc. pp. 489, 491, pl. 7. f. 6 (1881); p. 74, pl. 2. f. 4, pl. 3. f. 1 (1881); Brunn. l. c. pp. 201, 209.	Ecuador.

n. 21 (1895); Giglio-Tos, l. c. xiii. (311) p. 96 (1898); Griff. l. c. xiii. (319) p. 6 (1898).	
27. **C. Castus, Brunn.** l. c. pp. 201, 210. n. 22 (1895); Griff. l. c. xiii. (319) p. 6 (1898); Pict. & Sauss. l. c. pp. 432, 436. n. 16 (1898).	Mexico.
28. **C. Saussurei, Giglio-Tos,** l. c. xiii. (319) pp. 5, 6 (1898).	Ecuador.
29. **C. Ignobilis, Brunn.** l. c. pp. 201, 210. n. 23 (1895); Sauss. & Pict. l. c. pp. 432, 436. n. 17 (1898).	Venezuela, Colombia.
30. **C. Angustatus, Brunn.** l. c. pp. 201, 210. n. 24 (1895).	Peru.
31. **C. Adustus, Bol.** ll. cc. pp. 490, 491, pl. 8. f. 7 (1881); p. 75, pl. 2. f. 5 (1884); Brunn. l. c. pp. 201, 211. n. 25 (1895); Giglio-Tos, l. c. p. 97 (1898).	Ecuador, Amazons.
32. **C. Festæ, Giglio-Tos,** l. c. pp. 97, 100 (1898).	Ecuador.
33. **C. Pulcher, Brunn.** l. c. pp. 201, 211. n. 26 (1895).	Peru.

Genus 373. **Thamnobates.**

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 436 (1898).

1. **T. Subfoliata, Sauss. & Pict. l. c. p. 437. n. 1, pl. 20. ff. 30–32 (1898).	Panama.

Genus 374. **Cratonotus.** (*Type* no. 1.)

Bol. An. Soc. Españ. x. p. 486 (1881);
Viaje al Pacif., Ins. p. 66 (1884).

1. **C. Armatus, Bol.** ll. cc. p. 487, pl. 8. f. 8 (1881); p. 67 (1884). *Bliastes Armatus, Brunn.* Mon. Pseudoph. pp. 182, 189. n. 14 (1895). *Cocconotus Armatus, Brunn.* l. c. pp. 200, 204. n. 10 (1895).	Ecuador.
2. **C. Isernii, Bol.** ll. cc. p. 488 (1881); p. 68 (1884). *Cocconotus Isernii, Brunn.* l. c. pp. 201, 209. n. 20 (1895); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 96 (1898).	id.

Genus 375. **Condylocnemis.**

Brunn. Mon. Pseudoph. p. 19 (1895).
Condylocnema, *Brunn.* l. c. p. 212 (1895).

1. **C. Callosa, Brunn.** (*Condylocnema C.*) l. c. p. 212. n. 1, pl. 8. f. 90 (1895).	Venezuela.

Genus 376. **Nannotettix.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 19, 212 (1895).

1. **N. Elongatus, Brunn.** l. c. pp. 213, 214. n. 1, pl. 8. f. 91 (1895).	Colombia.
2. **N. Spissus, Brunn.** ll. cc. n. 2 (1895).	Bogota.
3. **N. Marginatus, Brunn.** ll. cc. n. 3 (1895); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 437. n. 2, pl. 21. f. 1 (1898).	Mexico.
4. **N. Vittatus, Brunn.** l. c. pp. 213, 214. n. 4 (1895).	id.
5. **N. Guentheri, Brunn.** l. c. pp. 213, 215. n. 5 (1895).	Bolivia.
6. **N. Longipes, Brunn.** ll. cc. n. 6 (1895).	Peru.
7. **N. Pallidevittatus, Brunn.** ll. cc. n. 7 (1895); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 101 (1898).	Bolivia, Ecuador.

Genus 377. **Disceratus.** (*Type* no. 1.)

Scudd. Proc. Boston Soc. Nat. Hist. xii. p. 334 (1869);
Brunn. Mon. Pseudoph. pp. 19, 216 (1895).

1. **D. Nubiger, Scudd.** l. c. p. 335 (1869); Brunn. l. c. p. 216. n. 1 (1895).	Ecuador.
2. **D. Festæ, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 101 (1898).	id.
3. **D. Karschi, Brunn.** l. c. p. 216. n. 2, pl. 8. f. 92 (1895).	Costa Rica.

Genus 378. **Homalaspis.**

Brunn. Mon. Pseudoph. pp. 19, 217 (1895).

1. **H. Læta, Brunn.** l. c. p. 217. n. 1, pl. 8. f. 93 (1895).	Amazons.

Genus 379. **Ischnomela.**

Stal, Œfv. Vet.-Akad. Förh. xxx. (4) p. 47 (1873); Recens. Orth. ii. p. 66 (1874); Brunn. Mon. Pseudoph. pp. 20, 217 (1895).

*1. **I. Gracilis, Stål,** ll. cc. p. 49 (1873); p. 93 (1874); Brunn. l. c. p. 218. n. 1 (1895); Griff. Boll. Mus. Torino, xi. (232) p. 18 (1896); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 438. n. 1, pl. 21. f. 2 (1898).	Bogota, Panama.

Genus 380. **Jimenezia.**

Bol. An. Soc. Españ. x. p. 492 (1881); Viaje al Pacif., Ins. p. 177 (1884); Brunn. Mon. Pseudoph. pp. 20, 218 (1895).

1. **J. Elegans, Bol.** ll. cc. p. 493, pl. 9. f. 4 (1881); p. 79, pl. 2. f. 6 (1884); Brunn. l. c. p. 219. n. 1, pl. 8. f. 95 (1895).	Ecuador.

Genus 381. **Macrochiton.** (*Type* no. 2.)

Brunn. Mon. Pseudoph. pp. 20, 219 (1895).

1. **M. Pallidespinosus, Brunn.** l. c. p. 219. n. 1 (1895).	Hab. —— ?
*2. **M. Heros, Brunn.** l. c. pp. 219, 220. n. 2, pl. 8. f. 96 (1895).	Colombia.
*3. **M. Adjutor, Brunn.** ll. cc. n. 3 (1895).	Peru.

Genus 382. **Acanthodiphrus.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 48 (1871).
Cecentromenus, Brunn. Mon. Pseudoph. pp. 20, 220 (1895). (*Type* no. 1.)

1. **A. Conspersus, Walk. l. c. p. 48 (1871). *Cecentromenus Marmoratus, Brunn.* l. c. p. 221. n. 1, pl. 8. f. 97 (1895); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 439, n. 1 (1898).	Nicaragua, Panama.
2. **A. Areolatus, Brunn.** (*Cocconotus A.*) l. c. pp. 200, 208. n. 19 (1895); Giglio-Tos, Boll. Mus. Torino, xiii. (311) pp. 96, 97 note, 98 (1898).	Peru, Ecuador, Amazons, Montevideo.
3. **A. Similis, Giglio-Tos,** (*Cocconotus S.*) l. c. pp. 97, 98 (1898); Griff. Boll. Mus. Torino, xiii. (319) p. 6 (1898).	Ecuador.
4. **A. Camerani, Griff.** (*Bliastes C.*) l. c. xi. (232) p. 19 (1896); Sauss. & Pict. l. c. p. 428. n. 2 (1898). *Cocconotus Camerani, Giglio-Tos,* l. c. xiii. (311) p. 97 note (1898).	Panama.

Genus 383. **Leptotettix.** (*Type* no. 7.)

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 47 (1873); Recens. Orth. ii. p. 66 (1874); Brunn. Mon. Pseudoph. pp. 20, 221 (1895).

1. **L. Pubiventris, Bol.** An. Soc. Españ. x. p. 493 (1881): Viaje al Pacif., Ins. p. 80 (1884); Brunn. l. c. p. 222. n. 1 (1895).	Ecuador, Peru.
2. **L. Longestylatus, Brunn.** l. c. pp. 222, 223. n. 2, pl. 9. f. 98 (1895).	Amazons.
3. **L. Bolivari, Brunn.** ll. cc. n. 3 (1895).	Peru.
4. **L. Voluptarius, Brunn.** ll. cc. n. 4 (1895).	Amazons.
5. **L. Nigronotatus, Brunn.** l. c. pp. 222, 224. n. 5 (1895).	Guatemala, Bogota (?).
6. **L. Gigliotosi, Griff.** Boll. Mus. Torino, xi. (232) p. 23 (1896); Sauss. & Pict. Biol.-Centr. Amer., Orth. i. p. 439. n. 2 (1898).	Panama.
7. **L. Falconarius, De Geer,** (*Locusta Falconaria*) Mém. Ins. iii. p. 452. n. 12, pl. 39. f. 4 (1773).	Surinam.

L. Falconarius, Stål, Recens. Orth. ii. p. 92. n. 1 (1874); Brunn. l. c. pp. 222, 224. n. 6 (1895).	
Conocephalus Triceps, Thunb. Mém. Acad. Pétersb. v. p. 278 (1815).	
8. **L. Dohrni, Brunn.** l. c. pp. 222, 224. n. 7 (1895).	Amazons.
9. **L. (?) Immunis, Walk. (*Meroncidius I.*) Cat. Derm. Salt. B. M. iii. p. 454. n. 38 (1870).	Honduras.
10. **L. Innotatus, Walk. (*Meroncidius I.*) l. c. p. 452. n. 36 (1870).	Bogota.
11. **L. Transvittatus, Scudd.** (*Meroncidius T.*) Proc. Boston Soc. Nat. Hist. xvii. p. 264 (1874).	Peru.
12. **L. Tessellatus, Scudd.** (*L. Tessellata*) l. c. (1874).	id.

Genus 384. **Semileptotettix.** (*Type* no. 6.)

Brunn. Mon. Pseudoph. pp. 20, 225 (1895).

1. **S. Pilosus, Brunn.** l. c. pp. 225, 226. n. 1 (1895).	Colombia.
2. **S. Elegans, Brunn.** ll. cc. n. 2 (1895); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 102 (1898).	Amazons, Ecuador.
3. **S. Nanus, Giglio-Tos,** l. c. (1898).	Ecuador.
4. **S. Viridifrons, Brunn.** l. c. pp. 225, 226. n. 3 (1895).	Colombia.
5. **S. Nigrovittatus, Brunn.** l. c. pp. 225, 227. n. 4 (1895).	Surinam.
*6. **S. Arenosus, Burm.** (*Acanthodis Arenosa*) Handb. Ent. ii. p. 700. n. 4 (1838).	Brazil, Archidona.
S. Arenosus, Brunn. l. c. pp. 226, 227. n. 5, pl. 9. f. 99 (1895).	
***Meroncidius Tessellatus, Walk.* Cat. Derm. Salt. B. M. iii. p. 451. n. 34 (1870).	
7. **S. Triangularis, Brunn.** l. c. pp. 226, 227. n. 6 (1895).	Paraguay.
8. **S. Salvadorii, Griff.** Boll. Mus. Torino, xi. (221) p. 1, fig. (1896).	Brazil.

Genus 385. **Teleutias.** (*Type* no. 7.)

Stål, Recens. Orth. ii. p. 65 (1874);
Brunn. Mon. Pseudoph. pp. 20, 228 (1895).

1.	**T. Fuscus, Brunn.** l. c. pp. 228, 229. n. 1, pl. 9. f. 100 (1895).	Peru.
2.	**T. Vicinissimus, Brunn.** ll. cc. n. 2 (1895).	Amazons.
3.	**T. Obtusatus, Brunn.** l. c. pp. 228, 230. n. 3 (1895).	Ecuador.
4.	**T. Brevifolius, Brunn.** l. c. pp. 229, 230. n. 4 (1895).	Amazons.
5.	**T. Binotatus, Brunn.** ll. cc. n. 5 (1895).	id.
6.	**T. Nigrotarsatus, Brunn.** ll. cc. n. 6 (1895).	id.
*7.	**T. Aduncus, Stål,** l. c. p. 88. n. 1 (1874); Brunn. l. c. pp. 229, 231. n. 7 (1895).	Upper Amazons.
8.	**T. Fasciatus, Brunn.** ll. cc. n. 8 (1895); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 103 (1898).	Amazons.
9.	**T. Castaneus, Brunn.** l. c. pp. 229, 231. n. 9 (1895).	Colombia.

Genus 386. **Diyllus.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iii. (14) p. 40 (1876).
Euacris, Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 440 (1898). (*Type* no. 1.)

*1.	**D. Discophorus, Stål,** l. c. p. 41. n. 1 (1876). ***Euacris Pictipennis, Sauss. & Pict.* l. c. p. 441. n. 1, pl. 21. ff. 3–8 (1898).	Chiriqui, Costa Rica.
2.	**D. Richmondi, Rehn,** (*Euacris R.*) Trans. Amer. Ent. Soc. xxix. p. 30 (1902).	Nicaragua.

Genus 387. **Polyancistrus.**

Serv. Ann. Sci. Nat. xxii. p. 153 (1831); Ins. Orth. p. 534 (1839); Burm. Handb. Ent. ii. p. 702 note (1838); Brunn. Mon. Pseudoph. pp. 20, 232 (1895).
Lobodes, Fisch. Waldh. Bull. Mosc. xix. (4) p. 479 (1846).

*1. **P. Serrulatus, Beauv.** (*Locusta Serrulata*) Ins. Afr. Amér. p. 218, Orth. pl. 7. f. 2 (1805). Haiti. Porto Rico.
P. Serrulatus, Serv. ll. cc. p. 154. n. 1 (1831): p. 535. n. 1 (1839): Charp. Orth. pl. 50 (1845): Brunn. l. c. p. 233. n. 1. pl. 9. f. 101 (1895).
Lobodes Rubricornis, Fisch. Waldh. l. c. pp. 479. 480. n. 221, pl. 13. f. 2 (1846).

Genus 388. **Polyancistroides.**

Rehn. Canad. Ent. xxxiii. p. 272 (1901).
Pseudancistrus, Bol. (*nec Bleeker*) Viaje al Pacif.. Ins. p. 82 note (1884); Brunn. Mon. Pseudoph. pp. 20. 233 (1895).

1. **P. Gundlachi, Bol.** (*Pseudancistrus G.*) l. c. p. 82 note, pl. 3. f. 3 (1884); Brunn. l. c. p. 233. n. 1 (1895). Cuba.

Genus 389. **Pemba.**

Walk. Cat. Derm. Salt. B. M. iii. p. 481 (1870).

1. **P. Armata, Walk. l. c. p. 482. n. 1 (1870). Archidona.

Genus 390. **Scopiorus.** (*Type* no. 9.)

Stål. Œfv. Vet.-Akad. Förh. xxx. (4) p. 45 (1873); Recens. Orth. ii. p. 58 (1874): Brunn. Mon. Pseudoph. pp. 21, 234 (1895); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 442 (1898).

*1. **S. Nigridens, Stål,** Bihang Svenska Akad. iii. (14) p. 37 (1876); Brunn. l. c. pp. 234, 235. n. 1 (1895); Sauss. & Pict. l. c. p. 442. n. 1. pl. 21. ff. 9–12 (1898) Panama.

2. **S. Mucronatus, Sauss. & Pict.** l. c. pp. 442, 443. n. 2. pl. 21. f. 15 (1898). Costa Rica.

3. **S. Carinulatus, Sauss. & Pict. ll. cc. n. 3, pl. 21. f. 14 (1898). id.

*4. **S. Brevifolius, Brunn.** l. c. pp. 235, 236. n. 2. pl. 9. f. 103 (1895) ; Sauss. & Pict. l. c. pp. 442, 444. n. 4 (1898).	Mexico.
5. **S. Reticulatus, Brunn.** l. c. pp. 235, 236. n. 3 (1895) ; Sauss. & Pict. l. c. pp. 442, 444. n. 5 (1898).	id.
6. **S. Nigrostriolatus, Brunn.** l. c. pp. 235, 236. n. 4 (1895) ; Sauss. & Pict. l. c. pp. 442, 444. n. 6 (1898).	Mexico. Guatemala.
7. **S. Muticus, Brunn.** l. c. pp. 235, 237. n. 5 (1895) ; Sauss. & Pict. l. c. pp. 442, 444. n. 7 (1898).	Chiriqui.
*8. **S. Lancifolius, Brunn.** l. c. pp. 235, 237. n. 6 (1895) ; Sauss. & Pict. l. c. pp. 442, 444. n. 8, pl. 21. f. 13 (1898).	id.
9. **S. Sutorius, Stål,** (Öfv. Vet.-Akad. Förh. xxx. (4) p. 48 (1873) ; Recens. Orth. ii. p. 74. n. 1 (1874) ; Brunn. l. c. pp. 235, 237. n. 7 (1895) ; Sauss. & Pict. l. c. pp. 442, 445. n. 9 (1898).	Colombia.
10. **S. Latifolius, Brunn.** l. c. pp. 235, 238. n. 8 (1895) ; Sauss. & Pict. l. c. p. 442 (1898).	Amazons.

Genus 391. **Caloxiphus.**

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 445 (1898).

1. **C. Championi, Sauss. & Pict. l. c. n. 1 (1898). *Calloxiphus Championi, Sauss. & Pict.* l. c. pl. 21. ff. 16, 17 (1898).	Guatemala.

Genus 392. **Pterophylla.** (*Type* no. 1.)

Kirb. Intr. Ent. (ed. 5) ii. p. 218 (1828) ; Harr. Encycl. Amer. viii. p. 42 (1831).

Cyrtophyllus, Burm. Handb. Ent. ii. p. 697 (1838) ; Beut. Bull. Amer. Mus. Nat. Hist. vi. p. 279 (1894) ; Brunn. Mon. Pseudoph. pp. 21, 238 (1895) ; Blatchl. Rep. Indiana Dept. Geol. xxvii. p. 358 (1903) ; Caud. Journ. N. York Ent. Soc. xiv. pp. 34, 36 (1906).

*1. **P. Camellifolia, Fabr.** (*Locusta C.*) Syst. Ent. p. 283. n. 4 (1775). ♂. *Locusta Perspicillata, Fabr.* l. c. n. 6 (1775). *Cyrtophyllus Perspicillatus, Burm.* l. c. p. 697. n. 1 (1838); Brunn. l. c. p. 239. n. 1 (1895); Blatchl. l. c. pp. 358, 359. n. 88, f. 87 (1903); Caud. l. c. pp. 37, 38, pl. 1. ff. 3, 4, 7 (1906). *Pterophylla Concava, Harr.* l. c. p. 42 (1831). *Platyphyllum Concavum, Harr.* Rep. Ins. Mass. p. 128 (1841); (ed. iii.) p. 158, f. 74 (1862); Riley, Rep. Ins. Missouri, vi. p. 167, ff. 52–54 (1874). *Cyrtophyllus Concavus, Scudd.* Boston Journ. Nat. Hist. vii. p. 444. n. 1 (1862); Pack. Guide Stud. Ins. p. 566, f. 563 (1869); Glov. Ill. N. Amer. Orth. pl. 4. f. 15 (1872); Beut. l. c. p. 279, pl. 6. f. 1 (1894). *Platyphyllus Zimmermanni, Sauss.* Rev. Zool. (2) xi. p. 206 (1859).	United States.
2. **P. Hypericifolia, Stoll,** (*Gryllus Tettigonia H.*) Spectres, Saut. p. 10, pl. 3 *a*. f. 9 (1813). *Cyrtophyllus Hypericifolius, Burm.* l. c. p. 697. n. 2 (1838).	Surinam.
3. **P. Elongata, Caud.** (*Cyrtophyllus Elongatus*) l. c. pp. 37, 40 (1906).	Pens., Virg., Ind., Texas.
4. **P. Furcata, Caud.** (*Cyrtophyllus Furcatus*) l. c. pp. 37, 41, pl. 1. f. 9 (1906).	Nebraska.
5. **P. Intermedia, Caud.** (*Cyrtophyllus Intermedius*), ll. cc. ff. 2, 8 (1906).	Mississippi, Texas.

Genus 393. **Paracyrtophyllus.**

Caud. J. N. York Ent. Soc. xiv. p. 34 (1906).

1. **P. Robustus, Caud.** l. c. p. 36, pl. 1. ff. 1, 6 (1906).	Texas.

Genus 394. **Lea.**

Caud. J. N. York Ent. Soc. xiv. pp. 34, 42 (1906).

1. **L. Floridensis, Beut.** (*Cyrtophyllus F.*) Bull. Amer. Mus. Nat. Hist. xix. pp. 637, 638, fig. (1903). *L. Floridensis, Caud.* l. c. pp. 42, 43 fig. (1906).	Florida.

Genus 395. **Chlorocœlus.**

Bates, Journn. Ent. i. p. 474 (1862).

*1. **C. Tanana, Bates,** l. c. p. 475, pl. 22 (1862); Nat. Amaz. i. p. 251, fig. (1863). *Cyrtophyllus Tanana*, *Brunn.* Mon. Pseudoph. pp. 239, 240. n. 2 (1895).	Amazons.

Genus 396. **Thliboscelus.** (*Type* no. 1.)

Serv. Ins. Orth. p. 441 (1839);
Brunn. Mon. Pseudoph. p. 147 (1895).

1. **T. Camellifolia, Serv.** (*nec Fabr.*) l. c. p. 443 (1839); Brunn. l. c. p. 148. n. 1 (1895).	Brazil.
2. **T. Crepitans, Redt. (*Cyrtophyllus C.*) Proc. Zool. Soc. Lond. 1892, p. 213, pl. 17. f. 14; Brunn. l. c. p. 240. n. 3, pl. 9. f. 104 (1895). *Locusta Camellifolia*, *Don.* (*nec Fabr.*) Nat. Rep. iv. pl. 122, (?) 123 (1835).	W. Indies, St. Vincent.

Genus 397. **Diophanes.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iii. (14) p. 38 (1875); Brunn. Mon. Pseudoph. pp. 21, 241 (1895); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 446 (1898).
Platyphyllum, *Brullé*, Hist. Nat. Ins. ix. p. 138 (1835).

1. **D. Salvifolia, Licht.** (*Locusta S.*) Cat. Mus. Hamburg, iii. p. 82. n. 72 (1796); Trans. Linn. Soc. Lond. iv. p. 58, pl. 5 (1798). *Platyphyllum Salvifolium*, *Brullé*, l. c. p. 139, pl. 11. f. 2 (1835). ‖ *Gryllus Tettigonia Perspicillata*, *Stoll* (*nec Fabr.*), Spectres, Saut. p. 17, pl. 7 *a.* ff. 23, 24 (1813). ‖ *Platyphyllum Perspicillatum*, *Serv.* Ins. Orth. p. 445 (1839). ‖ *Diophanes Perspicillatus*, *Brunn.* l. c. pp. 241, 242. n. 1, pl. 9. f. 109 (1895): Sauss. & Pict. l. c. p. 446. n. 1, pl. 21. f. 18 (1898).	Mexico, Panama, S. America.

D. Rosaceus, Stål, l. c. p. 39. n. 1 (1875). *Meroncidius Rosalia, Pict.* Mém. Soc. Genève, xxx. (6) p. 16 (1888).	
2. **D. Rosescens, Sauss. & Pict.** l. c. pp. 446, 447. n. 2, pl. 21. ff. 19, 20 (1898).	Panama.
3. **D. Atrosignatus, Brunn.** l. c. p. 242. n. 2 (1895) ; Sauss. & Pict. l. c. p. 446 (1898).	Bolivia.
4. **D. Abbreviatus, Brunn.** l. c. pp. 242, 243. n. 3 (1895) ; Sauss. & Pict. l. c. pp. 446, 447. n. 3 (1898).	Mexico.
5. **D. Nigrospinosus, Brunn.** l. c. pp. 242, 243. n. 4 (1895) ; Sauss. & Pict. l. c. p. 446 (1898).	Peru, Upper Amazons.
6. **D. Scabricolle, Serv.** (*Platyphyllus S.*) l. c. p. 446. n. 4 (1839). *D. Rex, Sauss. & Pict.* l. c. pp. 446, 447. n. 4, pl. 21. ff. 21–23 (1898).	Martinique.

Genus 398. **Xestoptera.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 21, 244 (1895).

1. **X. Cornea, Brunn.** l. c. n. 1, pl. 9. f. 106 (1895).	Mexico.
2. **X. Cincta, Brunn.** l. c. n. 2 (1895).	Colombia.

Genus 399. **Lophaspis.**

Brunn. Mon. Pseudoph. pp. 21, 244 (1895).

1. **L. Scabriuscula, Brunn.** l. c. p. 245. n. 1, pl. 9. f. 107 (1895) ; Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 448. n. 1, pl. 21. f. 24 (1898).	Panama.

Genus 400. **Pterochroza.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 141 (1831) : Ins. Orth. p. 431 (1839) ; Brullé, Hist. Nat. Ins. ix. p. 135 (1835) ; Burm. Handb. Ent. ii. p. 695 (1838) ; Blanch. Hist. Nat. Ins. iii. p. 20 (1840) ; Haan. Temminck, Verhandel.. Orth.

p. 199 (1842); Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 44 (1873); Recens. Orth. ii. pp. 56, 73 (1874); Brunn. Verh. zool.-bot. Ges. Wien, xxxiii. p. 248 (1884); Mon. Pseudoph. pp. 21, 245 (1895); Pict. Mém. Soc. Genève, xxx. (6) p. 39 (1888).

*1. **P. Ocellata, Linn.** (*Gryllus Tettigonia Ocellatus*) Syst. Nat. (ed. x.) i. p. 429. n. 28 (1758); Mus. Ludov. Ulric. p. 129. n. 20 (1764). — Surinam, Demerara, Para.

Gryllus Tettigonia Ocellata, *Stoll*, Spectres, Saut. pp. 6, 7, pl. 1 *a*. ff. 1, 1 A, pl. 2 *a*. f. 2 (1813).

Pterochroza Ocellata, *Serv*. ll. cc. p. 144. n. 1 (1831); p. 432. n. 1 (1839); Blanch. l. c. p. 20. n. 1 (1840); Stal, Recens. Orth. ii. p. 73. n. 1 (1874); Pict. l. c. p. 40. n. 1 (1888); Brunn. Mon. Pseudoph. p. 246. n. 1, pl. 9. f. 108 (1895).

Locusta (*Pterochroza*) *Ocellata*, *Haan*, l. c. p. 200. n. 1 (1842).

Pterophylla Ocellata, *Dunc.* Jardine, Nat. Libr., Introd. Ent. p. 253, pl. 13. f. 3 (1840).

(?) *Gryllus Cinerarius*, *Joh.* Amœn. Acad. vi. p. 397. n. 31 (1763).

2. **P. Siccifolia, De Geer,** (*Locusta S.*) Mém. Ins. iii. p. 438. n. 2, pl. 37. f. 5 (1773). — Surinam.

3. **P. Stolli, Brunn.** l. c. pp. 246, 247. n. 2 (1895). — id.

Gryllus (*Tettigonia*) *Ocellata*, var., *Stoll*, l. c. p. 7, pl. 2 *a*. f. 3 (1813).

Genus 401. **Tanusia.** (*Type* no. 13.)

Stål, Recens. Orth. ii. p. 57 (1874); Pict. Mém. Soc. Genève, xxx. (6) p. 35 (1888); Brunn. Mon. Pseudoph. pp. 21, 247 (1895).

Ommatoptera, *Pict.* l. c. p. 34 (1888). (*Type* no. 6.)

*1. **T. Brullæi, Blanch.** (*Pterochroza B.*) Hist. Nat. Ins. iii. p. 20. n. 2, pl. 6 (1840). — Brazil.

***Cycloptera Pavonifolia, Walk.* Cat. Derm. Salt. B. M. iii. p. 463. n. 3 (1870).

T. Erosifolia, Brunn. l. c. pp. 248, 249. n. 1 (1895).

*2. **T. Infecta, Brunn.** (*Pterochroza I.*) Verh. zool.-bot. Ges. Wien, xxxiii. p. 249, pl. 15. f. 5 (1884). Brazil.

T. Infecta, Brunn. Mon. Pseudoph. pp. 248, 249. n. 2 (1895).

*3. **T. Cristata, Serv.** (*Pterochroza C.*) Ins. Orth. p. 435. n. 3 (1839). id., Cayenne.

T. Cristata, Brunn. l. c. pp. 248, 250. n. 3, pl. 10. f. 109 (1895).

***Pterochroza Decorata, Walk.* l. c. iii. p. 461. n. 10 (1870).

4. **T. Aridifolia, Stoll,** (*Gryllus Tettigonia A.*) Spectres, Saut. p. 42, pl. 23 *b*. f. 93 (1813). Surinam(?).

5. **T. Variabilis, Pict.** Mém. Soc. Genève, xxx. (6) p. 38, pl. 2. ff. 18, 19 (1888). Guiana, Brazil.

T. Aridifolia, Brunn. (*an Stål?*) l. c. pp. 248, 250. n. 4 (1895).

6. **T. Laurifolia, Pict.** (*Ommatoptera L.*) l. c. p. 34, pl. 1. ff. 15, 15 *a* (1888). Brazil.

T. Laurifolia, Brunn. l. c. pp. 248, 250. n. 5 (1895).

7. **T. Pictifolia, Walk. (*Pterochroza P.*) l. c. iii. p. 461. n. 9 (1870). id.

*8. **T. Picturata, Serv.** (*Pterochroza P.*) l. c. p. 437. n. 5 (1839). id.

T. Angulato-ocellata, Brunn. l. c. pp. 249, 251. n. 6 (1895).

9. **T. Colorata, Serv.** (*Pterochroza C.*) l. c. p. 436. n. 4 (1839); Brunn. Verh. zool.-bot. Ges. Wien, xxxiii. p. 243, pl. 15. f. 3 (1884); Obs. Color. Ins. pl. 4. f. 51 (1897). id.

T. Colorata, Brunn. Mon. Pseudoph. pp. 249, 251. n. 7 (1895); Obs. Color. Ins. pp. 5, 8 (1897).

T. Grandiocellata, Pict. l. c. p. 37, pl. 2. f. 20 (1888).

10. **T. Illustrata, Serv.** (*Pterochroza I.*) l. c. p. 434. n. 2 (1839). id.

T. Illustrata, Brunn. Mon. Pseudoph. pp. 249, 252. n. 8 (1895).

Pterochroza Deflorata, Brunn. Verh. zool.-bot. Ges. Wien, xxxiii. p. 249, pl. 15. f. 2 (1884).	
11. **T. Arrosa, Brunn.** l. c. f. 4 (1884); Mon. Pseudoph. pp. 249, 252. n. 9 (1895).	Brazil.
12. **T. Undulata, Brunn.** Mon. Pseudoph. pp. 249, 252. n. 10 (1895).	id.
*13. **T. Sinuosa, Stål,** (*Pterochroza S.*) Œfv. Vet.-Akad. Förh. xxx. (4) p. 48 (1873). *T. Sinuosa, Stål,* Recens. Orth. ii. p. 73 (1874); Brunn. l. c. pp. 249, 253. n. 11 (1895); Obs. Color. Ins. p. 8, pl. 6. f. 75 (1897).	id.
14. **T. Hœgei, Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 450. n. 1, pl. 22. f. 1 (1898).	Mexico.
15. **T. Ochracea, Sauss. & Pict. l. c. n. 2, pl. 22. f. 2 (1898).	Guatemala.

Genus 402. **Porphyromma.** (*Type* no. 1.)

Brunn. Mon. Pseudoph. pp. 21, 253 (1895).

1. **P. Speciosa, Brunn.** l. c. pp. 253, 254. n. 1, pl. 10. f. 110 (1895).	Brazil.
2. **P. Viridifolia, Brunn.** ll. cc. n. 2 (1895).	id.

Genus 403. **Rhodopteryx.** (*Type* no. 1.)

Pict. Mém. Soc. Genève, xxx. (6) p. 32 (1888); Brunn. Mon. Pseudoph. pp. 21, 254 (1895).

1. **R. Pulchripennis, Pict.** l. c. p. 32, pl. 1. f. 7 (1888); Brunn. l. c. p. 254. n. 1 (1895).	N. Granada.
2. **R. Maculatopennis, Brunn.** l. c. pp. 254, 255 (1895).	Mexico.

Genus 404. **Celidophylla.**

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 451 (1898).

1. **C. Albimacula, Sauss. & Pict. l. c. p. 451. n. 1, pl. 22. ff. 3–5 (1898).	Nicaragua.

Genus 405. **Mimetica.** (*Type* no. 2.)

Pict. Mém. Soc. Genève, xxx. (6) p. 30 (1888); Brunn. Mon. Pseudoph. pp. 22, 255 (1895); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 452 (1898).

1. **M. Erosifolia, Walk. (*Typophyllum E.*) Cat. Derm. Salt. B. M. iii. p. 464. n. 3 (1870).	Nauta.
2. **M. Picteti, Kirb.** (n. n.). ‖ *M. Mortuifolia, Pict.* (*nec Walk.*) l. c. p. 30, pl. 1. ff. 13, 13 *a–c* (1888); Sauss. & Pict. l. c. p. 452. n. 1, pl. 22. f. 7 (1898).	Guatemala.
3. **M. Simoni, Bol.** Ann. Soc. Ent. France. (6) x. pp. 142, 146, ff. 5, 6 (1890); Brunn. l. c. p. 256. n. 3 (1895).	Venezuela, Amazons (eadem ?).
4. **M. Brunneri, Sauss. & Pict. l. c. pp. 452, 453. n. 2, pl. 22. f. 8 (1898). ‖ *M. Mortuifolia, Brunn.* (*nec Walk.*) l. c. p. 256. n. 1, pl. 10. f. 112 *a*, *b* (1895).	Guatemala, Costa Rica, Panama.
5. **M. Subintegra, Sauss. & Pict.** l. c. pp. 452, 453. n. 3, pl. 22. f. 9 (1898).	Colombia.
6. **M. Castanea, Brunn.** l. c. p. 256. n. 2 (1895); Sauss. & Pict. l. c. pp. 452, 453. n. 4 (1898).	id.
7. **M. Marmorata, Sauss. & Pict. ll. cc. n. 5, pl. 22. ff. 10, 11 (1898).	Costa Rica, Panama.
8. **M. Mortuifolia, Walk. (*Typophyllum M.*) l. c. iii. p. 466. n. 6 (1870).	Upper Amazons.
9. **M. Incisa, Stål,** (*Cycloptera I.*) Bihang Svenska Akad. iii. (14) p. 37 (1875).	Chiriqui.
10. **M. Aridifolia, Sauss. & Pict. l. c. pp. 452, 454. n. 6, pl. 22. ff. 12, 13 (1898).	Costa Rica.
11. **M. Saussurei, Kirb. (n. n.). ‖ *M. Siccifolia, Sauss. & Pict.* (*nec De Geer*). l. c. pp. 452, 454. n. 7, pl. 22. ff. 14–16 (1898).	Panama.
12. **M. Viridifolia, Brunn.** l. c. pp. 256, 257. n. 4 (1895); Sauss. & Pict. l. c. pp. 452, 454. n. 8 (1898).	Chiriqui.

13. **M. Scissifolia, Walk. (*Typophyllum S.*) l. c. iii. p. 464. n. 2 (1870). — Venezuela.

14. **M. Truncatifolia, Walk. (*Typophyllum T.*) l. c. p. 465. n. 4 (1870). — Napo.

Genus 106. Typophyllum. (*Type* no. 9.)

Serv. Ins. Orth. p. 439 (1839): Pict. Mém. Soc. Genève, xxx. (6) p. 24 (1888): Brunn. Mon. Pseudoph. pp. 22, 257 (1895).

Toraria, Bol. Ann. Soc. Ent. France, (6) x. p. 141 (1890). (*Type* no. 14.)

1. **T. Helleri, Brunn.** l. c. pp. 258, 259. n. 1 (1895). — Brazil.

2. **T. Contractum, Brunn.** ll. cc. n. 2 (1895). — id.

*3. **T. Trapeziforme, Stoll,** (*Locusta Tettigonia Trapeziformis*) Spectres, Saut. p. 9, pl. 3 *a*. f. 7 (1813). — Cayenne, Upper Amazons.
Pterochroza Trapeziformis, Burm. Handb. Ent. ii. p. 696. n. 4 (1838).
T. Trapeziforme, Pict. l. c. p. 28, pl. 1. f. 11 (1888); Bol. l. c. p. 142. n. 8 (1890); Brunn. l. c. pp. 259, 260. n. 3, pl. 10. f. 113 (1895).
T. Excisum, Pict. l. c. p. 26, pl. 1. ff. 9, 9 *a* (1888).

4. **T. Flavifolium, Sauss. & Pict.** Biol. Centr.-Amer., Orth. i. p. 455. n. 1, pl. 22. f. 6 (1898). — Venezuela.

5. **T. Columbicum, Brunn.** l. c. pp. 258, 260. n. 4 (1895). — Colombia.

6. **T. Peruvianum, Pict.** l. c. p. 29, pl. 1. ff. 10, 10 *a* (1888); Bol. l. c. p. 142. n. 9 (1890); Brunn. l. c. pp. 258, 260. n. 5 (1895). — Peru.

7. **T. Mutilatum, Walk. Cat. Derm. Salt. B. M. iii. p. 475. n. 5 (1870). — Ega, Venezuela, Bogota.
T. Cinnamum, Bol. l. c. p. 141. n. 16; p. 142. n. 6: p. 146. f. 4 (1890): Brunn. l. c. pp. 259, 262. n. 10 (1895).

8. **T. Lunatum, Pict.** l. c. p. 27, pl. 1. ff. 12, 12 *a* (1888): Brunn. l. c. pp. 258, 261. n. 6 (1895). — Peru.

9. **T. Erosum, Stoll,** (*Gryllus Tettigonia Erosa*) l. c. p. 14, pl. 6 *a*. f. 18 (1813). *Pterochroza Erosa, Burm.* l. c. p. 696. n. 5 (1838). *T. Erosum, Serv.* l. c. p. 440. n. 1 (1839); Pict. l. c. p. 25, pl. 1. ff. 8, 8 *a* (1888); Bol. l. c. p. 142. n. 3 (1890); Brunn. l. c. pp. 258, 261. n. 7 (1895).	Surinam, Cayenne, Venezuela.
10. **T. Bisinuatum, Brunn.** l. c. pp. 258, 262. n. 8 (1895).	Cayenne.
11. **T. Abruptum, Brunn.** ll. cc. n. 9 (1895).	Bolivia.
12. **T. Siccifolium, Bol.** (*Typophyllum* (*Tovaria*) *S.*) l. c. p. 139. n. 14; p. 141. n. 2; p. 146. f. 2 (1890). *T. Siccifolium, Brunn.* l. c. pp. 259, 263. n. 11 (1895).	Venezuela, Para.
13. **T. Geminum, Bol.** l. c. p. 140. n. 15; p. 142. n. 4; p. 146. f. 3 (1890); Brunn. l. c. pp. 259, 263. n. 12 (1895).	Venezuela.
14. **T. Chlorophyllum, Bol.** (*Typophyllum* (*Tovaria*) *C.*) l. c. p. 139. n. 13; p. 141. n. 1; p. 146. f. 1 (1890). *T. Chlorophyllum, Brunn.* l. c. pp. 259, 263. n. 13 (1895).	id.

Genus 407. **Catasparata.**

Brunn. Mon. Pseudoph. pp. 22, 264 (1895).

*1. **C. Histrio, Brunn.** l. c. p. 265. n. 1, pl. 10. f. 115 (1895).	Colombia.

Genus 408. **Roxelana, Kirb.** (n. n.).

‖ *Parysatis Stål* (*nec Thoms.*), Recens. Orth. ii. p. 57 (1874); Brunn. Mon. Pseudoph. pp. 22, 264 (1895).

1. **R. Crassicornis, Stål,** (*Parysatis C.*) l. c. p. 74 (1874); Brunn. l. c. p. 264. n. 1 (1895).	Brazil.

Genus 409. **Chlorophylla.** (*Type* no. 3.)

Pict. Mém. Soc. Genève, xxx. (6) p. 42 (1888); Brunn. Mon. Pseudoph. pp. 22, 265 (1895); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 455 (1898).

1. **C. Rufipes, Brunn.** l. c. pp. 265, 266. n. 2, pl. 10. f. 116 (1895); Sauss. & Pict. l. c. p. 455 (1898).	Peru, Bolivia.
2. **C. Falcifolia, Walk. (*Cycloptera F.*) Cat. Derm. Salt. B. M. iii. p 463. n. 5 (1870).	Brazil, Ecuador.
C. Arcuata, Sauss. & Pict. l. c. pp. 455, 456. n. 3, pl. 22. f. 19 (1898).	
3. **C. Latifolia, Pict.** l. c. p. 43, pl. 1. ff. 14, 14 *a* (1888); Brunn. l. c. p. 265. n. 1 (1895); Sauss. & Pict. l. c. p. 455 (1898).	Cayenne, Amazons, Colombia, Bolivia.
4. **C. Amplifolia, Sauss. & Pict.** l. c. pp. 455, 456. n. 1, pl. 22. f. 17 (1898).	Ecuador (?).
5. **C. Tiliæfolia, Walk. l. c. p. 462. n. 2 (1870).	Amazons.
6. **C. Fagifolia, Sauss. & Pict. l. c. pp. 455, 456. n. 2, pl. 22. f. 18 (1898).	Ecuador.

Genus 410. **Cycloptera.**

Serv. Ins. Orth. p. 439 (1839); Pict. Mém. Soc. Genève, xxx. (6) p. 41 (1888); Brunn. Mon. Pseudoph. pp. 22, 267 (1895).

1. **C. Aurantifolia, Stoll,** (*Gryllus Tettigonia A.*) Spect., Saut. p. 8. pl. 3 *a*. f. 5 (1813).	Surinam, Brazil.
Pterochroza Aurantifolia, Burm. Handb. Ent. ii. p. 696. n. 2 (1838); Serv. l. c. p. 439. n. 6 (1839).	
*2. **C. Reticulata, Kirb.** (n. n.).	Brazil.
‖ *C. Aurantifolia, Pict.* (*nec Stoll*) l. c. p. 42. n. 1 (1888); Brunn. l. c. p. 267. n. 1 (1895).	
*3. **C. Grandifolia, Brunn.** l. c. pp. 267, 268. n. 3 (1895).	id. (?).
4. **C. Carinifolia, Sauss. & Pict.** Biol. Centr.-Amer., Orth. i. p. 457. n. 1, pl. 22. f. 20 (1898).	Guiana.

5. **C. Camillifolia, Stoll,** (*Gryllus Tettigonia C.*) l. c. p. 9, pl. 3 *a.* f. 6 (1813). *Pterochroza Speculata, Burm.* l. c. p. 496. n. 3 (1838). *C. Speculata, Brunn.* l. c. pp. 267, 268. n. 2 (1895).	Surinam. Amazons.

Genus 411. **Lonchitophyllum.**

Brunn. Mon. Pseudoph. pp. 22, 269 (1895).

1. **L. Reticulatum, Brunn.** l. c. n. 1, pl. 10. f. 118 (1895).	Madagascar

Genus 412. **Phyrama.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxii. p. 416 (1888) ;
Brunn. Mon. Pseudoph. pp. 22, 269 (1895).

1. **P. Interjectum, Karsch,** l. c. p. 416, pl. 4. f. 1 (1888) ; Brunn. l. c. p. 270. n. 1 (1895).	Madagascar
2. **P. Majus, Brunn.** l. c. n. 2, pl. 10. f. 119 (1895).	id.

Genus 413. **Simodera.** (*Type* no. 1.)

Karsch, Ent. Nachr. xvii. p. 102 (1891);
Brunn. Mon. Pseudoph. pp. 22, 270 (1895).

1. **S. Halterata, Karsch,** l. c. p. 103, p. 101. f. 1 (1891) : Brunn. l. c. p. 271. n. 1 (1895).	Madagascai
2. **S. Acutifolia, Brunn.** l. c. n. 2, pl. 10. f. 120 (1895).	id.

Genus 414. **Mastighapha.** (*Type* no. 1.)

Karsch, Ent. Nachr. xvii. p. 103 (1891);
Brunn. Mon. Pseudoph. pp. 22, 271 (1895).

1. **M. Crassicornis, Karsch,** l. c. p. 104 ; p. 101. f. 2 (1891) ; Brunn. l. c. p. 272. n. 1 (1895).	Australia.
2. **M. Elongata, Brunn.** l. c. n. 2, pl. 10. f. 121 (1895).	id.

Genus 415. **Aspidonotus.**

Brullé, Hist. Nat. Ins. ix. p. 142 (1835): Serv. Ins. Orth. p. 542 (1839): Blanch. Hist. Nat. Ins. iii. p. 23 (1840); Brunn. Mon. Pseudoph. pp. 22, 273 (1895).

1. **A. Spinosus, Brullé,** l. c. p. 143, pl. 14. f. 1 (1835); Serv. l. c. p. 543. n. 1 (1839); Brunn. l. c. p. 273. n. 1, pl. 10. f. 122 (1895).	Madagascar

SUBFAM. XX.

PROCHILINÆ.

Genus 416. **Prochilus.**

Brullé, Hist. Nat. Ins. ix. p. 134 (1835); Serv. Ins. Orth. p. 383 (1839); Blanch. Hist. Nat. Ins. iii. p. 20 (1840).

*1. **P. Australis, Brullé,** l. c. p. 135, pl. 11. f. 1 (1835); Serv. l. c. p. 384. n. 1 (1839); Blanch. l. c. p. 20. n. 1 (1840); Westw. Arc. Ent. ii. p. 56, pl. 63. f. 3 (1845).	KangarooI.; Australia (eadem ?).

Genus 417. **Phasmodes.**

Westw. Arcana Entom. ii. p. 56 (1845).

1. **P. Ranatriformis, Westw. l. c. pl. 63. f. 4 (1845).	Australia.

SUBFAM. XXI.

MECOPODINÆ.

Genus 418. **Phricta.**

Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 189, 191 (1892); Bol. Ann. Mus. Nat. Hungar. i. p. 162 (1903).

*1. **P. Spinosa, Redt.** l. c. p. 192, pl. 3. f. 1 (1892).	Queensland.

Genus 419. **Phoberodema.**

Brancs. Jahresh. Ver. Trencsin. Com. xix.–xx. p. 80 (1897); Bol. Ann. Mus. Nat. Hungar. i. p. 162 (1903).

1. **P. Redtenbacheri, Brancs.** l. c. p. 81, pl. 3. f. 21 (1897).	Queensland.

Genus 420. **Phrictætypus.**

Brunn. Abhandl. Senckenb. Ges. xxiv. p. 256 (1898); Bol. Ann. Mus. Nat. Hungar. i. p. 162 (1903).

1. **P. Viridis, Brunn.** l. c. p. 257 (1898); Bol. l. c. p. 163 (1903). *Phrictotypus Viridis, Brunn.* l. c. pl. 19. f. 44 (1898).	N. Guinea.

Genus 421. **Narea.**

Walk. Cat. Derm. Salt. B. M. iii. p. 482 (1870).

1. **N. Compacta, Walk. l. c. n. 1 (1870).	Australia.

Genus 422. **Biroa.** (*Type* no. 1.)

Bol. Ann. Mus. Nat. Hungar. i. pp. 162, 163 (1903).

1. **B. Carinata, Bol.** l. c. p. 164 (1903).	N. Guinea.
2. **B. Atrospinosa, Bol.** l. c. (1903).	id.

Genus 423. **Ochrida.**

Walk. Cat. Derm. Salt. B. M. ii. p. 244 (1869).

1. **O. Annulipes, Walk. l. c. p. 245. n. 1 (1869).	Australia.

Genus 424. **Dasyphleps.**

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 343 (1892); Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 189, 192 (1893).

1. **D. Novæ-Guineæ, Haan,** (*Locusta N.*) Temminck, Verhandel., Orth. p. 187, pl. 18. f. 13 (1842). *D. Novæ-Guineæ, Karsch,* l. c. p. 343 note (1882); Redt. l. c. p. 193 (1893).	N. Guinea, Caroline I. (eadem ?).

Genus 425. **Ocica.**

Walk. Cat. Derm. Salt. B. M. ii. p. 245 (1869).

1. **O. Lutescens, Walk. l. c. p. 246. n. 1 (1869).	Fiji.

Genus 426. **Diaphlebus.** (*Type* no. 2.)

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 343 (1892); Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 189, 193 (1892); Brunn. Abhandl. Senckenb. Ges. xxiv. p. 257 (1898).

1. **D. Bivittatus, Redt.** l. c. p. 193. n. . (1892).	Fiji.
2. **D. Marmoratus, Redt.** l. c. pp. 193, 194. n. 2, pl. 3. f. 2 (1892); Brunn. l. c. p. 257. n. 1 (1898).	id.
3. **D. Brevivaginatus, Karsch,** l. c. xxxvi. p. 343 note (1892); Redt. l. c. pp. 193, 194. n. 3 (1892); Brunn. l. c. p. 257. n. 6 (1898).	id.
4. **D.** (?) **Uniformis, Brunn.** l. c. pp. 257. 258. n. 2 (1898).	id.

Genus 427. **Mossula.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. ii. p. 288 (1869); Kirb. Trans. Ent. Soc. Lond. 1891, p. 411; Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 189, 197 (1892).

1. **M. Vitticollis, Walk. l. c. p. 288. n. 1 (1869); Redt. l. c. p. 197. n. 1 (1892).	Hab. —— ?
2. **M. Salomonis, Kirb. l. c. p. 411 (1891); Redt. l. c. p. 197. n. 2 (1892).	Solomon Is.
3. **P. Acanthodiformis, Brunn.** (*Diaphlebus A.*) Abhandl. Senckenb. Ges. xxiv. p. 259. n. 7, pl. 19. f. 46 (1898).	Key I.

Genus 428. **Paradiaphlebus.** (*Type* no. 2.)

Bol. Ann. Mus. Nat. Hungar. i. p. 165 (1903).

1. **P. Notatus, Brunn.** (*Diaphlebus N.*) Abhandl. Senckenb. Ges. xxiv. pp. 257, 258. n. 3, pl. 19. f. 45 (1898).	Gilolo.
2. **P. Vittatus, Brunn.** (*Diaphlebus V.*) ll. cc. n. 4 (1898); Bol. l. c. p. 165 (1903).	N. Guinea.

Genus 429. **Pomatonota.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 683 (1838); Stål, Recens. Orth. ii. p. 8 (1874); Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 343 (1892); Redt. Verh. zool.-bot. Ges. Wien, xlii. p. 195 (1892).

Stilpnothorax, *Pict.* Mém. Soc. Genève, xxx. (6) p. 5 (1888). (*Type* no. 1.)

*1. **P. Dregii, Burm.** l. c. p. 684 (1838); Karsch, Ent. Nachr. xvi. p. 59 (1890); Redt. l. c. p. 195 (1892). *Stilpnothorax Loricatus*, *Pict.* l. c. p. 6, pl. 1. ff. 1, 1 *a–c* (1888).	Cape, Natal, Zululand.
2. **P. Bipunctata, Kirb.** Entom. xxxv. p. 22 (1902).	Natal.
3. **P. (?) Bicolor, Haan,** (*Locusta B.*) Temminck, Verhandel., Orth. p. 186, pl. 18. f. 10 (1842).	Sumatra.

Genus 430. **Elæoptera.** (*Type* no. 2.)

Redt. Verh. zool.-bot. Ges. Wien, xlii. p. 195 (1892).

1. **E. Nitida, Redt.** l. c. p. 196. n. 1 (1892).	Fiji.
2. **E. Lineata, Redt.** l. c. n. 2, pl. 3. f. 3 (1892).	id.

Genus 431. **Segestes.** (*Type* no. 1.)

Stål, Œfvers. Vet.-Akad. Förh. xxxiv. (10) p. 45 (1877); Redt. Verh. zool.-bot. Ges. Wien, xlii. p. 197 (1892).

1. **S. Vittaticeps, Stål,** l. c. p. 45. n. 1 (1877); Redt. l. c. p. 198. n. 1 (1892). Philippines.
2. **S. Punctipes, Redt.** l. c. pp. 198, 199. n. 2 (1892). id.
3. **S. Unicolor, Redt.** ll. cc. n. 3 (1892). Pelew Isl.
4. **S. Fuscus, Redt.** ll. cc. n. 4 (1892). Philippines.
5. **S. Decoratus, Redt.** l. c. pp. 198, 200. n. 5, pl. 3. f. 4 (1892). N. Guinea.

Genus 432. **Segestidia.** (*Type* no. 1.)

Bol. Ann. Mus. Nat. Hungar. i. p. 166 (1903).

1. **S. Princeps, Bol.** l. c. pp. 166, 167 (1903). N. Guinea.
2. **S. Marmorata, Bol.** ll. cc. (1903). id.
3. **S. Punctipennis, Bol.** l. c. pp. 166, 168 (1903). Philippines.

Genus 433. **Sexava.** (*Type* no. 3.)

Walk. Cat. Derm. Salt. B. M. iii. p. 437 (1870).

Moristus, Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 47 (1873); Recens. Orth. ii. p. 67 (1874); Redt. Verh. zool.-bot. Ges. Wien, xlii. p. 200 (1892).

1. **S. Nubila, Stål,** (*Moristus Nubilus*) Recens. Orth. ii. p. 96. n. 2 (1874); Redt. Verh. zool.-bot. Ges. Wien, xlii. p. 201 (1892). Moluccas, Aru, Key I.
2. **S. Novæ-Guineæ, Brancs.** (*Moristus N.*) Jahresh. Nat. Ver. Trencsin. Com. xix.–xx. p. 81 (1897). N. Guinea.

*3. **S. Coriacea, Linn.** (*Gryllus Tettigonia Coriaceus*) Syst. Nat. (ed. x.) i. p. 430. n. 36 (1788); Mus. Ludov. Ulr. p. 136. n. 27 (1764). Amboina, Ceram.
Moristus Coriaceus, Stål, l. c. p. 95. n. 1 (1874); Redt. l. c. p. 201. n. 2 (1892).

Gryllus Tettigonia Lanceolata, *Stoll*, Spectres. Saut. p. 23. pl. 10 *a*. ff. 39, 40 (1813).
S. Lanceolata, *Walk.* Cat. Derm. Salt. B. M. iii. p. 437. n. 1 (1870).

Genus 434. **Pseudophyllanax.**

Walk. Cat. Derm. Salt. B. M. ii. p. 398 (1869); Redt. Verh. zool.-bot. Ges. Wien, xlii. p. 202 (1892).

1. **P. Imperialis, Montr.** (*Locusta I.*) Mém. Soc. Imp. Cherb. x. p. 306 (1864). *P. Insularis*, *Walk.* l. c. p. 398. n. 1 (1869); Redt. l. c. p. 202, pl. 3. f. 5 (1892). *Platyphyllum Giganteum*, *Warion*, Bull. Soc. Ent. France, (4) x. p. xl (1870); Bull. Soc. Moselle, xii. p. 115, plate (1870); Lucas, Bull. Soc. Ent. France, (5) vii. p. xx (1870).	I. of Pines, N. Caledonia.

Genus 435. **Rhammatopoda.**

Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 190, 203 (1892).

1. **R. Opilionoides, Redt.** l. c. p. 203, pl. 3. f. 6 (1892).	Peru.

Genus 436. **Tabaria.**

Walk. Cat. Derm. Salt. B. M. iii. p. 434 (1870).

1. **T. Opilioides, Walk. l. c. p. 434. n. 1 (1870).	Colombia.

Genus 437. **Encentra.**

Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 190, 204 (1892).

1. **E. Longipes, Redt.** l. c. p. 204. pl. 3. f. 7 (1892).	Colombia.

Genus 438. **Philoscirtus.**

Karsch, Stett. Ent. Zeit. lvii. p. 346 (1896).

1. **P. Cordipennis, Karsch,** l. c. n. 114 (1896). E. Africa.

Genus 439. **Leproscirtus.**

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 328 (1892).

*1. **L. Granulosus, Karsch,** (*Mecopoda* (*Euthypoda*) *Granulosa*) Ent. Nachr. xii. p. 317 (1886). W. Africa.
L. Granulosa, Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 329. n. 26, ff. 3, 3 *a*, 4 (1892).

Genus 440. **Apteroscirtus.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 330 (1892).

*1. **A. Denudatus, Karsch,** l. c. p. 330. n. 27, p. 331. f. 5 (1892). Cameroons.
2. **A. Inalatus, Karsch,** (*Mecopoda* (*Euthypoda*) *Inalata*) l. c. xxx. p. 117 (1886). W. Africa.

Genus 441. **Zacatula.**

Walk. Cat. Derm. Salt. B. M. iii. p. 433 (1870).

1. **Z. Scabra, Walk. l. c. p. 434. n. 1 (1870). Ceram.

Genus 442. **Characta.**

Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 190, 207 (1892).

1. **C. Bituberculata, Redt.** l. c. p. 207, pl. 3. f. 7 (1892). Borneo.

Genus 443. **Kheilia.**

Bol. Actas Soc. Españ. 1898, p. 138.

1. **K. Arrogans, Bol.** l. c. p. 139 (1898). N. Guinea.

Genus 444. **Macrolyristes.**

Voll. Tijdsch. Ent. viii. p. 107 (1865); Redt. Verh. zool.-bot. Ges. Wien. xlii. pp. 190, 207 (1892).

*1. **M. Imperator, Voll.** l. c. p. 108. pl. 7 (1865); Redt. l. c. p. 208 (1892).	Java, Borneo.

Genus 445. **Acridoxena.**

White, Proc. R. Phys. Soc. Edinb. iii. p. 309 (1865); Redt. Verh. zool.-bot. Ges. Wien. xlii. pp. 190, 208 (1892).

‖ *Stalia*, *Scudd.* (*nec Reut.*) Proc. Boston Soc. Nat. Hist. xvii. p. 454 (1875).

Eustalia, *Scudd.* l. c. xx. p. 95 (1879); Karsch, Berlin. Ent. Zeitschr. xxx. p. 108 (1886). xxxvi. p. 346 (1891).

1. **A. Hewaniana, Smith, Proc. R. Phys. Soc. Edinb. iii. p. 311 (1865); Kirb. Trans. Ent. Soc. Lond. 1891, p. 410; Redt. l. c. p. 209 (1892). *Stålia Foliata*, *Scudd.* l. c. xvii. pp. 456, 457. ff. 3–5 (1875). *Eustalia Foliata*, *Scudd.* l. c. xx. p. 95 (1879); Karsch, Ent. Nachr. xii. pp. 145–147, fig. (1886).	Old Calabar, Gaboon.

Genus 446. **Vetralla.**

Walk. Cat. Derm. Salt. B. M. ii. p. 391 (1869).

Vetralia, Redt. Verh. zool.-bot. Ges. Wien. xlii. pp. 190, 209 (1892).

1. **V. Quadrata, Walk. l. c. p. 392. n. 1 (1869). *Vetralia Quadrata*, *Redt.* l. c. p. 210 (1892). *Mecopoda* (*Euthypoda*) *Difformis*, *Karsch*. Berlin. Ent. Zeitschr. xxx. p. 115, pl. 4. f. 1 (1886).	Ceylon.

Genus 447. **Anœdopoda.** (*Type* no. 3.)

Karsch, Berlin. Ent. Zeitschr. xxvi. pp. 333, 346 (1891); Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 190, 210 (1892).

*1. **A. Lamellata, Linn.** (*Gryllus Tettigonia Lamellatus*) Syst. Nat. (ed. x.) i. p. 429. n. 27 (1758).	W. & E. C. Africa.

Gryllus Tettigonia Lamellosus, Linn. Mus. Ludov. Ulric. p. 128. n. 19 (1764).	
Mecopoda Lamellosa, Stål, Recens. Orth. ii. p. 48. n. 2 (1874).	
A. Lamellata, Redt. l. c. p. 211. n. 1 (1892); Karsch, l. c. xxxviii. p. 135 (1893).	
2. **A. Erosa, Karsch,** l. c. xxxvi. pp. 334, 335. n. 29, f. 7 (1892), xxxvii. pp. 76, 77. n. 7, f. 3 (1892).	Cameroons.
*3. **A. Latipennis, Burm.** (*Mecopoda L.*) Handb. Ent. ii. p. 686. n. 2 (1838); Kirb. Trans. Ent. Soc. Lond. 1891, p. 407. n. 5.	Natal.

Genus 448. **Mecopoda.** (*Type* no. 9.)

Serv. Ann. Sci. Nat. xxii. p. 154 (1831); Ins. Orth. p. 532 (1839); Brullé, Hist. Nat. Ins. ix. p. 140 (1835); Burm. Handb. Ent. ii, p. 685 (1838); Blanch. Hist. Nat. Ins. iii. p. 12 (1840); Haan, Temminck, Verhandel., Orth. p. 187 (1842); Stal, Recens. Orth. ii. pp. 22, 47 (1874); Karsch, Berlin. Ent. Zeitschr. xxx. pp. 108, 111 (1886); Redt. Verh zool.-bot. Ges. Wien, xlii. pp. 191, 211 (1892).

Lucera, Walk. Cat. Derm. Salt. B. M. ii. p. 265 (1869). (*Type* no. 9.)

1. **M. Superba, Bol.** Actas Soc. Españ. 1898, p. 139.	N. Guinea.
2. **M. Cyrtoscelis, Karsch,** Ent. Nachr. xiv. p. 146 (1888); Redt. l. c. p. 212. n. 1 (1888).	"Segaar Bay."
3. **M. Karschi, Kirb. Trans. Ent. Soc. Lond. 1891, p. 407. n. 3.	Queensland.
4. **M. Regina, Kirb. l. c. p. 408. n. 10 (1891).	Duke of York I.
*5. **M. Dilatata, Redt.** l. c. pp. 212 213. n. 2 (1892); Filtze, Rev. Suisse Zool. vii. p. 340, pl. 16. f. 2 (1899).	Borneo.
*6. **M. Divergens, Redt.** ll. cc. n. 3 (1892).	Malacca.
7. **M. Walkeri, Kirb. l. c. p. 407. n. 7 (1891); Redt. l. c. pp. 212, 214. n. 4 (1892).	Philippines.
‖*M. Imperator*, var., *Walk.* (*nec Voll.*) l. c. iii. p. 158. n. 4 (1870).	

8. **M. Platyphœa, Walk. l. c. p. 458. n. 5 (1870); Redt. l. c. pp. 212, 214. n. 5 (1892).	Ceylon.
*9. **M. Elongata, Linn.** (*Gryllus Tettigonia Elongatus*) Syst. Nat. (ed. x.) i. p. 429. n. 26 (1758); Mus. Ludov. Ulric. p. 127. n. 18 (1764).	China, Japan, India, Malacca, Malay Is., Moluccas, Australia.
Locusta Elongata, *Fabr.* Syst. Ent. p. 284. n. 9 (1775).	
Conocephalus Elongatus, *Thunb.* Mém. Acad. Pétersb. v. p. 279 (1815).	
M. Elongata, *Burm.* l. c. p. 685. n. 1 (1839); Redt. l. c. pp. 212, 214. n. 6 (1892).	
Gryllus Javanus, *Joh.* Amœn. Acad. vi. p. 398. n. 33 (1763).	
Locusta (Mecopoda) Javana, *Haan*, l. c. p. 187. n. 1 (1842).	
Locusta Longipes, *Thunb.* l. c. p. 280 (1815), *larva.*	
Locusta Scalaris, *Thunb.* l. c. p. 282 (1818).	
(?) *Gryllus Tettigonia Ferruginea*, *Stoll*, Spectres, Saut. p. 13, pl. 5 *a.* f. 15 (1813).	
M. Ferruginea, *Blanch.* l. c. p. 12, n. 1 (1840).	
M. Maculata, *Serv.* Ann. Sci. Nat. xxxi. p. 155. n. 1 (1831).	
M. Virens, *Brullé*, l. c. p. 140, pl. 13. f. 1 (1835); Serv. Ins. Orth. p. 533. n. 1 (1839); Blanch. l. c. p. 23. n. 2 (1840).	
Locusta (Mecopoda) Macassariensis, *Haan*, l. c. p. 188. n. 2 (1842).	
Locusta (Mecopoda) Niponensis, *Haan*, l. c. n. 3 (1842).	
(?) *Gryllus Tettigonia Rufa*, *Stoll*, l. c. p. 22, pl. 9 *a.* f. 37 (1813).	
M. Rufa, *Walk.* l. c. p. 458. n. 3 (1870).	
***Decticus Pallidus*, *Walk.* l. c. ii. p. 262. n. 34 (1869), *immature.*	
***Decticus Tenebrosus*, *Walk.* l. c. p. 263. n. 35 (1869).	
***Lucera Bicoloripes*, *Walk.* l. c. p. 265. n. 1 (1869), *immature.*	

Genus 449. **Sthenaropoda.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxvi. pp. 331, 346 (1892).

1. **S. Preussiana, Karsch,** l. c. p. 332. n. 28, f. 6 (1892).	Cameroons.
2. **S. Frontalis, Walk. (*Mecopoda Frontalis*) Cat. Derm. Salt. B. M. v. Suppl. p. 48 (1871). *Mecopoda Monroviana, Karsch,* l. c. xxx. p. 112, pl. 4. f. 4 (1886). *Macroscirtus Preussianus, Redt.* Verh. zool.-bot. Ges. Wien, xlii. p. 217. n. 1 (1892).	Sierra Leone.
*3. **S. Austera, Karsch,** l. c. xxxviii. p. 134 (1893). ‖*Macroscirtus Monrovianus, Redt.* (*nec Karsch*) l. c. p. 217. n. 2 (1892).	W. Africa.

Genus 450. **Pachysmopoda.**

Karsch, Berlin. Ent. Zeitschr. xxx. p. 108 (1886); Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 191, 215 (1892).

*1. **P. Abbreviata, Tasch.** (*Mecopoda A.*) Zeitschr. Ges. Naturw. lvi. p. 184 (1883). *Mecopoda* (*Pachysmopoda*) *Abbreviata, Karsch,* l. c. p. 114. n. 5, pl. 4. f. 2 (1886). *P. Abbreviata, Redt.* l. c. p. 216 (1892).	Socotra.

Genus 451. **Euthypoda.** (*Type* no. 3.)

Karsch, Berlin. Ent. Zeitschr. xxx. pp. 108, 111 (1886).
Macroscirtus, Pict. Mém. Soc. Genève, xxx. (6) p. 13 (1888); Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 191, 216 (1892). (*Type* no. 2.)

1. **E. Brevipennis, Redt.** (*Macroscirtus B.*) l. c. pp. 217, 218. n. 3 (1892).	Sierra Leone.
*2. **E. Kanguroo, Pict.** (*Macroscirtus K.*) l. c. p. 14. n. 1, pl. 2. ff. 38, 38 *a* (1888); Redt. l. c. pp. 217, 218. n. 4 (1892).	Gaboon, Ashanti.

3. **E. Acutipennis, Karsch,** (*Mecopoda* (*Euthypoda*) A.) l. c. p. 116. n. 7, pl. 4. f. 3 (1891): Redt. l. c. pp. 217, 218. n. 5 (1892).	W. Africa: Chinchoxo.
4. **E. Bicolor, Bol.** (*Macroscyrtus* B.) Ann. Soc. Ent. France, lxii. p. 178 (1893).	W. Africa: Assinie.

Genus 452. **Gymnoscirtus.**

Karsch, Berlin. Ent. Zeitschr. xxxvi. pp. 342, 345 (1891); Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 191, 219 (1892).

1. **G. Unguiculatus, Karsch,** (*Mecopoda* (*Euthypoda*) *Unguiculata*) Ent. Nachr. xiv. pp. 147, 148 (1888). *G. Unguiculatus, Karsch,* Berlin. Ent. Zeitschr. xxxvi. p. 342 (1891); Redt. l. c. p. 219 (1892).	E. Africa: Usambara.

Genus 453. **Charisoma.**

Bol. Ann. Mus. Nat. Hungar. i. p. 170 (1903).

1. **C. Karschi, Bol.** l. c. (1903).	N. Guinea.

Genus 454. **Ityocephala.** (*Type* no. 1.)

Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 191, 219 (1892).

1. **I. Nigrostrigata, Walk. (*Pseudophyllus Nigrostrigatus*) Cat. Derm. Salt. B. M. v. Suppl. p. 44 (1871). *I. Falcata, Redt.* l. c. p. 220, pl. 3. f. 11 *a, b* (1892).	Vavau, Fiji.
2. **I. Françoisi, Bol.** Ann. Mus. Nat. Hungar. i. p. 171 (1903).	New Hebrides.

Genus 455. **Corycus.** (*Type* no. 1.)

Sauss. Ann. Soc. Ent. France, (4) i. p. 487 (1861): Krauss, Zool. Jahrb. Syst. v. pp. 344, 349 (1890); Karsch, Berlin. Ent. Zeitschr. xxxvi. pp. 335, 346 (1891); Redt. Verh. zool.-bot. Ges. Wien, xlii. pp. 191, 220 (1892).

*1. **C. Jurinei, Sauss.** l. c. p. 489. n. 13, pl. 11. ff. 4–7 (1861).	W. Africa.
2. **C. Kraussi, Kirb.** (n. n.). ‖*C. Jurinei, Krauss* (*nec Sauss.*), l. c. p. 352. n. 1, pl. 30. f. 1 *a*, *b* (1890) ; Redt. l. c. p. 221. n. 1 (1892).	Cameroons.
3. **C. Intermedius, Redt.** l. c. n. 2, pl. 3. f. 12 (1892).	id., St. Thomé.
4. **C. Abruptus, Krauss,** l. c. pp. 352, 354. n. 2. pl. 30. f. 2 (1890) ; Redt. l. c. pp. 221, 222. n. 3 (1892).	Gaboon.
*5. **C. Karschi, Krauss,** l. c. pp. 351, 355. n. 3, pl. 30. f. 3 (1890); Redt. l. c. pp. 221, 222. n. 4 (1892) ; Sjöst. Bihang Svenska Akad. xxvii. (4 : 3) p. 26, pl. 3. f. 3 (1902).	Cameroons.
6. **C. Præmorsus, Krauss,** l. c. pp. 351, 355. n. 4, pl. 30. ff. 4, 4 B (1890) ; Redt. l. c. pp. 221, 222. n. 5 (1892). ‖*C. Jurinei, Karsch* (*nec Sauss.*), l. c. xxxii. p. 415, fig. (1888).	id.
7. **C. Greeffi, Krauss,** l. c. pp. 352, 356. n. 5, pl. 30. ff. 5, 5 A–J (1890) ; Redt. l. c. pp. 221, 222. n. 5 (1892).	St. Thomé, Madagascar (eadem ?).
8. **C. Paradoxus, Bol.** J. Sci. Lisb. (2) i. p. 220. n. 202, pl. 1. f. 9 (1890).	San Thomé.
9. **C. Siccifolium, Sjöst.** l. c. p. 25, pl. 1. f. 2 (1902).	Gaboon.

SUBFAM. XXII.

PHYLLOPHORINÆ.

Genus 456. **Sasima.** (*Type* no. 1.)

Bol. Ann. Mus. Nat. Hungar. i. pp. 172, 173 (1903).

‖*Phyllophora, Brullé* (*nec Thunb.*), Hist. Nat. Ins. ix. p. 141 (1835) ; Burm. Handb. Ent. ii. p. 694 (1838) ; Blanch. Hist. Nat. Ins. iii. p. 23 (1840) ; Voy. Pôle Sud, Zool. iv. p. 363 (1853).

1. **S. Spinosa, Brunn.** (*Phyllophora S.*) Abhandl. Senckenb. Ges. xxiv. p. 261, pl. 19. f. 47 (1898). *S. Spinosa, Bol.* l. c. p. 174 (1903).	New Guinea.

2. **S. Truncata, Brunn.** (*Phyllophora T.*) l. c. p. 262, pl. 19. f. 48 (1898).	Ké I.
3. **S. Areolata, Bol.** l. c. p. 174 (1903).	Waigiou.
4. **S. Lactuca, Bol.** l. c. p. 175 (1903).	N. Guinea.
5. **S. Aruana, Kirb. (*Phyllophora A.*) Ann. Nat. Hist. (7) iv. p. 303. n. 3, pl. 6. f. 7 (1899).	Aru; N. Guinea (eadem ?).
(?) ‖ *Phyllophora Speciosa, Brullé* (*nec Thunb.*), l. c. p. 142, pl. 13. f. 2 (1835) : Burm. l. c. p. 694. n. 1 (1838) ; Blanch. ll. cc. p. 23 (1840) ; p. 363, pl. 3. ff. 1, 2 (1853).	
6. **S. Amplifolia, Walk. (*Phyllophora A.*) Cat. Derm. Salt. B. M. iii. p. 431. n. 6 (1870); Kirb. l. c. p. 305. n. 6, pl. 6. f. 1 (1899).	Malay Peninsula : Tringany.

Genus 457. **Hyperhomala.** (*Type* no. 3.)

Serv. Ann. Sci. Nat. xxii. p. 161 (1831).
Hyperomala, Boisd. Voy. Astrolabe, Ent. ii. p. 649 (1835) ; Serv. Ins. Orth. p. 544 (1839).

*1. **H. Philippinica, Brunn.** (*Phyllophora P.*) Abhandl. Senckenb. Ges. xxiv. p. 262 (1898); Kirb. Ann. Nat. Hist. (7) iv. p. 304, pl. 6. f. 3 (1899).	Philippines.
*2. **H. Keyica, Brunn.** (*Phyllophora K.*) l. c. p. 263 (1898); Kirb. l. c. p. 305. n. 5 (1899).	Key I.
3. **H. Virescens, Serv.** Ann. Sci. Nat. xxii. p. 163. n. 1 (1831). *Hyperomala Virescens, Boisd.* l. c. p. 649, pl. 10. f. 1 (1835) ; Serv. Ins. Orth. p. 545 (1839).	N.Zealnd(?) Australia(?)
*4. **H. Lanceolata, Brunn.** (*Phyllophora L.*) l. c. p. 263, pl. 19. f. 49 (1898) ; Kirb. l. c. p. 309. n. 13 (1899) ; Bol. Ann. Mus. Nat. Hungar. i. p. 177 (1903).	Moluccas, New Guinea.
5. **H. Woodfordi, Kirb. (*Phyllophora W.*) l. c. p. 309, pl. 6. f. 6 (1899).	Solomon Islands.
6. **H. Variegata, Brunn.** l. c. p. 264 (1898): Bol. l. c. p. 177 (1903).	N. Guinea.
7. **H. Habasqui, Le Guill.** (*Phyllophora H.*) Rev. Zool. 1841, p. 294.	id.
8. **H. Inermis, Walk. (*Phyllophora I.*) Cat. Derm. Salt. B. M. iii. p. 431. n. 4 (1870); Kirb. l. c. p. 310. n. 16, pl. 6. f. 2 (1899)	Hab. —— ?
9. **H. Angustata, Brunn.** l. c. p. 264 (1898): Bol. l. c. p. 178 (1903).	N. Guinea.

Genus 458. **Phyllophora.** (*Type* no. 1.)

Thunb. Mém. Acad. Pétersb. v. pp. 219, 286 (1815); Stål, Recens. Orth. ii. p. 21 (1874); Brunn. Abhandl. Senckenb. Ges. xxiv. p. 260 (1898); Kirb. Ann. Nat. Hist. (7) iv. p. 302 (1899).

1. **P. Speciosa, Thunb.** l. c. p. 286, pl. 3 (1815).	Hab. —— ?
2. **P. Media, Walk. Cat. Derm. Salt. B.M. iii. p. 431. n. 5 (1870); Kirb. Ann. Nat. Hist. (7) iv. p. 306. n. 9 (1899).	Ceylon.
3. **P. Brunnea, Kirb. l. c. p. 307. n. 10 (1899). *P. Media*, ♀, *Walk.* l. c. p. 431. n. 5 (1870).	Ceram.
4. **P. Eburneiguttata, Kirb. l. c. p. 307. n. 11, pl. 6. f. 5 (1899).	N. Guinea; Fly River.
5. **P. Ovalifolia, Kirb. l. c. p. 308. n. 12, pl. 6. f. 4 (1899).	Torres Straits.
6. **P. (?) Horvathi, Bol.** Ann. Mus. Nat. Hungar. i. p. 176 (1903).	N. Guinea.

Genus 459. **Siliquofera.**

Bol. Ann. Mus. Nat. Hungar. i. p. 173 (1903).

*1. **S. Grandis, Blanch.** (*Phyllophora G.*) Voy. Pôle Sud. Zool. iv. p. 364, Orth. pl. 3. f. 3 (1853); Kirb. Ann. Nat. Hist. (7) iv. pp. 310, 311. n. 18, fig. (1899). ‖*Megalodon Ensifer*, *Wall.* (*nec Brullé*) Malay Archip. ii. p. 434, fig. (1869). ‖*Hyperomala Virescens*, *Brunn.* (*nec Serv.*) Abhandl. Senckenb. Ges. xxiv. p. 265, pl. 20. f. 50 (1898).	N. Guinea, Aru, Waigiou.

Gen. incert. sed.

Genus 460. **Strongyloderus.**

Westw. Zool. Journ. v. p. 443 (1834).

1. **S. Serraticollis, Westw.** l. c. p. 444. n. 1, pl. 22. f. 2 (1834).	Malabar.

SUBFAM. XXIII.

MECONEMINÆ.

Genus 461. **Meconema.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 157 (1831); Ins. Orth. p. 503 (1839); Brullé, Hist. Nat. Ins. ix. p. 151 (1835); Steph. Ill. Brit. Ent., Mand. vi. p. 14 (1835); Burm. Handb. Ent. ii. p. 682 (1838); Wesm. Bull. Acad. Brux. v. p. 593 (1838); Blanch. Hist. Nat. Ins. iii. p. 27 (1840); Fisch.-Waldh. Orth. Ross. pp. 124, 138, 174 (1846); Borck, Skand. Rätv. Ins. p. 62 (1848); Fisch. Orth. Eur. p. 240 (1853); Fieb. Lotos, iii. p. 173 (1853); Syn. Eur. Orth. p. 49 (1854); Costa, Faun. Nap., Ort. Loc. p. 13 (1860); Friv. Értek. Termész. Kör. i. (12) pp. 84, 107 (1867); Stål, Recens. Orth. ii. p. 8 (1874); Bol. Ortópt. Españ. pp. 175, 221 (1876); An. Soc. Españ. vi. pp. 257, 303 (1877); Brunn. Prodr. Eur. Orth. p. 296 (1882); Finot, Orth. France, pp. 90, 99 (1883); Faune France, Orth. pp. 174, 185 (1889); Burr, Brit. Orth. p. 52 (1897); Auriv. Ent. Tidskr. xxi. p. 251 (1900); Tümp. Geradfl. Mitteleuropas, pp. 222, 224, 259 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 325, 337, 379 (1902–3).

*1. **M. Thalassina, De Geer,** (*Locusta T.*) Mém. Ins. iii. p. 433. n. 3 (1771). Europe.

M. Thalassina, *Borck*, l. c. p. 62 (1848); Auriv. l. c. p. 251. n. 1 (1900).

M. Thalassinum, *Jacobs. & Bianchi*, l. c. pp. 337, 379 (1902–3).

Locusta Varia, *Fabr.* Syst. Ent. p. 287. n. 24 (1775); Rossi, Faun. Etr. i. p. 267. n. 648 (1790); Don. Brit. Ins. iii. p. 20, pl. 79. f. 1 (1794); Panz. Faun. Germ. fasc. 33. pl. 1 (1796); Latr. Hist. Nat. Crust. Ins. xii. p. 131. n. 4 (1804); Zett. Orth. Suec. p. 62. n. 3 (1821), Charp. Hor. Ent. p. 110 (1825); Phil. Orth. Berol. p. 20, pl. 1. f. 4 (1830); Wesm. l. c. p. 593 (1835).

Conocephalus Varius, *Thunb.* Mém. Acad. Pétersb. v. p. 274 (1815).

M. Varia, Serr. ll. cc. p. 158. n. 1 (1831) ; p. 504. n. 1 (1839) ; Brullé, l. c. p. 151, pl. 15. f. 2 (1835) ; Steph. l. c. p. 15. n. 1 (1835) ; Burm. l. c. p. 682 (1838) ; Blanch. l. c. p. 27 (1840) ; Fisch.-Waldh. l. c. p. 176, pl. 8. f. 6 (1846) ; Fieb. ll. cc. p. 173. n. 1 (1853) ; p. 19. n. 1 (1854) ; Finot, Faune France, Orth. p. 185 (1889).	
M. Varium, Fisch. l. c. p. 240. n. 1, pl. 12. ff. 19, 19 *a*, 20 (1853) ; Friv. l. c. p. 108. n. 1 (1867) ; Bol. ll. cc. p. 221. n. 1 (1876) ; p. 303. n. 1 (1877) ; Brunn. l. c. p. 296. n. 1, pl. 8. f. 68 (1882) ; Finot, Orth. France, pp. 99, 100 (1883) ; Burr, l. c. p. 52, pl. 4. f. 9 (1897) ; Tümp. l. c. pp. 224, 259 (1900).	
Gryllus Arboreus, Fuessly, Verz. Schweiz. Ins. p. 23. n. 438 (1775).	
Gryllus Tetigonia Viridissimus minor, Sulz. Gesch. Ins. p. 83, pl. 8. f. 9 (1776).	
Gryllus Falcatus, Schrank, Enum. Ins. Austr. p. 245. n. 467 (1781).	
Gryllus Tettigonia Nana, Stoll, Spectres, Saut. p. 28, pl. 13 *a*. f. 55 (1813).	
2. **M. Meridionale, Costa,** l. c. p. 14, pl. 10. ff. 2, 3 (Oct. 1860) ; Atti Accad. Nap. i. p. 13, pl. 1. ff. 9, 9 A, B, 10, 10 A, B (1863).	S. France, Italy, Tyrol.
M. Brevipennis, Yers. Ann. Soc. Ent. France, (3) viii. p. 519. n. 5, pl. 10. ff. 7–9 (Dec. 1860); Finot, Faune France, Orth. p. 186 (1889).	
M. Brevipenne, Brunn. l. c. pp. 296, 298. n. 2 (1882); Krauss, Verh. zool.-bot. Ges. Wien, xxiii. p. 19, pl. 1. ff. 1–5 (1873) ; Finot, Orth. France, pp. 99, 100 (1883) ; Tümp. l. c. pp. 224, 259 (1900) ; Jacobs. & Bianchi, l. c. pp. 337, 380 (1902–3).	
3. **M. Subpunctatum, Motsch.** Bull. Soc. Nat. Moscou, xxix. (1) p. 181 (1866) ; Jacobs. & Bianchi, l. c. p. 380 (1903).	Japan.
4. **M. (?) Albicorne, Motsch.** l. c. p. 181 (1866) ; Jacobs. & Bianchi, l. c. p. 380 (1903).	id.

Genus 462. **Cyrtaspis.** (*Type* no. 1.)

Fisch. Orth. Eur. p. 235 (1853); Costa, Faun. Nap., Ort. Loc. p. 16 (1860); Bol. Ortópt. Españ. pp. 178, 222 (1876); An. Soc. Españ. vi. pp. 257, 304 (1877); Brunn. Prodr. Eur. Orth. p. 298 (1882); Tümp. Geradfl. Mitteleuropas, pp. 222, 224, 260 (1900); Jacobs. & Bianchi, Prem. i. Lozhn. Ross. Imp. pp. 325, 337, 378 (1902–3).

1. **C. Scutata, Charp.** (*Barbitistes Scutatus*) Hor. Ent. p. 102 (1829); Burm. Handb. Ent. ii. p. 682. n. 4 (1838); Fieb. Lotos, iv. p. 272. n. 19 (1854). *C. Scutata, Fisch.* l. c. p. 235. n. 1, pl. 11. ff. 11, 11 *a–e* (1853); Bol. ll. cc. (excl. figs.) p. 223. n. 1 (1876); p. 305. n. 1 (1877); Rev. Ent. (Caen) xi. p. 291. n. 1 (1892); Ann. Sci. Porto, vi. p. 10. n. 1 (1900).	Portugal.
2. **C. Variopicta, Costa,** l. c. p. 17. n. 1, pl. 10. f. 2 (1860); Atti Accad. Nap. i. p. 64, pl. 1. ff. 8, 8 A, B (1863); Bol. Rev. Ent. (Caen) xi. p. 292. n. 2 (1892); Jacobs. & Bianchi, l. c. pp. 337, 378 (1902–3). ‖ *C. Scutata, Bol.* (*nec Charp.*) Ortópt. Españ. p. 322, pl. 6. f. 3 (1876); An. Soc. Españ. vii. p. 118, pl. 5. f. 3 (1878); Krauss (*nec* Charp.), Sitz. Akad. Wiss. Wien, lxxviii. p. 503. n. 73 (1878); Dubr. Ann. Mus. Genova, xii. p. 17. n. 56 (1878); Brunn. l. c. p. 298. n. 1, pl. 8. f. 69 (1882); Tümp. l. c. p. 260 (1900).	Italy, Dalmatia, Triest.
3. **C. Lineolata, Costa,** Faun. Nap., Ort. Loc. p. 19. n. 2, pl. 14. f. 4 (1860).	S. Italy.

Genus 463. **Acilacris.**

Bol. J. Sci. Lisb. (2) i. p. 219 (1890);
Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 327 (1892).

1. **A. Tridens, Bol.** l. c. p. 220. n. 201, pl. 1, ff. 10, 10 *a, b* (1890).	Angola.

Genus 464. **Amytta.** (*Type* no. 1.)

Karsch, Wien. Ent. Zeit. vii. p. 160 (1888);
Ent. Nachr. xvi. p. 264 (1890).

1. **A. Pellucida, Karsch,** Wien. Ent. Zeit. vii. p. 161 (1888).	E. Africa.
2. **A. Occidentalis, Karsch,** Ent. Nachr. xvi. p. 264. n. 8 (1890); Griff. Ann. Mus. Genova, xlii. p. 367 (1906).	W. Africa: Kribi.
3. **A. Mutillata, Karsch,** l. c. p. 367. n. 18 (1890): Berlin. Ent. Zeitschr. xxxvi. p. 328. n. 25 (1892).	W. Africa: Barombi.

Genus 465. **Anepitacta.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 22, 178 (1891); Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 327 (1891), xxxviii. p. 132 (1893).

1. **A. Inconspicua, Brunn.** l. c. p. 178, pl. 2. ff. 34 *a, b* (1891).	Cameroons.
Amytta Inconspicua, Griff. Ann. Mus. Genova, xlii. p. 367 (1906).	
2. **A. Contaminata, Karsch,** Berlin. Ent. Zeitschr. xxxviii. p. 132. n. 105 (1893).	Adeli.
3. **A. Egestosa, Karsch,** l. c. p. 133. n. 106 (1893).	id.
4. **A. Aliquantula, Karsch,** l. c. n. 107 (1893).	id.

Genus 466. **Thaumaspis.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. France, lxviii. p. 768 (1900).

1. **T. Trigonurus, Bol.** l. c. p. 769, pl. 11. ff. 11, 11 *a, b* (1900).	S. India; Kodaikanal.
2. **T. Forcipatus, Bol.** l. c. ff. 12, 12 *a, b* (1900).	Madura.
3. **T. Longipes, Bol.** l. c. pp. 769, 770 (1900).	id.

Genus 467. **Nicephora.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. France, lxii. p. 770 (1900).

1. **N. Trigonidioides, Bol.** l. c. p. 771, pl. 11. f. 14 (1900).	S. India; Kodaikanal.
2. **N. Subulata, Bol.** l. c. pp. 771, 772, pl. 11. ff. 15, 15 *a*, *b* (1900).	iid.
3. **N. Mazerani, Bol.** l. c. pp. 771, 773, pl. 11. ff. 16, 16 *a* (1900).	Madura.
4. **N. Mirabilis, Bol.** ll. cc. (1900).	id.

Genus 468. **Orophila.**

Krauss, Zool. Anz. xv. p. 168 (1892).

1. **O. Nubigena, Krauss,** l. c. p. 169 (1892).	Tenerife.

SUBFAM. XXIV.

PHANEROPTERINÆ.

Genus 469. **Orphania.** (*Type* no. 1.)

Fisch. Orth. Eur. p. 222 (1853); Bol. Ortópt. Españ. pp. 175, 223 (1876); An. Soc. Españ. vi. pp. 257, 305 (1877); Brunn. Mon. Phan. pp. 12, 35 (1878); Prodr. Eur. Orth. pp. 245, 255 (1882); Verh. zool.-bot. Ges. Wien, xli. pp. 3, 24 (1891); Finot, Orth. France, pp. 88, 94 (1883); Faune France, Orth. pp. 173, 175 (1889); Tümp. Geradfl. Mitteleuropas, pp. 221, 224, 259 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 323, 329, 354 (1902–3).
Polysarcus, *Fieb.* Syn. Eur. Orth. p. 51 (1854).
Hadrosoma, *Fieb.* l. c. note (1854).

*1. **O. Denticauda, Charp.** (*Barbitistes D.*) Hor. Ent. p. 99, pl. 3. ff. 3, 6 (1825); Serv. Ins. Orth. p. 478. n. 1 (1839).	S. Europe.
Ephippigera Denticauda, *Serv.* Ann. Sci. Nat. p. 166. n. 7 (1831); Burm. Handb. Ent. ii. p. 680. n. 4 (1838).	

O. Denticauda, Fisch. l. c. p. 222, pl. 12. ff. 3. 3*, 3**, 3 *a*, *b* (1853); Bol. ll. cc. p. 224. n. 1 (1876): p. 306. n. 1 (1877); Brunn. ll. cc. p. 35. n. 1, pl. 1. ff. 1 *a–d* (1878); p. 255. n. 1, pl. 7. ff. 59 A–D (1882); p. 24. n. 1 (1891); Finot, ll. cc. p. 94 (1883); p. 175, pl. 9. ff. 118, 119 (1889); Tümp. l. c. pp. 224, 249, pl. 20 (1890); Jacobs. & Bianchi, l. c. pp. 329, 354, pl. 7 (1902–3).	
Polysarcus Denticaudus, Fieb. l. c. p. 51. n. 1 (1854); Lotos, iv. p. 225. n. 1 (1854).	
Odontura Denticauda, Friv. Értek. Termész. Kör. i. (12) p. 90. n. 1 (1867).	
2. **O. Lixonensis, Saulcy,** Bull. Soc. d'Hist. Nat. Metz, (2) xvii. p. 189 (1887).	Pyrenees.
*3. **O. Scutata, Brunn.** Prodr. Eur. Orth. pp. 255, 256. n. 2 (1882); Verh. zool.-bot. Ges. Wien, xli. p. 24. n. 2 (1891); Jacobs. & Bianchi, l. c. pp. 329, 354 (1902–3).	Servia.

Genus 470. **Pœcilemon.** (*Type* no. 8.)

Fisch. Orth. Eur. p. 225 (1853): Brunn. Mon. Phan. pp. 13, 36 (1878); Prodr. Eur. Orth. pp. 245, 257 (1882); Verh. zool.-bot. Ges. Wien, xli. pp. 3, 24 (1891); Tümp. Geradfl. Mitteleuropas, pp. 222, 223, 255 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 323, 329, 355 (1902–3).

*1. **P. Obesus, Brunn.** ll. cc. pp. 37, 38. n. 1 (1878); pp. 257, 258, n. 1 (1882); p. 25. n. 1 (1891); Jacobs. & Bianchi, l. c. pp. 330, 355 (1902–3).	Turkey, Greece, Bulgaria.
*2. **P. Affinis, Friv.** (*Odontura A.*) Értek. Termész. Kör. i. (12) p. 91. n. 2, pl. 2. ff. 1, 1 *a–d* (1867).	Hungary, Transylvania, Servia.
P. Affinis, Brunn. ll. cc. pp. 37, 39. n. 2 (1878); pp. 257, 259. n. 2 (1882); p. 25. n. 2 (1891); Jacobs. & Bianchi. l. c. pp. 330, 355 (1902–3).	
*3. **P. Ornatus, Schmidt,** (*Ephippigera Ornata*) Haidinger, Ber. Mitth. Freund. Naturw. Wien, vi. p. 184 (1850).	Tyrol, Carniola, Istria,

	P. Ornatus, *Krauss*, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxviii. (1) p. 497. n. 62, pl. 3. ff. 1, 1 A (1879) ; Jacobs. & Bianchi, l. c. pp. 330, 355 (1902–3). *Barbitistes Fieberi*, *Fieb.* Lotos, iii. p. 175. n. 1 (1853) ; Syn. Eur. Orth. p. 51. n. 1 (1854). *P. Fieberi*, *Brunn.* ll. cc. pp. 37, 40. n. 3 (1878) ; pp. 257, 259. n. 3 (1882) ; p. 25. n. 3 (1891) ; Tümp. l. c. pp. 223, 255 (1890).	Croatia, Dalmatia, Bosnia, Montenegro.
*4.	**P. Hamatus, Brunn.** Mon. Pseudoph. pp. 37, 41. n. 5 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 25. n. 5 (1891); Jacobs. & Bianchi, l. c. pp. 330, 356 (1902–3).	Rhodes, Smyrna.
5.	**P. Unispinosus, Brunn.** ll. cc. pp. 37, 42. n. 7 (1878) ; p. 25. n. 7 (1891) ; Jacobs. & Bianchi, l. c. pp. 330, 356 (1902–3).	Smyrna.
6.	**P. Deplanatus, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 25, 27. n. 22 (1891) ; Jacobs. & Bianchi, l. c. pp. 330, 356 (1902–3).	Cos.
7.	**P. Pulcher, Brunn.** l. c. pp. 25, 27. n. 23 (1891) ; Jacobs. & Bianchi, l. c. pp. 330, 356 (1902–3).	Smyrna.
*8.	**P. Ionicus, Fieb.** (*Barbitistes Jonicus*) ll. cc. p. 175. n. 3 (Aug. 1853) ; p. 52. n. 3 (1854). *P. Jonicus*, *Brunn.* Mon. Phan. pp. 38, 49. n. 19 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 25. n. 19 (1891); Jacobs. & Bianchi, l. c. pp. 330, 357 (1902–3). *P. Ionicus*, *Brunn.* Prodr. Eur. Orth. pp. 257, 260. n. 4 (1882). *Odontura Superba*, *Fisch.* Orth. Eur. p. 225. n. 1, pl. 12. ff. 4, 4 *a* (Nov. 1853). *Odontura Tessellata*, *Fisch.* l. c. p. 227. n. 4, pl. 12. ff. 7, 7 *a*, *b* (1853).	Italy, Dalmatia, Greece.
9.	**P. Cretensis, Werner,** (*P. Jonicus*, var. *Cretensis*) Verh. zool.-bot. Ges. Wien, liii. pp. 67, 68, fig. (1903).	Crete.
10.	**P. Inflatus, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 25, 28. n. 24 (1891) ; Jacobs. & Bianchi, l. c. pp. 330, 357 (1902–3).	Asia Minor.

11. **P. Nobilis, Brunn.** Mon. Phan. pp. 38, 50. n. 20 (1878); Prodr. Eur. Orth. pp. 257, 261. n. 5 (1882); Verh. zool.-bot. Ges. Wien, xli. p. 25. n. 20 (1891); Jacobs. & Bianchi, l. c. pp. 330, 357 (1902–3). — Greece.

12. **P. Lævissimus, Fisch.** (*Odontura Lævissima*) l. c. p. 225. n. 2, pl. 12. ff. 5, 5*, 5 *a* (1853). — Messina.
P. Lævissimus, Brunn. ll. cc. pp. 38, 48. n. 18 (1878); pp. 257, 261. n. 6, pl. 7. ff. 60 A–D (1882); p. 25. n. 18 (1891).

13. **P. Incertus, Targ.-Tozz.** Bull. Soc. Ent. Ital. xiii. p. 182 (1881); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 25, 28. n. 25 (1891). — Asia Minor.

14. **P. Holzi, Werner,** Berlin. Ent. Zeitschr. xxvii. p. 116, figs. (1902); Jacobs. & Bianchi, l. c. pp, 330, 357 (1902–3). — Greece.

15. **P. Schmidtii, Fieb.** (*Barbitistes S.*) Lotos, iii. p. 260 (1853); Syn. Eur. Orth. p. 77 (1854). — Tyrol, Carniola, Hungary, Transylvania, Transcaucasia, Asia Minor.
P. Schmidti, Brunn. Mon. Phan. pp. 38, 51. n. 21 (1878); Prodr. Eur. Orth. pp. 257, 262. n. 8 (1882); Verh. zool.-bot. Ges. Wien, xli. p. 25. n. 21 (1891); Tümp. l. c. pp. 223, 256 (1900); Jacobs. & Bianchi, l. c. pp. 330, 357 (1902–3).
Barbitistes Gracilis, Fieb. ll. cc. p. 261 (1853); p. 77 (1854).
Odontura Laticauda, ♂, *Friv.* l. c. p. 102. n. 11, pl. 4. ff. 1 *a*, *b* (1867).

*16. **P. Brunneri, Friv.** (*Odontura B.*) l. c. p. 94. n. 5, pl. 2. ff. 3, 3 *a–d* (1867). — Hungary, Servia, Roumania.
P. Brunneri, Brunn. ll. cc. p. 45. n. 1 (1878); pp. 258, 263. n. 9 (1882); p. 26. n. 12 (1891); Jacobs. & Bianchi, l. c. pp. 330, 358 (1902–3).

17. **P. Fussi, Brunn.** ll. cc. pp. 38, 47. n. 15 (1878); pp. 258, 263. n. 10 (1882); p. 26. n. 15 (1891); Jacobs. & Bianchi, l. c. pp. 330, 358 (1902–3). — Hungary, Transylv., Servia, Bulgaria, Roumania.

18. **P. Intermedius, Fieb.** (*Barbitistes Intermedia*) Lotos, iii. pp. 176, 260. n. 5 (1853); Syn. Eur. Orth. pp. 52, 77. n. 5 (1854). — S. Russia.

P. Intermedius, Brunn. Mon. Phan. pp. 38, 47. n. 16 (1878) ; Jacobs. & Bianchi, l. c. pp. 330, 358 (1902–3).	
19. **P. Ampliatus, Brunn.** l. c. pp. 38, 46. n. 14 (1878) ; Prodr. Eur. Orth. pp. 258, 264. n. 11 (1882) ; Verh. zool.-bot. Ges. Wien, xli. p. 26. n. 14 (1891) ; Tümp. l. c. pp. 223, 256 (1900) ; Jacobs. & Bianchi, l. c. pp. 331, 358 (1902–3).	Istria, Servia.
20. **P. Lateralis, Fieb.** (*Barbitistes L.*) ll. cc. p. 176. n. 7 (1853) ; p. 52. n. 7 (1854).	Hab. —— ?
21. **P. Elegans, Brunn.** ll. cc. pp. 38, 45. n. 13 (1878); pp. 258, 265. n. 12 (1882); p. 26. n. 13 (1891) ; Krauss, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxviii. (1) p. 498. n. 63. pl. 3. ff. 2 A, B (1879) ; Tümp. l. c. pp. 223, 255. pl. 20 (1900) ; Jacobs. & Bianchi, l. c. pp. 331, 359. pl. 7 (1902–3).	Balkan Peninsula.
*22. **P. Thoracicus, Fieb.** (*Barbitistes T.*) ll. cc. p. 176. n. 4 (1853) ; p. 52. n. 4 (1854). *Odontura Thoracica, Friv.* l. c. p. 93. n. 3, pl. 2. ff. 2 *a–d* (1867). *P. Thoracicus, Brunn.* l. c. pp. 38, 48. n. 17 (1878) ; pp. 258, 265. n. 13 (1882) ; p. 26. n. 17 (1891) ; Jacobs. & Bianchi, l. c. pp. 331, 339 (1902–3).	Hungary, Transylvania, Servia, Bulgaria, Bosnia, Roumania.
23. **P. Kutahiensis, Werner,** Jacobs. & Bianchi, l. c. pp. 331, 359 (1902–3).	Asia Minor.
24. **P. Syriacus, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 26, 29. n. 27 (1891) ; Jacobs. & Bianchi, l. c. pp. 331, 359 (1902–3).	Syria, Asia Minor.
25. **P. Zonatus, Bol.** Ann. Soc. Ent. Belg. xliii. p. 597 (1899) ; Jacobs. & Bianchi, l. c. pp. 331, 359 (1902–3).	Asia Minor.
26. **P. Pergamicus, Brunn.** l. c. pp. 26, 29. n. 26 (1891) ; Jacobs. & Bianchi, l. c. pp. 331, 360 (1902–3).	id.
27. **P. Amissus, Brunn.** Mon. Phan. pp. 37, 44. n. 11 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 26. n. 11 (1891) ; Jacobs. & Bianchi, l. c. pp. 331, 360 (1902–3).	id.
28. **P. Concinnus, Brunn.** ll. cc. pp. 37, 41. n. 6 (1878) ; p. 26. n. 6 (1891) ; Jacobs. & Bianchi, l. c. p. 331, 360 (1902–3).	Amasia.

29. **P. Smyrnensis, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 26, 29. n. 28 (1891) ; Jacobs. & Bianchi, l. c. pp. 331, 360 (1902–3).	Smyrna.
30. **P. Thessalicus, Brunn.** l. c. pp. 27, 30. n. 29 (1891) ; Jacobs. & Bianchi, l. c. pp. 331, 360 (1902–3).	Thessaly, Greece.
31. **P. Flavescens, Herr.-Schäff.** (*Barbitistes F.*) Panzer, Faun. Ins. Germ. Heft 157. pl. 14 (1838) ; Fieb. ll. cc. p. 175. n. 2 (1853) ; p. 51. n. 2 (1854).	Turkey, Greece, S. Russia, Asia Minor.
Odontura Flavescens, *Fischer*, Orth. Eur. p. 226. n. 3, pl. 12. ff. 6. 6 *a*, *b* (1853).	
P. Flavescens, *Brunn.* Mon. Phan. pp. 37, 42. n. 8 (1878); Prodr. Eur. Orth. pp. 258, 266. n. 14 (1882) ; Verh. zool.-bot. Ges. Wien, xli. p. 27. n. 8 (1891) ; Jacobs. & Bianchi, l. c. pp. 332, 362 (1902–3).	
32. **P. Similis, Retowski,** Ber. Senckenb. Ges. 1889, p. 220. n. 22 ; Jacobs. & Bianchi, l. c. pp. 332, 361 (1902–3).	Asia Minor.
33. **P. Propinquus, Brunn.** ll. cc. pp. 37, 44. n. 10 (1878); pp. 258, 267. n. 16 (1882); p. 27. n. 10 (1891) ; Jacobs. & Bianchi, l. c. pp. 332, 361 (1902–3).	Greece.
34. **P. Cognatus, Fieb.** (*Barbitistes Cognata*) ll. cc. p. 176. n. 6 (1853) ; p. 52. n. 6 (1854).	Turkey.
35. **P. Bulgaricus, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 27, 30. n. 30 (1891) ; Jacobs. & Bianchi, l. c. pp. 332, 361 (1902–3).	Bulgaria.
*36. **P. Bosphoricus, Brunn.** Mon. Phan. pp. 37, 43. n. 9 (1878) ; Prodr. Eur. Orth. pp. 258, 266. n. 15 (1882) ; Verh. zool.-bot. Ges. Wien, xli. p. 27. n. 9 (1891) ; Jacobs. & Bianchi, l. c. pp. 332, 361 (1902–3).	S. Russia. Turkey. Asia Minor.
P. Tauricus, *Ret.* Bull. Mosc. (2) iii. p. 408. n. 38 (1888).	
P. Bosphoricus, var., *Ret.* Ber. Senckenb. Ges. 1889, p. 221. n. 23.	
P. Bosphoricus, var. *Transiens*, *Ret.* l. c. (1889).	
37. **P. Orbelicus, Pancic,** Orthopt. Serb. p. 163 (1883).	Bulgaria.

*38. **P. Sancti Pauli, Brunn.** Mon. Phan. pp. 37, 40, pl. 1. ff. 2, 2 *a–c* (1878); Verh. zool.-bot. Ges. Wien, xli. p. 27. n. 4 (1891): Jacobs. & Bianchi, l. c. pp. 332, 362 (1902–3).	Asia Minor, Rhodes.

Genus 471. **Jaquetia.** (*Type* no. 1.)

Sauss. Bull. Soc. Sci. Bucarest. vi. p. 542 (1898); Rev. Suisse Zool. v. p. 225 (1898); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 323, 332, 362 (1902–3).

1. **J. Hospodar, Sauss.** ll. cc. pp. 542, 543, fig. (1898); p. 226. n. 1, pl. 9. ff. 10, 10 *a*, *b*, 11 (1898); Jacobs. & Bianchi, l. c. pp. 332, 362 (1902–3).	Roumania, Dobrudcha.
2. **J. Tartara, Sauss.** Rev. Suisse Zool. v. p. 227. n. 2 (1898); Jacobs. & Bianchi, l. c. pp. 332, 362 (1902–3).	Turkestan.

Genus 472. **Barbitistes.** (*Type* no. 1.)

Charp. Hor. Ent. p. 98 (1825); Burm. Handb. Ent. ii. p. 681 (1838); Serv. Ins. Orth. p. 477 (1839); Fisch.-Waldh. Orth. Ross. p. 209 (1846); Fieb. Lotos, iii. p. 175 (1853); Syn. Eur. Orth. p. 51 (1854); Brunn. Mon. Phan. pp. 13, 51 (1878); Prodr. Eur. Orth. pp. 246, 267 (1882); Verh. zool.-bot. Ges. Wien, xli. pp. 3, 31 (1891); Finot, Orth. France, p. 89 (1883); Faune France, Orth. pp. 174, 177 (1889); Tümp. Geradfl. Mitteleuropas, pp. 222, 224, 257 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 323, 332, 363 (1902–3).

Ephippigera, 2 *div.*, *Serv.* Ann. Sci. Nat. xxii. p. 166 (1831).

*1. **B. Serricauda, Fabr.** (*Locusta S.*) Ent. Syst. iv. p. 455 (1794), Suppl. p. 193 (1798); Hagenb. Symb. Faun. Ins. Helvet. p. 23, ff. 12, 13 (1822); Wesm. Bull. Acad. Brux. v. p. 594. n. 4 (1838). *B. Serricauda, Charp.* l. c. p. 99, pl. 3. ff. 3, 6 (1825); Burm. l. c. p. 681. n. 1 (1838); Serv. Ins. Orth. p. 479. n. 2 (1839); Fisch.-Waldh. l. c. p. 210. n. 1, pl. 25. ff. 6, 7 (1846); Fieb. ll. cc. p. 185. n. 11 (1853); p. 53. n. 11 (1854); Finot,	S. & S.E. Europe.

ll. cc. pp. 94, 95 (1883) ; p. 177 (1889) : Brunn. ll. cc. p. 52. n. 1 (1878) ; p. 268. n. 1 (1882) ; p. 31 (1891) ; Tümp. l. c. pp. 224, 257 (1890) ; Jacobs. & Bianchi, l. c. p. 332 (1902).	
B. Serricaudus, Jacobs. & Bianchi, l. c. p. 363 (1903).	
Odontura Serricauda, Fisch. Orth. Eur. p. 228. n. 6, pl. 12. ff. 9, 9 *a*, 10, 10 *a*, *b*, 11, 11 *a* (1853) : Friv. Értek. Termész. Kör. i. (12) p. 100. n. 9, pl. 3. ff. 4, 4 *a*, *b* (1867) : Bol. Ortópt. Españ. p. 229 (1876) ; An. Soc. Españ. vi. p. 311 (1877).	
Barbitistes Sanguinolenta, Fisch.-Waldh. l. c. p. 358. n. 1, pl. 33. f. 7 (1846).	
Barbitistes Assimilis, Fieb. ll. cc. p. 186. n. 15 (1853) : p. 54. n. 15 (1854).	
2. **B. Varicornis, Haan,** (*Locusta* (*Ephippigera*) *V.*) Temminck, Verhandel., Orth. p. 185. n. 15 (1842).	Syria.
3. **B. Trilineatus, Haan,** (*Locusta* (*Ephippigera*) *Trilineata*) l. c. n. 14 (1842).	Tripoli.
4. **B. Obtusus, Targ.-Tozz.** Bull. Ent. Ital. xiii. p. 183 (1881) ; Brunn. Prodr. Eur. Orth. pp. 268, 269. n. 2 (1882) ; Verh. zool.-bot. Ges. Wien, xli. p. 31 (1891) ; Jacobs. & Bianchi, l. c. pp. 332, 363 (1902–3).	Italy, Sardinia, Ticino, Tyrol.
B. Serricauda, var., *Frey-Gessner*, Mitth. schweiz. ent. Ges. iv. p. 15 (1872).	
5. **B. Constrictus, Brunn.** Mon. Phan. pp. 52, 54. n. 2 (1878): Prodr. Eur. Orth. pp. 268, 269. n. 3 (1882) ; Tümp. l. c. pp. 224, 257 (1900) ; Jacobs. & Bianchi, l. c. pp. 332, 363 (1902–3).	Bukovina, Silesia, Galicia, Hungary.
6. **B. Yersini, Brunn.** ll. cc. pp. 52, 55. n. 3, pl. 1. ff. 3, 3 *a–d* (1878) ; pp. 268, 270. n. 4, pl. 7. f. 61 (1882) ; Tümp. l. c. pp. 224, 257, pl. 20 (1900) ; Jacobs. & Bianchi, l. c. pp. 332, 364, pl. 7 (1902–3).	Carniola, Istria, Croatia, Dalmatia, Herzegov.
*7. **B. Fischeri, Yers.** (*Odontura F.*) Bull. Soc. Vaud. iv. p. 66, pl. 2. ff. 1–5 (1854).	Hyères, Spain, Portugal.
B. Fischeri, Brunn. ll. cc. pp. 52, 55. n. 4 (1878) ; pp. 268, 270. n. 5 (1882) ; Fin. ll. cc. p. 95 (1883) ; pp. 177, 178, pl. 9.	

ff. 120, 121 (1889) ; Bol. Ann. Sci. Nat. Porto, vi. p. 6. n. 1 (1900).

Barbitistes sp., Bol. Ortópt. Españ. p. 302. pl. 5. f. 12 (1876) ; An. Soc. Españ. vi. pl. 4. f. 12 (1877). vii. p. 98 (1878).

B. Sanzii, Bol. An. Soc. Españ. vii. p. 439 (1878).

B. Berenguieri, Mayet. Bull. Soc. Ent. France, (6) viii. p. cxi (1889).

*8. **B. Ocskayi, Charp. & Grav.** Nova Acta Acad. Leopold.-Carol. xxii. (2) p. xciii. pl. A (1850) ; Fieb. ll. cc. p. 185. n. 10 (1853); p. 53. n. 10 (1854) ; Brunn. Mon. Phan. pp. 52, 57. n. 6 (1878) ; Prodr. Eur. Orth. pp. 268, 271. n. 6 (1882); Krauss, Sitzungsb. Akad. Wiss. Wien, Math.-nat. Cl. lxxviii. (1) p. 500. n. 66 (1879) ; Tümp. l. c. pp. 224, 257, pl. 20 (1900) ; Jacobs. & Bianchi, l. c. pp. 332, 364, pl. 7 (1902–3). Istria, Croatia, Dalmatia, Hungary, Greece.

Odontura Ocskayi, Fisch. l. c. p. 228. n. 5, pl. 12. ff. 8, 8 *a*, *b* (1853).

♂. *Odontura Serricauda*, var., *Fisch.* l. c. p. 229, pl. 12. ff. 9, 9 *a* (1853).

‖ *Odontura Fischeri, Friv.* (*nec Yers.*) l. c. p. 101. n. 10, pl. 3. ff. 5, 5 *a–c* (1867).

B. Frivaldskyi, Brunn. Mon. Phan. pp. 52, 56. n. 5 (1878).

9. **B. Nigrovittatus, Brunn.** l. c. pp. 52, 58. n. 7 (1878) ; Prodr. Eur. Orth. pp. 268, 272. n. 7 (1882) ; Jacobs. & Bianchi, l. c. pp. 333, 364 (1902–3). Macedonia.

10. **B. Pulchripennis, Costa,** (*Odontura P.*) Atti Accad. Nap. i. (2) p. 25, pl. 1. ff. 6, 7 (1863). Italy, Spain, Bulgaria.

B. Pulchripennis, Brunn. ll. cc. pp. 52, 58. n. 8 (1878) ; pp. 268, 272. n. 8 (1882) ; Verh. zool.-bot. Ges. Wien, xli. pp. 31, 32. n. 11 (1891) ; Jacobs. & Bianchi, l. c. pp. 333, 364 (1902–3).

11. **B. Brunneri, Panc.** Orthopt. Serb. p. 102. n. 81 (1883) ; Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 31. n. 10 (1891) ; Jacobs. & Bianchi, l. c. pp. 333, 364 (1902–3). Bulgaria, Servia.

12. **B. Œrtzeni, Brunn.** l. c. pp. 31, 32. n. 19 (1891) ; Jacobs. & Bianchi, l. c. pp. 333, 364 (1902–3). Greece.

Genus 473. **Isophya.** (*Type* no. 13.)

Brunn. Mon. Phan. pp. 13, 59 (1878) : Prodr. Eur. Orth. pp. 246, 273 (1882) ; Verh. zool.-bot. Ges. Wien, xli. pp. 3, 32 (1891) ; Finot, Orth. France, p. 89 (1883) ; Faune France, Orth. pp. 174, 179 (1889) ; Giglio-Tos, Boll. Mus. Torino, ix. (184) p. 35 (1894) ; Tümp. Geradfl. Mitteleuropas, pp. 222, 224, 256 (1900) ; Jacobs. & Bianchi. Prem. i Lozhn. Ross. Imp. pp. 323, 333, 365 (1902–3).

*1. **I. Brasiliensis, Brunn.** Mon. Phan. pp. 59, 61. n. 1 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 32. n. 1 (1891); Giglio-Tos, l. c. p. 36 (1894).	Brazil.
2. **I. Schœnemanni, Karsch,** Ent. Nachr. xv. p. 126 (1889) ; Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 33, 35. n. 18 (1891) ; Giglio-Tos, l. c. p. 36 (1894).	Chili.
3. **I. Punctinervis, Stål,** (*Odontura P.*) Eugenies Resa, Orth. p. 318. n. 53 (1860).	Buenos Aires.
I. Punctinervis, Brunn. Mon. Phan. pp. 59, 61. n. 2 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 33. n. 2 (1891): Giglio-Tos, l. c. p. 36 (1894).	
4. **I. Borellii, Giglio-Tos,** l. c. p. 37 (1894).	Argentina, Paraguay.
5. **I. Hamata, Giglio-Tos,** l. c. (1894).	Paraguay.
6. **I. Pulchella, Giglio-Tos,** l. c. (1894).	id., Arg.
7. **I. Æquatorialis, Giglio-Tos,** l. c. xiii. (311) p. 69 (1898).	Ecuador.
8. **I. Straubei, Fieb.** (*Barbitistes S.*) Lotos, iii. p. 185. n. 12 (1853) : Syn. Eur. Orth. p. 53. n. 12 (1854).	Asia Minor.
‖*I. Straubei, Brunn.* ll. cc. pp. 59, 62. n. 3 (1878) ; p. 33. n. 3 (1891) ; Jacobs. & Bianchi, l. c. pp. 333, 365 (1902–3).	
9. **I. Pavelii, Brunn.** ll. cc. pp. 60, 62. n. 4 (1878) ; p. 33. n. 4 (1891).	Turkey, Asia Minor.
I. Paveli, Brunn. Prodr. Eur. Orth. pp. 273, 275. n. 1 (1882) ; Jacobs. & Bianchi, l. c. pp. 333, 365 (1902–3).	
10. **I. Modesta, Friv.** (*Odontura M.*) Értek. Termész. Kör. i. (12) p. 96. n. 6, pl. 3. ff. 1, 1 *a–d* (1867).	Hungary.

I. Modesta, Brunn. Mon. Phan. pp. 60, 63. n. 5 (1878) : Prodr. Eur. Orth. pp. 274, 275. n. 2 (1882) ; Verh. zool.-bot. Ges. Wien, xli. p. 33. n. 5 (1891) ; Jacobs. & Bianchi, l. c. pp. 333, 336 (1902–3).	
11. **I. Modestior, Bruun.** Prodr. Eur. Orth. pp. 274, 276. n. 3 (1882) ; Verh. zool.-bot. Ges. Wien, xli. pp. 33, 36. n. 19 (1891) ; Jacobs. & Bianchi, l. c. pp. 333, 366 (1902–3).	Servia, Roumania.
12. **I. Costata, Brunn.** Mon. Phan. pp. 60. 64. n. 6, pl. 1. ff. 4 *a*, *b* (1878) ; Prodr. Eur. Orth. pp. 274, 276. n. 4 (1882) ; Verh. zool.-bot. Ges. Wien, xli. p. 33. n. 6 (1891) : Tümp. l. c. pp. 224, 256 (1900) ; Jacobs. & Bianchi, l. c. pp. 333, 366 (1902–3).	Austria, Hungary.
13. **I. Pyrenea, Serv.** (*Barbitistes P.*) Ins. Orth. p. 481. n. 4 (1839).	S. & Centr. Europe, W. Asia.
I. Pyrenæa, Fin. Faun. France, Orth. p. 180, pl. 9. f. 122 (1889) ; Jacobs. & Bianchi, l. c. pp. 334, 366 (1902–3).	
Barbitistes Camptoxypha, Fieb. Lotos, iii. p. 185. n. 13 (1853) ; Syn. Eur. Orth. p. 53. n. 13 (1854).	
Odontura Camptoxypha, Friv. l. c. p. 97. n. 7 (1867).	
I. Camptoxypha, Brunn. Mon. Phan. pp. 60, 64. n. 8 (1878).	
I. Camptoxipha, Brunn. Prodr. Eur. Orth. pp. 275, 280. n. 12, pl. 7. f. 62 (1882) ; Verh. zool.-bot. Ges. Wien, xli. pp. 33, 35. n. 8 (1891) ; Fin. Orth. France, p. 95 (1883) ; Tümp. l. c. pp. 224, 256 (1900).	
I. Brunneri, Ret. Bull. Mosc. 1888, p. 410.	
14. **I. Kraussii, Brunn.** Mon. Phan. pp. 60, 65. n. 9 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 35 (1891).	Swabia.
I. Kraussi, Brunn. Prodr. Eur. Orth. pp. 275, 280. n. 13 (1882) ; Tümp. l. c. pp. 224, 256 (1900).	
15. **I. Triangularis, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 33, 36. n. 20 (1891) ; Jacobs. & Bianchi, l. c. pp. 334, 366 (1902–3).	Syria.

16. **I. Fusconotata, Brunn.** Prodr. Eur. Orth. pp. 275, 281. n. 14 (1882); Jacobs. & Bianchi, l. c. pp. 354, 366 (1902–3).	Servia.
17. **I. Brevipennis, Brunn.** Mon. Phan. pp. 60, 66. n. 10 (1878); Prodr. Eur. Orth. pp. 275, 279. n. 11 (1882); Verh. zool.-bot. Ges. Wien, xli. p. 34. n. 10 (1891); Jacobs. & Bianchi, l. c. pp. 334, 367 (1902–3).	Hungary.
18. **I. Bolivari, Kirb.** (n. n.). ‖*I. Brunneri, Bol.* (*nec Ret.*) Ann. Soc. Ent. Belg. xliii. p. 598 (1899); Jacobs. & Bianchi, l. c. pp. 334, 367 (1902–3).	Asia Minor.
19. **I. Obtusa, Brunn.** Prodr. Eur. Orth. pp. 274, 279. n. 10 (1882); Verh. zool.-bot. Ges. Wien, xli. p. 36. n. 21 (1891); Jacobs. & Bianchi, l. c. pp. 334, 367 (1902–3).	Bosnia, Servia, Roumania.
*20. **I. Amplipennis, Brunn.** Mon. Phan. pp. 60, 68. n. 13 (1878); Prodr. Eur. Orth. pp. 274, 278. n. 9 (1882); Verh. zool.-bot. Ges. Wien, xli. p. 34. n. 13 (1891); Jacobs. & Bianchi, l. c. pp. 334, 367 (1902–3).	Turkey, Asia Minor, Syria.
*21. **I. Speciosa, Friv.** (*Odontura S.*) l. c. p. 98. n. 8, pl. 3. ff. 3, 3 *a–c*, 4 *d* (1867). *I. Speciosa, Brunn.* Mon. Phan. pp. 60, 66. n. 11 (1878); Prodr. Eur. Orth. pp. 274, 277. n. 6 (1882); Verh. zool.-bot. Ges. Wien, xli. p. 34. n. 11 (1891); Jacobs. & Bianchi, l. c. pp. 334, 368 (1902–3).	Hungary, Servia.
22. **I. Acuminata, Brunn.** ll. cc. pp. 60, 69. n. 15 (1878); pp. 274, 277. n. 7 (1882); p. 34. n. 15 (1891); Jacobs. & Bianchi, l. c. pp. 334, 368 (1902–3).	Asia Minor, Roumania.
23. **I. Rodsjankoi, Bol.** l. c. p. 599 (1899); Jacobs. & Bianchi, l. c. pp. 334, 368 (1902–3).	Asia Minor.
24. **I. Taurica, Brunn.** ll. cc. pp. 60, 64. n. 7 (1878); pp. 274, 276. n. 5 (1882); p. 34. n. 7 (1891); Ret. l. c. 1888, p. 409; Jacobs. & Bianchi, l. c. pp. 334, 338 (1902–3).	Crimea.
25. **I. Rectipennis, Brunn.** ll. cc. pp. 60, 68. n. 14 (1878); pp. 274, 278. n. 8 (1882); p. 34. n. 14 (1891); Jacobs. & Bianchi, l. c. pp. 335, 369 (1902–3).	Roumania, Asia Minor.

26. **I. Schneideri, Brunn.** Mon. Phan. pp. 60, 67. n. 12 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 34. n. 12 (1891); Schneid. Beitr. Kenntn. Kauk. p. 88 (1888); Jacobs. & Bianchi, l. c. pp. 335, 369 (1902–3).	Baku, Caucasus, Asia Minor.
27. **I. Festæ, Griff.** Boll. Mus. Torino, viii. (157) pp. 1, 2, fig. (1893).	Palestine.
28. **I. Savignyi, Brunn.** ll. cc. pp. 60, 70. n. 16 (1878); p. 34. n. 16 (1891); Bol. Rev. Biol. Nord France, v. p. 487 (1893); Jacobs. & Bianchi, l. c. pp. 335, 369 (1902–3).	W. Asia.
29. **I. Major, Brunn.** ll. cc. pp. 60, 70. n. 17 (1878); p. 34. n. 17 (1891); Jacobs. & Bianchi, l. c. pp. 335, 369 (1902–3).	Asia Minor, Cyprus.

Genus 474. **Odonturella.** (*Type* no. 1.)

Bol. Ann. Sci. Nat. Porto, vi. pp. 7, 8 (1900).

*1. **O. Aspericauda, Ramb.** (*Odontura A.*) Faun. Andal. ii. p. 47. n. 2, pl. 5. f. 1 (1839); Fisch. Orth. Eur. p. 231. n. 9, pl. 12. ff. 14, 14 *a* (1883); Bol. Ortópt. Españ. pp. 226, 227. n. 2, pl. 5. ff. 11, 11 *a–c* (1876); An. Soc. Españ. vi. pp. 308, 309, pl. 4. ff. 11, 11 *a–c* (1877); Brunn. Mon. Phan. pp. 72, 73. n. 2 (1878); Prodr. Eur. Orth. p. 282. n. 1 (1882). *Barbitistes Aspericauda, Fieb.* Lotos, iv. p. 272. n. 9 (1854).	Spain, Portugal.
2. **O. Transfuga, Brunn.** (*Odontura T.*) Mon. Phan. p. 72. n. 1 (1878).	Brazil.

Genus 475. **Odontura.** (*Type* no. 1.)

Ramb. Faune Andal. p. 44 (1839); Fisch. Orth. Eur. p. 223 (1853); Bol. Ortópt. Españ. pp. 175, 225 (1876); An. Soc. Españ. vi. pp. 257, 307 (1877); Ann. Sci. Nat. Porto, vi. pp. 7, 8 (1900); Brunn. Mon. Phan. pp. 13, 71 (1878); Prodr. Eur. Orth. pp. 246, 281 (1882).

*1. **O. Glabricauda, Charp.** (*Barbitistes G.*) Hor. Ent. p. 101 (1825), *larva.* *O. Glabricauda, Fisch.* l. c. p. 234 (1853).	Spain, Portugal.

O. Spinulicauda, Ramb. l. c. p. 45. n. 1, pl. 5. ff. 2, 3 (1839); Fisch. l. c. p. 230. n. 8, pl. 12. ff. 13, 13 *a–d* (1853); Bol. Ortópt. Españ. p. 226. n. 1, pl. 6. ff. 4, 4 *a*, *b* (1876); An. Soc. Españ. p. 308. n. 1, pl. 5. ff. 4, 4 *a*, *b* (1877); Brunn. ll. cc. pp. 72, 73. n. 3 (1878); p. 282. n. 2 (1882).	
Barbitistes Spinulicauda, Fieb. Lotos, iv. p. 271. n. 8 (1854).	
Barbitistes Charpentieri, Fieb. l. c. iii. p. 186. n. 16 (1853); Syn. Eur. Orth. p. 54. n. 16 (1854).	
*2. **O. Stenoxypha, Fieb.** (*Barbitistes S.*) Lotos, iii. p. 187. n. 17 (1853); Syn. Eur. Orth. p. 55. n. 17 (1854).	Sicily.
O. Stenoxypha, Brunn. Mon. Phan. pp. 72, 74. n. 4, pl. 1. ff. 5, 5 *a*, *b* (1878).	
O. Stenoxipha, Brunn. Prodr. Eur. Orth. pp. 282, 283. n. 3, pl. 8. f. 63 A, B (1882).	
O. Pyrenæa, Fisch. (*nec Serv.*) l. c. p. 230. n. 7, pl. 12. ff. 12, 12 *a–c* (1853).	
3. **O. Borrei, Bol.** Ann. Soc. Ent. Belg. xxi. p. 71 (1878).	Algeria.
*4. **O. Algerica, Brunn.** Mon. Phan. pp. 72, 75. n. 5 (1878).	id.
O. Spinulicauda, var., *Fisch.* l. c. p. 231 (1853).	
5. **O. Quadridentata, Krauss,** Jahresh. Ver. Württemb. xlix. p. xcvi (1893); Zool. Jahrb. Syst. ix. p. 544, pl. 7. f. 9 (1896).	id.
O. Terniensis, Finot, Bull. Soc. Ent. France, 1893, p. xxx.	
6. **O. Capensis, Walk. Cat. Derm. Salt. B. M. ii. p. 242. n. 17 (1869).	S. Africa.

Genus 476. **Pseudisotima.**

Schindl. Ann. Mus. Genova, xxxix. p. 199 (1898).

1. **P. Punctata, Schindl.** l. c. pl. 2. f. 13 (1898).	Somali.

Genus 477. **Dichopetala.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 13, 76 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. p. 4 (1891).

1. **D. Mexicana, Brunn.** Mon. Phan. pp. 76, 77. n. 1, pl. 1. f. 6 (1878).	Mexico.
*2. **D. Emarginata, Brunn.** l. c. pp. 76, 77. n. 2 (1878).	Texas.
3. **D. Brevihastata, Morse,** Psyche, ix. p. 381 (1902). ‖*D. Brevicauda, Scudd.* (*nec* 1900) Proc. Davenport Acad. Sci. ix. p. 51, pl. 4. f. 1 (1902).	Mexico, New Mexico.

Genus 478. **Epiphlebus.** (*Type* no. 1.)

Karsch, Stettin. Ent. Zeit. lvii. p. 325 (1896).

1. **E. Crypterius, Karsch,** l. c. (1896) ; Schindl. Ann. Mus. Genova, xxxix. pp. 197, 198. n. 2 (1898).	Somali.
2. **E. Ruspolii, Schindl.** l. c. p. 197. n. 1 (1898).	id.

Genus 479. **Peropyrrhicia.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 4, 37 (1891).

1. **P. Massaiæ, Borm.** (*Dichopetala M.*) Ann. Mus. Genova, xvi. p. 218. n. 1, fig. (1880). *P. Massaiœ, Brunn.* l. c. p. 37 (1891).	Abyssinia.
2. **P. Maculata, Schindl.** (*Peropyrrhizia M.*) Ann. Mus. Genova, xxxix. p. 198, pl. 2. ff. 12, 12 *a* (1898).	Somali.

Genus 480. **Angara.**

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 4, 37 (1891).

1. **A. Albofasciata, Brunn.** l. c. p. 38, pl. 1. f. 1 (1891).	Brazil.

Genus 481. **Leptophyes.** (*Type* no. 5.)

Fieb. Lotos, iii. p. 174 (1853); Syn. Eur. Orth. p. 50 (1854); Brunn. Mon. Phan. pp. 13, 78 (1878); Prodr. Eur. Orth. pp. 246, 284 (1882); Verh. zool.-bot Ges. Wien, xli. pp. 4, 38 (1891); Finot, Orth. France, p. 89 (1883); Faune France, Orth. p. 180 (1889); Burr, Brit. Orth. p. 50 (1897); Auriv. Ent. Tidskr. xxi. pp. 249, 251 (1900); Tümp. Geradfl. Mitteleuropas, pp. 222, 224, 258 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 323, 335, 370 (1902–3).

‖ *Ephippigera*, *Steph.* (*nec Latr.*) Ill. Brit. Ent., Mandib. vi. p. 11 (1835).

*1. **L. Laticauda, Friv.** (*Odontura L.*, ♂ *nec* ♀) Értek. Termész. Kör. i. (12) p. 102. n. 11, pl. 4. ff. 1, 1 *c* (1867). *L. Laticauda*, *Brunn.* ll. cc. pp. 78, 79. n. 1 (1878); p. 284. n. 1 (1882); p. 38 (1891); Tümp. l. c. pp. 224, 258 (1900); Jacobs. & Bianchi, l. c. pp. 335, 370 (1902–3). *Barbitistes Ruficosta*, *Frey-Gessner*, Mitth. Schweiz. ent. Ges. iv. p. 19, pl. 1. f. 2 (1872).	Switzerland, Italy, Istria, Croatia, Dalmatia, Herzegovina.
2. **L. Festæ, Giglio-Tos,** Boll. Mus. Torino, viii. (164) p. 12, pl. 1. f. 5 (1893). *L. Festai*, *Jacobs. & Bianchi*, l. c. pp. 335, 371 (1902–3).	Lebanon.
3. **L. Angusticauda, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 38. n. 7 (1891); Jacobs. & Bianchi, l. c. pp. 335, 371 (1902–3).	Cashmir.
*4. **L. Punctatissima, Bosc,** (*Locusta P.*) Actes Soc. d'Hist. Nat. Paris, i. p. 44, pl. 10. ff. 5, 6 (1792). *Barbitistes Punctatissima*, *Serv.* Ins. Orth. p. 480. n. 3 (1839); Borck, Skand. Rätv., Ins. p. 66, pl. 3. f. 1 *b* (1848). *Odontura Punctatissima*, *Fisch.* Orth. Eur. p. 232. n. 10, pl. 12. ff. 15, 15 *a–d*, 15* (1853). *L. Punctatissima*, *Brunn.* Mon. Phan. pp. 78, 80. n. 2 (1878); Prodr. Eur. Orth. pp. 284, 285. n. 2 (1882); Finot, ll. cc. p. 97 (1883); p. 180, pl. 9. f. 123 (1889); Burr, l. c. p. 50, pl. 4. f. 8 (1897); Auriv. l. c. p. 251. n. 1, f. 3 (1900);	Centr. Europe, S.E. Europe, Italy, Palestine.

Tümp. l. c. pp. 224, 258 (1900); Jacobs. & Bianchi, l. c. pp. 335, 371 (1902–3).

Locusta Autumnalis, *Hagenb.* Symb. Faun. Ins. Helvet. p. 25, f. 14 (1822).

Locusta Automnalis, *Wesm.* Bull. Acad. Brux. v. p. 594. n. 5 (1838).

Barbitistes Autumnalis, *Charp.* Hor. Ent. p. 102 (1825); Brullé, Hist. Nat. Ins. ix. p. 155, pl. 15. f. 3 (1835); Fieb. Lotos, iii. p. 186. n. 14 (1853), iv. p. 272. n. 14 (1854); Syn. Eur. Orth. p. 54. n. 14 (1854).

Ephippigera Virescens, *Steph.* l. c. p. 11. n. 1 (1835).

Barbitistes Glabricauda, *Borck*, l. c. p. 65. n. 1, pl. 3. f. 1 (1848), *larva*.

Var. *Acrida Standishi*, *Dale*, Entom. M. Mag. xxvi. p. 175 (1890).

*5. **L. Albovittata, Koll.** (*Barbitistes Albovittatus*) Beitr. Landesk. Oesterr. iii. p. 76 (1833). — Centr. & E. Europe.

Odontura Albovittata, *Fisch.* l. c. p. 233. n. 11, pl. 12. ff. 16, 16 *a–c* (1853); Friv. l. c. p. 104. n. 13, pl. 4. ff. 2, 2 *a*, *b* (1867).

L. Albovittata, *Brunn.* ll. cc. pp. 78, 81. n. 3 (1878); pp. 284, 286. n. 3 (1882); Auriv. l. c. p. 251. n. 2 (1900); Tümp. l. c. pp. 224, 258 (1900); Jacobs. & Bianchi, l. c. pp. 335, 371 (1902–3).

‖*L. Punctatissima*, *Fieb.* (*nec Bosc*) Lotos, iii. p. 174. n. 1, p. 260 (1853); Syn. Eur. Orth. p. 50. n. 1, p. 77 (1854).

Barbitistes Vittata, *Fisch.-Waldh.* Orth. Ross. p. 359. n. 2, pl. 33. f. 7 (1846).

Odontura Vittata, *Fisch.* l. c. p. 234, pl. 12. f. 18 (1853).

Barbitistes Vittatus, *Fieb.* Lotos, iv. p. 272. n. 21 (1854).

L. Vittata, *Brunn.* Mon. Phan. pp. 79, 83. n. 6 (1878).

Barbitistes Foliicauda, *Fisch.-Waldh.* l. c. p. 359. n. 3, pl. 33. ff. 9, 10 (1846).

*6. **L. Boscii, Brunn.** l. c. pp. 79, 82. n. 4 (1878). — Austria, Hungary, Istria, Croatia,

L. Bosci, *Brunn.* Prodr. Eur. Orth. pp. 284, 287, pl. 8. f. 64 (1882); Tümp. l. c.

pp. 224, 259, pl. 21 (1900); Jacobs. & Bianchi, l. c. pp. 335, 372, pl. 8 (1902–3). *Odontura Boscii, Friv.* l. c. p. 105. n. 14 (1867).	Piedmont.
*7. **L. Discoidalis, Friv.** (*Odontura D.*) l. c. p. 103. n. 12, pl. 2. ff. 4, 4 *a–c* (1867). *L. Discoidalis, Brunn.* Mon. Phan. pp. 79, 83. n. 5, pl. 1. f. 7 *a, b* (1878); Prodr. Eur. Orth. pp. 284, 288. n. 5 (1882); Jacobs. & Bianchi, l. c. pp. 335, 372 (1902–3).	Hungary, Transylvania, Servia.
8. **L. Antinorii, Borm.** Ann. Mus. Genova, xvi. p. 217. n. 1 (1880); Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 39 (1891).	Shoa.

Genus 482. **Xenica.** (*Type* no. 2.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 39 (1891).

1. **X. Dohrni, Brunn.** l. c. p. 40. n. 1 (1891).	Brazil.
2. **X. Superba, Brunn.** l. c. n. 2 (1891). *Xenia Superba, Brunn.* l. c. pl. 1. f. 2 (1891).	id.

Genus 483. **Peronura.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxii. pp. 421, 426 (1888); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 5, 42 (1891); Schindl. Ann. Mus. Genova, xxxix. p. 200 (1898).

*1. **P. Clavigera, Karsch,** l. c. pp. 427, 428, pl. 4. f. 2 (1888); Brunn. l. c. p. 42. n. 1 (1891); Schindl. l. c. p. 200 (1898).	Mombasa.
2. **P. Nomina, Karsch,** Stettin. Ent. Zeit. lvii. p. 327 (1896).	E. Africa.
*3. **P. Hildebrandtiana, Karsch,** Berlin. Ent. Zeitschr. xxxii. p. 427, pl. 4. f. 3 (1888); Brunn. l. c. pp. 42, 43. n. 2 (1891).	Mombasa.
4. **P. Somali, Schindl.** l. c. p. 200. n. 1 (1898).	Somali.
5. **P. Rivæ, Schindl.** l. c. pp. 200, 201. n. 2 (1898).	id.

Genus 484. **Plegmatoptera.** (*Type* no. 2.)

Karsch, Berlin. Ent. Zeitschr. xxxii. pp. 422, 429 (1888) ; Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 5, 43 (1891).

*1. **P. Grallatoria, Stål,** (*Phaneroptera* (?) *G.*) Œfv. Vet.-Akad. Förh. xiii. p. 170. n. 2 (1856). *Horatosphaga Grallatoria, Stål,* Rec. Orth. ii. p. 25. n. 1 (1874); Brunn. Mon. Phan. p. 88. n. 2 (1878).	Natal, Caffraria.
*2. **P. Reticulata, Karsch,** l. c. p. 429, pl. 4. f. 4 *a*, *b* (1888) ; Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 43, 44. n. 2 (1891).	Tanganyika
3. **P. Hoehneli, Brunn.** l. c. pp. 43, 44. n. 3, pl. 1. f. 4 (1891).	Kilimanjaro.

Genus 485. **Pachypyga.**

Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 124 (1893).

1. **P. Inclusa, Karsch,** l. c. p. 125, figs. (1893).	W. Africa : Adeli.

Genus 486. **Rhegmatopoda.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 5, 44 (1891).

1. **R. Leptocerca, Stål,** (*Horatosphaga L.*) Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 59. n. 1 (1876); Brunn. Mon. Phan. pp. 88, 89. n. 3, pl. 1. ff. 9, 9 *a–c* (1878).	Damara, Grahamstown.
2. **R. Peeli, Burr,** Proc. Zool. Soc. Lond. 1900, p. 44, pl. 2. f. 1.	Somali.

Genus 487. **Horatosphaga.**

Schaum, Ber. Akad. Berlin, 1853, p. 777 ; Peters' Reise Mossamb. v. p. 124 (1862) ; Brunn. Mon. Phan. pp. 14, 87 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 5 (1891).

1. **H. Serrifera, Schaum,** ll. cc. p. 777 (1853); p. 125, pl. 7. f. 10 (1862); Brunn. Mon. Phan. p. 88. n. 1, pl. 1. f. 9 *c* (1878).	Mozambique.

Genus 488. **Acrometopa.** (*Type* no. 1.)

Fieb. Lotos, iii. p. 172 (1853); Syn. Eur. Orth. p. 48 (1854); Stål, Recens. Orth. ii. p. 10 (1874); Brunn. Mon. Phan. pp. 14, 85 (1878); Prodr. Eur. Orth. pp. 246, 289 (1882); Verh. zool.-bot. Ges. Wien, xli. p. 5 (1891); Tümp. Geradfl. Mitteleuropas, pp. 221, 223, 255 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 324, 335, 372 (1902–3).

*1. **A. Macropoda, Burm.** (*Phaneroptera M.*) Handb. Ent. ii. p. 689. n. 4 (1838); Charp. Orth. pls. 19, 20 (1845); Fisch. Orth. Eur. p. 237. n. 1 (1853). *A. Macropoda, Fieb.* ll. cc. p. 172. n. 1 (1853); p. 48. n. 1 (1854); Brunn. Mon. Phan. pp. 85, 86. n. 1, pl. 1. ff. 8, 8 *a–c* (1878); Prodr. Eur. Orth. p. 289. n. 1 (1882); Krauss, Sitz. Akad. Wiss. Wien, lxxviii. (1) p. 501. n. 69 (1879); Tümp. l. c. pp. 223, 255, pl. 21 (1900); Jacobs. & Bianchi, l. c. pp. 335, 373, pl. 8 (1902–3). *Phaneroptera Dalmatina, Serv.* Ins. Orth. p. 415. n. 2 (1839).	Italy, Sicily, Istria, Croatia, Dalmatia, Herzegovina.
2. **A. Servillea, Brullé** (*Phaneroptera S.*) Expéd. Sci. de Morée, iii. (1) p. 86. n. 53, pl. 30. f. 1 (1832). *A. Servillea, Brunn.* ll. cc. pp. 85, 86. n. 2 (1878); pp. 289, 290. n. 2, pl. 8. f. 65 (1882); Jacobs. & Bianchi, l. c. pp. 336, 373 (1902–3).	Greece, Turkey, Asia Minor.
*3. **A. Syriaca, Brunn.** Mon. Phan. pp. 85, 87. n. 3 (1878); Jacobs. & Bianchi, l. c. pp. 336, 373, (1902–3). [Sav. Descr. Egypte, pl. 4. ff. 8, 10.]	Asia Minor, Syria.
4. **A. Festæ, Giglio-Tos,** Boll. Mus. Torino, viii. (164) p. 13, pl. 1. f. 3 (1893). *A. Festai, Jacobs. & Bianchi,* l. c. p. 373 (1903).	Syria, Lebanon.

Genus 489. **Noia.**

Walk. Cat. Derm. Salt. B. M. iii. p. 475 (1870).

1. **N. Testacea, Walk. l. c. p. 476. n. 1 (1870).	India.

Genus 490. **Conchotopoda.** (*Type* no. 1.)

Karsch, Ent. Nachr. xiii. p. 44 (1887) ; Berlin. Ent. Zeitschr. xxxii. pp. 421, 428 (1888) ; Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 5, 45 (1891).

1. **C. Belcki, Karsch,** ll. cc. p. 45 (1887) ; p. 428 (1888) ; Brunn. l. c. p. 45 (1891).	Damaraland.
2. **C. Stuhlmanni, Karsch,** Stett. Ent. Zeitschr. lvii. p. 329. n. 95 (1896) ; Schindl. Ann. Mus. Genova, xxxix. p. 203. n. 1 (1898).	E. Africa.
3. **C. Ruspolii, Schindl.** l. c. p. 204. n. 2, pl. 2. f. 14 (1898).	Somali.

Genus 491. **Euthyphlebia.**

Schindl. Ann. Mus. Genova, xxxix. p. 204 (1898).

1. **E. Parallela, Schindl.** l. c. p. 205. n. 1 (1898).	Somali.

Genus 492. **Pantolepta.**

Karsch, Berlin. Ent. Zeitschr. xxxii. pp. 422, 429 (1888) ; Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 5, 50 (1891).

*1. **P. Heteromorpha, Karsch,** l. c. p. 430, pl. 4. ff. 5, 5 *a*, *b* (1888) ; Brunn. l. c. p. 51 (1891).	Mombasa.

Genus 493. **Elimæa.** (*Type* no. 23.)

Stål, Recens. Orth. ii. pp. 11, 27 (1874) ; Brunn. Mon. Phan. pp. 14, 90 (1878) ; Verh. zool.-bot. Ges. Wien, xli. pp. 5, 45 (1891).

1. **E. Insignis, Walk. (*Phaneroptera I.*) Cat. Derm. Salt. B. M. ii. p. 344. n. 37 (1869).	India.
E. Annulata, Brunn. ll. cc. pp. 91, 92, pl. 1. f. 10 *a–d* (1878); pp. 46, 47. n. 1 (1891).	
2. **E. Inversa, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 46, 48. n. 17 (1891).	Celebes.
3. **E. Melanocantha, Walk. (*Phaneroptera M.*) l. c. p. 341. n. 32 (1869).	Ceylon.
E. Flavolineata, Brunn. Mon. Phan. pp. 91, 93. n. 2 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 46. n. 2 (1891).	
4. **E. Rufonotata, Serv.** (*Phaneroptera R.*) Ins. Orth. p. 416. n. 4 (1839).	Bombay.
5. **E. Diversa, Walk. (*Phaneroptera D.*) l. c. p. 346. n. 39 (1869).	N. India, Ceylon.
E. Securigera, Brunn. ll. cc. pp. 91, 93. n. 3 (1878); pp. 46, 47. n. 3 (1891).	
6. **E. Lanceolata, Walk. (*Steirodon Lanceolatum*) Ann. Nat. Hist. (3) iv. p. 222 (1859).	India, Ceylon.
‖*Phaneroptera Rufonotata, Walk.* (*nec Serv.*) Cat. Derm. Salt. B. M. ii. p. 340. n. 26 (1869).	
E. Carinata, Brunn. ll. cc. pp. 91, 94. n. 4 (1878); pp. 46, 47. n. 4 (1891).	
7. **E. Macra, Serv.** (*Phaneroptera M.*) l. c. p. 417. n. 5 (1839).	Hab. —— ?
8. **E. Verrucosa, Brunn.** ll. cc. pp. 91, 95. n. 5 (1878); p. 46. n. 5 (1891).	Hab. —— ?
9. **E. Nigrosignata, Bol.** Ann. Soc. Ent. France, lxviii. p. 762 (1900).	S. India.
10. **E. Poæfolia, Haan,** (*Locusta* (*Phaneroptera*) *P.*) Temminck, Verhandel., Orth. p. 192. n. 3 (1842).	Java, Sumatra, Borneo.
E. Poæfolia, Brunn. ll. cc. pp. 91, 95. n. 6, pl. 1. f. 10 *e, f* (1878); p. 46. n. 6 (1891).	
11. **E. Spinigera, Brunn.** ll. cc. pp. 91, 96. n. 7 (1878); p. 46. n. 7 (1891).	Singapore.
12. **E. Minor, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 46, 48. n. 18 (1891).	Java.
13. **E. Marmorata, Brunn.** Mon. Phan. pp. 91, 97. n. 8 (1878); p. 46. n. 8 (1891).	Sumatra.

14. **E. Femorata, Brunn.** ll. cc. pp. 91, 97. n. 9 (1878) ; p. 46. n. 9 (1891).	Borneo.
*15. **E. Bidentata, Brunn.** ll. cc. pp. 91, 98. n. 11 (1878) ; p. 46. n. 11 (1891).	Malabar, Singapore.
16. **E. Notabilis, Walk. (*Phaneroptera N.*) l. c. ii. p. 345. n. 38 (1869).	Silhet.
*17. **E. Parumpunctata, Serv.** (*Phaneroptera P.*) l. c. p. 418. n. 8 (1839). *Locusta* (*Phaneroptera*) *Parumpunctata, Haan,* l. c. pp. 190, 192. n. 4 (1842). *E. Parumpunctata, Brunn.* ll. cc. pp. 91, 98. n. 10 (1878) ; pp. 47, 48. n. 10 (1891). ***Phaneroptera Aliena, Walk.* l. c. p. 347. n. 40 (1869).	Silhet, Philippines, Java.
18. **E. Longicercata, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 47, 49. n. 19 (1891).	Borneo.
19. **E. Roseoalata, Brunn.** ll. cc. n. 20 (1891).	Sumatra.
20. **E. Curvicercata, Brunn.** l. c. pp. 47, 50. n. 21 (1891).	Java.
21. **E. Signata, Brunn.** Mon. Phan. pp. 92, 99. n. 12 (1878).	Singapore.
*22. **E. Chloris, Haan,** (*Locusta* (*Phaneroptera*) *C.*) l. c. pp. 190, 192. n. 2 (1842). *E. Chloris, Brunn.* l. c. pp. 92, 100. n. 13 (1878).	Java.
*23. **E. Subcarinata, Stål,** (*Phaneroptera S.*) Eugenies Resa, p. 319. n. 56 (1860). *E. Subcarinata, Stål,* Recens. Orth. ii. p. 27. n. 1 (1874).	Hong Kong.
24. **E. Punctifera, Walk. (*Phaneroptera P.*) l. c. p. 342. n. 34 (1869). *E. Appendiculata, Brunn.* l. c. pp. 92, 101. n. 14 (1878).	India, Burma, Malacca, Java.
25. **E. Rosea, Brunn.** l. c. pp. 92, 112. n. 15 (1878).	Borneo.
26. **E. Triticifolia, Haan,** (*Locusta* (*Phaneroptera*) *T.*) l. c. pp. 190, 192. n. 6 (1842). *E. Triticifolia, Brunn.* l. c. pp. 92, 102. n. 16 (1878).	id.
27. **E. Caricifolia, Haan,** (*Locusta* (*Phaneroptera*) *C.*) l. c. pp. 191, 193. n. 12 (1842).	id.

Genus 494. **Ectadia.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 14, 103 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 6 (1891) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 324, 336, 373 (1902–3).

1. **E. Pilosa, Brunn.** Mon. Phan. p. 103. n. 1, pl. 1. f. 11 (1878) ; Jacobs. & Bianchi, l. c. p. 373 (1902–3).	Kashmir.
2. **E. Fulva, Brunn.** Ann. Mus. Genova, xxxiii. p. 167. n. 1 (1893).	Burma.
3. **E. Abbreviata, Brunn.** l. c. n. 2, pl. 5. f. 58 (1893).	id.

Genus 495. **Hemielimæa.**

Brunn. Mon. Phan. pp. 14, 103 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. pp. 6, 51 (1891).

1. **H. Chinensis, Brunn.** ll. cc. p. 104. n. 1, pl. 1. f. 12 *a*, *b* (1878) ; p. 51. n. 1 (1891).	China.

Genus 496. **Anisotochra.**

Karsch, Berlin. Ent. Zeitschr. xxxii. pp. 422, 430 (1888).

1. **A. Gracilipes, Karsch,** l. c. p. 431 (1888). *Hemielimæa Gracilipes, Brunn.* Verh. zool.-bot. Ges. Wien, xli. p. 51. n. 2 (1891).	W. Africa.

Genus 497. **Exora.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 14, 105 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. pp. 6, 52 (1891).

1. **E. Deflorita, Brunn.** ll. cc. p. 105. n. 1, pl. 1. f. 13 (1878) ; p. 52. n. 1 (1891).	Ceylon.
2. **E. Dohrni, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 52. n. 2 (1891).	Sumatra.

Genus 498. **Mirollia.**

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 42 (1873); Recens. Orth. ii. p. 12 (1874); Brunn. Mon. Phan. pp. 14, 106 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 6 (1891).

1. **M. Carinata, Haan,** (*Locusta* (*Phylloptera*) *C.*) Temminck, Verhandel., Orth. pp. 196, 199. n. 17 (1842). *Phaneroptera Carinata, Stål,* Eugenies Resa, Orth. p. 321. n. 59 (1860). *M. Carinata, Stål,* Recens. Orth. ii. p. 27. n. 1 (1874); Brunn. Mon. Phan. p. 107. n. 1, pl. 1. f. 14 *a–c* (1878); Dohrn, Stettin. Ent. Zeit. liii. p. 66 (1892).	Java.

Genus 499. **Pseudophaneroptera.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 14, 107 (1878);
Verh. zool.-bot. Ges. Wien, xli. pp. 6, 52 (1891).

1. **P. Turbida, Brunn.** ll. cc. p. 108. n. 1, pl. 1. f. 15 (1878); p. 52. n. 1 (1891).	Ceylon.
2. **P. Major, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 52, 53. n. 2 (1891).	Sumatra.

Genus 500. **Ducetia.** (*Type* no. 1.)

Stål, Recens. Orth. ii. p. 11 (1874); Brunn. Mon. Phan. pp. 15, 108 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 6, 53 (1891); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 324, 336, 374 (1902–3).

1. **D. Thymifolia, Fabr. (*Locusta T.*) Syst. Ent. p. 283. n. 5 (1775). *Locusta Japonica, Thunb.* Mém. Acad. Pétersb. v. p. 282 (1815). *D. Japonica, Stål,* l. c. p. 26. n. 1 (1874); Brunn. ll. cc. pp. 109, 110. n. 1, pl. 1. f. 16 *a–c* (1878); p. 53. n. 1 (1891); Jacobs. & Bianchi, l. c. pp. 336, 374 (1902–3). *Locusta* (*Phaneroptera*) *Quinquenervis, Haan,* Verhandel., Orth. pp. 191, 193. n. 9 (1842). ***Phaneroptera Neochlora, Walk.* Cat. Derm. Salt. B. M. ii. p. 342. n. 23 (1869).	India, Ceylon, Cambodia, Japan, Java, Borneo, Philippines, Australia.

***Phaneroptera Privata, Walk.* l. c. p. 344. n. 36 (1869).	
2. **D. Cruciata, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 53. n. 5 (1891).	Cambodia.
3. **D. Adspersa, Brunn.** Mon. Phan. pp. 109, 110. n. 2 (1878).	Manila.
4. **D. Ceylanica, Brunn.** l. c. pp. 109, 111. n. 3 (1878).	Ceylon.
5. **D. Punctipennis, Gerst.** (*Phaneroptera P.*) Arch. Naturg. xxxv. p. 215. n. 46 (1869); Decken's Reise Ost-Afrika, iii. (2) p. 31 (1883).	Zanzibar.
D. Punctipennis, Brunn. l. c. pp. 110, 111. n. 4 (1878).	

Genus 501. **Isotima.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 15, 112 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 6, 54 (1891).

Paura, Karsch, Berlin. Ent. Zeitschr. xxxii. pp. 422, 439 (1888).

1. **I. Rufomarginata, Brunn.** ll. cc. p. 113. n. 1, pl. 2. f. 17 *a*, *b* (1878); p. 54. n. 1 (1891).	Himalaya.
2. **I. Chinensis, Brunn.** ll. cc. p. 113. n. 2 (1878); p. 54. n. 2 (1891).	China.
3. **I. Javanica, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 54. n. 3 (1891).	Java.
4. **I. Biramosa, Karsch,** (*Paura B.*) l. c. p. 439, pl. 4. f. 6 (1888).	Usambara.
5. **I. Reticulosa, Karsch,** (*Paura R.*) l. c. p. 440, pl. 4. f. 7 (1888).	Mombasa.

Genus 502. **Letana.** (*Type* no. 5.)

Walk. Cat. Derm. Salt. B. M. ii. p. 277 (1869).

Pyrrhicia, Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 43 (1873); Recens. Orth. ii. p. 11 (1874); Brunn. Mon. Phan. pp. 15, 114 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 6 (1891). (*Type* no. 1.)

Pyrrhizia, Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 55 (1891).

1. **L. Rubescens, Stål,** (*Phaneroptera R.*) Eugenies Resa, Orth. p. 319. n. 55 (1860).	Hong Kong.
Pyrrhicia Rubescens. Stål, Recens. Orth. ii. p. 26. n. 1 (1874); Brunn. Mon. Phan. p. 115. n. 1 (1878).	
2. **L. Atomifera, Brunn.** (*Pyrrhicia A.*) l. c. n. 2 (1878).	Calcutta.
3. **L. Connata, Brunn.** (*Pyrrhicia C.*) l. c. pp. 115, 116. n. 3 (1878).	India.
4. **L. Inflata, Brunn.** (*Pyrrhicia I.*) ll. cc. n. 4 (1878).	Ceylon.
5. **L. Linearis, Walk. l. c. p. 278. n. 1 (1869).	N. India.
Pyrrhicia Nigrovittata, Brunn. l. c. pp. 115, 117. n. 5, pl. 2. f. 18 *a, b* (1878).	
6. **L. Despecta, Brunn.** (*Pyrrhicia D.*) ll. cc. n. 6 (1878).	China.
7. **L. Brevicaudata, Brunn.** (*Pyrrhicia B.*) Ann. Mus. Genova, xxxiii. p. 168. n. 1 (1893).	Burma.
8. **L. Brunneri, Krausze,** (*Pyrrhizia B.*) Insekten-Börse, 1904, p. 29.	Tonkin.
9. **L. (?) Nigrosparsa, Walk. (*Phaneroptera N.*) l. c. v. Suppl. p. 39 (1871).	Bombay.
10. **L. Zanzibarica, Brunn.** (*Pyrrhizia Z.*) Verh. zool.-bot. Ges. Wien, xli. p. 55 (1891).	Zanzibar.

Genus 503. **Ladnea.**

Walk. Cat. Derm. Salt. B. M. ii. p. 279 (1869).

1. **L. Punctipes, Walk. l. c. p. 280. n. 1 (1869).	N. India.

Genus 504. **Himerta.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 15, 118 (1878);
Verh. zool.-bot. Ges. Wien, xli. pp. 6, 55 (1891).

1. **H. Marginata, Brunn.** ll. cc. p. 118. n. 1, pl. 2. f. 19 *a, b* (1878); p. 56. n. 1 (1891).	India.

2. **H. Marmorata, Brunn.** Verh. zool.-bot. Ges. Wien. xli. p. 56. n. 2 (1891). Ceylon.
3. **H. Pallida, Brunn.** l. c. pp. 56, 57. n. 3 (1891). id.
4. **H. Odonturæformis, Brunn.** ll. cc. n. 4 (1891). India (?).
5. **H. Feana, Griff.** Ann. Mus. Genova, xlii. p. 380 (1906). French Congo.

Genus 505. Dithela.

Karsch, Ent. Nachr. xvi. p. 354 (1890).

1. **D. Rectiloba, Karsch,** l. c. p. 355. n. 2. f. 1 (1890). Barombi.

Genus 506. Macedna.

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 208 (1891).

1. **M. Martini, Karsch,** l. c. p. 210. n. 3, fig. (1891). Sumatra.

Genus 507. Niphella.

Bol. Ann. Soc. Ent. France, lxviii. p. 763 (1900).

1. **N. Pulchra, Bol.** l. c. p. 764, pl. 10. f. 10 (1900). Madura.

Genus 508. Tetana.

Brunn. Mon. Phan. pp. 15, 119 (1878);
Verh. zool.-bot. Ges. Wien, xli. p. 7 (1891).

1. **T. Grisea, Brunn.** Mon. Phan. p. 120. n. 1. pl. 2. f. 20 a. b (1878). Chile.

Genus 509. Pseudoburgilis.

Brunn. Mon. Phan. pp. 16, 120 (1878);
Verh. zool.-bot. Ges. Wien, xli. p. 7 (1891).

1. **P. Rosea, Brunn.** l. c. p. 121. n. 1, pl. 2. f. 20* (1878). Brazil.

Genus 510. **Burgilis.**

Stal, Œfv. Vet.-Akad. Förh. xxx. (4) p. 41 (1873); Recens. Orth. ii. pp. 9, 25 (1873); Brunn. Mon. Phan. pp. 16, 121 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 7 (1891).

1. **B. Curta, Serv.** (*Phaneroptera C.*) Ins. Orth. p. 417. n. 6 (1839). *B. Curta, Brunn.* Mon. Phan. p. 122. n. 1, pl. 2. f. 21 *a*, *b* (1878).	Buenos Aires.

Genus 511. **Coryphoda.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 16, 122 (1878);
Verh. zool.-bot. Ges. Wien, xli. pp. 16, 122 (1891).

1. **C. Albicans, Brunn.** Mon. Phan. p. 123. n. 1, pl. 2. f. 22 *a–d* (1878).	Chile.
2. **C. Albidicollis, Blanch.** (*Phaneroptera A.*) Gay, Hist. Chil., Zool. vi. p. 50 (1852); Phil. Żeitschr. ges. Naturw. xxi. p. 234 (1863).	id.

Genus 512. **Aniara.** (*Type* no. 2.)

Brunn. Mon. Phan. pp. 16, 123 (1878);
Verh. zool.-bot. Ges. Wien, xli. pp. 7, 58 (1891).

1. **A. Typica, Brunn.** ll. cc. p. 124. n. 1 (1878); p. 58. n. 1 (1891).	Brazil.
2. **A. Punctulata, Brunn.** ll. cc. p. 124. n. 2, pl 2. f. 23 (1878); p. 58. n. 2 (1891).	id.
3. **A. Proxima, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 58. n. 3 (1891); (?) Caud. Proc. U.S. Nat. Mus. xxx. p. 235. n. 2 (1906).	id., Paraguay (eadem ?).

Genus 513. **Hyperophora.** (*Type* no. 4.)

Brunn. Mon. Phan. pp. 16, 125 (1878);
Verh. zool.-bot. Ges. Wien, xli. pp. 7, 58 (1891).

1. **H. Brasiliensis, Brunn.** ll. cc. p. 126. n. 1 (1878); p. 58. n. 1 (1891).	Brazil.

2. **H. Angustipennis, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 59. n. 3 (1891).	Argentina.
3. **H. Minor, Brunn.** l. c. n. 4 (1891).	id., Parag.
*4. **H. Major, Brunn.** Mon. Phan. p. 126. n. 2, pl. 2. f. 24 *a, b* (1878); Verh. zool.-bot. Ges. Wien, xli. p. 59. n. 2 (1891).	Buenos Aires.
5. **H. Peruviana, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 59. n. 5 (1891).	Peru.

Genus 514. **Corymeta.**

Brunn. Mon. Phan. pp. 17, 126 (1878);
Verh. zool.-bot. Ges. Wien, xli. p. 7 (1891).

1. **C. Amplectens, Schaum,** (*Phaneroptera A.*) Ber. Acad. Berlin. 1853, p. 777. n. 9; Peters' Reise Mossamb. v. p. 121, pl. 7. f. 8 (1862).	Mozambique.
|| *C. Amplectens, Brunn.* Mon. Phan. p. 127. n. 1, pl. 2. f. 25 (1878).	

Genus 515. **Engonia.** (*Type* no. 2.)

Brunn. Mon. Phan. pp. 17, 127 (1878);
Verh. zool.-bot. Ges. Wien, xli. p. 7 (1891).

*1. **E. Rectangulata, Burm.** (*Phaneroptera R.*) Handb. Ent. ii. p. 691. n. 10 (1838).	Brazil.
|| *E. Rectangulata, Brunn.* Mon. Phan. p. 128. n. 1 (1878).	
2. **E. Minor, Brunn.** l. c. pp. 128, 129. n. 2, pl. 2. f. 26 (1878).	id., B. Aires.
3. **E. Pistacina, Brunn.** ll. cc. n. 3 (1878).	Brazil.

Genus 516. **Stenophyllia.**

Brunn. Mon. Phan. pp. 17, 130 (1878);
Verh. zool.-bot. Ges. Wien, xli. p. 7 (1891).

1. **S. Modesta, Blanch.** (*Gymnocera M.*) Gay, Hist. Chile, Zool. vi. p. 48 (1852); Phil. Zeitschr. ges. Naturw. xxi. p. 234 (1863).	Chile.
S. Modesta, Brunn. Mon. Phan. p. 131. n. 1, pl. 2. f. 27 (1878).	
S. Modesta, var. *Deflorata, Brunn.* l. c. p. 131 (1878).	

Genus 517. **Marenestha.**

Brunn. Mon. Phan. pp. 17, 131 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 8 (1891).

1. **M. Inconspicua, Brunn.** l. c. p. 132, pl. 2. f. 28 *a, b* (1878).	Chile.

Genus 518. **Cosmophyllum.** (*Type* no. 1.)

Blanch. Gay, Hist. Chile, Zool. vi. p. 50 (1852); Brunn. Mon. Phan. pp. 17, 132 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 8, 60 (1891).

*1. **C. Olivaceum, Blanch.** l. c. p. 52 (1852); Brunn. ll. cc. p. 132. n. 1, pl. 2. f. 29 *a, b* (1878); p. 60. n. 1 (1891); Bol. Viaje al Pacif., Ins. p. 52 (1884); Karsch, Ent. Nachr. xv. p. 126 (1889).	Chile, Peru.
2. **C. Pallidulum, Blanch.** l. c. p. 52 (1852); Karsch, l. c. p. 126 (1889); Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 60. n. 2 (1891).	iid.

Genus 519. **Paracosmophyllum.**

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 8, 61 (1891).

1. **P. Atrodelineatum, Brunn.** l. c. p. 61, pl. 1. f. 5 (1891).	Madagascar

Genus 520. **Pardalota.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 17, 133 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 8 (1891); Karsch, Berlin. Ent. Zeitschr. xxxii. p. 422 (1888).

1. **P. Versicolor, Brunn.** Mon. Phan. p. 134. n. 1, pl. 2. f. 30 *a. b* (1878).	Benguela.
2. **P. Asymmetrica, Karsch,** Stettin. Ent. Zeit. lvii. p. 330. n. 96 (1895).	E.C.Africa.

Genus 521. **Ivensia.**

Bol. J. Sci. Lisboa, (2) i. p. 218 (1890).

1. **I. Uncinata, Bol.** l. c. (1890). Quango.

Genus 522. **Pœcilogramma.** (*Type* no. 1.)

Karsch, Ent. Nachr. xiii. p. 52 (1887); Berlin. Ent. Zeitschr. xxxii. p. 422 (1888); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 8, 61 (1891).

*1. **P. Striatifemur, Karsch,** Ent. Nachr. xiii. p. 53. n. 1 (1887); Brunn. l. c. p. 62. n. 1, pl. 1. f. 6 (1891). Mombasa, Zanzibar.

*2. **P. Annulifemur, Karsch,** l. c. p. 53. n. 2 (1887); Brunn. l. c. p. 62. n. 2 (1891). Tanganyika

Genus 523. **Scambophyllum.**

Brunn. Mon. Phan. pp. 17, 134 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 8 (1891).

*1. **S. Sanguinolentum, Westw.** (*Phylloptera Sanguinolenta*) Cab. Orient. Ent. p. 52, pl. 25. f. 3 (1848). Sumatra.
S. Sanguinolentum, Brunn. ll. cc. p. 135. n. 1, pl. 2. f. 31 (1878); p. 63 (1891).

Genus 524. **Arantia.** (*Type* no. 15.)

Stål, Recens. Orth. ii. pp. 10, 25 (1874); Brunn. Mon. Phan. pp. 17, 136 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 8, 63 (1891); Karsch, Berlin. Ent. Zeitschr. xxxii. pp. 422, 432 (1888).

*1. **A. Spinulosa, Brunn.** ll. cc. p. 137. n. 1, pl. 2. f. 32 *a*, *b* (1878); p. 63. n. 1 (1891); Karsch, l. c. p. 432 (1888). Natal, Nyasa.

2. **A. Fasciata, Walk. (*Phylloptera F.*) Cat. Derm. Salt. B. M. ii. p. 378. n. 13 (1869). Gambia, Slave Coast.
A. Atrolineata, Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 63, 69. n. 12 (1891);

Sauss. Abhandl. Senckenb. Ges. xxi. p. 614. n. 1 (1899).	
3. **A. Rectifolia, Brunn.** Mon. Phan. p. 137. n. 2 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 64. n. 2 (1891); Karsch, l. c. p. 433 (1888).	Fernando Po.
4. **A. Gabunensis, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 64. n. 4 (1891).	Gaboon.
5. **A. Mauritiana, Sauss.** l. c. p. 615 (1899).	Mauritius.
*6. **A. Excelsior, Karsch,** l. c. pp. 434, 435 (1888); Brunn. l. c. pp. 64, 65. n. 5 (1891); (?) Griff. Ann. Mus. Genova, xlii. p. 386 (1906).	Sierra Leone.
7. **A. Regina, Karsch,** l. c. pp. 433, 434 (1888); Brunn. l. c. pp. 64, 65. n. 6 (1891).	Gaboon.
*8. **A. Accrana, Karsch,** l. c. pp. 433, 436 (1888); Brunn. l. c. pp. 64, 66. n. 7(1891).	Accra, Cameroons.
9. **A. Hydatinoptera, Karsch,** l. c. pp. 433, 434, 436 (1888); Brunn. l. c. pp. 64, 66. n. 8 (1891); Griff. l. c. p. 383 (1906).	Benue.
10. **A. Dentata, Sauss.** l. c. p. 615 (1899).	Mauritius.
11. **A. Orthocnemis, Karsch,** Ent. Nachr. xvi. p. 357. n. 6 (1890).	Cameroons.
12. **A. Leptocnemis, Karsch,** l. c. p. 358. n. 7 (1890).	id.
13. **A. Simplicinervis, Karsch,** Berlin. Ent. Zeitschr. xxxii. pp. 433, 434, 438 (1888); Brunn. l. c. pp. 64, 67. n. 9 (1891).	Chinchoxo.
14. **A. Marmorata, Karsch,** l. c. pp. 433, 435 (1888); Brunn. l. c. pp. 64, 68. n. 10 (1891).	Congo.
15. **A. Latifolia, Karsch,** Ent. Nachr. xvi. p. 356. n. 4 (1890).	Barombi.
16. **A. Fatidica, Stål,** (*Holochlora F.*) Œfv. Vet.-Akad. Förh. xxx. (4) p. 43. n. 1 (1873). *A. Fatidica, Stål,* Recens. Orth. ii. p. 25. n. 1 (1874); Brunn. Mon. Phan. p. 138. n. 3 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 64. n. 3 (1891); Karsch, Berlin. Ent. Zeitschr. xxxii. pp. 433, 434 (1888).	Cameroons.
17. **A. Retinervis, Karsch,** l. c. pp. 433, 437 (1888); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 64, 68. n. 11 (1891).	Cameroons, S. Leone, Gold Coast.
18. **A. Scurra, Karsch,** Stettin. Ent. Zeit. lvii. p. 331. n. 97 (1896).	Cameroons.

19. **A. Mammisignum, Karsch,** l. c. p. 332. n. 98 (1896).	Cameroons.
20. **A. Melanotus, Sjöst.** Bihang Svensk. Akad. xxvii. (4 : 3) p. 6, pl. 2. f. 1, pl. 4. f. 4 (1902).	id.
21. **A. Gestri, Griff.** l. c. p. 384 (1906).	Fr. Congo.

Genus 525. **Acripeza.**

Guér. Voy. 'Coquille,' (2) ii. p. 152 (1832); Brullé, Hist. Nat. Ins. ix. p. 152 (1835); Serv. Ins. Orth. p. 546 (1839); Blanch. Hist. Nat. Ins. iii. p. 27 (1840); Stål, Recens. Orth. ii. p. 12 (1874).

Acridopeza, Burm. Handb. Ent. ii. p. 683 (1838); Brunn. Mon. Phan. pp. 18, 139 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 8 (1891).

*1. **A. Reticulata, Guér.** l. c. pl. 10. ff. 2, 2 *a* (1829), p. 153 (1832); Brullé, l. c. p. 153, pl. 14. ff. 2, 3 (1835); Serv. l. c. p. 547. n. 1 (1839); Blanch. l. c. p. 27. n. 1 (1840). *Acridopeza Reticulata, Burm.* l. c. p. 683 (1838); Brunn. Mon. Phan. p. 140. n. 1, pl. 2. f. 33 (1878); McCoy, Prodr. Zool. Vict. xiii. p. 113, pl. 129 (1886); Frogg. Agric. Gaz. N. S. Wales, xv. p. 733, pl. 1. ff. 1, 1 *a*, *b* (1904).	Australia, Tasmania.

Genus 526. **Paura.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxii. p. 439 (1888).

1. **P. Biramosa, Karsch,** l. c. pl. 4. f. 6 (1888).	Usambara.
2. **P. Reticulosa, Karsch,** l. c. p. 440, pl. 4. f. 7 (1888).	Mombasa.

Genus 527. **Aphroptera.**

Bol. Term. Füzetek, xxv. p. 181 (1902).

1. **A. Biroi, Bol.** l. c. (1902).	N. Guinea.

Genus 528. **Zulpha.**

Walk. Cat. Derm. Salt. B. M. iii. p. 478 (1870).
Eurypalpa, Brunn. Mon. Phan. pp. 18, 141 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 9 (1891).

*1. **Z. Perlaria, Westw.** (*Phaneroptera P.*) Cab. Orient. Ent. p. 33, pl. 6. f. 1 (1848). *Eurypalpa Perlaria, Brunn.* Mon. Phan. p. 142. n. 1, pl. 2. f. 34 *a*, *b* (1878).	P. Wales I., Java, Borneo, Sumatra, India.

Genus 529. **Ceratopompa.**

Karsch, Ent. Nachr. xvi. p. 57 (1890);
Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 9, 69 (1891).

1. **C. Festiva, Karsch,** l. c. p. 58 (1890); Brunn. l. c. p. 70, pl. 1. f. 7 (1891).	Sumatra.

Genus 530. **Trachyzulpha.**

Dohrn, Stettin. Ent. Zeit. liii. p. 67 (1892).

1. **T. Fruhstorferi, Dohrn,** l. c. p. 68 (1892).	Java.

Genus 531. **Leptoderes.** (*Type* no. 1.)

Serv. Ins. Orth. p. 409 (1839).
Leptodera, Brunn. Mon. Phan. pp. 18, 142 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 9, 70 (1891).
Euparthenus, Sauss. Rev. Suisse Zool. v. pp. 228, 809 (1898). *Type* no. 2.

*1. **L. Ornatipennis, Serv.** l. c. p. 410. n. 1 (1839). *Leptodera Ornatipennis, Charp.* Orth. pl. 12 (1841); Brunn. ll. cc. p. 143. n. 1, pl. 3. f. 35 *a*, *b* (1878); p. 70. n. 1 (1891); Dohrn, Stett. Ent. Zeit. liii. p. 66 (1892). *Euparthenus Gratiosa, Sauss.* l. c. pp. 229, 809, pl. 9. f. 9 (1898).	Java, Borneo.
2. **L. Flavipennis, Brunn.** (*Leptodera F.*) Verh. zool.-bot. Ges. Wien, xli. p. 70. n. 2 (1891).	Ceylon.

Genus 532. **Condylomera.**

Westw. Trans. Linn. Soc. Lond. xviii. p. 419 (1871).
Trochalodera, *Brunn.* Mon. Phan. pp. 18, 143 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 9 (1891).

1. **C. Trichondyloides, Westw.** l. c. p. 419, pl. 28. f. 7 (1871); Dohrn, Stettin. Ent. Zeit. liii. p. 64. n. 1, figs. (1892). *Trochalodera Violascens*, *Brunn.* Mon. Phan. p. 144 (1878).	Java.

Genus 533. **Myrmecophana.**

Brunn. Verh. zool.-bot. Ges. Wien, xxxiii. p. 248 (1883); xli. pp. 9, 71 (1891).

1. **M. Fallax, Brunn.** ll. cc. p. 248, pl. 16. f. 1 *a–d* (1883); xli. p. 71, pl. 1. f. 8 (1891); Obs. Color. Ins. p. 11, pl. 8. f. 94 (1897).	Soudan.

Genus 534. **Ægimia.** (*Type* no. 1.)

Stal, Recens. Orth. ii. p. 21 (1874); Brunn. Mon. Phan. pp. 18, 145 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 9 (1891).

1. **Æ. Cultrifera, Stål,** l. c. p. 46. n. 1 (1874); Brunn. Mon. Phan. p. 145. n. 1, pl. 3. f. 36 (1878).	Mexico.
2. **Æ. Elongata, Rehn,** Trans. Amer. Ent. Soc. xxix. p. 19 (1902).	Centr. America.

Genus 535. **Hammatofera.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 18, 146 (1878);
Verh. zool.-bot. Ges. Wien, xli. p. 9 (1891).

1. **H. Nodicornis, Burm.** (*Phaneroptera N.*) Handb. Ent. ii. p. 689. n. 3 (1838). *H. Nodicornis*, *Brunn.* Mon. Phan. p. 147. n. 1, pl. 3. f. 38 (1878).	Bahia.
2. **H. Abacata, Brunn.** l. c. n. 2 (1878).	Brazil.

Genus 536. **Oxyprorella.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 69 (1898).
| *Oxyprora, Brunn.* (*nec Stal*) Mon. Phan. pp. 18, 148 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 9 (1891).

1. **O. Misera, Brunn.** (*Oxyprora M.*) l. c. p. 148. n. 1 (1878).	Peru.
2. **O. Dives, Giglio-Tos,** l. c. p. 70 (1898).	Ecuador.

Genus 537. **Machima.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 19, 149 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. p. 9 (1891).

*1. **M. Phyllacantha, Burm.** (*Phaneroptera P.*) Handb. Ent. ii. p. 688. n. 1 (1838). *M. Phyllacantha, Brunn.* l. c. p. 149. n. 1, pl. 3. f. 39 *a* (1878). *Phaneroptera Acanthocephala, Serv.* Ins. Orth. p. 425. n. 17 (1839).	Brazil.
2. **M. Hygracantha, Karsch,** Ent. Nachr. xxii. p. 346 (1896).	Colombia.

Genus 538. **Markia.** (*Type* no. 1.)

White, Richardson's Mus. Nat. Hist. ii. p. 244 (1862).
Mackia, Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 40 (1871).
Tricala, Walk. l. c. i. p. 357 (1869).

*1. **M. Hystrix, Westw.** (*Phaneroptera H.*) Arc. Ent. ii. p. 88, pl. 70. f. 2 (1841). *M. Hystrix, White,* l. c. p. 244, f. 150 (1862). *Machima Hystrix, Brunn.* Mon. Phan. pp. 149, 150. n. 2 (1878).	Colombia, Chiriqui.
*2. **M. Major, Brunn.** (*Machima M.*) l. c. pp. 149, 151. n. 3 (1878).	Colombia, Brazil.

Genus 539. **Paraphidnia.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 70 (1898).

1. **P. Gallina, Giglio-Tos,** l. c. p. 71 (1898). Ecuador.

*2. **P. Verrucosa, Brunn.** (*Aphidnia V.*) Mon. Phan. pp. 152, 153. n. 1 (1878). Brazil.

Genus 540. **Dysonia.** (*Type* no. 1.)

White, Richardson's Mus. Nat. Hist. ii. p. 244 (1862).

Valna, *Walk.* Cat. Derm. Salt. B. M. ii. p. 357 (1869). *Type* no. 2.

Aphidna, *Stål*, Recens. Orth. ii. pp. 13, 28 (1874). *Type* no. 6.

Aphidnia, *Brunn.* Mon. Phan. pp. 19, 151 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 9 (1891).

1. **D. Alipes, Westw.** (*Phaneroptera A.*, ♂ *nec* ♀) Arc. Ent. ii. p. 87, pl. 70. ff. 1 ♂, 1 *a–c* (1845). Colombia.
D. Albipes, *White*, l. c. (1862).
Aphidnia Alipes, *Brunn.* l. c. pp. 152, 156 (1878).

2. **D. Melaleuca, Walk. (*Valna M.*) l. c. p. 358. n. 1 (1869). Rio Janeiro.

3. **D. Decolor, Brunn.** (*Aphidnia D.*) l. c. pp. 153, 156. n. 5 (1878). Brazil.

*4. **D. Elegans, Brunn.** (*Aphidnia E.*) l. c. pp. 153, 155. n. 4 (1878). id.

*5. **D. Ephippium, Stoll,** (*Gryllus Tettigonia E.*) Spectres, Saut. p. 10, pl. 4 *a*. f. 10 (1813). Surinam, Brazil.

*6. **D. Fuscifrons, Brunn.** (*Aphidnia F.*) l. c. pp. 152, 153. n. 2 (1878); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 316. n. 1 (1897). Mexico, S. America (eadem ?).
Phaneroptera Alipes, ♀, *Westw.* l. c. p. 87, pl. 70. ff. 1 ♀, 1 *d* (1845).
D. Alipes ♀, *White*, l. c. (1862).
Aphidna Alipes, *Stål*, l. c. p. 28. n. 1 (1874).

*7. **D. Punctifrons, Brunn.** (*Aphidnia P.*) l. c. pp. 152, 154. n. 3, pl. 3. ff. 40 *a*, *b* (1878).	Brazil, Paraguay.
8. **D. Simplicipes, Brunn.** (*Aphidnia S.*) l. c. pp. 153, 157. n. 7 (1878); Sauss. & Pict. l. c. p. 316. n. 2 (1897).	Mexico.
9. **D. (?) Nigropicta, Walk. l. c. v. Suppl. p. 41 (1871).	Para.

Genus 541. **Sanabria.**

Walk. Cat. Derm. Salt. B. M. ii. p. 358 (1869).

1. **S. Fuscescens, Walk. l. c. p. 359. n. 1 (1869).	Burma.

Genus 542. **Centrofera.**

Brunn. Mon. Phan. pp. 19, 158 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 9 (1891).

*1. **C. Bimaculata, Brunn.** Mon. Phan. p. 158. n. 1, pl. 3. f. 41 *a*, *b* (1878).	Brazil.

Genus 543. **Ephippitytha.** (*Type* no. 1.)

Serv. Ins. Orth. p. 422 (1839).
Ephippithyta, *Brunn.* Mon. Phan. pp. 21, 188 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 10 (1891).

*1. **E. Trigintiduoguttata, Serv.** (*Phaneroptera T.*) l. c. p. 422. n. 14 (1839). *Ephippithyta Trigintiguttata, Brunn.* l. c. p. 189. n. 1, pl. 4. f. 54 *a–d* (1878); Tepp. Trans. Roy. Soc. S. Australia, xv. p. 83 (1892).	Australia.
*2. **E. Maculata, Evans,** Trans. Ent. Soc. Lond. iv. p. 300. pl. 21. f. c (1847). *E. Quadrigesimaguttata, Tepp.* l. c. p. 84 (1892). ‖*Phaneroptera* (*Ephippitytha*) *Trigintiduoguttata, McCoy* (*nec Serv.*) Prodr. Zool. Vict. xii. p. 77, pl. 120 (1886).	id.

*3. **E. Froggatti, Kirb.** (n. n.). ‖ *Ephippithyta 32-guttata, Frogg.* (*nec Serv.*) Agric. Gaz. N. S. Wales, xv. p. 735, pl. 1. f. 3 (1904).	Australia.
4. **E. Irrorata, Serv.** (*Phaneroptera I.*) l. c. p. 423. n. 15 (1839).	id.

Genus 544. **Ephippithytoidea.**

Tepp. Trans. R. Soc. S. Australia, xv. p. 85 (1892).

1. **E. Sparsa, Tepp.** l. c. (1892).	W. Australia

Genus 545. **Alectoria.**

Brunn. Journ. Mus. Godeffr. xiv. p. 196 (1879); Verh. zool.-bot. Ges. Wien, xli. pp. 10, 95 (1891); Tepp. Trans. R. Soc. S. Australia, xv. p. 86 (1892).
Hectoria, Tepp. l. c. xii. p. 21 (1889).

1. **A. Superba, Brunn.** ll. cc. p. 196, f. 1 (1879); p. 96, pl. 1. f. 15 (1891); Tepp. l. c. xv. p. 87 (1892); Frogg. Agric. Gaz. N. S. Wales, xv. p. 734, pl. 1. f. 2 (1904). *Hectoria Pontoni, Tepp.* l. c. xii. p. 22 (1889).	Australia.

Genus 546. **Cædicia.** (*Type* no. 1.)

Stål, Recens. Orth. ii. p. 12 (1874); Brunn. Mon. Phan. pp. 21, 189 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 10, 96 (1891); Tepp. Trans. R. Soc. S. Australia, xv. p. 87 (1892); Bol. Term. Füzetek, xxv. p. 185 (1902).

1. **C. Pictipes, Stål,** l. c. p. 27. n. 1 (1874); Brunn. Mon. Phan. pp. 190, 191. n. 1 (1878); Tepp. l. c. p. 87 (1892); Bol. l. c. p. 186 (1902).	Cape York, Tongatabu.
2. **C. Chyzeri, Bol.** l. c. pp. 182, 186. n. 2 (1902).	N. Guinea.
3. **C. Marginata, Brunn.** l. c. pp. 190, 191. n. 2 (1878); Tepp. l. c. p. 88 (1892).	Australia, Kangaroo I.
4. **C. Concisa, Brunn.** l. c. pp. 190, 192. n. 3 (1878); Tepp. l. c. p. 88 (1892).	N. Australia

*5. **C. Longipennis, Brunn.** l. c. pp. 190, 192. n. 4, pl. 4. f. 55 *a–d* (1878) ; Tepp. l. c. p. 88 (1892).	Queensland, N.S. Wales.
6. **C. Longipennioides, Tepp.** l. c. p. 89 (1892).	N.S.Wales, S.Australia.
7. **C. Strenua, Walk. (*Phaneroptera S.*) Cat. Derm. Salt. B. M. ii. p. 349. n. 54 (1869).	Australia.
8. **C. Septentrionalis, Brunn.** l. c. pp. 190, 193. n. 5 (1878) ; Tepp. l. c. p. 90 (1892).	id.
9. **C. Extenuata, Walk. (*Phaneroptera E.*) l. c. p. 353. n. 61 (1869).	Swan River.
10. **C. Major, Brunn.** l. c. pp. 190, 193. n. 6 (1878) ; Tepp. l. c. p. 90 (1892).	Cape York.
11. **C. Valida, Walk. (*Phaneroptera V.*) l. c. p. 352. n. 59 (1869) ; (?) McCoy, Prodr. Zool. Vict. xii. p. 75. pl. 119 (1886) ; Tepp. l. c. p. 89 (1892) ; Frogg. Agric. Gaz. N. S. Wales, xv. p. 736 (1904).	Australia.
12. **C. Simplex, Walk. (*Phaneroptera S.*) l. c. p. 352. n. 60 (1869).	id.
C. Olivacea, Brunn. l. c. pp. 190, 193. n. 7 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 96. n. 7 (1891) ; Tepp. l. c. p. 90 (1892) ; Bol. l. c. p. 186 (1902).	
13. **C. Congrua, Walk. (*Phaneroptera C.*) l. c. p. 351. n. 57 (1869).	N. S. Wales.
14. **C. Clavata, Bol.** l. c. pp. 183, 186 (1902).	N. Guinea.
*15. **C. Porrecta, Brunn.** Journ. Mus. Godeffr. xiv. pp. 197, 198 (1879) ; Verh. zool.-bot. Ges. Wien, xli. p. 96. n. 15 (1891) ; Tepp. l. c. p. 95 (1892) ; Bol. l. c. p. 186 (1902).	Rockhampton.
16. **C. Inermis, Brunn.** Mon. Phan. pp. 190, 194. n. 8 (1878) ; Bol. l. c. p. 186 (1902).	N. & W. Australia.
17. **C. Halmaturina, Tepp.** l. c. p. 91 (1892).	Kangaroo I.
18. **C. Scalaris, Brunn.** l. c. pp. 190, 195. n. 9 (1878) ; Tepp. l. c. p. 92 (1892) ; Bol. l. c. p. 186 (1902).	Sydney.
19. **C. Thymifolia, Fabr. (*Locusta T.*) Syst. Ent. p. 283. n. 5 (1775).	Murray R.
C. Roseopennis, Tepp. l. c. p. 94 (1892).	
20. **C. Albidiceps, Walk. (*Phaneroptera A.*) l. c. p. 354. n. 62 (1869).	Australia.

21. **C. Chloronota, Bol.** l. c. pp. 183, 186. n. 4 (1902).	N. Guinea.
22. **C. Minor, Brunn.** l. c. pp. 190, 195. n. 10 (1878); Tepp. l. c. p. 92 (1892).	Port Denison.
23. **C. Hospes, Brunn.** l. c. pp. 190, 196. n. 11 (1878); Tepp. l. c. p. 92 (1892).	Amboina.
24. **C. Obtusifolia, Brunn.** l. c. pp. 191, 196. n. 12 (1878); Tepp. l. c. p. 92 (1892); Bol. l. c. pp. 184, 186. n. 5 (1902).	Cape York, N. Guinea.
25. **C. Affinis, Bol.** ll. cc. n. 6 (1902).	N. Guinea.
26. **C. Flexuosa, Bol.** l. c. pp. 185, 186. n. 7 (1902).	id.
27. **C. Acutifolia, Brunn.** l. c. pp. 191, 197. n. 13 (1878); Tepp. l. c. p. 93 (1892); Bol. l. c. p. 186 (1902).	Cape York.
28. **C. Bispinulosa, Brunn.** l. c. pp. 191, 197. n. 14 (1878); Tepp. l. c. p. 93 (1892).	Sydney.
29. **C. Hirsuta, Tepp.** l. c. p. 93 (1892).	N. Australia
30. **C. Punctifera, Walk. (*Phaneroptera P.*) l. c. v. Suppl. p. 40 (1871).	Australia.

Genus 547. **Catoptropteryx.** (*Type* no. 4.)

Karsch, Ent. Nachr. xvi. p. 361 (1890);
Stett. Ent. Zeit. lvii. p. 335 (1896).

1. **C. Capreola, Karsch,** Stett. Ent. Zeit. lvii. pp. 332, 335. n. 99 (1896).	Cameroons.
2. **C. Immaculipennis, Karsch,** l. c. pp. 333, 335. n. 100 (1896).	id.
3. **C. Maculipennis, Karsch,** ll. cc. n. 101 (1896).	id.
4. **C. Guttatipes, Karsch,** Ent. Nachr. xvi. p. 362. n. 10 (1890); Stett. Ent. Zeit. lvii. p. 335 (1896).	Barombi.
5. **C. Nigrospinosa, Brunn.** (*Cædicia N.*) Verh. zool.-bot. Ges. Wien, xli. pp. 96, 97. n. 17 (1891); Griff. Ann. Mus. Genova, xlii. p. 388 (1906).	Cameroons.
6. **C. Afra, Karsch,** (*Cædicia A.*) Berlin. Ent. Zeitschr. xxxii. p. 446 (1888); Brunn. l. c. pp. 96, 97. n. 16 (1891); Bol. Term. Füz. xxv. p. 186 (1902).	id.
7. **C. Punctulata, Karsch,** (*Cædicia P.*) Ent. Nachr. xvi. p. 260. n. 4 (1890).	W. Africa, Kribi.

8. **C. Apicalis, Bol.** (*Cœdicia A.*) Ann. Soc. Ent. France, lxii. p. 177. n. 45 (1893).	W. Africa : Assinie.
9. **C. Signatipennis, Karsch,** Stettin. Ent. Zeit. lvii. pp. 333, 335. n. 102 (1896).	Cameroons.
10. **C. Neutralipennis, Karsch,** l. c. pp. 334, 336. n. 103 (1896).	Togo.
11. **C. Extensipes, Karsch,** ll. cc. n. 104 (1896).	Cameroons.

Genus 548. **Torbia.** (*Type* no. 4.)

Walk. Cat. Derm. Salt. B. M. ii. p. 388 (1869).
Dictyota, Brunn. Mon. Phan. pp. 22, 199 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 10 (1891); Tepp. Trans. R. Soc. S. Australia, xv. p. 97 (1892). (*Type* no. 4.)

*1. **T. Viridissima, Brunn.** (*Dictyota V.*) Mon. Phan. p. 200. n. 1 (1878); Tepp. l. c. p. 97 (1892).	Australia.
2. **T. Indivisa, Tepp.** (*Dictyota I.*) l. c. p. 98 (1892).	Adelaide.
*3. **T. Costulata, Brunn.** (*Dictyota C.*) l. c. pp. 200, 201. n. 2 (1878); Tepp. l. c. p. 98 (1892).	Australia.
4. **T. Perficita, Walk. l. c. p. 388. n. 1 (1869). *Dictyota Pruinosa, Brunn.* l. c. pp. 200, 201. n. 3, pl. 4. f. 58 *a*, *b* (1878); Tepp. l. c. p. 99 (1892).	Australia, N. Zealand.
5. **T. Elderi, Tepp.** (*Dictyota E.*) l. c. (1892).	Centr. W. Australia.

Genus 549. **Baryprostha.**

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 211 (1891).

1. **B. Bellua, Karsch,** l. c. p. 212. n. 20, fig. (1891).	Sumatra.

Genus 550. **Diastella.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 21, 198 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 10, 98 (1891); Tepp. Trans. R. Soc. S. Australia, xv. p. 95 (1892).

1. **D. Latifolia, Brunn.** ll. cc. p. 198. n. 1, pl. 4. f. 56 *a*, *b* (1878); p. 98. n. 1 (1891); Tepp. l. c. p. 65 (1892).	Moreton Bay.
2. **D. Flexuosocercata, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 98. n. 2 (1891).	N. Guinea.

Genus 551. **Diastellidea.**

Bol. Term. Füz. xxv. p. 186 (1902).

1. **D. Pisifolia, Bol.** l. c. p. 187. n. 8 (1902).	N. Guinea.

Genus 552. **Protina.**

Brunn. Journ. Mus. Godeffr. xiv. p. 197 (1879); Verh. zool.-bot. Ges. Wien, xli. pp. 10, 98 (1891); Tepp. Trans. R. Soc. S. Australia, xv. p. 96 (1892).

1. **P. Guttulata, Brunn.** ll. cc. p. 197. n. 2 (1879); p. 98. pl. 1. f. 16 (1891); Tepp. l. c. p. 96 (1892).	Peak Downs.

Genus 553. **Symmachis.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 21, 199 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 10 (1891); Tepp. Trans. R. Soc. S. Australia, xv. p. 96 (1892).

1. **S. Glaucescens, Walk. (*Phaneroptera G.*) Cat. Derm. Salt. B. M. ii. p. 350. n. 56 (1869).	Australia.
S. Lacteipennis, *Brunn.* Mon. Phan. p. 199. n. 1, pl. 4. f. 56 *a*, *b* (1878); Tepp. l. c. p. 96 (1892).	
2. **S. Subroseata, Walk. (*Phaneroptera S.*) l. c. p. 351. n. 58 (1869).	id.

Genus 554. **Procædicia.** (*Type* no. 1.)

Procœdicia, *Bol.* Term. Füz. xxv. p. 189 (1902).

1. **P. Regia, Bol.** (*Paracœdicia R.*) l. c. pp. 189, 191. n. 11 (1902).	N. Guinea.
2. **P. Dimidiata, Bol.** (*Paracœdicia D.*) ll. cc. n. 12 (1902).	id.
3. **P. Terminalis, Bol.** (*Paracœdicia T.*) l. c. pp. 189, 192. n. 13 (1902).	id.

Genus 555. **Paracædicia.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien. xli. pp. 10, 101 (1891); Tepp. Trans. R. Soc. S. Australia, xv. p. 102 (1892); Bol. Term. Füz. xxv. p. 189 (1902).

1. **P. Tibialis, Brunn.** l. c. pp. 101, 102. n. 1. pl. 2. f. 17 (1891); Tepp. l. c. p. 102 (1892); Bol. l. c. p. 190. n. 4 (1902).	Key I.
2. **P. Raroramosa, Brunn.** l. c. pp. 101, 102. n. 2 (1891); Tepp. l. c. p. 102 (1892); Bol. l. c. p. 190. n. 5 (1902).	Gilolo.
3. **P. Melanocondylea, Bol.** l. c. p. 190. n. 6, p. 193. n. 14 (1902).	N. Guinea.
4. **P. Femorata, Bol.** l. c. p. 190. n. 7, p. 193. n. 15 (1902).	id.
5. **P. Obesa, Brunn.** l. c. pp. 101, 102. n. 3 (1891); Tepp. l. c. p. 103 (1892); Bol. l. c. p. 190. n. 8 (1902). Var. *Minor*, *Brunn.* l. c. (1891).	N. Guinea, Easter I.
6. **P. Spinosa, Brunn.** l. c. pp. 102, 103. n. 4 (1891); Tepp. l. c. p. 103 (1892); Bol. l. c. p. 190. n. 9, p. 193. n. 16 (1902).	N. Guinea, Aru.
7. **P. Serrata, Brunn.** l. c. pp. 102, 103. n. 5 (1891); Tepp. l. c. p. 103 (1892); Bol. l. c. p. 190. n. 10 (1902).	N. Guinea.
8. **P. Novata, Brunn.** Abhandl. Senckenb. Ges. xxiv. p. 253 (1898); Bol. l. c. p. 190. n. 11 (1902).	Ternate, Batchian.
9. **P. Planicollis, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 102, 104. n. 6 (1891); Tepp. l. c. p. 103 (1892); Bol. l. c. p. 190. n. 12, p. 194. n. 17 (1902).	N. Guinea.
10. **P. Nigropunctata, Brunn.** l. c. pp. 102, 104. n. 7 (1891); Tepp. l. c. p. 104 (1892); Bol. l. c. p. 190. n. 13 (1902).	id.
11. **P. Verrucosa, Brunn.** l. c. pp. 102, 104. n. 8 (1891); Tepp. l. c. p. 104 (1892); Bol. l. c. p. 190. n. 14, p. 194. n. 18 (1902).	id., Aru.
12. **P. Centrifera, Bol.** l. c. p. 190. n. 15, p. 194. n. 19 (1902).	N. Guinea.
13. **P. Proxima, Bol.** l. c. p. 190. n. 16, p. 195. n. 20 (1902).	id.

Genus 556. **Parapolichne.**

Bol. Term. Füz. xxv. pp. 187, 188 (1902).

1. **P. Elegantula, Bol.** (*Polichne* (*Parapolichne*) *E.*) l. c. p. 187. n. 9 (1902).	N. Guinea.

Genus 557. **Polichne.** (*Type* no. 6.)

Stål, Recens. Orth. ii. p. 13 (1874); Brunn. Mon. Phan. pp. 22, 202 (1878); Journ. Mus. Godeffr. xiv. p. 108 (1879); Verh. zool.-bot. Ges. Wien, xli. pp. 10, 99 (1891); Tepp. Trans. R. Soc. S. Australia, xv. p. 100 (1892).

1. **P. Brevipes, Brunn.** Journ. Mus. Godeffr. xiv. pp. 198, 199. n. 1 (1879); Verh. zool.-bot. Ges. Wien, xli. pp. 99, 100. n. 2 (1891); Tepp. l. c. p. 101 (1892).	Queensland, Peak Downs.
2. **P. Longipes, Brunn.** ll. cc. pp. 198, 199. n. 2 (1879); pp. 99, 100. n. 3 (1891); Tepp. l. c. p. 101 (1892).	Rockhampton.
3. **P. Huoniensis, Bol.** Term. Füz. xxv. p. 188. n. 10 (1902).	N. Guinea.
4. **P. Argentata, Brunn.** Journ. Mus. Godeffr. xiv. p. 198. n. 3 (1879); Verh. zool.-bot. Ges. Wien, xli. pp. 99, 100. n. 4 (1891).	Peak Downs.
P. Argentea, Brunn. Journ. Mus. Godeffr. xiv. p. 199. n. 3 (1879).	
5. **P. Spinulosa, Brunn.** l. c. pp. 198, 200. n. 4 (1879); Verh. zool.-bot. Ges. Wien, xli. pp. 99, 101. n. 5 (1891); Tepp. l. c. p. 102 (1892).	Rockhampton.
6. **P. Parvicauda, Stål,** (*Phaneroptera P.*) Eugenies Resa. Orth. p. 320. n. 57 (1860).	Australia.
P. Parvicauda, Stål, Recens. Orth. ii. p. 28. n. 1 (1874); Brunn. Mon. Phan. p. 202. n. 1, pl. 4. f. 59 *a*, *b* (1878); Journ. Mus. Godeffr. xiv. pp. 198, 200. n. 5 (1879); Verh. zool.-bot. Ges. Wien, xli. p. 99. n. 1 (1891); Tepp. l. c. p. 100 (1892).	
7. **P. Tenuis, Walk. (*Phaneroptera T.*) Cat. Derm. Salt. B. M. ii. p. 354. n. 63 (1869).	N. Australia.

8. **P. Ferruginea, Tepp.** l. c. p. 100 (1892).	S. Australia.
9. **P. Angustiloba, Brunn.** Journ. Mus. Godeffr. xiv. pp. 198, 200. n. 6 (1879); Verh. zool.-bot. Ges. Wien, xli. p. 99. n. 6 (1891).	Queensland.
10. **P. Juncea, Walk.** (*Phaneroptera J.*) l. c. v. Suppl. p. 39 (1871).	Melbourne (?).

Genus 558. **Debrona.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. iii. p. 480 (1870).

Otiaphysa, Karsch, Berlin. Ent. Zeitschr. xxxii. p. 453 (1888); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 16, 114 (1891). (*Type* no. 1.)

1. **D. Cervina, Walk. l. c. p. 481. n. 1 (1870). *Otiaphysa Hebetata, Karsch*, l. c. p. 454, pl. 4. ff. 10, 10*a* (1888); Brunn. l. c. p. 114 (1891).	S. Africa, Usambara.
2. **D. Angustipennis, Burr,** (*Otiaphysa A.*) Proc. Zool. Soc. Lond. 1900, p. 43, pl. 2. f. 2.	Somali.

Genus 559. **Tetraconcha.** (*Type* no. 1.)

Karsch, Ent. Nachr. xvi. p. 61 (1890); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 16. 115 (1891): Bol., Bol. Soc. Españ. Hist. Nat. vi. p. 231 (1906).

Tellidia, Bol. Ann. Soc. Ent. France, lxii. p. 177 (1893). (*Type* no. 4.)

1. **T. Fenestrata, Karsch,** l. c. p. 62 (1890); Brunn. l. c. p. 115. n. 1, pl. 2. f. 20 (1891); Bol., Bol. Soc. Españ. Nat. Hist. vi. pp. 234. 235. n. 1 (1906).	Cameroons, Gold Coast.
2. **T. Stichyrata, Karsch,** l. c. p. 360. n. 9, f. 3 (1890); Berlin. Ent. Zeitschr. xxxvi. p. 320. n. 11 (1891); Bol. l. c. p. 235. n. 2 (1906). *T. Scalaris, Brunn.* l. c. pp. 115, 116. n. 2 (1891). ‖ *T. Fenestrata, Brunn.* (*nec Karsch*) l. c. pl. 2. f. 20 (1891): (?) Griff. Ann. Mus. Genova, xlii. p. 391 (1906).	W. Africa.
3. **T. Smaragdina, Brunn.** l. c. pp. 115. 116. n. 3 (1891); Bol. l. c. p. 294. n. 2, p. 295. n. 3 (1906).	Cameroons.

4. **T. Longipes, Bol.** (*Tellidia L.*) Ann. Soc. Ent. France, lxii. p. 178. n. 46, pl. 1. ff. 9, 10 (1893); Bol. Soc. Españ. Hist. Nat. vi. p. 235. n. 4 (1906).	Assinie.

Genus 560. **Drepanophyllum.** (*Type* no. 1.)

Karsch, Ent. Nachr. xvi. p. 358 (1890).
Karschia, *Brunn.* Verh. zool.-bot. Ges. Wien, xli. pp. 4, 41 (1891).

1. **D. Marmoratum, Karsch,** l. c. pp. 359, 360. f. 2 (1890). *Karschia Corrosa*, *Brunn.* l. c. p. 41, pl. 1. f. 3 (1891).	Cameroons.
2. **D. Corrosifolium, Karsch,** Stett. Ent. Zeit. lvii. p. 326. n. 91 (1896); Griff. Ann. Mus. Genova, xlii. p. 392 (1906).	id., Fernando Po.

Genus 561. **Stenamblyphyllum.**

Karsch, Stettin. Ent. Zeit. lvii. p. 326 (1896).

1. **S. Dilutum, Karsch,** l. c. p. 327. f. 39 (1896).	Cameroons.

Genus 562. **Polichnodes.**

Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 72 (1898).

1. **P. Americana, Giglio-Tos,** l. c. (1898).	Ecuador.

Genus 563. **Alogoptera.**

Rehn, Ent. News, xiv. p. 141 (1903).

1. **A. Caribbeum, Rehn,** l. c. (1903).	Porto Rico.

Genus 564. **Buettneria.**

Büttneria, *Karsch*, Berlin. Ent. Zeitschr. xxxii. p. 444 (1888).
Buettneria, *Brunn.* Verh. zool.-bot. Ges. Wien, xli. pp. 11, 105 (1891).

1. **B. Maculiceps, Karsch,** (*Büttneria M.*) l. c. p. 445 (1888). *B. Maculiceps*, *Brunn.* l. c. p. 106. n. 1 (1891).	W. Africa.

Genus 565. **Phlaurocentrum.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxii. p. 445 (1888): Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 11, 106 (1891).

1. **P. Latevittatum, Karsch,** l. c. p. 446 (1888), xxxvi. pp. 321, 322. n. 13, f. 1 *a* (1891); Brunn. l. c. p. 106 (1891). — W. Africa.
2. **P. Mecopodoides, Karsch,** l. c. xxxvi. pp. 321, 322. n. 14, f. 1 (1891). — Cameroons.
3. **P. Stigmosum, Karsch,** Stettin. Ent. Zeit. lvii. p. 336. n. 105 (1896). — id.

Genus 566. **Weissenbornia.**

Karsch, Ent. Nachr. xiv. p. 65 (1888); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 11, 71 (1891).

1. **W. Præstantissima, Karsch,** l. c. p. 66 (1888); Brunn. l. c. p. 72, pl. 1. f. 9 (1891); Griff. Ann. Mus. Genova, xlii. p. 389 (1906). — Cameroons.

Genus 567. **Enochletica.**

Karsch, Stettin. Ent. Zeit. lvii. p. 336 (1896).

1. **E. Ostentatrix, Karsch,** l. c. p. 337. n. 106 (1896). — Cameroons.

Genus 568. **Ancylecha.**

Serv. Ins. Orth. p. 411 (1839); Stal, Bihang Svenska Akad. iv. (5) p. 56 (1878); Brunn. Mon. Phan. pp. 19, 159 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 11 (1891).

*1. **A. Fenestrata, Fabr.** (*Locusta F.*) Ent. Syst. ii. p. 34. n. 4 (1793). — Java, Assam, Malacca, Singapore.

Phylloptera Fenestrata, Burm. Handb. Ent. ii. p. 692. n. 1 (1838).

A. Fenestrata, Brunn. Mon. Phan. p. 160. n. 1, pl. 3. f. 42 *a, b* (1878).

A. Lunuligera, Serv. l. c. n. 1 (1839).

Genus 569. **Phygela.** (*Type* no. 1.)

Stål, Bihang Svenska Akad. iv. (5) p. 56 (1876); Brunn. Mon. Phan. pp. 19, 160 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 11 (1891).

*1. **P. Haanii, Stål,** l. c. p. 57. n. 1 (1876); Brunn. Mon. Phan. p. 161. n. 1, pl. 3. f. 43 (1878).	Malacca. Singapore.
2. **P. Marginata, Brunn.** l. c. p. 161. n. 2 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 72 (1891).	Borneo.

Genus 570. **Arnobia.** (*Type* no. 1.)

Stal, Bihang Svenska Akad. iv. (5) p. 56 (1876); Brunn. Mon. Phan. pp. 19, 162 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 11 (1891): Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 324, 336, 374 (1902–3).

*1. **A. Pilipes, Haan,** (*Locusta* (*Phaneroptera*) *P.*) Temminck, Verhandel., Orth. pp. 191, 194. n. 13 (1842). *A. Pilipes, Brunn.* ll. cc. p. 162. n. 1, pl. 3. f. 44 (1878); p. 72 (1891); Jacobs. & Bianchi, l. c. pp. 326, 375 (1902–3).	Japan, Malacca, Java.
2. **A. Phyllopteroides, Fisch.-Waldh.** (*Decticus P.*) Orth. Ross. p. 173. n. 16, pl. 28. f. 4 (1846); Jacobs. & Bianchi, l. c. p. 375 (1903).	Dauria.

Genus 571. **Molpa.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. iii. p. 479 (1870).

Pyrgophylax, Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 12, 73 (1891). (*Type* no. 1.)

1. **M. Bilineolata, Walk. l. c. p. 480. n. 1 (1870). *Pyrgophylax Ceylonicus, Brunn.* l. c. p. 73, pl. 1. ff. 10, 10 *a*, *b* (1891).	Ceylon.
2. **M. Emarginata, Dohrn,** (*Pyrgophylax Emarginatus*) Stettin. Ent. Zeit. liii. p. 68 (1892).	Borneo.
3. **M. Spathulata, Bol.** (*Pyrgophylax Spathulatus*) Ann. Soc. Ent. France, lxviii. p. 764 (1900).	S. India.

Genus 572. **Tapeina.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 19, 163 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. pp. 12, 74 (1891).

1. **T. Acutangula, Brunn.** ll. cc. p. 163. n. 1. pl. 3. f. 45 *a–c* (1878) ; p. 74. n. 1 (1891).	Assam.
2. **T. Pardalis, Walk. (*Ephippitytha* (?) *P.*) Cat. Derm. Salt. B. M. ii. p. 356. n. 5 (1869).	Silhet.
3. **T. Cucullata, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 74. n. 2 (1891).	Sumatra.
4. **T. Truncata, Brunn.** l. c. n. 3 (1891).	id.

Genus 573. **Dapanera.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxii. pp. 423, 441 (1888) ;
Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 12, 75 (1891).

1. **D. Genuteres, Karsch,** l. c. p. 441 (1888) ; Brunn. l. c. p. 75. n. 1 (1891) ; Sjöst. Bihang Svenska Akad. xxvii. (4 : 3) p. 11, pl. 4. f. 1 *a, b* (1902).	Accra, Congo.
2. **D. Irregularis, Karsch,** Ent. Nachr. xvi. p. 258. n. 3 (1890) ; Brunn. l. c. p. 76. n. 2 (1891).	W. Africa, Kribi.

Genus 574. **Gonatoxia.** (*Type* no. 1.)

Karsch, Berlin. ent. Zeitschr. xxxii. p. 441 (1888) ;
Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 12, 76 (1891).

1. **G. Immaculata, Karsch,** l. c. p. 442 (1888) ; Brunn. l. c. pp. 12, 76 (1891).	Usambara.
2. **G. Maculata, Karsch,** l. c. p. 442 (1888) ; Brunn. l. c. pp. 76, 77. n. 2 (1891).	Somali.

Genus 575. **Casigneta.**

Brunn. Mon. Phan. pp. 19, 163 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. pp. 12, 77 (1891).

1. **C. Loliifolia, Haan,** (*Locusta* (*Phaneroptera*) *L.*) Temminck, Verhandel., Orth. pp. 191, 194. n. 17 (1842); Brunn. Mon. Phan. p. 164. n. 2 (1878).	Java.

2. **C. Cochleata, Brunn.** l. c. p. 164. n. 1, pl. 3. f. 46 *a*, *b* (1878); Verh. zool.-bot. Ges. Wien, xli. p. 77. n. 1 (1891).	Amboina.
3. **C. Pellucida, Brunn.** ll. cc. pp. 164, 165. n. 2 (1878); p. 77. n. 2 (1891).	Philippines.
4. **C. Lamellosa, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 77. n. 3 (1891).	Celebes.

Genus 576. **Elbenia.** (*Type* no. 5.)

Stål, Bihang Svenska Akad. iv. (5) p. 56 (1876); Brunn. Mon. Phan. pp. 20, 165 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 12, 78 (1891); Abhandl. Senckenb. Ges. xxiv. p. 254 (1898).

1. **E. Tenera, Brunn.** ll. cc. p. 166. n. 1 (1878); p. 78. n. 1 (1891); p. 254. n. 1 (1898).	Borneo.
2. **E. Brevixipha, Brunn.** Abhandl. Senckenb. Ges. xxiv. p. 254. n. 2, pl. 18. f. 40 *a*, *b* (1898).	id.
3. **E. Manillensis, Pict.** Mém. Soc. Genève, xxx. (6) p. 7. n. 1 (1898).	Manila.
4. **E. Modesta, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 78 (1891); Abhandl. Senckenb. Ges. xxiv. pp. 244, 255. n. 3, pl. 18. f. 41 *a–c* (1898).	Philippines.
5. **E. Nigrosignata, Stål,** l. c. p. 56. n. 1 (1876); Brunn. Mon. Phan. p. 166. n. 2 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 78. n. 2 (1891); Abhandl. Senckenb. Ges. xxiv. pp. 254, 255. n. 4 (1898).	Malacca.
6. **E. Triangularis, Brunn.** Abhandl. Senckenb. Ges. xxiv. pp. 254, 255. n. 5, pl. 18. f. 42 *a*, *b* (1898).	Borneo, Kina Balu.
7. **E. Appendiculata, Brunn.** ll. cc. n. 6, pl. 18. f. 43 *a*, *b* (1898).	Sumatra.

Genus 577. **Phaula.** (*Type* no. 2.)

Brunn. Mon. Phan. pp. 20, 167 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 12, 79 (1891); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 324, 336, 375 (1902–3).

1. **P. Rugulosa, Brunn.** ll. cc. p. 167. n. 1 (1878); pp. 79, 80. n. 1 (1891).	Philippines.

2. **P. Lævis, Brunn.** ll. cc. pp. 167, 168. n. 2, pl. 3. f. 48 (1878); pp. 78, 80, n. 2 (1891).	Philippines.
3. **P. Compressa, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 79, 81. n. 5 (1891).	Ké I., Menado.
4. **P. Phanopteroides, Brunn.** ll. cc. n. 6 (1891).	Manila.
5. **P. Gracilis, Brunn.** ll. cc. n. 7 (1891).	Borneo.
6. **P. Spinosolaminata, Brunn.** Mon. Phan. pp. 167, 168. n. 3 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 79, 80. n. 3 (1891).	Java.
7. **P. Trichopus, Haan,** (*Locusta* (*Phaneroptera*) *T.*) Temminck, Verhandel., Orth. pp. 191, 194. n. 14 (1842).	id., Singapore.
P. Trichopus, Dohrn, Stettin. Ent. Zeit. liii. p. 69 (1892).	
P. Chlorotica, Brunn. ll. cc. pp. 167, 169. n. 4 (1878); pp. 79, 81. n. 4 (1891).	
8. **P. Sumatrana, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 80, 82. n. 8 (1891).	Sumatra.
9. **P. Indica, Brunn.** ll. cc. n. 9 (1891).	Madras.
10. **P. Lenzi, Brunn.** l. c. pp. 80, 83. n. 10 (1891).	Cameroons, Gaboon.
11. **P. Inconspicua, Brunn.** ll. cc. n. 11 (1891).	Cameroons.
12. **P. Cornuta, Brunn.** ll. cc. n. 12 (1891).	Luzon.
13. **P. Denticauda, Brunn.** l. c. pp. 80, 84 n. 13 (1891).	I. Iolo, Celebes.
14. **P. Peregrina, Brunn.** ll. cc. n. 14 (1891).	N. Guinea, Waigiou.

Genus 578. **Habra.**

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 12, 85 (1891).

1. **H. Securifera, Brunn.** l. c. p. 85, pl. 1. f. 11 (1891).	Borneo.

Genus 579. **Calopsyra.**

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 12, 85 (1891).

1. **C. Octomaculata, Westw.** (*Phylloptera O.*) Cab. Or. Ent. p. 52, pl. 25. f. 4 (1848).	Sumatra, Malacca (eadem ?).
(?) *C. Octomaculata, Brunn.* l. c. p. 86, pl. 1. f. 12 (1891); Dohrn, Stettin. Ent. Zeit. liii. p. 50 (1892).	

Genus 580. **Pœcilopsyra.**

Dohrn, Stettin. Ent. Zeit. liii. p. 69 (1892).

*1. **P. Octoseriata, Haan,** (*Locusta* (*Phaneroptera*) *O.*) Temminck, Verhandel., Orth. pp. 191, 195. n. 32, pl. 19. f. 5 (1842). *P. Octoseriata, Dohrn,* l. c. p. 70 (1892).	Sumatra, Borneo.

Genus 581. **Dicranopsyra.**

Dohrn, Stettin. Ent. Zeit. liii. p. 71 (1892).

1. **D. Multicolor, Dohrn,** l. c. (1892).	Borneo, Sumatra.

Genus 582. **Psyra.** (*Type* no. 4.)

Stål, Bihang Svenska Akad. iv. (5) p. 55 (1876); Brunn. Mon. Phan. pp. 20, 169 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 13, 87 (1891).

*1. **P. Ensis, Haan,** (*Locusta* (*Phaneroptera*) *E.*) Temminck, Verhandel., Orth. pp. 191, 194. n. 10 (1842). *P. Ensis, Brunn.* ll. cc. pp. 170, 171. n. 1, pl. 3. f. 49 *a, b* (1878); p. 87. n. 1 (1891).	Borneo, Amboina, Japan (eadem ?).
2. **P. Borneensis, Brunn.** ll. cc. pp. 170, 171. n. 2 (1878); p. 87. n. 2 (1891).	Borneo.
3. **P. Ceylonica, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 87. n. 6 (1891).	Ceylon.
*4. **P. Melanonota, Stål,** l. c. p. 56. n. 1 (1876); Brunn. Mon. Phan. pp. 170, 172. n. 3 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 87. n. 3 (1891).	Malacca, New Pomerania (eadem ?).
5. **P. Longestylata, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 87, 88. n. 7 (1891).	Philippines.
6. **P. Longelaminata, Brunn.** ll. cc. n. 8 (1891).	Borneo.
*7. **P. Unicolor, Brunn.** Mon. Phan. pp. 170, 172. n. 4 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 87. n. 4 (1891).	Obi.
8. **P. Tigrina, Brunn.** ll. cc. pp. 170, 173. n. 5 (1878); p. 87. n. 5 (1891).	Borneo.
9. **P. Pomona, Kirb. Mon. Christmas I. p. 150 (1900).	Christmas I.

Genus 583. **Plangiopsis.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxii. pp. 425, 459 (1888); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 13, 88 (1891).

1. **P. Semiconchata, Karsch,** l. c. p. 460 (1888); Brunn. l. c. p. 89 (1891).	Cameroons.
2. **P. Foraminata, Karsch,** l. c. xxxvi. p. 324 (1892).	id.
3. **P. Adeps, Karsch,** Stettin. Ent. Zeit. lvii. p. 338. n. 107 (1896).	id.

Genus 584. **Goetia.**

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 322 (1892).

1. **G. Galbana, Karsch,** l. c. p. 323. n. 15, f. 2 (1892).	Cameroons.

Genus 585. **Itokiia.**

Sjöst. Bihang Svenska Akad. xxvii. (3) p. 10 (1902).

1. **I. Silvarum, Sjöst.** l. c. (1902).	Cameroons.

Genus 586. **Bongeia.**

Sjöst. Bihang Svenska Akad. xxvii. (3) p. 9 (1902).

1. **B. Puncticollis, Sjöst.** l. c. pl. 4. f. 3 (1902).	Cameroons.

Genus 587. **Poreuomena.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 21, 187 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 13 (1891); Karsch, Berlin. Ent. Zeitschr. xxxii. p. 423 (1888).

1. **P. Africana, Brunn.** l. c. p. 187. n. 1, pl. 3. f. 53 *a*, *b* (1878); Karsch, Ent. Nachr. xvi. p. 262, note (1890).	Gaboon.
2. **P. Forcipata, Sjöst.** Bihang Svensk. Akad. xxvii. (4:3) p. 12, pl. 2. ff. 3, 4 (1902).	Cameroons.

Genus 588. **Zeuneria.**

Karsch, Berlin. Ent. Zeitschr. xxxii. p. 443 (1888); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 13, 94 (1891).

*1. **Z. Melanopeza, Karsch,** l. c. p. 443 (1888); Ent. Nachr. xvi. p. 60 (1890); Brunn. l. c. p. 94, pl. 1. f. 13 (1891); Griff. Ann. Mus. Genova, xlii. p. 390 (1906).	Cameroons.

Genus 589. **Cestromœcha.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 128 (1893).

1. **C. Tenuipes, Karsch,** (*Poreuomena T.*) Ent. Nachr. xvi. p. 363 (1890).	Cameroons.
2. **C. Mundamensis, Karsch,** Stettin. Ent. Zeit. lvii. p. 338. n. 108 (1896); Griff. Ann. Mus. Genova, xlii. p. 389 (1906).	id.

Genus 590. **Stenacropteryx.**

Karsch, Stettin. Ent. Zeit. lvii. p. 339 (1896).

1. **S. Eburneiguttata, Karsch,** l. c. n. 109 (1896).	Cameroons.

Genus 591. **Morgenia.** (*Type* no. 1.)

Karsch, Ent. Nachr. xvi. p. 261 (1890); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 13, 95 (1891).

1. **M. Hamuligera, Karsch,** l. c. p. 263 n. 7, ff. 3, 4 (1890); Brunn. l. c. p. 95, pl. 1. f. 14 *a*, *b* (1891).	Cameroons.
2. **M. Melica, Karsch,** l. c. xix. p. 196. n. 1 (1893).	id.
3. **M. Modulata, Karsch,** Stettin. Ent. Zeit. lvii. p. 340. n. 110 (1896).	id.

Genus 592. **Gravenreuthia.**

Karsch, Berlin. Ent. Zeitschr. xxxvii. p. 73 (1892).

1. **G. Saturata, Karsch,** l. c. p. 74. n. 1, f. 2 (1892); Sjöst. Bihang Svenska Akad. xxvii. (4 : 3) p. 17, pl. 3. f. 1 (1902).	Cameroons.

Genus 593. **Mangomaloba.**

Sjöst. Bihang Svenska Akad. xxvii. (4 : 3) p. 14 (1902).

1. **M. Monticola, Sjöst.** l. c. p. 15, pl. 3. f. 4 (1902).	Cameroons.

Genus 594. **Miltinobates.**

Sjöst. Bihang Svenska Akad. xxvii. (4 : 3) p. 15 (1902).

1. **M. Blandus, Sjöst.** l. c. p. 16, pl. 4. f. 2 (1902).	Congo.

Genus 595. **Holochlora.** (*Type* no. 5.)

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 42 (1873) ; Recens. Orth. ii. p. 17 (1874) ; Brunn. Mon. Phan. pp. 20, 174 (1878) ; Verh. zool.-bot. Ges. Wien, xli. pp. 13, 89 (1891).

*1. **H. Biloba, Stål,** Recens. Orth. ii. p. 39. n. 2 (1874).	Madagascar Mauritius.
*2. **H. Indica, Kirb.** (n. n.). ‖ *H. Biloba, Brunn.* (*nec Stål*) ll. cc. pp. 175, 176. n. 1 (1878) ; pp. 90, 91 (1891).	India, Ceylon, Java.
*3. **H. Albida, Brunn.** ll. cc. pp. 175, 176. n. 2 (1878) ; p. 90. n. 2 (1891).	Singapore.
4. **H. Tumescens, Brunn.** ll. cc. pp. 175, 176, 177. n. 3 (1878) ; pp. 90, 91. n. 3 (1891).	Malacca. Java.
5. **H. Venosa, Stål,** Œfv. Vet.-Akad. Förh. xxx. (4) p. 43. n. 1 (1873) ; Brunn. ll. cc. pp. 175, 178. n. 4 (1878) ; pp. 89, 91. n. 4 (1891).	Java, Sumatra.

6. **H. Marginata, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 89, 91. n. 12 (1891).	Hab. —— ?
7. **H. Fuscospinosa, Brunn.** l. c. pp. 91, 92. n. 15 (1891).	Luzon.
*8. **H. Obtusa, Brunn.** Mon. Phan. pp. 175, 178. n. 5 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 89. n. 5 (1891).	Malacca.
*9. **H. Spectabilis, Walk.** (*Phylloptera S.*) Cat. Derm. Salt. B. M. ii. p. 380. n. 15 (1869).	Ceylon.
10. **H. Brevifissa, Brunn.** ll. cc. pp. 175, 178. n. 6, pl. 3. f. 50 *a–c* (1878); l. c. pp. 90, 91. n. 6 (1891).	id.
*11. **H. Prætermissa, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 90, 92. n. 13 (1891).	id.
12. **H. Celebica, Brunn.** Mon. Phan. pp. 175, 179. n. 7 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 90. n. 7 (1891).	Celebes.
*13. **H. Javanica, Brunn.** ll. cc. pp. 175, 180. n. 8 (1878); pp. 90, 91. n. 8 (1891). ‖*Locusta (Phaneroptera) Japonica, Haan,* (*nec Thunb.*) Temminck, Verhandel., Orth. pp. 191, 194. n. 15 (1842).	Malacca, Java, Sumatra.
14. **H. Geniculata, Brunn.** Ann. Mus. Genova, xxxiii. p. 169. n. 2 (1893).	Pegu.
15. **H. Nigrospinulosa, Brunn.** l. c. p. 170. n. 3 (1893).	Burma.
16. **H. Emarginata, Brunn.** Mon. Phan. pp. 175, 180. n. 9 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 90. n. 9 (1891).	Philippines.
17. **H. Signata, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 90, 92. n. 14 (1891).	Singapore, Borneo.
18. **H. Forstenii, Haan,** (*Locusta (Phylloptera) F.*) l. c. pp. 196, 198. n. 9 (1842). *H. Forstenii, Brunn.* Mon. Phan. pp. 175, 181. n. 10 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 90. n. 10 (1891).	Celebes, Amboina.
19. **H. Japonica, Brunn.** ll. cc. pp. 175, 181. n. 11 (1878); p. 91. n. 11 (1891).	Japan, Shanghai.
20. **H. Stæli, Krausze,** (*H. Ståli*) Insecten-Börse, 1904, p. 29 (1904).	Tonkin.

Genus 596. **Liotrachela.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 20, 182 (1878): Verh. zool.-bot. Ges. Wien, xli. pp. 13, 93 (1891).

*1. **L. Nitida, Brunn.** Mon. Phan. pp. 182, 183. n. 1, pl. 3. f. 51 *a*, *b* (1878).	Philippines.
2. **L. Philippina, Brunn.** l. c. p. 183. n. 2 (1878): Verh. zool.-bot. Ges. Wien, xli. p. 93 (1891).	id., Borneo.
3. **L. Minuta, Brunn.** Mon. Phan. pp. 183, 184. n. 3 (1878).	Luzon.
4. **L. Amboinica, Brunn.** ll. cc. n. 4 (1878).	Amboina.
5. **L. Lobata, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 93. n. 5 (1891).	Mindanao.

Genus 597. **Sympæstria.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 21, 185 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 13 (1891): Dohrn, Stettin. Ent. Zeit. liii. p. 72 (1892).

Stibara, *Brunn.* ll. cc. pp. 31, 354 (1878); p. 23 (1891). (*Type* no. 2.)

*1. **S. Acutelobata, Brunn.** Mon. Phan. p. 185. n. 1, pl. 3. f. 52 *a*, *b* (1878): Dohrn, l. c. p. 73. n. 1 (1892).	Borneo, Java, Singapore.
*2. **S. Nitidifolia, Haan,** (*Locusta* (*Phylloptera*) *N.*) Temminck, Verhandel., Orth. pp. 196, 198. n. 7 (1842). *S. Nitidifolia*, *Dohrn*, l. c. p. 73. n. 2 (1892). *Stibara Cornea*, *Brunn.* l. c. p. 354. n. 1, pl. 8. f. 105 *a–c* (1878).	Java, Borneo.
3. **S. Longipes, Dohrn,** l. c. p. 73. n. 3 (1892).	Java.
4. **S. Truncatolobata, Brunn.** l. c. pp. 185, 186. n. 2 (1878); Dohrn, l. c. p. 73. n. 4 (1892).	China (?).

Genus 598. **Tinzeda.** (*Type* no. 2.)

Walk. Cat. Derm. Salt. B. M. ii. p. 367 (1869).
Tæniomena, *Brunn.* Mon. Phan. pp. 22, 203 (1878): Verh. zool.-bot. Ges. Wien, xli. p. 14 (1891); Tepp. Trans. R. Soc. S. Australia, xv. p. 105 (1892). (*Type* no. 1.)

*1. **T. Albosignata, Brunn.** (*Tæniomena A.*) Mon. Phan. p. 204. n. 1, pl. 4. f. 60 (1878); Tepp. l. c. p. 105 (1892). *T. Eburneata*, pt., *Walk.* l. c. p. 368. n. 1 (1869).	Australia.
2. **T. Eburneata, Walk. (*typ.*) l. c. (1869). *Tæniomena Soror*, *Brunn.* l. c. p. 204. n. 2 (1878); Tepp. l. c. p. 106 (1892).	id.
3. **T. Lobata, Brunn.** (*Tæniomena L.*) l. c. pp. 204, 205. n. 3 (1878); Tepp. l. c. p. 107 (1892).	id.
4. **T. Sororoides, Tepp.** (*Tæniomena S.*) l. c. p. 106 (1892).	id.
5. **T. Fraserensis, Tepp.** (*Tæniomena F.*) l. c. p. 108 (1892).	W. Australia.
6. **T. Minor, Tepp.** (*Tæniomena M.*) l. c. p. 109 (1892).	S. Australia.

Genus 599. **Elephantodeta.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 22, 206 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 14 (1891); Tepp. l. c. p. 109 (1892).

1. **E. Nobilis, Walk. (*Phaneroptera N.*) Cat. Derm. Salt. B. M. ii. p. 348. n. 53 (1869). ** *Tinzeda Basalis*, *Walk.* l. c. p. 368. n. 2 (1869). *E. Eburnata*, *Brunn.* l. c. p. 207. n. 1, pl. 4. f. 61 (1878); Tepp. l. c. p. 109 (1902).	Australia.
2. **E. Pinguis, Walk. (*Phaneroptera P.*) l. c. p. 350. n. 55 (1869). *E. Farinosa*, *Brunn.* l. c. p. 207. n. 2 (1878); Tepp. l. c. p. 110 (1892).	id.

Genus 600. **Dioncomena.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 23, 208 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 14 (1891); Karsch, Berlin. Ent. Zeitschr. xxxii. p. 424 (1888).

1. **D. Ornata, Brunn.** Mon. Phan. p. 208. n. 1, pl. 4. f. 62 *a*, *b* (1878).	Zanzibar.
2. **D. Superba, Karsch,** l. c. p. 449 (1888). *D. Ornata*, var. *Superba*, *Brunn.* Verh. zool.-bot. Ges. Wien, xli. p. 107 (1891).	E. Africa.

Genus 601. **Anallomes.** (*Type* no. 1.)

Scudd. Proc. Boston Soc. xvii. p. 261 (1875).

1. **A. Maranana, Scudd.** l. c. p. 262 (1875).	Peru.
2. **A. Unipunctata, Scudd.** l. c. (1875).	id.

Genus 602. **Phaneroptera.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 158 (1831); Ins. Orth. p. 413 (1839); Brullé, Hist. Nat. Ins. ix. p. 143 (1835); Burm. Handb. Ent. ii. p. 688 (1838); Ramb. Faun. Andal. ii. p. 43 (1839); Blanch. Hist. Nat. Ins. iii. p. 24 (1840); Herr.-Schäff. Nomencl. Ins., Orth. p. 13 (1840); Fisch.-Waldh. Orth. Ross. p. 139 (1846); Fisch. Orth. Eur. p. 236 (1853); Fieb. Lotos, iii. p. 173 (1853); Syn. Eur. Orth. p. 49 (1854); Friv. Értek. Termész. Kör. i (12) pp. 83, 106 (1867); Stål, Recens. Orth. ii. p. 14 (1874); Bol. Ortópt. Españ. pp. 175, 232 (1876); An. Soc. Españ. vi. pp. 257, 314 (1877); Ann. Sci. Nat. Porto, vi. p. 8 (1900); Brunn. Mon. Phan. pp. 23, 209 (1878); Prodr. Eur. Orth. pp. 246, 291 (1882); Verh. zool.-bot. Ges. Wien, xli. pp. 14, 107 (1891); Finot, Orth. France, pp. 89, 97 (1883); Faune France, Orth. pp. 174, 181 (1889); Tümp. Geradfl. Mitteleuropas, pp. 221, 223, 254 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 324, 336, 376 (1902–3).

1. **P. Falcata, Poda,** (*Gryllus Falcatus*) Mus. Græc. p. 52 (1761); Scop. Ent. Carn. p. 108. n. 322, f. 322 (1763); Schrank, Enum. Ins. Austr. p. 245. n. 467 (1781).	Centr. & E. Europe. W. Asia, Siberia,

Locusta Falcata, Schrank, Fauna Boica, ii. (1) p. 35. n. 1029 (1801); Charp. Hor. Ent. p. 103 (1825). *Phaneroptera Falcata, Burm.* l. c. p. 690. n. 6 (1838); Serv. Ins. Orth. p. 419. n. 11 (1839); Blanch. l. c. p. 24. n. 3 (1840); Herr.-Schäff. l. c. p. 13 (1840); Fisch.-Waldh. l. c. p. 140. n. 1 (1846); Fisch. l. c. p. 238. n. 3, pl. 12. f. 21, 21 *a*, 22 (1853); Fieb. ll. cc. p. 173. n. 1 (1853); p. 49. n. 1 (1854); Lotos, iv. p. 224. n. 1 (1854); Friv. l. c. p. 106. n. 1 (1867); Brunn. Mon. Phan. pp. 210, 211, pl. 4. f. 63 *a*, *b* (1878); Prodr. Eur. Orth. p. 291. n. 1 (1882); Finot, ll. cc. pp. 97, 98 (1883); p. 182 (1889); Bol. Ann. Sci. Nat. Porto, vi. p. 8 (1890); Burr, Brit. Orth. pp. 47 fig., 51 (1897); Tümp. l. c. p. 254 (1900); Jacobs. & Bianchi, l. c. pp. 336, 376 (1902–3). ‖*P. Lilifolia, Serv.* (*nec Fabr.*) Ann. Sci. Nat. xxxi. p. 158 (1832); Brullé, l. c. p. 144, pl. 13. f. 3 (1835).	Amur.
*2. **P. Quadripunctata, Brunn.** ll. cc. pp. 210, 212. n. 2 (1878); pp. 291, 292. n. 2, pl. 8. f. 66 *a*, *b* (1882); Finot, ll. cc. p. 98 (1883); pp. 182, 183 (1889); Bol. Ann. Sci. Nat. Porto, vi. p. 9 (1890); Tümp. l. c. pp. 223, 254 (1900); Jacobs. & Bianchi, l. c. pp. 336, 376 (1902–3). ‖*P. Falcata, Ramb.* (*nec Poda*) l. c. p. 44 (1839); Fisch. l. c. p. 239, pl. 12. ff. 21 *b*, *c*, 22 *a*, *b* (1853). ‖*P. Nana, Bol.* (*nec Fieb.*) Ortópt. Españ. p. 293. n. 1 (1876); An. Soc. Españ. vi. p. 315. n. 1 (1877).	S. Europe, W. Asia, China, Japan.
*3. **P. Nana, Fieb.** ll. cc. p. 173. n. 2 (1853); p. 49. n. 2 (1854); Brunn. ll. cc. pp. 210, 212. n. 3 (1878); pp. 291, 293. n. 3 (1882). *P. Sparsa, Stål*, Œfv. Vet.-Akad. Förh. xiii. p. 170. n. 1 (1856). *P. Conspersa, Stål*, Recens. Orth. ii. p. 29. n. 2 (1874). *P. Tetrasticta, Gerst.* Arch. f. Nat. xxxv. p. 215 (1869); Decken, Reisen in Ost-Afrika, iii. (2) p. 32. n. 47 (1873).	Portugal, Africa, S. America.

‖*P. Falcata, Brullé (nec Poda)* Webb & Berth. Hist. Nat. Iles Canar., Ins. p. 76. pl. 5. f. 6 (1838).	
4. **P. Punctulata, Burr,** Proc. Zool. Soc. Lond. 1900, p. 41.	Somali.
*5. **P. Reticulata, Brunn.** Mon. Phan. pp. 210. 213. n. 4 (1878).	Grahamstown.
6. **P. Minima, Brunn.** l. c. pp. 210, 214. n. 5 (1878); Jacobs. & Bianchi, l. c. pp. 336, 376 (1902–3).	Egypt, Syria.
7. **P. Attenuata, Walk. Cat. Derm. Salt. B. M. ii. p. 338. n. 21 (1869).	S. Africa.
P. Marginalis, Brunn. l. c. pp. 210, 214. n. 6 (1878).	
8. **P. Lurida, Walk. l. c. p. 339. n. 23 (1869).	W. Africa.
9. **P. Nigroantennata, Brunn.** l. c. pp. 210, 215. n. 7 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 107. n. 7 (1891).	Japan.
P, Nigrantennata, Jacobs. & Bianchi, l. c. pp. 336, 377 (1902–3).	
10. **P. Annulata, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 107. n. 12 (1891).	Madagascar
11. **P. Roseata, Walk. l. c. p. 343. n. 35 (1869).	N. India.
12. **P. Indica, Brunn.** Mon. Phan. pp. 210, 215. n. 8 (1878).	Himalaya.
13. **P. Subcarinata, Bol.** Ann. Soc. Ent. France, lxviii. p. 764 (1900).	S. India.
*14. **P. Gracilis, Burm.** l. c. p. 690. n. 7 (1838).	Java, Borneo, Singapore, Philippines, N. Australia, Timor, Tondano.
P. Brevis, Serv. Ins. Orth. p. 418. n. 7 (1839).	
Locusta (Phaneroptera) Brevis, Haan. Temminck, Verhandel., Orth. pp. 191, 193. n. 11 (1842).	
P. Subnotata, Stål. Eugenies Resa, Orth. p. 318. n. 54 (1860); Recens. Orth. ii. p. 29. n. 3 (1874); Brunn. l. c. pp. 210, 215. n. 9 (1878).	
15. **P. Furcifera, Stål,** Recens. Orth. ii. p. 29. n. 4 (1874); Brunn. l. c. pp. 210, 216. n. 10 (1878).	Philippines.
16. **P. Elongata, Brunn.** l. c. pp. 210, 217. n. 11 (1878).	Java, Amboina.
17. **P. Adusta, Haan** (*Locusta (Phaneroptera) A.*) l. c. pp. 190, 192. n. 7 (1842).	N. Guinea.

18. **P. Celebica, Haan** (*Locusta* (*Phaneroptera*) *C.*) l. c. pp. 190, 193. n. 8 (1842).	Tondano.
19. **P.** (**?**) **Hordeifolia, Haan** (*Locusta* (*Phaneroptera*) *H.*) l. c. pp. 191, 195. n. 19 (1842).	Timor.
20. **P. Albida, Walk. l. c. p. 355. n. 67 (1869).	Hab. —— ?

Genus 603. **Cœlophyllum.**

Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 263 (1875).

1. **C. Simplex, Scudd.** l. c. (1875).	Peru.

Genus 604. **Agnapha.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 14, 108 (1891); Tepp. Trans. R. Soc. S. Austral. xv. p. 111 (1892).

1. **A. Fusca, Brunn.** l. c. p. 108 (1891); Tepp. l. c. p. 111 (1892).	Easter I.
2. **A. Longipes, Bol.** Term. Füzetek, xxv. p. 195 (1902).	N. Guinea.
3. **A. Rufosignata, Bol.** l. c. p. 196 (1902).	id.

Genus 605. **Melidia.**

Stål, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 60 (1876); Brunn. Mon. Phan. pp. 23, 217 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 15 (1891); Krauss, Verh. zool.-bot. Ges. Wien, li. p. 291 (1901).

1. **M. Brunneri, Stål,** l. c. p. 60 (1876); Brunn. Mon. Phan. p. 218. n. 1, pl. 4. f. 64 (1878); Krauss, l. c. p. 291 (1901).	Damaraland.

Genus 606. **Eucatopta.**

Karsch, Berlin. Ent. Zeitschr. xxxii. pp. 424. 447 (1888); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 15, 108 (1891).

1. **E. Heringi, Karsch,** l. c. p. 448, pl. 4. ff. 8, 8 *a–c* (1888); Brunn. l. c. p. 109, pl. 2. ff. 18, 18 *a*, *b* (1891).	Madagascar

Genus 607. **Isopsera.** (*Type* no. 2.)

Brunn. Mon. Phan. pp. 23, 218 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. pp. 15, 109 (1891).

1. **I. Stylata, Brunn.** Mon. Phan. p. 219. n. 1 (1878).	Calcutta.
2. **I. Pedunculata, Brunn.** l. c. pp. 219, 220. n. 2, pl. 4. f. 65 *a*, *b* (1878).	id., Assam, Rangoon.
3. **I. Vaga, Brunn.** ll. cc. n. 3 (1878).	Celebes.
4. **I. Obtusa, Brunn.** l. c. pp. 219, 221 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 109. n. 4 (1891).	India (?).
5. **I. Punctulata, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 109. n. 5 (1891).	Ceylon.

Genus 608. **Pseudopyrrhizia.**

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 15, 110 (1891).

1. **P. Punctata, Brunn.** l. c. p. 110 (1891).	Zanzibar.

Genus 609. **Allodapa.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 23, 221 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. p. 15 (1891).

1. **A. Aliena, Brunn.** ll. cc. p. 222. n. 1, pl. 4. f. 66 *a*, *b* (1878) ; p. 111 (1891).	Ceylon ; Penang (?).
2. **A. Rostrata, Brunn.** Mon. Phan. p. 222. n. 2 (1878).	Seychelles.

Genus 610. **Natricia.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. ii. p. 266 (1869).

1. **N. Ochracea, Walk.** l. c. p. 267. n. 1 (1869).	China.
2. **N.** (?) **Lutea, Walk.** l. c. v. Suppl. p. 34 (1871).	Australia.

Genus 611. **Terpnistria.** (*Type* no. 1.)

Stal, Œfv. Vet.-Akad. Förh. xxx. (4) p. 42 (1873), xxxiii. (3) p. 61. n. 1 (1876); Recens. Orth. ii. p. 12 (1874); Brunn. Mon. Phan. pp. 24, 223 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 15 (1891); Karsch, Stettin. Ent. Zeit. lvii. p. 342 (1896).

*1. **T. Zebrata, Serv.** (*Phaneroptera Z.*) Ins. Orth. p. 424. n. 16, pl. 11. f. 2 (1839). *T. Zebrata, Stål*, Œfv. Vet.-Akad. Förh. xxx. (4) p. 42 (1873); Recens. Orth. p. 27. n. 1 (1874); Brunn. Mon. Phan. pp. 223, 224. n. 1, pl. 4. f. 67 (1878).	S. Africa.
2. **T. Lobulata, Stål,** Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 61. n. 2 (1876); Brunn. l. c. pp. 223, 224. n. 2 (1878).	Caffraria.

Genus 612. **Tropidophrys.**

Karsch, Stettin. Ent. Zeit. lvii. pp. 340, 342 (1896).

1. **T. Amydra, Karsch,** l. c. p. 341. n. 111, f. 40 (1896).	Cameroons.

Genus 613. **Gelotopœa.**

Gelotopoia, Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 15, 111 (1891); Karsch, Stettin. Ent. Zeit. lvii. p. 343 (1896).

1. **G. Bicolor, Brunn.** (*Gelotopoia B.*) l. c. p. 112, pl. 2. f. 19 (1891).	Sierra Leone.

Genus 614. **Milititsa.**

Burr, Proc. Zool. Soc. Lond. 1900, p. 42.

1. **M. Somaliensis, Burr,** l. c. p. 43, pl. 2. ff. 5, 7 (1900).	Somali.

Genus 615. **Sictuna.**

Walk. Cat. Derm. Salt. B. M. ii. p. 360 (1869).

1. **S. Strigata, Walk. l. c. p. 361. n. 1 (1869).	Venezuela.

Genus 616. **Diogena.**

Brunn. Mon. Phan. pp. 24, 224 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 15 (1891); Karsch, Stettin. Ent. Zeit. lvii. p. 343 (1896).

*1. **D. Fausta, Burm.** (*Phaneroptera F.*) Handb. Ent. ii. p. 689. n. 2 (1838). [Sav. Descr. Egypte. Orth. pl. 4. f. 5.] *D. Fausta, Brunn.* Mon. Phan. p. 225. n. 1, pl. 4. f. 68 (1878).	Egypt, Nubia, Aden.

Genus 617. **Tylopsis.** (*Type* no. 1.)

Fieb. Lotos, iii. p. 172 (1853): Syn. Eur. Orth. p. 48 (1854); Bol. Ortópt. Españ. pp. 175, 231 (1876); An. Soc. Españ. vi. pp 257, 313 (1877); Brunn. Mon. Phan. pp. 24, 226 (1878); Prodr. Eur. Orth. pp. 246, 294 (1882); Verh. zool.-bot. Ges. Wien, xli. pp. 15, 112 (1891); Finot, Orth. France, p. 89 (1883); Faune France, Orth. pp. 174, 184 (1889); Tümp. Geradfl. Mitteleuropas, pp. 221, 223, 255 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 325, 336, 377 (1902-3).

‖ *Centrophorus, Fisch.-Waldh.* (*nec Müll.*) Orth. Ross. p. 361 (1846); Fieb. Lotos. iv. p. 17 (1854) (*larva*).

*1. **T. Thymifolia, Petagna,** (*Locusta T.*) Instit. Ent. i. p. 313, pl. 10. f. 18 (1792); Rossi, Mant. Ins. ii. p. 104. n. 71 (1794). *T. Thymifolia, Jacobs. & Bianchi,* l. c. pp. 336, 377 (1902-3). *Locusta Lilifolia, Fabr.* Ent. Syst. ii. p. 36. n. 9 (1793); Latr. Hist. Nat. Crust. Ins. xii. p. 131. n. 5 (1804); Charp. Hor. Ent. p. 105 (1829). *Phaneroptera Lilifolia, Burm.* Handb. Ent. ii. p. 689. n. 5 (1838); Serv. Ins. Orth. p. 421. n. 12 (1839); Blanch. Hist. Nat. Ins. iii. p. 24. n. 2 (1840); Herr.-Schäff. Nomencl. Ent. ii. p. 13 (1840); Fisch.-Waldh. l. c. p. 141. n. 2, pl. 8. ff. 1, 2 (1846). *Phaneroptera Liliifolia, Ramb.* Faune Andal., Orth. p. 44. n. 1 (1839).	S. Europe, N. Africa, W. Asia.

T. Lilifolia, Fieb. Lotos, iii. p. 173. n. 1 (1853), iv. p. 224. n. 1 (1854) : Syn. Eur. Orth. p. 49. n. 1 (1854).	
T. Liliifolia, Bol. ll. cc. p. 231. n. 1 (1876); p. 313. n. 1 (1877) : Brunn. Mon. Phan. p. 227. n. 1. pl. 5. f. 69 *a c* (1878) ; Prodr. Eur. Orth. p. 294. n. 1, pl. 8. f. 67 A, B (1882) : Finot. ll. cc. p. 99 (1883) ; p. 184 (1889) : Tümp. l. c. pp. 223, 255 (1900).	
Locusta Gracilis, Germ. Reise Dalmat. pp. 251, 318 (1817) : Faun. Ins. Eur. fasc. viii. pl. 15 (1817 ?) ; Charp. l. c. p. 105 (1829).	
Phaneroptera Præusta, Fisch.-Waldh. l. c. p. 142. n. 3 (1846).	
Centrophorus Spinosus, Fisch.-Waldh. l. c. p. 362, pl. 33. f. 11 (1846), *larva.*	
Phaneroptera Liliifolia, var. *Albicornis, Ghil.* Bull. Soc. Ent. Ital. i. p. 53 (1869).	
Var. *Phaneroptera Margineguttata, Serv.* l. c. p. 422. n. 13 (1839).	
2. **T. Bilineolata, Serv.** (*Phaneroptera B.*) l. c. p. 419. n. 9 (1839).	S. Africa, Syria, Madagascar
T. Bilineolata, Brunn. Mon. Phan. p. 228. n. 2 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 112. n. 2 (1891); Jacobs. & Bianchi, l. c. pp. 337, 377 (1902–3).	
3. **T. Perpulchra, Burr,** Proc. Zool. Soc. Lond. 1900, p. 43.	Somali.
4. **T. Plana, Walk. (*Phaneroptera P.*) Cat. Derm. Salt. B. M. ii. p. 339. n. 24 (1869).	Natal.
5. **T. Irregularis, Karsch,** Berlin. Ent. Zeitschr. xxxviii. p. 130. n. 102 (1893).	Togoland.
6. **T. Turbata, Walk. (*Phaneroptera T.*) l. c. p. 340. n. 25 (1869).	Congo.
7. **T. Punctulata, Kirb. Ann. Nat. Hist. (7) vi. p. 216 (1900).	Zomba.
8. **T. Rubrescens, Kirb.** l. c. (1900).	id.
*9. **T. Marginata, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 112, 113. n. 4 (1891).	Natal.
10. **T. Continua, Walk. (*Phaneroptera C.*) l. c. p. 337. n. 20 (1869).	id., Damaraland ; Delagoa B.
***Phaneroptera Vicaria, Walk.* l. c. p. 338. n. 22 (1869).	

T. Longipennis, Stål, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 58 (1876).	
T. Vittata, Brunn. Mon. Phan. pp. 227, 229. n. 3 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 112. n. 3 (1891).	
T. Inhamata, Karsch, l. c. xxxii. p. 453 (1888); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 112, 113. n. 5 (1891).	

Genus 618. **Harposcepa.** (*Type* no. 1.)

Karsch, Stettin. Ent. Zeit. lvii. p. 328 (1896).

1. **H. Lobulipennis, Karsch,** l. c. p. 329. n. 94 (1896).	Somali.
2. **H. Karschiana, Schindl.** Ann. Mus. Genova, xxxix. p. 202 (1898).	id.

Genus 619. **Insara.** (*Type* no. 3.)

Walk. Cat. Derm. Salt. B. M. ii. p. 267 (1869).

Hormilia, Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 41 (1873); Brunn. Mon. Phan. pp. 24, 230 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 16, 116 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 317 (1897). (*Type* no. 3.)

*1. **I. Gracillima, Brunn.** (*Hormilia G.*) Mon. Phan. p. 231. n. 1, pl. 5. f. 70 (1878); Sauss. & Pict. l. c. p. 318. n. 1 (1897).	Mexico, Guatemala, Panama.
2. **I. Phthisica, Sauss. & Pict. (*Hormilia P.*) l. c. n. 2 (1897).	Yucatan.
*3. **I. Tolteca, Sauss.** (*Phylloptera T.*) Rev. Zool. (2) xi. p. 203 (1859). *Hormilia Tolteca, Stål,* l. c. p. 41 (1873); Brunn. l. c. pp. 231, 232. n. 2 (1878); Sauss. & Pict. l. c. pp. 318, 319. n. 3 pl. 15. ff. 10–13 (1897). ***I. Strigulata, Walk.* l. c. p. 268. n. 1 (1869).	Mexico, Cent. Amer.
*4. **I. Intermedia, Brunn.** (*Hormilia I.*) l. c. pp. 231, 232. n. 3 (1878); Sauss. & Pict. l. c. pp. 318, 319. n. 4 (1897); Rehn, Proc. Acad. Nat. Sci. Philad. lvii. p. 806 (1906).	iid.

5. **I. Prasina, Sauss. & Pict. (*Hormilia P.*) l. c. pp. 318, 319. n. 5, pl. 15. f. 14 (1897).	Mexico.
6. **I. Abbreviata, Brunn.** (*Hormilia A.*) l. c. pp. 231, 233. n. 4 (1878); Sauss. & Pict. l. c. pp. 318, 320. n. 6 (1897).	id.
7. **I. Fasciata, Brunn.** (*Hormilia F.*) l. c. pp. 231, 233. n. 5 (1878).	Brazil.
8. **I. Peruviana, Brunn.** (*Hormilia P.*) Verh. zool.-bot. Ges. Wien, xli. p. 117. n. 6 (1891).	Peru.
9. **I. Latipennis, Brunn.** (*Hormilia L.*) l. c. n. 7 (1891); Sauss. & Pict. l. c. pp. 318, 320. n. 7 (1897).	Costa Rica, Panama.
10. **I. Bolivari, Griff.** (*Hormilia B.*) Boll. Mus. Torino, xi. (232) p. 13 (1891); Sauss. & Pict. l. c. pp. 318, 320. n. 8 (1897).	Panama.
11. **I. Elegans, Scudd.** (*Hormilia E.*) Proc. Davenport Soc. viii. p. 96, pl. 3. f. 1 (1900); Rehn, Proc. Acad. Nat. Sci. Philad. lvi. p. 572 (1904).	New Mexico.

Genus 620. **Arethæa.** (*Type* no. 2.)

Stål, Bihang Svenska Akad. iv. (5) p. 55 (1876); Brunn. Mon. Phan. pp. 24, 234 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 16 (1891).

Ægipan, *Scudd.* Proc. Bost. Soc. Nat. Hist. xix. p. 38 (1877). (*Type* no. 2.)

1. **A. Constricta, Brunn.** l. c. pp. 235, 236. n. 3 (1878).	Texas.
2. **A. Gracilipes, Thom.** (*Ephippitytha G.*) Proc. Acad. Nat. Sci. Philad. 1870, p. 76; Glov. Ill. N. Amer. Orth. pl. 11. f. 11 (1872).	Colorado, Arizona, Texas, Kansas.
A. Gracilipes, *Stål*, l. c. p. 55 (1876); Brunn. l. c. p. 235. n. 1, pl. 5. f. 71 *a*, *b* (1878).	
Ægipan Grallator, *Scudd.* l. c. p. 39 (1877).	
3. **A. Phalangium, Scudd.** (*Ægipan P.*) l. c. p. 40 (1877).	Georgia.
A. Multiramosa, *Brunn.* l. c. p. 235. n. 2 (1878).	

4. **A. Brevicauda, Scudd.** (*Dichopetala B.*) Canad. Ent. xxxii. p. 331 (1900).	California.
5. **A. Consuetipes, Scudd.** l. c. p. 332 (1900).	id.
6. **A. Carita, Scudd.** Proc. Davenport Soc. ix. p. 52, pl. 4. f. 5 (1902).	New Mexico.

Genus 621. **Phanischnoptera, Kirb.** (n. n.).

||*Ischnoptera, Brunn.* (*nec Burm.*) Verh. zool.-bot. Ges. Wien, xli. p. 16 (1891).

1. **P. Aliena, Brunn.** (*Ischnoptera A.*) l. c. (1891).	Asia.

Genus 622. **Scudderia.** (*Type* no. 3.)

Stal, Bihang Svenska Akad. xxx. (4) p. 41 (1873): Recens. Orth. p. 14 (1874); Brunn. Mon. Phan. pp. 25, 236 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 16 (1891); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 274, 289 (1894): Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 327 (1897); Scudd. Proc. Amer. Acad. xxxiii. p. 272 (1898); Blatchl. Rep. Dept. Geol. Indiana, xxvii. p. 343 (1903).

1. **S. Texensis, Sauss. & Pict.** l. c. pp. 328, 329, 330. n. 2, pl. 15. ff. 18, 19 (1897); Scudd. l. c. pp. 273, 276, 277. n. 1, f. 1 (1898); Smith, Rep. N. Jersey Exper. Stat. 1901, pp. 511–526, pls.; Blatchl. l. c. p. 344. n. 80, f. 77 *a*, *b* (1903). ||*S. Curvicauda, Blatchl.* (*nec De Geer*) Proc. Indiana Acad. Sci. 1892, p. 99 (1893); Beut. l. c. pp. 275, 289, pl. 7. ff. 5, 6 (1894); Lugg. Ann. Rep. Ent. Minnesota, 1897, p. 216, f. 138 (1898).	United States.
2. **S. Pistillata, Brunn.** Mon. Phan. pp. 238, 240. n. 5 (1878); Beut. l. c. pp. 276, 289 (1894); Sauss. & Pict. l. c. pp. 328, 329, 332. n. 7 (1897); Lugg. l. c. p. 220, ff. 144, 145 (1898); Scudd. l. c. pp. 273, 275, 277. n. 2, f. 2 (1898); Blatchl. Rep. Dept. Geol. Indiana, xxvii. pp. 344, 347, 382. n. 82, ff. 79, 80 (1903).	id., Canada.

*3. **S. Curvicauda, De Geer** (*Locusta C.*) Mém. Ins. iii. p. 446. n. 7, pl. 38. f. 3 (1773).	United States, Mexico.
Phaneroptera Curvicauda, Scudd. Proc. Boston Soc. Nat. Hist. vii. p. 448. n. 1 (1862).	
S. Curvicauda, Stål, ll. cc. p. 41 (1873) : p. 30. n. 1 (1874) ; Brunn. l. c. pp. 238, 240. n. 4 (1878) ; Sauss. & Pict. l. c. pp. 328, 329, 331. n. 6, pl. 15. f. 20 (1897) ; Scudd. Proc. Amer. Acad. xxxiii. pp. 274, 276, 278. n. 3, f. 3 (1898); Blatchl. l. c. pp. 344, 345. n. 81, f. 78 *a. b* (1903).	
Phaneroptera Angustifolia, Harr. Rep. Ins. Mass. p. 129 (1841) ; (ed. 3) pp. 160, 161. f. 76 (1862).	
‖*S. Furculata, Blatchl.* (*nec Brunn.*) Proc. Indiana Acad. Sci. 1892, p. 100 (1893) ; Beut. l. c. pp. 275, 289 (1894); Lugg. l. c. p. 217, ff. 139, 140 (1898).	
*4. **S. Laticauda, Brunn.** l. c. pp. 237, 238. n. 1 (1878) ; Sauss. & Pict. l. c. pp. 328, 329, 330. n. 1, pl. 15. f. 15 (1897) ; Scudd. l. c. pp. 274, 276, 280. n. 4, f. 4 (1898).	Georgia, Texas.
Var. *S. Laticauda,* var. *Strigata, Scudd.* l. c. p. 280. n. 4 (1898).	Florida.
*5. **S. Mexicana, Sauss.** (*Phaneroptera M.*) Rev. Zool. (2) xiii. p. 129 (1861).	Southern States, Mexico, Guatemala.
S. Mexicana, Scudd. l. c. pp. 274, 276, 280. n. 5, f. 5 (1898).	
S. Furculata, Brunn. l. c. pp. 238, 239. n. 3, pl. 5. f. 72 *b* (1878) ; Sauss. & Pict. l. c. pp. 328, 329, 331. n. 5, pl. 15. f. 21 (1897).	
6. **S. Ungulata, Scudd.** l. c. pp. 274, 276, 280. n. 6, f. 6 (1898).	Mexico.
7. **S. Paronæ, Griff.** Boll. Mus. Torino, xi. (232) p. 11 (1896) ; Sauss. & Pict. l. c. pp. 328, 329, 330. n. 3 (1897) ; Scudd. l. c. pp. 274, 282. n. 7 (1898).	Panama.
8. **S. Furcifera, Scudd.** l. c. pp. 275, 276, 282. n. 8, f. 7 (1898).	Mexico, Arizona.
*9. **S. Furcata, Brunn.** l. c. pp 238, 239. n. 2, pl. 5. f. 72 *a* (1878) ; Blatchl. l. c. p. 101 (1893) ; Rep. Dept. Geol. Indiana, pp. 344, 348. n. 83 (1903) ; Beut. l. c.	United States, Canada.

pp. 275, 289 (1894); Sauss. & Pict, l. c. pp. 328, 329, 331. n. 4, pl. 15. ff. 16, 17 (1897); Scudd. l. c. pp. 275, 276, 284. n. 9, f. 8 (1898).	
‖*Gryllus Locusta Myrtifolius, Dru.* (*nec Linn.*) Ill. Exot. Ent. ii. pl. 41. f. 2 (1773).	
‖*Locusta Myrtifolia, Fabr.* Syst. Ent. p. 282. n. 3 (1775).	
‖*Phaneroptera Curvicauda, Burm.* (*nec De Geer*) Handb. Ent. ii. p. 690. n. 8 (1838); Riley, Rep. Ins. Missouri, vii. p. 164, ff. 50, 51 (1874).	
‖*S. Angustifolia, Blatchl.* (*nec Harr.*) Proc. Indiana Acad. Sci. 1892, p. 102 (1893); Beut. l. c. pp. 276, 289 (1894).	
Var. *S. Fasciata, Beut.* l. c. pp. 251, 276, 289 (1894).	
10. **S. Pallens, Fabr.** (*Locusta P.*) Mant. Ins. i. p. 234. n. 16 (1787).	Cayenne.
11. **S. Cuneata, Morse,** Canad. Ent. xxxiii. p. 130 (1901).	Alabama.
*12. **S. Septentrionalis, Serv.** (*Phaneroptera S.*) Ins. Orth. p. 416. n. 3 (1839).	United States; Centr. Amer. (eadem ?).
S. Septentrionalis, Scudd. l. c. pp. 275, 276, 285. n. 10, f. 9 (1898).	
Phaneroptera Suturalis, Heer, Insekt. Tert. Œn. ii. p. 4 (1849).	
‖*S. Angustifolia, Brunn.* (*nec Harr.*) l. c. l. c. pp. 238, 241. n. 6 (1878); Sauss. & Pict. l. c. pp. 328, 329, 332 (1897).	
S. Truncata, Beut. l. c. pp. 252, 277, 289 (1894).	
*13. **S. Forcipata, Brunn.** l. c. pp. 238, 242. n. 7 (1878); Sauss. & Pict. l. c. pp. 328, 329, 332. n. 9, pl. 15. ff. 22, 23 (1897); Scudd. l. c. pp. 275, 287. n. 11, f. 10 (1898).	Mexico.

Genus 623. **Symmetropleura.** (*Type* no. 2.)

Brunn. Mon. Phan. pp. 25, 245 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 16 (1891); Scudd. Proc. Amer. Acad. xxxiii. pp. 272, 287 (1898).

1. **S. Modesta, Brunn.** Mon. Phan. pp. 245, 246. n. 1 (1878); Scudd. l. c. p. 287 (1898).	Carolina.

2. **S. Lævicauda, Brunn.** l. c. pp. 245, 246. n. 2, pl. 5. f. 73 *a*, *b* (1878).	Bahia.
3. **S. Fausta, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 73 (1898).	Ecuador.
4. **S. Africana, Brunn.** l. c. p. 246. n. 3, pl. 5. f. 73 *c* (1878): Verh. zool.-bot. Ges. Wien, xli. p. 118 (1891): Karsch, Berlin. Ent. Zeitschr. xxxii. p. 450 (1888).	Congo, Cameroons.
5. **S. Dirempta, Karsch,** l. c. p. 451 (1888): Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 118 (1891).	Nossi Bé.

Genus 624. **Preussia.**

Karsch, Ent. Nachr. xvi. p. 364 (1890).

1. **P. Lobatipes, Karsch,** l. c. pp. 365, 366. f. 4 (1890); Berlin. Ent. Zeitschr. xxxvi. p. 326 (1892).	Cameroons.

Genus 625. **Platylyra.**

Scudd. Proc. Amer. Acad. xxxiii. pp. 272, 287 (1898).

1. **P. Californica, Scudd.** l. c. p. 288 (1898).	California.

Genus 626. **Anchispora.**

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 16, 119 (1891).

1. **A. Appendiculata, Brunn.** l. c. p. 119, pl. 2. f. 21 *a*, *b* (1891).	Nossi Bé.

Genus 627. **Megotoessa.**

Karsch, Berlin. Ent. Zeitschr. xxxii. p. 460 (1888); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 17, 119 (1891).

*1. **M. Insulana, Karsch,** l. c. p. 461, pl. 4. f. 11 (1888); Brunn. l. c. p. 120 (1891).	Madagascar

Genus 628. **Cosmozoma.** (*Type* no. 2.)

Karsch. Berlin. Ent. Zeitschr. xxxii. p. 461 (1888); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 17, 120 (1891).

1. **C. Sikoræ, Brunn.** l. c. p. 121. n. 1 (1891).	Madagascar
*2. **C. Doenitzi, Karsch,** l. c. p. 461, pl. 4. f. 12 (1888); Brunn. l. c. p. 121. n. 2 (1891).	id.
*3. **C. Voluptaria, Brunn.** l. c. pp. 121, 122. n. 3, pl. 2. f. 22 (1891).	id.

Genus 629. **Trigonocorypha.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 39 (1873); Recens. Orth. ii. p. 19 (1874); Brunn. Mon. Phan. pp. 31, 356 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 17 (1891).

*1. **T. Unicolor, Stoll,** (*Gryllus Tettigonia U.*) Spectres, Saut. p. 13, pl. 5 *a*. f. 14 (1813). *Locusta Crenulata, Thunb.* Mém. Acad. Pétersb. v. p. 280 (1815). *T. Crenulata, Stål,* ll. cc. p. 39 (1873); p. 43. n. 1 (1874); Brunn. Mon. Phan. p. 357. n. 1, pl. 8. f. 107 (1878); Bol. Ann. Soc. Ent. France, lxviii. p. 767 (1900). *Steirodon Prasinus, Serv.* Ann. Sci. Nat. xxii. p. 141. n. 1 (1832). *Phylloptera Prasina, Burm.* Handb. Ent. ii. p. 693. n. 10 (1838). ***Steirodon Subproductum, Walk.* Cat. Derm. Salt. B. M. ii. p. 390. n. 2 (1869).	India, Java.
2. **T. Abnormis, Brunn.** l. c. p. 357. n. 2 (1878).	India.

Genus 630. **Ligocatinus.** (*Type* no. 1.)

Rehn, Canad. Ent. xxxiii. p. 272 (1901).
‖ *Amaura*, *Brunn.* (*nec Moll.*) Mon. Phan. pp. 25, 247 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 17, 122 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 321 (1897).

*1. **L. Spinatus, Brunn.** (*Amaura Spinata*) ll. cc. p. 248. n. 1, pl. 5. f. 74 *a*, *b* (1878); p. 122. n. 1 (1891); Sauss. & Pict. l. c. p. 322 (1897).	Buenos Aires.
2. **L. Punctatus, Brunn.** (*Amaura Punctata*) ll. cc. p. 248. n. 2 (1878); p. 122. n. 2 (1891); Sauss. & Pict. l. c. p. 322 (1897).	Peru.
3. **L. Longicercatus, Brunn.** (*Amaura Longicercata*) Verh. zool.-bot. Ges. Wien, xli. pp. 122, 123. n. 3 (1891); Sauss. & Pict. l. c. p. 322 (1897).	Theresopolis.
4. **L. Olivaceus, Brunn.** (*Amaura Olivacea*) l. c. pp. 122, 123. n. 4 (1891); Sauss. & Pict. l. c. p. 322 (1897).	Rio Grande do Sul.
5. **L. Latipennis, Sauss. & Pict. (*Amaura L.*) l. c. p. 322. n. 1 (1897).	Mexico.

Genus 631. **Homotoicha.** (*Type* no. 2.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 17, 124 (1891).

1. **H. Minor, Brunn.** (*Scudderia M.*) Mon. Phan. pp. 238, 242. n. 8 (1878). *H. Minor*, *Brunn.* Verh. zool.-bot. Ges. Wien, xli. p. 124. n. 1 (1891).	Brazil.
2. **H. Diversa, Brunn.** l. c. pp. 124, 125. n. 2, pl. 2. f. 23 (1891).	id.
3. **H. Subdistincta, Brunn.** ll. cc. n. 3 (1891).	Venezuela.
4. **H. Laminata, Brunn.** ll. cc. n. 4 (1891).	Rio Grande do Sul.
5. **H. Fuscopunctata, Caud.** Proc. U.S. Nat. Mus. xxx. p. 236. n. 7 (1906).	Paraguay.

Genus 632. **Theudoria.** (*Type* no. 1.)

Stål, Recens. Orth. ii. p. 15 (1874); Brunn. Mon. Phan. pp. 25, 249 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 17, 126 (1891).

1. **T. Melanocnemis, Stål,** (*Phaneroptera M.*) Eugenies Resa, Orth. p. 321. n. 60 (1860). *T. Melanocnemis, Stål,* Recens. Orth. p. 30. n. 1 (1874); Brunn. ll. cc. p. 250. n. 1, pl. 5. f. 75 *a*, *b* (1878); p. 126. n. 1 (1891).	Buenos Aires.
2. **T. Nigrolineata, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 126. n. 3 (1891).	id.
3. **T. Pyrrhocnemis, Brunn.** Mon. Phan. p. 250. n. 2 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 126. n. 2 (1891).	Bahia.

Genus 633. **Parascudderia.** (*Type* no. 2.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 18, 126 (1891).

1. **P. Tripunctata, Scudd.** (*Phylloptera T.*) Proc. Boston Soc. Nat. Hist. xvii. p. 261 (1874).	N. Peru.
2. **P. Dohrni, Brunn.** l. c. p. 127. n. 1, pl. 2. f. 24 (1891).	Fonte Boa.

Genus 634. **Ceraia.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 18, 127 (1891).

1. **C. Tibialis, Brunn.** l. c. pp. 128, 129. n. 1 (1891).	Fonte Boa.
2. **C. Maxima, Brunn.** ll. cc. n. 2 (1891).	Bolivia.
*3. **C. Punctulata, Brunn.** (*Scudderia P.*) Mon. Phan. pp. 238, 243. n. 10 (1878). *C. Punctulata, Brunn.* Verh. zool.-bot. Ges. Wien, xli. pp. 128, 129. n. 3 (1891).	Rio Janeiro.

4. **C. Peraccæ, Griff.** Boll. Mus. Torino, xi. (232) p. 10 (1896); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 322, n. 1 (1897).	Panama.
5. **C. Surinamensis, Brunn.** l. c. pp. 128, 129. n. 4 (1891). *Scudderia Punctulata*, var., *Brunn.* Mon. Phan. p. 244 (1878).	Surinam.
6. **C. Dentata, Brunn.** (*Scudderia D.*) l. c. pp. 238, 243. n. 9 (1878). *C. Dentata, Brunn.* Verh. zool.-bot. Ges. Wien, xli. pp. 128, 130. n. 5 (1891).	Peru.
7. **C. Festæ, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 73 (1898).	Ecuador.
8. **C. Similis, Caud.** Proc. U.S. Nat. Mus. xxx. p. 237. n. 8 (1906).	Paraguay.
9. **C. Cornuta, Brunn.** l. c. pp. 128, 130. n. 6 (1891).	Fonte Boa.
10. **C. Cornutoides, Caud.** l. c. p. 237. n. 9 (1906).	Paraguay.
11. **C. Atrosignata, Brunn.** l. c. pp. 128, 130. n. 7 (1891).	Fonte Boa.
12. **C. Zebrata, Brunn.** l. c. pp. 128, 131. n. 8 (1891).	Peru.

Genus 635. **Vellea.**

Walk. Cat. Derm. Salt. B. M. ii. p. 359 (1869).

*1. **V. Cruenta, Burm.** (*Phaneroptera C.*) Handb. Ent. ii. p. 691. n. 11 (1838); Charp. Orth. pl. 21 (1842). *Scudderia Cruenta, Brunn.* Mon. Phan. pp. 238, 244. n. 11 (1878). *Ceraia Cruenta, Brunn.* Verh. zool.-bot. Ges. Wien, xli. pp. 128, 131. n. 9 (1891). ** *V. Rosea, Walk.* l. c. p. 360. n. 1 (1869).	Rio Janeiro, Para, Demerara.

Genus 636. **Ectemna.** (*Type* no. 4.)

Brunn. Mon. Phan. pp. 26, 251 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 18 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 323 (1897).

1. **E. Dumicola, Sauss. & Pict. l. c. p. 323. n. 1 (1897).	Panama.
2. **E. Mexicana, Sauss. & Pict. l. c. pp. 323, 324. n. 2, pl. 15. ff. 28, 29 (1897).	Mexico.
3. **E. Crenata, Sauss. & Pict.** l. c. pp. 323, 324. n. 3 (1897).	id.
4. **E. Carinata, Brunn.** ll. cc. p. 251. n. 1, pl. 5. f. 76 *a–c* (1878); p. 131 (1891); Sauss. & Pict. l. c. pp. 323, 324. n. 4 (1897).	Colombia; Fonte Boa (eadem?).

Genus 637. **Plagiopleura.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) pp. 41, 42 (1873); Recens. Orth. ii. p. 15 (1874); Brunn. Mon. Phan. pp. 26, 252 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 18, 131 (1891).

1. **P. Nigromarginata, Stål,** ll. cc. p. 42 (1873); p. 30. n. 1 (1874); Brunn. ll. cc. p. 252. n. 1, pl. 5. f. 77 (1878); p. 132. n. 1 (1891).	Brazil, Cayenne, Montevideo.
2. **P. Arbustorum, Sauss. & Pict.** Biol. Centr.-Amer., Orth. i. p. 325. n. 1 (1897).	Brazil.

Genus 638. **Euthyrrhachis.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 29, 330 (1878).

1. **E. Gracilis, Brunn.** l. c. p. 331. n. 1, pl. 7. f. 95 (1878). *Plagiopleura Gracilis, Brunn.* Verh. zool.-bot. Ges. Wien, xli. p. 132. n. 2 (1891).	Surinam, Fonte Boa.
2. **E. Consobrina, Brunn.** (*Plagiopleura C.*) l. c. pp. 132, 133. n. 3 (1891).	Fonte Boa.

Genus 639. **Parableta.**

Brunn. Mon. Phan. pp. 26, 253 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 18, 133 (1891).

1. **P. Integricauda, Brunn.** ll. cc. p. 254. n. 2, pl. 6. f. 78 *a*. *b* (1878); p. 133. n. 1 (1891); Bol. Viaje al Pacif., Ins. p. 53 (1884).	Surinam, Ecuador.
2. **P. Soror, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 134. n. 2 (1891).	Upper Amazons.

Genus 640. **Godmanella.**

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 325 (1897).

1. **G. Vaginalis, Sauss. & Pict. l. c. n. 1 (1897).	Mexico.

Genus 641. **Chloroscirtus.**

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 326 (1897).

1. **P. Forceps, Sauss. & Pict. l. c. p. 327. n. 1, pl. 15. ff. 24–27 (1897).	Guatemala.

Genus 642. **Scaphura.** (*Type* no. 5.)

Kirb. Vigors, Zool. Journ. i. p. 432 (1825), ii. p. 9 (1825); Westw. Zool. Journ. iv. p. 227 (1828); Serv. Encycl. Méth., Ins. x. p. 345 (1825); Ann. Sci. Nat. xxii. p. 146 (1831); Ins. Orth. p. 428 (1839); Brullé, Hist. Nat. Ins. ix. p. 145 (1835); Burm. Handb. Ent. ii. p. 687 (1838); Blanch. Hist. Nat. Ins. iii. p. 24 (1840); Stål, Recens. Orth. ii. p. 15 (1874); Brunn. Mon. Phan. pp. 26, 255 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 18, 134 (1891).

‖*Aganacris*, *Walk.* Cat. Derm. Salt. B. M. v. Suppl. p. 41 (1871). (*Type* no. 2.)

*1. **S. Nitida, Perty,** Del. Anim. Art. p. 121, pl. 23. f. 12 (1834); Burm. l. c. p. 687. n. 3 (1838); Brunn. ll. cc. pp. 256, 257. n. 1 (1878); p. 134. n. 1 (1891).	Minas Geraes; Cayenne (eadem?).

2. **S. Micans, Walk. (*Aganacris M.*) l. c. p. 41. n. 1 (1871).	Upper Amazons.
3. **S. Velutina, Kirb.** (n. n.).	Chiriqui.
‖*S. Bicolor, Brunn.* (*nec Blanch.*) Verh. zool.-bot. Ges. Wien, xli. p. 134. n. 8 (1891) ; Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 333. n. 1 (1897).	
4. **S. Edwardsii, Westw.** l. c. p. 230 (1828).	Brazil (?).
*5. **S. Nigra, Thunb.** (*Gryllus Niger*) Mém. Acad. Pétersb. ix. p. 415 (1824).	Brazil.
S. Nigra, Stål, l. c. p. 30. n. 1 (1874).	
*Var. *Piliger Grylloides, Thunb.* Ins. Hem. tria gen. p. 3 (1825).	
*Var. *S. Vigorsii, Kirb.* l. c. i. p. 432 (1825), ii. p. 11, pl. 1. f. 6 (1825) ; Westw. l. c. p. 229 (1828) ; Serv. ll. cc. p. 345 (1825) ; p. 146 (1831) ; p. 429. n. 1 (1839) ; Burm. l. c. p. 687. n. 2 (1838) ; Blanch. l. c. p. 24 (1840) ; Brunn. Mon. Phan. pp. 256, 257. n. 2, pl. 5. f. 79 *d* (1878).	
Var. *S. Chalybea, Marsch.* Ann. Wien. Mus. i. p. 210. n. 2 (1835).	
Var. *S. Intermedia, Perty*, l. c. p. 121 (1834).	
*Var. *S. Ferruginea, Perty*, l. c. p. 120, pl. 23. f. 11 (1834) ; Burm. l. c. p. 687. n. 4 (1838) ; Serv. Ins. Orth. p. 430. n. 2 (1839) ; Blanch. l. c. p. 24. n. 2 (1840).	
*Var. *S. Kirbii, Westw.* l. c. p. 230. n. 3 (1828) ; Gray, Griffith, Anim. Kingd. xv. p. 793, pl. 63. f. 1 (1829).	
6. **S. (?) Obscurata, Stoll,** (*Gryllus Tettigonia O.*) Spectres, Saut. p. 20, pl. 8 *a.* f. 33 (1813).	S. America.

Genus 643. **Gymnocera.** (*Type* no. 3.)

Brullé, Hist. Nat. Ins. ix. p. 145 (1835) ; Burm. Handb. Ent. ii. p. 687 (1838) ; Serv. Ins. Orth. p. 425 (1839) ; Blanch. Hist. Nat. Ins. iii. p. 24 (1840).

‖*Scaphura, Perch.* (*nec Kirb.*) Gen. Ins., Orth. pl. 4 (1836).

1. **G. Marginata, Walk. Cat. Derm. Salt. B. M. ii. p. 396. n. 5 (1869).	Demerara.

*2. **G. Elegans, Serv.** l. c. p. 427. n. 2 (1839). *Scaphura Elegans, Brunn.* Mon. Phan. pp. 256, 258. n. 3, pl. 5. f. 79 *a–c* (1878). Var. *Scaphura Bicolor, Blanch.* D'Orbigny, Voy. Amér. mér. vi. (2) p. 215. n. 739, pl. 26. f. 7 (1844).	B. Aires, Patagonia, Chili.
3. **G. Lefebvrei, Brullé,** l. c. p. 146 (1835); Serv. l. c. p. 426. n. 1 (1839); Blanch. l. c. p. 25 (1840); Brunn. l. c. pp. 257, 260. n. 4 (1878). ‖*Scaphura Denuda, Burm.* (*nec Perch.*) l. c. p. 687. n. 1 (1838).	Brazil.
*4. **G. Denuda, Perch.** (*Scaphura D.*) l. c. Orth. pl. 4 (1836).	id.
5. **G. Fasciata, Brunn.** (*Scaphura F.*) l. c. pp. 257, 260. n. 5 (1878).	id.
6. **G. Conspurcata, Brunn.** (*Scaphura C.*) l. c. pp. 257, 261. n. 6 (1878).	id.
7. **G. Infuscata, Brunn.** (*Scaphura I.*) l. c. pp. 257, 262. n. 7 (1878).	id.

Genus 644. **Microcentrum.** (*Type* no. 2.)

Scudd. Bost. Journ. Nat. Hist. vii. p. 446 (1862) (*nec Stål*).

Stilpnochlora, Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 40 (1873); Recens. Orth. ii. p. 19 (1874); Brunn. Mon. Phan. pp. 32, 358 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 18 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 367 (1898). (*Type* no. 1.)

*1. **M. Marginellum, Serv.** (*Phylloptera Marginella*) Ins. Orth. p. 405. n. 2 (1839). *Stilpnochlora Marginella, Stål,* ll. cc. p. 40 (1873); p. 44 (1874); Brunn. Mon. Phan. p. 359. n. 1, pl. 8. f. 108 (1878); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 368. n. 1 (1898). *Phylloptera Couloniana, Sauss.* Rev. Zool. (2) xiii. p. 128 (1861). ‖*Microcentrum Thoracicum, Scudd.* (*nec Burm.*) Bost. Journ. Nat. Hist. vii. p. 447. n. 3 (1862). ***Phylloptera Magnifolia, Walk.* Cat. Derm. Salt. B. M. ii. p. 377. n. 9 (1869).	S. & Centr. America, W. Indies.

*2. **M. Thoracicum, Serv.** (*Steirodon Thoracicus*) Ann. Sci. Nat. xxii. p. 141. n. 3 (1831). *Phylloptera Thoracica, Burm.* Handb. Ent. i. p. 693. n. 9 (1838). *Phylloptera Tolteca, Sauss.* Rev. Zool. (2) xi. p. 203 (1859). *Stilpnochlora Tolteca, Brunn.* l. c. pp. 359, 360. n. 2 (1878); Sauss. & Pict. l. c. p. 368. n. 2, pl. 17. ff. 19, 20 (1898). *Microcentrum Vividum, Walk.* l. c. v. Suppl. p. 42 (1871).	Mexico, Guatemala, Costa Rica.
*3. **M. Aztecum, Sauss.** (*Phylloptera Azteca*) l. c. (2) xi. p. 203 (1859). *Stilpnochlora Azteca, Brunn.* l. c. pp. 359, 360. n. 3 (1878); Sauss. & Pict. l. c. pp. 368, 369. n. 3, pl. 17. ff. 21–23 (1898). ***M. Supremum, Walk.* l. c. ii. p. 370. n. 7 (1869).	iid.
4. **M. Quadratum, Scudd.** (*Steirodon Q.*) Proc. Bost. Soc. Nat. Hist. xii. p. 331. n. 4 (1869).	Guayaquil.
5. **M. Incisum, Brunn.** (*Stilpnochlora Incisa*) l. c. pp. 359, 361. n. 4 (1878); Sauss. & Pict. l. c. pp. 368, 369. n. 4 (1898).	Peru.
6. **M. Ovalifolia, Sauss. & Pict.** (*Stilpnochlora O.*) ll. cc. n. 5 (1898).	Brazil.
7. **M. Laurifolius, Linn.** (*Gryllus Tettigonia L.*) Syst. Nat. (ed. 10) i. p. 429. n. 24 (1758); Mus. Ludov. Ulric. p. 126. n. 17 (1764). [Sloane, Nat. Hist. Jamaica, ii. p. 201. n. 8, pl. 236. f. 42.]	Caymans.

Genus 645. **Steirodon.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 140 (1831); Ins. Orth. p. 399 (1839); Burm. Handb. Ent. ii. p. 694 (1838); Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 40 (1873); Recens. Orth. ii. p. 19 (1874); Brunn. Mon. Phan. pp. 32, 361 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 18 (1891).

*1. **S. Citrifolius, Linn.** (*Gryllus Tettigonia C.*) Syst. Nat. (ed. x.) i. p. 429. n. 23	Brazil.

(1758); Mus. Ludov. Ulric. p. 125. n. 16 (1764).	
[Roes. Insect. Belust. ii. Locust. Ind. p. 107, pl. 16. f. 1.]	
Locusta Citrifolia, Fabr. Syst. Ent. p. 282. n. 1 (1775).	
Phyllophora Citrifolia, Thunb. Mém. Acad. Pétersb. xv. p. 286 (1815).	
Steirodon Citrifolius, Serv. ll. cc. p. 141. n. 1 (1831); p. 401. n. 1 (1839).	
Phylloptera Citrifolia, Burm. l. c. p. 694. n. 10 (1838).	
Steirodon Ponderosum, Stål, ll. cc. p. 42. n. 1 (1873); p. 44. n. 1 (1874); Brunn. Mon. Phan. p. 362. n. 1 (1878).	
*2. **S. Validum, Stål,** Recens. Orth. ii. p. 44. n. 2 (1873); Brunn. l. c. pp. 362, 363. n. 2, pl. 8. f. 109 (1878).	Surinam.
|| *S. Citrifolium, Stål (nec Linn.),* Œfv. Vet.-Akad. Förh. xxx. (4) p. 42. n. 2 (1873).	

Genus 646. **Peucestes.** (*Type* no. 1.)

Stål, Recens. Orth. ii. p. 20 (1874); Brunn. Mon. Phan. pp. 32, 363 (1878); Verh. zool -bot. Ges. Wien, xli. pp. 18, 181 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 370 (1898).

*1. **P. Coronatus, Stål,** l. c. p. 45. n. 1 (1874); Brunn. ll. cc. pp. 364, 365. n. 2 (1878); pp. 181, 182. n. 1 (1891); Sauss. & Pict. l. c. p. 370. n. 1, pl. 18. f. 1 (1898).	Mexico, Costa Rica.
2. **P. Latipennis, Sauss. & Pict.** l. c. pp. 370, 371. n. 2, pl. 18. f. 2 (1898).	Mexico, Colombia.
3. **P. Dentatus, Stål,** l. c. p. 45. n. 1 (1874); Brunn. l. c. pp. 364, 365. n. 1 (1878); pp. 181, 182. n. 1 (1891); Sauss. & Pict. l. c. pp. 370, 371. n. 3, pl. 18. ff. 3–5 (1898).	Texas, Panama, Cayenne.
|| *Phaneroptera Citrifolia, Blanch. (nec Linn.)* Hist. Ins. iii. p. 24. n. 1, pl. 7 (1840).	
4. **P. Emarginatus, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 182. n. 5 (1891).	Hab. —— ?
5. **P. Unidentatus, Brunn.** l. c. pp. 182, 183. n. 6 (1891).	Peru.

6. **P. Championi, Sauss. & Pict. l. c. pp. 370, 371. n. 4, pl. 18. ff. 6–9, (1898).	Guatemala, Costa Rica, Nicaragua.
*7. **P. Striolatus, Brunn.** Mon. Phan. pp. 365, 366. n. 3 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 182. n. 3 (1891); Bol. Viaje al Pacif., Ins. p. 58 (1884); Sauss. & Pict. l. c. pp. 370, 372 (1898).	S. & Centr. America.
8. **P. Cristatissimus, Brunn.** ll. cc. pp. 365, 367. n. 4, pl. 8. f. 110 *a, b* (1878); p. 182. n. 4 (1891).	Cayenne.

Genus 647. **Steirodonopis.**

Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 259 (1875).

1. **S. Bilobata, Scudd.** l. c. p. 260. n. 6 (1875).	Peruvian Marañon.

Genus 648. **Posidippus.** (*Type* no. 1.)

Stål, Recens. Orth. ii. p. 20 (1874); Brunn. Mon. Phan. pp. 32, 367 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 19, 183 (1891).

Frontinus, Stål, l. c. p. 20 (1874). (*Type* no. 8.)

1. **P. Dentiferus, Walk. (*Steirodon Dentiferum*) Cat. Derm. Salt. B. M. ii. p. 391. n. 4 (1869). ‖*Locusta Citrifolia, De Geer* (*nec Linn.*), Mém. Ins. iii. p. 437. n. 1, pl. 37. f. 3 (1773). *P. Citrifolius, Stål,* l. c. p. 45. n. 1 (1874); Brunn. ll. cc. p. 368. n. 1, pl. 8. f. 111 *a–d* (1878); p. 183, n. 1 (1891).	Surinam, Brazil, Peru.
*2. **P. Stæli, Brunn.** (*P. Stålii*) ll. cc. pp. 368, 369. n. 2 (1878); p. 183. n. 2 (1891).	Brazil.
3. **P. Validus, Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 373. n. 1, pl. 18. ff. 10, 11 (1898).	Nicaragua.
4. **P. Lineatus, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 183, 184. n. 5 (1891).	Upper Amazons.
5. **P. Dohrni, Brunn.** l. c. pp. 183, 185. n. 6 (1891).	id.
6. **P. Barellus, Pict.** Mém. Soc. Genève, xxx. (6) p. 11. n. 1, pl. 1. ff. 4, 4 *a, b* (1888); Brunn. l. c. pp. 183, 185. n. 7 (1891).	Cayenne.

7. **P. Irregulariterdentatus, Brunn.** l. c. pp. 184, 186. n. 8 (1891).	Peru.
8. **P. Degeerii, Stål,** (*Frontinus D.*) l. c. p. 46. n. 1 (1874). *P. Degeerii, Brunn.* Mon. Phan. pp. 368, 369. n. 3, pl. 7. f. 111 *e* (1878); Verh. zool.-bot. Ges. Wien, xli. p. 184. n. 3 (1891). ‖*Locusta Citrifolia* ♀, *De Geer* (*nec Linn.*), l. c. p. 437. n. 1, pl. 37. f. 4 (1773).	Surinam; Brazil (eadem?).
9. **P. Rarospinulosus, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 184, 186. n. 9 (1891).	Upper Amazons.
10. **P. Fastigiosus, Brunn.** Mon. Phan. pp. 368, 370. n. 4 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 184. n. 4 (1891).	id., Quito.
11. **P. Brunneri, Bol.** An. Soc. Españ. x. p. 484 (1881); Viaje al Pacif., Ins. p. 59 (1884).	Napo.

Genus 649. **Xantia.**

Brunn. Mon. Phan. pp. 32, 370 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 19 (1891).

*1. **X. Borneensis, Brunn.** Mon. Phan. p. 371. n. 1, pl. 7. f. 112 (1878).	Borneo; India, &c.

Genus 650. **Itarissa.**

Walk. Cat. Derm. Salt. B. M. ii. p. 389 (1869).

1. **I. Laurinifolia, Walk. l. c. p. 390. n. 1 (1869).	Para.

Genus 651. **Amblycorypha.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 40 (1873); Recens. Orth. ii. p. 18 (1874); Brunn. Mon. Phan. pp. 27, 265 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 19 (1891); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 277, 289 (1894);

Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 335 (1897); Blatchl. Rep. Indiana Dept. Geol. xxvii. p. 350 (1903).

*1. **A. Oblongifolia, De Geer,** (*Locusta O.*) Mém. Ins. iii. p. 445. n. 6 (1773). *Phylloptera Oblongifolia, Burm.* Handb. Ent. ii. p. 693. n. 5 (1838); Harr. Rep. Ins. Mass. p. 128 (1841); (ed. 3) p. 159 (*excl. fig.*) (1862); Riley, Rep. Ins. Miss. vi. p. 169, f. 55 (1874). *A. Oblongifolia, Stål,* ll. cc. p. 40 (1873); p. 42. n. 1 (1874); Brunn. Mon. Phan. pp. 265, 266. n. 1 (1878); Beut. l. c. pp. 278, 289 (1894); Sauss. & Pict. l. c. p. 336. n. 1 (1897); Lugg. Ann. Rep. Ent. Minnesota, iii. p. 222, f. 147 (1898); Scudd. Ent. News, xiii. p. 129, pl. 6 (1901); Blatchl. l. c. pp. 350, 351. n. 84, f. 83 (1903).	United States.
2. **A. Scudderæ, Bruner,** Canad. Ent. xxiii. p. 73 (1891).	Nebraska.
3. **A. Guatemalæ, Sauss. & Pict.** l. c. p. 336, n. 2, pl. 16. f. 3 (1897).	Guatemala.
4. **A. Tepaneca, Sauss. & Pict.** l. c. pp. 336, 337. n. 3 (1897).	Mexico.
5. **A. Floridana, Rehn,** Proc. Acad. Nat. Sci. Philad. lvii. p. 42, pl. 1. f. 5 (1905).	Florida.
6. **A. Huasteca, Sauss.** (*Phylloptera H.*) Rev. Zool. (2) xi. p. 205 (1859). *A. Huasteca, Brunn.* l. c. pp. 265, 266. n. 2 (1878); Sauss. & Pict. l. c. pp. 336, 337. n. 4, pl. 16. f. 4 (1897). *Phylloptera Caudata, Scudd.* Bost. Journ. Nat. Hist. vii. p. 445. n. 3 (1862).	id., Louisiana, Texas, Mexico.
7. **A. Uhleri, Stål,** Bihang Svenska Akad. iv. (5) p. 57 (1876); Brunn. l. c. pp 266, 267. n. 3 (1878); Sauss. & Pict. l. c. pp. 336, 337. n. 5 (1897); Blatchl. l. c. pp. 350, 353. n. 86 (1903).	United States.
8. **A. Parvipennis, Stål,** l. c. p. 58 (1876); Brunn. l. c. pp. 266, 268. n. 4, pl. 6. f. 81 *a–c* (1878); Sauss. & Pict. l. c. pp. 336, 337. n. 5 (1897).	Texas.
9. **A. Iselyi, Caud.** Journ. N. York Ent. Soc. xiii. p. 50 (1905).	Kansas.
*10. **A. Rotundifolia, Scudd.** (*Phylloptera R.*) l. c. p. 445. n. 2 (1862).	United States.

A. Rotundifolia, Brunn. l. c. pp. 266, 268. n. 5 (1878); Beut. l. c. pp. 277, 289, pl. 6. f. 2 (1894); Sauss. & Pict. l. c. pp. 336, 337. n. 7 (1897); Lugg. l. c. p. 222, f. 146 (1898); Blatchl. l. c. pp. 350, 352. f. 85 (1903). ‖*Phylloptera Oblongifolia, Uhl.* (*nec DeGeer*) Harr. Ins. Injur. Veget. (ed. iii.) p. 159, f. 75 (1862).	

Genus 652. **Sagona.** (*Type* no. 4.)

Walk. Cat. Derm. Salt. B. M. ii. p. 366 (1869).

Paragenes, Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 338 (1897). (*Type* no. 1.)

‖*Anepsia, Brunn.* (*nec Koch*) Mon. Phan. pp. 27, 269 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 19 (1891). (*Type* no. 4.)

*1. **S. Mexicana, Sauss.** (*Phylloptera M.*) Rev. Zool. (2) xi. p. 204 (1859). *Anepsia Mexicana, Brunn.* Mon. Phan. pp. 270, 271. n. 4 (1878). *Paragenes Mexicana, Sauss. & Pict.* l. c. p. 338. n. 1, pl. 16. ff. 6, 6 *a* (1897). ***Orophus Notatus, Walk.* Cat. Derm. Salt. B. M. ii. p. 383. n. 12 (1869). ***Orophus Decisus, Walk.* l. c. p. 384. n. 15 (1869).	Mexico, Costa Rica.
*2. **S. Ovata, Brunn.** l. c. pp. 269, 271. n. 3 (1878). *Paragenes Ovata, Sauss. & Pict.* l. c. pp. 338, 339. n. 2, pl. 16. f. 5 (1897). *Orophus Ovatus, Rehn,* Proc. Nat. Sci. Philad. lvii. p. 809 (1906).	Guatemala, Costa Rica.
*3. **S. Conspersa, Brunn.** (*Anepsia C.*) l. c. pp. 269, 270. n. 2 (1878). *Paragenes Conspersa, Sauss. & Pict.* l. c. pp. 338, 339. n. 3 (1897). *Orophus Conspersus, Rehn,* l. c. p. 809 (1906).	Mexico, Guatemala, Panama.
*4. **S. Tessellata, Sauss.** (*Phylloptera* (*Orophus*) *Tessellata*) l. c. (2) xiii. p. 129 (1861). *Anepsia Tessellata, Brunn.* l. c. pp. 269, 270. n. 1, pl. 6. f. 82 *a–c* (1878). *Paragenes Tessellata, Sauss. & Pict.* l. c. pp. 338, 339. n. 4 (1897). *Orophus Tessellatus, Rehn,* l. c. p. 809 (1906).	Mexico, S. & Centr. America.

***Sagona Subpunctata*, *Walk.* l. c. ii. p. 367. n. 1 (1869).
***Phylloptera Subnotata*, *Walk.* l. c. iii. p. 483 (1870).
***Phylloptera Intacta*, *Walk.* l. c. v. Suppl. p. 42 (1871).
Anepsia Tessellata, subsp. *Obtusa*, *Griff.* Boll. Mus. Torino, xi. (232) p. 7 (1896).

Genus 653. **Agaura.**

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 19, 135 (1891).

1. **A. Mirabilis, Brunn.** l. c. p. 135, pl. 2. f. 26 (1891).	Upper Amazons.

Genus 654. **Eurycorypha.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 40 (1873); Recens. Orth. ii. p. 18 (1874); Brunn. Mon. Phan. pp. 27, 272 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 19, 136 (1891); Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 425 (1888).

*1. **E. Cereris, Stål,** (*Phylloptera C.*) Œfv. Vet.-Akad. Förh. xiii. p. 170. n. 1 (1856). *E. Cereris*, *Stål*, l. c. xxx. (4) p. 40 (1873); Recens. Orth. ii. p. 39. n. 1 (1874); Brunn. ll. cc. pp. 272, 273. n. 1 (1878); p. 136. n. 1 (1891).	Natal.
2. **E. Compressa, Walk. (*Orophus Compressus*) Cat. Derm. Salt. B. M. ii. p. 386. n. 20 (1869).	S. Africa.
3. **E. Strangulata, Walk. (*Orophus Strangulatus*) l. c. p. 385. n. 18 (1869).	Sierra Leone.
4. **E. Brunneri, Brancs.** Jahresh. Nat. Ver. Trencs. Com. xv.–xvi. p. 197, pl. 4. f. 4 *a*, *b* (1893).	Madagascar
*5. **E. Prasinata, Stål,** Recens. Orth. ii. p. 40. n. 2 (1874); Brunn. ll. cc. pp. 272, 273. n. 2 (1878); p. 136. n. 2 (1891).	id., Natal.
6. **E. Cuspidata, Karsch,** Verh. zool.-bot. Ges. Wien, li. p. 292. n. 29 (1901).	S.W. Africa.

*7. **E. Proserpinæ, Brunn.** ll. cc. pp. 272, 274. n. 1, pl. 6. f. 83 *a–c* (1878); p. 136. n. 3 (1891). ‖ *Orophus Gramineus, Walk.* (*nec Serv.*) l. c. iii. p. 484 (1870).	Natal.
8. **E. Varia, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 136 (1891).	Kilimanjaro.
*9. **E. Brevipennis, Karsch,** l. c. xxxii. p. 455 (1888); Brunn. l. c. p. 136. n. 7 (1891).	Madagascar
10. **E. Stylata, Stål,** Œfv. Vet.-Akad. Förh. xxx. (4) p. 43. n. 1 (1873); Recens. Orth. ii. p. 41. n. 3 (1874); Brunn. Mon. Phan. pp. 273, 274. n. 4 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 136. n. 4 (1891); Karsch, l. c. xxxvii. p. 75. n. 3 (1892); Griff. Ann. Mus. Genova, xlii. p. 393 (1906).	Sierra Leone.
11. **E. Montana, Sjöst.** Bihang Svenska Akad. xxvii. (4 : 3) p. 20, pl. 3. f. 2 (1902).	Cameroons.
12. **E. Securifera, Brunn.** Mon. Phan. pp. 273, 275. n. 5 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 136. n. 5 (1891); Griff. l. c. p. 394 (1906).	W. Africa.
*13. **E. Brevicollis, Stål,** Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 61, n. 1 (1876).	Ovambo.
14. **E. Velicauda, Karsch,** l. c. xxxviii. pp. 131, 132. n. 104, f. 19 (1893).	Cameroons.
15. **E. Æquatorialis, Krauss,** Zool. Jahrb. Syst. v. p. 663. n. 16, pl. 45. f. 9 (1890).	Guinea.
16. **E. Spinulosa, Karsch,** l. c. xxxii. p. 455 (1888), xxxvi. p. 326. n. 22 (1892); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 136, 137. n. 8 (1891).	Cameroons.
17. **E. Mutica, Karsch,** l. c. xxxvi. p. 327. n. 23 (1892).	id.
18. **E. Ornatipes, Karsch,** Ent. Nachr. xvi. p. 260. n. 5 (1890).	Kribi.
19. **E. Canaliculata, Karsch,** l. c. p. 261. n. 6 (1890).	id.
20. **E. Adicra, Karsch,** Berlin. Ent. Zeitschr. xxxvii. p. 75. n. 4 (1892).	Cameroons.

Genus 655. **Monteiroa.**

Karsch, Berlin. Ent. Zeitschr. xxxii. p. 458 (1888); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 19, 138 (1891).

*1. **M. Latifrons, Karsch,** l. c. p. 458 (1888); Brunn. l. c. p. 139 (1891).	Delagoa Bay.

Genus 656. **Vossia.** (*Type* no. 1)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 19, 139 (1891).

*1. **V. Obesa, Brunn.** l. c. p. 140, pl. 2. f. 27 (1891).	Cameroons, Nigeria.
2. **V. Doriæ, Griff.** Ann. Mus. Genova, xlii. p. 395 (1906).	Fernando Po.

Genus 657. **Plangia.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 40 (1873); Recens. Orth. ii. p. 18 (1874); Brunn. Mon. Phan. pp. 27, 276 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 19, 137 (1891).

*1. **P. Graminea, Serv.** (*Phylloptera G.*) Ins. Orth. p. 405. n. 3 (1839). *P. Graminea*, *Stål*, ll. cc. p. 40 (1873); p. 42. n. 1 (1874); Brunn. ll. cc. p. 276. n. 1, pl. 6. f. 84 (1878); p. 137. n. 1 (1891). *Phylloptera Natalensis*, *Walk.* Cat. Derm. Salt. B. M. ii. p. 379. n. 14 (1869).	Natal.
*2. **P. Guttatipennis, Karsch,** Berlin. Ent. Zeitschr. xxxii. p. 457 (1888); Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 137. n. 2 (1891).	Madagascar
3. **P. Nebulosa, Karsch,** Ent. Nachr. xvi. p. 366. n. 17 (1890).	Barombi.
4. **P. Venata, Griff.** Boll. Mus. Torino, viii. (144) pp. 1, 2, fig. (1893).	Madagascar
5. **P. Laminifera, Karsch,** Stettin. Ent. Zeit. lvii. p. 343 (1896).	Cameroons.
6. **P. (?) Segonoides, Butl. (*Phylloptera S.*) Proc. Zool. Soc. Lond. 1878, pp. 648, 649, fig.	Madagascar

Genus 658. **Corycomima.**

Karsch, Stettin. Ent. Zeit. lvii. p. 343 (1896).

1. **C. Flavescens, Walk. (*Orophus F.*) Cat. Derm. Salt. B. M. ii. p. 386. n. 19 (1869). *Plangia Camerata, Karsch*, Berlin. Ent. Zeitschr. xxxii. p. 457 (1888); Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 137, 138. n. 3 (1891). *C. Camerata, Karsch*, Stettin. Ent. Zeit. lvii. p. 344. n. 112 bis (1896).	Gambia, Cameroons.

Genus 659. **Physocorypha.**

Karsch, Stettin. Ent. Zeit. lvii. p. 344 (1896).

1. **P. Politurata, Karsch,** l. c. p. 345. n. 113, f. 41 (1896).	Cameroons.

Genus 660. **Anaulacomera.** (*Type* no. 3.)

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) pp. 41, 43 (1873); Recens. Orth. ii. pp. 16, 35 (1874); Brunn. Mon. Phan. pp. 27, 277 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 20, 140 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 340 (1897).

Œcella, Kirb. Journ. Linn. Soc. Lond., Zool. xx. p. 535 (1890). (*Type* no. 37.)

1. **A. Spinata, Brunn.** ll. cc. pp. 278, 280. n. 1, pl. 6. f. 85 *a–c* (1878); p. 140. n. 1 (1891).	Rio Janeiro.
2. **A. Angustifolia, Sauss.** (*Phylloptera A.*) Rev. Zool. (2) xi. p. 202 (1859). *A. Angustifolia, Brunn.* ll. cc. pp. 278, 281. n. 2 (1878); p. 140. n. 2 (1891); Sauss. & Pict. l. c. pp. 340, 341. n. 1, pl. 16. ff. 7–10 (1897).	Bahia.
3. **A. Submaculata, Stål,** (*Phaneroptera S.*) Eugenies Resa, Orth. p. 320. n. 58 (1860).	Rio Janeiro, Bahia.

A. Submaculata, Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 43. n. 1 (1873); Recens. Orth. ii. p. 35. n. 1 (1874); Brunn. ll. cc. pp. 278, 281. n. 3 (1878); p. 140. n. 3 (1891).	
4. **A. Concisa, Brunn.** Mon. Phan. pp. 278, 282. n. 4 (1878).	Brazil.
A. Concica, Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 140. n. 4 (1891).	
5. **A. Angustipennis, Sauss. & Pict.** l. c. pp. 341, 344. n. 8 (1897).	Cayenne.
6. **A. Brevicauda, Brunn.** l. c. pp. 140, 144. n. 31 (1891).	San Paulo.
7. **A. Intermedia, Brunn.** Mon. Phan. pp. 278, 283. n. 5 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 140. n. 5 (1891).	Brazil.
8. **A. Erinifolia, Sauss.** (*Phylloptera E.*) l. c. p. 203 (1859).	id.
A. Erinifolia, Brunn. ll. cc. pp. 278, 283. n. 6 (1878); p. 140. n. 6 (1891); Sauss. & Pict. l. c. pp. 341, 342. n. 2, pl. 16. ff. 11, 12 (1897).	
A. Opacifolia, Stål, ll. cc. p. 43. n. 3 (1873); p. 35. n. 3 (1874).	
9. **A. Furcata, Brunn.** ll. cc. pp. 279, 287. n. 12 (1878); p. 141. n. 12 (1891); Sauss. & Pict. l. c. pp. 341, 342. n. 3 (1897).	Panama.
10. **A. Darwinii, Scudd.** Bull. Mus. Harvard, xxv. p. 19, pl. 3. ff. 1, 4, 5 (1893).	Galapagos.
11. **A. Darienica, Griff.** (*A. Darwinii*, subsp. *Darienica*) Boll. Mus. Torino, xi. (232) p. 5 (1896).	Darien.
A. Darwini, Sauss. & Pict. l. c. p. 342. n. 4 (1897).	
12. **A. Recta, Brunn.** ll. cc. pp. 279, 287. n. 13 (1878); p. 141. n. 13 (1891).	Hab. —— ?
13. **A. Olivacea, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 141, 144. n. 32 (1891).	Upper Amazons.
14. **A. Diluta, Brunn.** ll. cc. pp. 141, 145. n. 33 (1891).	Peru.
*15. **A. Nodulosa, Stål,** ll. cc. p. 43. n. 2 (1873); p. 35. n. 2 (1874); Brunn. ll. cc. pp. 279, 291. n. 20 (1878); p. 141. n. 20 (1891).	Surinam.
16. **A. Recticauda, Sauss. & Pict. l. c. pp. 341, 343. n. 6, pl. 16. f. 13 (1897).	Mexico.

*17. **A. Laticauda, Brunn.** ll. cc. pp. 280, 292. n. 21 (1878); p. 141. n. 21 (1891); Sauss. & Pict. l. c. pp. 341, 343. n. 7, pl. 16. f. 14 (1897).	Mexico, Central America, Colombia.
18. **A. Denticauda, Sauss. & Pict. l. c. pp. 341, 345. n. 10, pl. 11. ff. 15, 16 (1897).	Yucatan.
19. **A. Albonodulosa, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 141, 145. n. 34 (1891).	Upper Amazons.
20. **A. Gracilis, Brunn.** ll. cc. n. 35 (1891).	Venezuela.
21. **A. Brevicollis, Brunn.** Mon. Phan. pp. 280, 294. n. 25 (1878).	Peru.
22. **A. Festæ, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 75 (1898).	Ecuador.
23. **A. Vidua, Giglio-Tos,** l. c. p. 76 (1898).	id.
24. **A. Falcata, Giglio-Tos,** l. c. (1898).	id.
25. **A. Delineata, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 142, 146. n. 36 (1891).	Upper Amazons.
26. **A. Unicolor, Brunn.** ll. cc. n. 36 (1891).	id.
27. **A. Angusta, Brunn.** l. c. pp. 142, 147. n. 38 (1891).	id.
28. **A. Sororcula, Brunn.** ll. cc. n. 39 (1891).	id.
29. **A. Lativertex, Brunn.** Mon. Phan. pp. 280, 292. n. 22 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 142. n. 22 (1891); Sauss. & Pict. l. c. pp. 341, 344. n. 8 (1897).	Panama, Colombia.
30. **A. Latifolia, Brunn.** ll. cc. pp. 280, 296. n. 29 (1878); p. 142. n. 29 (1891).	Bogota.
31. **A. Inermis, Brunn.** ll. cc. pp. 280, 297. n. 30 (1878); p. 142. n. 30 (1891); Sauss. & Pict. l. c. pp. 341, 345. n. 11 (1897).	Colombia.
32. **A. Inconspicua, Brunn.** ll. cc. pp. 278, 285. n. 9 (1878); p. 142. n. 9 (1891).	Brazil.
33. **A. Boliviana, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 142, 147. n. 40 (1891).	Bolivia.
34. **A. Biloba, Brunn.** Mon. Phan. pp. 279, 286. n. 10 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 142. n. 10 (1891).	Ecuador.
35. **A. Clavata, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 142, 148. n. 41 (1891).	Brazil.
36. **A. Chelata, Brunn.** Mon. Phan. pp. 280, 293. n. 24 (1878); Verh. zool.-bot. Ges Wien, xli. p. 143. n. 24 (1891).	id.

*37. **A. Harpago, Brunn.** ll. cc. pp. 278, 284. n. 7 (1878) ; p. 143. n. 7 (1891). ***Œcella Furcifera, Kirb.* Journ. Linn. Soc. Lond., Zool. xx. p. 535 (1890).	Venezuela, Brazil, Fernando Noronha.
38. **A. Antillarum, Brunn. Proc. Zool. Soc. Lond. 1893, p. 607.	W. Indies : Grenada.
39. **A. Dentata, Brunn.** ll. cc. pp. 279, 290. n. 18 (1878) ; p. 143. n. 18 (1891) ; Sauss. & Pict. l. c. pp. 341, 343. n. 5 (1897).	Colombia.
40. **A. Cornucervi, Brunn.** ll. cc. pp. 279, 290. n. 19 (1878) ; p. 143. n. 19 (1891).	Peru.
41. **A. Inversa, Brunn.** ll. cc. pp. 278, 284. n. 8 (1878) ; p. 143. n. 8 (1891).	Brazil.
42. **A. Biramosa, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 143, 148. n. 42 (1891).	Cordillera.
43. **A. Sulcata, Brunn.** Mon. Phan. pp. 279, 289. n. 17 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 143. n. 17 (1891).	Brazil, Peru.
44. **A. Securifera, Brunn.** ll. cc. pp. 279, 289. n. 16 (1878) ; p. 143. n. 16 (1891).	Peru.
45. **A. Lanceolata, Brunn.** ll. cc. n. 15 (1878) ; n. 15 (1891).	Bogota.
46. **A. Maculata, Brunn.** ll. cc. pp. 279, 288. n. 14 (1878); p. 143. n. 14 (1891).	id.
47. **A. Bituberculata, Brunn.** ll. cc. pp. 280, 293. n. 23 (1878) ; p. 143. n. 23 (1891).	Hab. —— ?
48. **A. Digitata, Rehn,** Proc. Acad. Nat. Sci. Philad. lvii. p. 810, ff. 6, 7 (1906).	Costa Rica.

Genus 661. **Furnia.** (*Type* no. 4.)

Stål, Bihang Svenska Akad. iv. (5) p. 57 (1876).

1. **F. Exotica, Brunn.** (*Anaulacomera E.*) Mon. Phan. pp. 279, 286. n. 11 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 143. n. 11 (1891).	India.
2. **F. Insularis, Stål,** l. c. p. 57 (1876). *Anaulacomera Insularis, Brunn.* ll. cc. pp. 280, 295. n. 27 (1878) ; p. 144. n. 27 (1891).	Samoa.
3. **F. Incerta, Brunn.** (*Anaulacomera I.*) ll. cc. pp. 280, 296. n. 28, pl. 6. f. 85 *a–e* (1878) ; p. 144. n. 28 (1891).	Tongatabu, Fiji.

4. **F. Malaya, Stål,** l. c. p. 57. n. 1 (1876). *Anaulacomera Malaya, Brunn.* ll. cc. pp. 280, 295. n. 26 (1878); p. 144. n. 26 (1891).	Malacca.
5. **F. Acuminata, Brunn.** (*Anaulacomera A.*) Verh. zool.-bot. Ges. Wien, xli. pp. 144, 148. n. 43 (1891).	Queensland.

Genus 662. **Parapyrrhicia.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 20, 149 (1891).

1. **P. Zanzibarica, Brunn.** l. c. p. 149, pl. 2. f. 28 (1891).	Zanzibar.
2. **P. Dentipes, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 617 (1899).	Nossi Bé.

Genus 663. **Grammadera.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 27, 297 (1878);
Verh. zool.-bot. Ges. Wien, xli. pp. 20, 149 (1891).

1. **G. Clara, Brunn.** ll. cc. p. 298. n. 1, pl. 6. f. 86 *a, b* (1878); p. 149. n. 1 (1891).	B. Aires. Montevideo.
2. **G. Albida, Brunn.** ll. cc. p. 298. n. 2 (1878); p. 149. n. 2 (1891).	Brazil.
3. **G. Hastata, Brunn.** Verh. zool.-bot. Ges. Wien, xli. p. 150. n. 3 (1891).	Cayenne.
4. **G. Pellucida, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 77 (1898).	Ecuador.
5. **G. Rosea, Giglio-Tos,** l. c. (1898).	id.

Genus 664. **Abrodiæta.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 20, 150 (1891).

*1. **A. Lanceolata, Brunn.** l. c. p. 150, pl. 2. f. 29 (1891).	Upper Amazons.
2. **A. Parvula, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 78 (1898).	Ecuador.

Genus 665. **Agennis.**

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 20, 151 (1891).

1. **A. Parallelinervis, Brunn.** l. c. p. 151, pl. 2. f. 30 (1891).	Nossi Bé.

Genus 666. **Tomeophera.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 28, 299 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 151 (1891).
Tomeophora, Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 21 (1891).

1. **T. Glandiatrix, Brunn.** Mon. Phan. p. 300. n. 1, pl. 6. f. 87 *a*, *b* (1878); Verh. zool.-bot. Ges. Wien, xli. p. 151. n. 1 (1891).	Colombia, Peru.
2. **T. Pugiunculata, Brunn.** Mon. Phan. p. 300. n. 2 (1878). *T. Punguiculata*, *Brunn.* Verh. zool.-bot. Ges. Wien, xli. p. 152. n. 2 (1891).	Peru.
3. **T. Modesta, Brunn.** l. c. p. 152. n. 3 (1891).	Brazil.

Genus 667. **Viadana.** (*Type* no. 5.)

Walk. Cat. Derm. Salt. B. M. ii. p. 361 (1869).
Ctenophlebia, *Stål*, Œfv. Vet.-Akad. Förh. xxx. (4) p. 41 (1873); Recens. Orth. ii. p. 17 (1874); Brunn. Mon. Phan. pp. 28, 301 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 21, 152 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 346 (1897). (*Type* no. 5.)

1. **V. Inversa, Brunn.** (*Ctenophlebia I.*) ll. cc. p. 302. n. 1 (1878); p. 152. n. 1 (1891).	Peru.
2. **V. Styliformis, Brunn.** (*Ctenophlebia S.*) Verh. zool.-bot. Ges. Wien, xli. pp. 152, 154. n. 9 (1891).	Upper Amazons.
3. **V. Altera, Brunn.** (*Ctenophlebia A.*) ll. cc. n. 10 (1891).	id.
4. **V. Longicercata, Brunn.** (*Ctenophlebia L.*) l. c pp. 153, 154. n. 11 (1891).	id.

*5. **V. Myrtifolius, Linn.** (*Gryllus Tettigonia M.*) Syst. Nat. (ed. 10) i. p. 429. n. 25 (1758). *Locusta Myrtifolia, DeGeer*, Mém. Ins. iii. p. 417. n. 8, pl. 38. f. 4 (1773). *Phylloptera Myrtifolia*, pt., *Serv.* Ann. Sci. Nat. xxxii. p. 142. n. 1 (1831); Burm. Handb. Ent. ii. p. 693. n. 8 (1838). *Ctenophlebia Myrtifolia, Stål*, ll. cc. p. 41 (1873); p. 37. n. 1 (1874); Brunn. ll. cc. pp. 302, 303. n. 2 (1878); p. 153. n. 2 (1891). *Gryllus Tettigonia Myrtillifolia, Stoll*, Spectres, Saut. p. 8, pl. 2 *a*. f. 4 (1813). *Locusta (Phylloptera) Myrtillifolia, Haan*, Temminck, Verhandel., Orth. pp. 196, 199. n. 18 (1842). ***V. Transversa, Walk.* l. c. p. 362. n. 1 (1869).	Surinam, Cayenne, Para.
6. **V. Lobata, Brunn.** (*Ctenophlebia L.*) ll. cc. pp. 302, 303. n. 3 (1878); p. 153. n. 3 (1891).	Peru.
7. **V. Granulosa, Brunn.** (*Ctenophlebia G.*) Verh. zool.-bot. Ges. Wien, xli. pp. 153, 155. n. 12 (1891).	Upper Amazons.
8. **V. Curvicercata, Brunn.** (*Ctenophlebia C.*) ll. cc. n. 13 (1891).	id.
*9. **V. Brasiliensis, Brunn.** (*Ctenophlebia B.*) Mon. Phan. pp. 302, 304. n. 4 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 153. n. 4 (1891).	Brazil.
10. **V. Zetterstedti, Stål,** (*Phylloptera Z.*) Eugenies Resa, Orth. p. 322. n. 61 (1860). *Ctenophlebia Zetterstedti, Stål*, Recens. Orth. ii. p. 37. n. 2 (1874); Brunn. Mon. Phan. pp. 302, 304. n. 5, pl. 6. f. 88 (1878). *Ctenophlebia Zetterstedti, Brunn.* Verh. zool.-bot. Ges. Wien, xli. p. 153. n. 5 (1891); Sauss. & Pict. l. c. pp. 346, 347. n. 2 (1897).	Panama, Colombia, Ecuador.
11. **V. Festæ, Giglio-Tos,** (*Ctenophlebia F.*) Boll. Mus. Torino, xiii. (311) p. 79 (1898).	Ecuador.
12. **V. Fruhstorferi, Brunn.** (*Ctenophlebia F.*) l. c. pp. 153, 155. n. 14 (1891).	Theresopolis

13. **V. Peruviana, Brunn.** (*Ctenophlebia P.*) Mon. Phan. pp. 302, 305. n. 6 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 153. n. 6 (1891); Sauss. & Pict. l. c. p. 346 (1897).	Peru.
14. **V. Azteca, Sauss. & Pict. (*Ctenophlebia A.*) l. c. p. 346. n. 1, pl. 16. ff. 17–19 (1897).	Mexico, Central America.
15. **V. Foreli, Sauss. & Pict.** (*Ctenophlebia F.*) l. c. pp. 346, 348. n. 3 (1897).	Colombia.
16. **V. Rhombifolia, Brunn.** (*Ctenophlebia R.*) Verh. zool.-bot. Ges. Wien, xli. pp. 153, 156. n. 15 (1891).	Peru.
17. **V. Difformis, Brunn.** (*Ctenophlebia D.*) Mon. Phan. pp. 302, 306. n. 7 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 153. n. 7 (1891); Bol. Viaje al Pacif., Ins. p. 54 (1884).	Peru, Ecuador.
18. **V. Multiramosa, Brunn.** (*Ctenophlebia M.*) ll. cc. pp. 302, 306. n. 8 (1878); p. 154. n. 8 (1891); Sauss. & Pict. l. c. p. 346 (1897).	Bahia.

Genus 668. **Phylloptera.** (*Type* no. 30.)

Serv. Ann. Sci. Nat. xxii. p. 142 (1831); Ins. Orth. p. 402 (1839); Burm. Handb. Ent. ii. p. 691 (1838); Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 41 (1873); Recens. Orth. ii. pp. 16, 33 (1874); Brunn. Mon. Phan. pp. 28, 307 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 21, 156 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 351 (1897).

1. **P. Maculosa, Burm.** (*Phaneroptera M.*) Handb. Ent. ii. p. 691. n. 12 (1838). *Phylloptera Maculosa, Brunn.* ll. cc. pp. 308, 309. n. 1 (1878); p. 156. n. 1 (1891); Sauss. & Pict. l. c. p. 352 (1897).	Bahia.
2. **P. Annulata, Rehn,** Trans. Amer. Ent. Soc. xxvii. p. 223 (1901).	Mexico.
*3. **P. Ovalifolia, Burm.** l. c. p. 693. n. 6 (1838); Brunn. ll. cc. pp. 309, 311. n. 4, pl. 6. f. 89 *a–c* (1878); p. 157. n. 4 (1891); Bol. Viaje al Pacif., Ins. p. 56 (1884); Sauss. & Pict. l. c. p. 352. n. 1 (1897). *P. Punctum-album, Serv.* Ins. Orth. p. 407. n. 5 (1839). *P. Viridicata, Serv.* l. c. n. 6 (1839).	Mexico, S. America.

Phaneroptera Oblongipennis, Blanch. D'Orbigny, Voy. Amér. Mér., Ins. p. 216. n. 741, pl. 27. f. 1 (1847).	
***Diplophyllus Mundus, Walk.* Cat. Derm. Salt. B. M. iii. p. 483 (1870).	
4. **P. Brevifolia, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 157, 159. n. 13 (1891).	Brazil.
*5. **P. Fosteri, Caud.** P. U.S. Nat. Mus. xxx. p. 238. n. 12 (1906).	Paraguay.
6. **P. Gracilipes, Brunn.** l. c. pp. 157, 159. n. 14 (1891).	Brazil.
7. **P. Pisifolia, Sauss.** Rev. Zool. (2) xi. p. 202 (1859); Brunn. Mon. Phan. pp. 309, 311. n. 5 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 157. n. 5 (1891); Sauss. & Pict. l. c. p. 352. n. 2, pl. 16. ff. 25–27 (1897).	Mexico.
8. **P. Festæ, Griff.** Bol. Mus. Torino, xi. (232) p. 2 (1896); Sauss. & Pict. l. c. p. 352. n. 3 (1897).	Panama.
9. **P. Strigipennis, Walk. (*Diplophyllus S.*) l. c. ii. p. 376. n. 7 (1869).	Brazil.
P. Corrodita, Brunn. ll. cc. pp. 308, 310. n. 2 (1878); p. 157. n. 2 (1891).	
10. **P. Derodifolia, Sauss.** l. c. p. 203 (1859).	Bahia.
P. Derosifolia, Brunn. ll. cc. pp. 308, 310. n. 3 (1878); p. 157. n. 3 (1891).	
11. **P. Binotata, Walk. (*Viadana B.*) l. c. ii. p. 362. n. 2 (1869).	Ega.
P. Tenera, Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 157, 160. n. 15 (1891).	
12. **P. Digramma, Walk. (*Viadana D.*) l. c. p. 363. n. 3 (1869).	Santarem.
13. **P. Roseoinflata, Brunn.** l. c. pp. 157, 160. n. 16 (1891).	Upper Amazons.
P. Roseoinflata var. *Major, Brunn.* l. c. p. 100 (1891).	
14. **P. Tarda, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 79 (1898).	Ecuador.
15. **P. Socia, Brunn.** l. c. pp. 157, 160. n. 17 (1891).	Upper Amazons.
16. **P. Infuscata, Brunn.** l. c. pp. 158, 161. n. 17 (1891).	id.
17. **P. Ancilla, Brunn.** Mon. Phan. pp. 309, 312. n. 7 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 158. n. 7 (1891).	Surinam.

*18. **P. Dimidiata, Brunn.** ll. cc. pp. 309, 314. n. 10 (1878) ; p. 158. n. 10 (1891) ; Sauss. & Pict. l. c. pp. 352, 353. n. 4, pl. 16. f. 28 (1897).	Panama, Colombia.
19. **P. Famula, Brunn.** ll. cc. pp. 309, 313. n. 8 (1878) ; p. 158. n. 8 (1891).	Ecuador.
20. **P. Serva, Brunn.** ll. cc. pp. 309, 313. n. 9 (1878) ; p. 158. n. 9 (1891).	Peru.
21. **P. Vicina, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 158, 161. n. 19 (1891).	Upper Amazons.
22. **P. Nigroauriculata, Brunn.** l. c. pp. 158, 162. n. 20 (1891).	id.
23. **P. Breviramulosa, Brunn.** ll. cc. n. 21 (1891).	id.
24. **P. Coriacea, Brunn.** ll. cc. n. 22 (1891).	Bolivia.
25. **P. Lævis, Giglio-Tos,** l. c. xiii. (311) p. 80 (1898).	Ecuador.
26. **P. Picta, Brunn.** l. c. pp. 158, 163. n. 23 (1891).	Upper Amazons.
27. **P. Peruviana, Brunn.** Mon. Phan. pp. 309, 312. n. 6 (1878) ; Verh. zool.-bot. Ges. Wien. xli. p. 158. n. 6 (1891).	Peru.
28. **P. Contracta, Walk. l. c. ii. p. 378. n. 10 (1869).	Brazil.
29. **P. Spinulosa, Brunn.** ll. cc. pp. 309, 314. n. 11 (1878) ; p. 159. n. 11 (1891).	id.
30. **P. Cassinæfolia, Serv.** (*Locusta C.*) Enc. Méth., Ins. x. p. 343. n. 6 (1825). *P. Cassinæfolia, Serv.* Ann. Sci. Nat. xxii. p. 143. n. 3 (1831) ; Ins. Orth. p. 406. n. 4, pl. 9. f. 3 (1839) ; Brunn. Mon. Phan. pp. 309, 315. n. 13 (1878).	id.
*31. **P. Phyllopteroides, Brunn.** (*Parableta P.*) l. c. p. 254. n. 1 (1878). *Phylloptera Phyllopteroides, Brunn.* Verh. zool.-bot. Ges. Wien, xli. pp. 159, 163. n. 24 (1891).	id.
32. **P. Alliedea, Caud.** P. U. S. Nat. Mus. xxx. p. 238. n. 11 (1906).	Paraguay.
33. **P. Finoti, Griff.** l. c. xi. (232) p. 3 (1896) ; Sauss. & Pict. l. c. pp. 352, 353. n. 5 (1897–8).	Panama.
34. **P. Arata, Brunn.** Mon. Phan. pp. 309, 315. n. 12 (1878) ; Verh. zool.-bot. Ges. Wien, xli. p. 159. n. 12 (1891).	Peru.

Genus 669. **Hyperphrona.** (*Type* no. 7.)

Brunn. Mon. Phan. pp. 28, 315 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 21, 163 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 348 (1897).

1. **H. Angusta, Brunn.** ll. cc. pp. 316, 317. n. 1 (1878); pp. 163, 165. n. 1 (1891).	Peru.
2. **H. Binotata, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 164, 165. n. 7 (1891).	Upper Amazons.
3. **H. Nitidipennis, Stål,** (*Plagioptera N.*) Recens. Orth. ii. p. 34. n. 2 (1874). *H. Nitidipennis, Brunn.* Mon. Phan. pp. 316, 317. n. 2 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 164. n. 2 (1891); Sauss. & Pict. l. c. p. 349. n. 1 (1897).	Colombia.
4. **H. Prudhommi, Sauss. & Pict.** l. c. n. 2 (1897).	Cayenne.
5. **H. Submaculata, Brunn.** ll. cc. pp. 316, 317. n. 3 (1878); pp. 164, 165. n. 3 (1891).	Peru.
6. **H. Cœrulescens, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 164, 166. n. 8 (1891).	Upper Amazons.
7. **H. Striolata, Brunn.** (♀ *nec* ♂) Mon. Phan. pp. 316, 318. n. 5, pl. 6. f. 90 *a*, *b* (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 164, 165. n. 5 (1891).	Bahia.
8. **H. Gracilis, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 164, 165, 166. n. 9 (1891). ‖*H. Striolata*, ♂, *Brunn.* Mon. Phan. pp. 316, 318. n. 5 (1878).	Peru, Upper Amazons.
9. **H. Bidentata, Brunn.** l. c. pp. 316, 319. n. 6 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 164, 165. n. 6 (1891); Sauss. & Pict. l. c. pp. 349, 350. n. 3 (1897).	Cayenne.
10. **H. Viridifolia, Sauss. & Pict.** ll. cc. n. 4 (1897).	id.
11. **H. Atrosignata, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 164, 167. n. 10 (1891).	Upper Amazons.
12. **H. Punctulata, Brunn.** ll. cc. n. 11 (1891).	id.

*13. **H. Trimaculata, Brunn.** Mon. Phan. pp. 316, 318. n. 4 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 164. n. 4 (1891); Sauss. & Pict. l. c. pp. 349, 350. n. 5, pl. 16. ff. 20–24 (1897).	Panama, Ecuador.
14. **H. Irregularis, Brunn.** Verh. zool.-bot. Ges. Wien, xli. pp. 164, 168. n. 12 (1891); Sauss. & Pict. l. c. pp. 349, 351. n. 6 (1897).	Chiriqui.
15. **H. Sordida, Brunn.** l. c. pp. 165, 168. n. 13 (1891).	Upper Amazons.

Genus 670. **Cora.**

Brunn. Mon. Phan. pp. 28, 319 (1878);
Verh. zool.-bot. Ges. Wien, xli. p. 21 (1891).

*1. **C. Acuminata, Brunn.** Mon. Phan. p. 320. n. 1, pl. 6. f. 91 (1878).	Hab. —— ?

Genus 671. **Arota.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 21, 169 (1891);
Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 81 (1898).

1. **A. Alineata, Brunn.** l. c. p. 169, pl. 2. f. 31 (1891); Giglio-Tos, l. c. p. 81 (1898).	Upper Amazons, Ecuador.
2. **A. Rosaura, Karsch,** Soc. Ent. p. 89 (1891); Berlin. Ent. Zeitschr. xxxvi. p. 316, fig. (1892); Giglio-Tos, l. c. pp. 81, 82 (1898).	Ecuador.

Genus 672. **Prosagoga.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 29, 320 (1878);
Verh. zool.-bot. Ges. Wien, xli. pp. 21, 169 (1891).

1. **P. Nitidula, Brunn.** ll. cc. p. 321. n. 1, pl. 6. f. 92 (1878); p. 170. n. 1 (1891).	Surinam.
2. **P. Coriacea, Pict.** Mém. Soc. Genève, xxx. (6) p. 9, pl. 1. ff. 2, 2 *a* (1889); Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 170. n. 2 (1891).	Guiana.

3. **P. Crenulata, Brunn.** l. c. pp. 170, 171. n. 3 (1891).	Guiana, Brazil.
4. **P. Rectinervis, Brunn.** ll. cc. n. 4 (1891).	U.Amazons.
5. **P. Curvinervis, Brunn.** l. c. pp. 170, 172. n. 5 (1891).	Fonte Boa.
6. **P. Flavolimbata, Brunn.** ll. cc. n. 6 (1891).	Upper Amazons.
7. **P. Splendens, Brunn.** l. c. pp. 170, 173. n. 7 (1891).	id.
8. **P. Opaca, Brunn.** ll. cc. n. 8 (1891).	id.

Genus 673. **Phrixa.** (*Type* no. 1.)

Stål, Recens. Orth. ii. p. 16 (1874); Brunn. Mon. Phan. pp. 26, 263 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 21, 135 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 333 (1897).

1. **P. Nasuta, Stål,** l. c. p. 36. n. 1 (1874); Brunn. Mon. Phan. p. 263. n. 1, pl. 6. f. 80 *a, b* (1878); Sauss. & Pict. l. c. p. 334. n. 1 (1897).	Mexico.
2. **P. Schumanni, Sauss. & Pict. l. c. n. 2 (1897).	id.
3. **P. Hoegii, Sauss. & Pict. l. c. n. 3, pl. 16. f. 1 (1897).	id.
4. **P. Bidentata, Rehn,** Trans. Amer. Ent. Soc. xxix. p. 20 (1902). ‖*P. Nasuta, Rehn* (*nec Stål*), l. c. xxvii. p. 88 (1900).	id.
5. **P. Maya, Sauss. & Pict. l. c. pp. 334, 345. n. 4, pl. 16. f. 2 (1897).	id.
6. **P. Sima, Brunn.** l. c. pp. 263, 264. n. 2 (1878); Sauss. & Pict. l. c. pp. 334, 335. n. 5 (1897).	id.

Genus 674. **Pycnopalpa.** (*Type* no. 1.)

Serv. Ins. Orth. p. 408 (1839).
Soria, *Walk.* Cat. Derm. Salt. B. M. ii. p. 363 (1869). (*Type* no. 1.)

*1. **P. Bicordata, Serv.** (*Locusta B.*) Encycl. Méth., Ins. x. p. 143 (1825). *Phylloptera Bicordata, Serv.* Ann. Sci. Nat. xxxii. p. 143. n. 4 (1831); Ins. Orth. p. 408. n. 7 (1839).	Brazil.

Plagioptera Bicordata, Brunn. Mon. Phan. p. 322. n. 1 (1878).	
***Soria Contaminata, Walk.* l. c. p. 364. n. 1 (1869).	
2. **P. Mortuifolia, Rehn,** Trans. Amer. Ent. Soc. xxix. p. 21 (1902).	Mexico.

Genus 675. **Topana.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. ii. p. 364 (1869).

Plagioptera, Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 41 (1873); Recens. Orth. ii. p. 16 (1874); Brunn. Mon. Phan. pp. 29, 321 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 22 (1891). (*Type* no. 4.)

1. **T. Media, Walk. l. c. p. 365. n. 1 (1869).	Hab. —— ?
2. **T. Postica, Walk. l. c. n. 2 (1869).	Santarem.
3. **T. Varia, Walk. l. c. p. 366. n. 3 (1869).	Para.
*4. **T. Cincticornis, Stål** (*Plagioptera C.*) ll. cc. p. 43. n. 1 (1873); p. 33. n. 1 (1874); Brunn. ll. cc. p. 322, 323. n. 2 (1878); p. 173 (1891).	Brazil.
5. **T. Tuberculata, Brunn.** (*Plagioptera T.*) Mon. Phan. pp. 322, 324. n. 3 (1878).	Bahia.

Genus 676. **Theia.** (*Type* no. 2.)

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 22, 174 (1891).

1. **T. Lineolata, Brunn.** l. c. p. 174. n. 1 (1891).	Upper Amazons.
2. **T. Unicolor, Brunn.** l. c. pp. 174, 175. n. 2, pl. 2. f. 32 (1891).	Brazil.

Genus 677. **Hetaira.**

Brunn. Verh. zool.-bot. Ges. Wien, xli. pp. 22, 175 (1891).

1. **H. Smaragdina, Brunn.** l. c. p. 175, pl. 2. f. 33 (1891).	Brazil.

Genus 678. **Diplophyllus.** (*Type* no. 5.)

Sauss. Rev. Zool. (2) xi. p. 202 (1859).

Turpilia, Stål, Recens. Orth. ii. p. 16 (1874); Brunn. Mon. Phan. pp. 29, 324 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 22, 176 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 353 (1898). (*Type* no. 12.)

*1. **D. Oblongooculatus, Brunn.** (*Turpilia Oblongooculata*) Mon. Phan. pp. 325, 326. n. 1 (1878). *Turpilia Oblongoculata, Sauss. & Pict.* l. c. p. 354. n. 1, pl. 16. f. 29 (1898).	Mexico, Guatemala, Costa Rica.
2. **D. Ocularis, Sauss. & Pict. (*Turpilia O.*) l. c. n. 2 (1898).	Mexico.
3. **D. Oridiops, Sauss. & Pict. (*Turpilia O.*) l. c. pp. 354, 355. n. 3 (1898).	id.
4. **D. Appendiculatus, Brunn.** (*Turpilia Appendiculata*) l. c. pp. 325, 326. n. 2 (1878).	Port-au-Prince.
5. **D. Mexicanus, Brunn.** (*Turpilia Mexicana*) l. c. pp. 325, 327. n. 3 (1878); Sauss. & Pict. l. c. pp. 354, 355. n. 4 (1898).	Mexico.
6. **D. Ensifolia, Sauss.** (*Phylloptera E.*) Rev. Zool. (2) xi. p. 202 (1859). *Turpilia Ensifolia, Brunn.* l. c. pp. 325, 327. n. 4 (1878).	Brazil.
7. **D. Albolineatus, Brunn.** (*Turpilia Albolineata*) ll. cc. n. 5 (1878).	Madagascar
8. **D. Rugulosus, Brunn.** (*Turpilia Rugulosa*) l. c. pp. 325, 328. n. 6 (1878); Sauss. & Pict. l. c. pp. 354, 355. n. 5 (1898).	Cuba, Mexico.
9. **D. Tenellus, Brunn.** (*Turpilia Tenella*) l. c. pp. 326, 329. n. 7 (1878); Sauss. & Pict. l. c. pp. 354, 356. n. 6 (1898).	Mexico.
10. **D. Obtusangula, Brunn.** (*Turpilia O.*) ll. cc. n. 8 (1878): Verh. zool.-bot. Ges. Wien, xli. p. 176 (1891).	Cuba.
11. **D. Lævigatus, Brunn.** (*Turpilia Lævigata*) Verh. zool.-bot. Ges. Wien, xli. p. 176. n. 11 (1891).	Cayenne.
12. **D. Opacus, Brunn.** (*Turpilia Opaca*) Mon. Phan. pp. 326, 329. n. 9 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 176. n. 9 (1891); Sauss. & Pict. l. c. pp. 354, 356. n. 7 (1898).	Mexico.
13. **D. Punctatus, Stål,** (*Turpilia Punctata*) l. c. p. 31 (1874); Brunn. ll. cc. pp. 326, 330. n. 10 (1878); p. 176. n. 10 (1891).	W. Indies: St. Bartholomew.
14. **D. Subinermis, Caud.** (*Turpilia S.*) P. U. S. Nat. Mus. xxx. p. 239. n. 15 (1906).	Paraguay.

15. **D. Madagassus, Karsch** (*Turpilia Madagassa*) Berlin. Ent. Zeitschr. xxxii. p. 448 (1888); Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 176. n. 12 (1891).	Madagascar
16. **D. Ambiguus, Bol.** (*Turpilia Ambigua*) Ann. Soc. Ent. France, lxviii. p. 765 (1900).	S. India.
17. **D. Linearis, Rehn** (*Turpilia L.*), Proc. Acad. Nat. Sci. Philad. lvii. pp. 812, 813 ff. 8, 9 (1906).	Costa Rica.
18. **D. Grandis, Rehn** (*Turpilia G.*), Proc. U. S. Nat. Mus. xxx. pp. 597, 598, ff. 1, 2 (1906).	id.

Genus 679. **Apocerycta.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 29, 331 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 22, 177 (1891).

1. **A. Incommoda, Brunn.** ll. cc. p. 332. n. 1, pl. 2. f. 96 (1878); p. 177. n. 1 (1891).	Mexico.
2. **A. Bariana, Pict.** Mém. Soc. Genève, xxx. (6) p. 10, pl. 1. f. 3 (1888); Brunn. Verh. zool.-bot. Ges. Wien, xli. p. 177. n. 2 (1891).	Cayenne.

Genus 680. **Orophus.** (*Type* no. 17.)

Sauss. Rev. Zool. (2) xi. p. 204 (1859); Walk. Cat. Derm. Salt. B. M. ii. p. 381 (1869),

Microcentrum, pt., *Scudd.* Boston Journ. Nat. Hist. vii. p. 446 (1862); Stal, Recens. Orth. ii. p. 18 (1874); Brunn. Mon. Phan. pp. 29, 333 (1878); Verh. zool.-bot. Ges. Wien, xli. pp. 22, 179 (1891); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 278, 289 (1894); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 356 (1898).

*1. **O. Angustatus, Brunn.** (*Microcentrum Angustatum*) ll. cc. pp. 334, 335. n. 1 (1878); p. 179. n. 1 (1891); Sauss. & Pict. l. c. pp. 357, 358 (1898).	Brazil.
*2. **O. Lanceolatus, Burm.** (*Phylloptera Lanceolata*) Handb. Ent. ii. p. 692. n. 2 (1838). *Microcentrum Lanceolatum, Brunn.* ll. cc. pp. 334, 335. n. 2, pl. 7. f. 97 *a*, *b* (1878); p. 179. n. 2 (1891); Sauss. & Pict. l. c. pp. 357–359. n. 1, pl. 17. ff. 1, 2 (1898).	id., Surinam, Guatemala.

||*Locusta (Phylloptera) Laurifolia, Haan* (*nec Linn.*) Temminck, Verhandel., Orth. pp. 196, 197. n. 6 (1842).	
Phylloptera Salvifolia, Sauss. Rev. Zool. (2) xi. p. 204 (1859).	
3. **O. Syntechnoides, Rehn,** (*Microcentrum S.*) Trans. Amer. Ent. Soc. xxix. p. 22 (1902).	Mexico.
4. **O. Marginatus, Brunn.** (*Microcentrum Marginatum*) l. c. pp. 334, 336. n. 3 (1878); p. 179. n. 3 (1891); Sauss. & Pict. l. c. pp. 357, 358 (1898).	Pernambuco.
5. **O. Acorifolia, Haan,** (*Locusta* (*Phylloptera*) *A.*) l. c. pp. 196, 198. n. 8 (1842).	Brazil.
6. **O. Myrtifolium, Sauss. & Pict.** (*Microcentrum M.*) l. c. pp. 357, 359. n. 2 (1898).	id.
7. **O. Decoratus, Walk. (*Microcentrum Decoratum*) l. c. p. 373. n. 11 (1869).	Haiti.
8. **O. Lucidus, Brunn.** (*Microcentrum Lucidum*) ll. cc. pp. 334, 336. n. 4 (1878); p. 179. n. 4 (1891); Sauss. & Pict. l. c. p. 357 (1898).	Bahia.
9. **O. Rostratus, Rehn,** (*Microcentrum Rostratum*) Proc. Acad. Nat. Sci. Philad. lvii. p. 43, pl. 1. ff. 5, 6 (1905).	Florida.
10. **O. Securiferus, Brunn.** (*Microcentrum Securiferum*) ll. cc. pp. 334, 337. n. 5 (1878); p. 179. n. 5 (1891); Sauss. & Pict. l. c. pp. 357–359. n. 3 (1898).	Panama.
*11. **O. Incarnatus, Stoll,** (*Gryllus Locusta I.*) Spectres, Saut. p. 33, pl. 17 *b.* f. 62 (1813).	Surinam, Cuba.
Microcentrum Pallidum, Brunn. ll. cc. pp. 334, 337. n. 6 (1878): p. 179. n. 6 (1891); Sauss. & Pict. l. c. p. 357 (1898).	
Gryllus Locusta Laurifolia, Stoll, Spectres, Saut. p. 15, pl. 6 *a.* f. 21 (1813).	
||*Phylloptera Laurifolia,* pt., *Serv.* (*nec Linn.*) Ann. Sci. Nat. xxxii. p. 142. n. 2 (1831); Burm. l. c. p. 693. n. 7 (1838); Guér., Ramon de la Sagra, Hist. Cuba, Ins. p. 354 (1857).	
12. **O. Martinicus, Sauss. & Pict.** (*Microcentrum Martinicum*) l. c. pp. 357, 359. n. 4 (1898).	Martinique.
||*Phylloptera Laurifolia, Serv.* (*nec Linn.*) Ins. Orth. p. 404. n. 1 (1839).	

13. **O. Triangulatus, Brunn.** (*Microcentrum Triangulatum*) ll. cc. pp. 334, 338. n. 7 (1878); p. 179. n. 7 (1891); Sauss. & Pict. l. c. pp. 357, 358 (1898).	Guadeloupe, St. Thomas.
14. **O. Championi, Sauss. & Pict. (*Microcentrum C.*) pp. 357, 358, 360. n. 5, pl. 16. f. 30 (1898).	Panama.
*15. **O. Punctifrons, Brunn.** (*Microcentrum P.*) Verh. zool.-bot. Ges. Wien, xli. pp. 179, 180. n. 14 (1891); Sauss. & Pict. l. c. pp. 357, 358, 360. n. 6 (1898).	Cayenne, Panama.
*16. **O. Rhombifolia, Sauss.** (*Phylloptera R.*) Rev. Zool. (2) xi. p. 204 (1859). *Microcentrum Affiliatum, Scudd.* l. c. pp. 446, 447. n. 2, f. 5 (1862). ‖*Microcentrum Laurifolium, Brunn.* (*nec Linn.*) Mon. Phan. pp. 334, 339. n. 8 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 179. n. 8 (1891); Beut. l. c. pp. 278, 289. pl. 6. f. 3 (1894); Sauss. & Pict. l. c. pp. 358, 361. n. 7, pl. 17. ff. 3–5 (1898).	United States, Mexico, Central America.
*17. **O. Retinervis, Burm.** (*Phylloptera R.*) l. c. p. 692. n. 4 (1838). *Microcentrum Retinervis, Scudd.* l. c. p. 446. n. 1 (1862); Brunn. ll. cc. pp. 334, 339. n. 9 (1878); p. 179. n. 9 (1891); Comst. Manual Study Ins. pp. 113, 114, f. 129 (1895); Howard, Insect Book, p. 339, f. 226 (1902). *Microcentrum Retinerve, Sauss. & Pict.* l. c. pp. 358, 361. n. 8, pl. 17. ff. 6–8 (1898). *Phylloptera Salicifolia, Sauss.* l. c. p. 204 (1859). *Phylloptera Totonaca, Sauss.* l. c. (1859).	United States, Mexico, Central America.
18. **O. Concisus, Brunn.** (*Microcentrum Concisum*) ll. cc. pp. 335, 340. n. 10 (1878); p. 180. n. 10 (1891); Sauss. & Pict. l. c. pp. 358, 362. n. 9 (1898).	Colombia.
19. **O. Ligatus, Brunn.** (*Microcentrum Ligatum*) Verh. zool.-bot. Ges. Wien, xli. p. 180. n. 15 (1891); Sauss. & Pict. l. c. pp. 358, 362. n. 10 (1898).	id.
20. **O. Cribrosus, Sauss. & Pict. (*Microcentrum Cribrosum*) l. c. pp. 358, 362. n. 11 (1898).	Mexico.

*21. **O. Colosseus, Brunn.** (*Microcentrum Colosseum*) Mon. Phan. pp. 335, 341. n. 11 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 180. n. 11 (1891); Sauss. & Pict. l. c. pp. 358, 362. n. 12, pl. 17. ff. 9, 10 (1898).	Panama, Colombia.
22. **O. Erosus, Brunn.** (*Microcentrum Erosum*) Verh. zool.-bot. Ges. Wien, xli. pp. 180, 181. n. 16 (1891); Sauss. & Pict. l. c. p. 358 (1898).	Fonte Boa.
23. **O. Elephas, Brunn.** (*Microcentrum E.*) Mon. Phan. pp. 335, 341. n. 12 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 180. n. 12 (1891); Sauss. & Pict. l. c. p. 358 (1898).	Paraguay.
*24. **O. Otomius, Sauss.** (*Phylloptera Otomia*) l. c. p. 204 (1859). *Microcentrum Otomium, Brunn.* ll. cc. pp. 335, 342. n. 13 (1878); p. 180. n. 13 (1891); Sauss. & Pict. l. c. pp. 358, 363. n. 13, pl. 17. ff. 11, 12 (1898). *O. Otomarius, Walk.* l. c. ii. p. 382. n. 8 (1869).	Mexico.
25. **O. Aztecus, Sauss. & Pict. (*Microcentrum Aztecum*) ll. cc. n. 14, pl. 17. f. 13 (1898).	id.
*26. **O. Peruvianus, Scudd.** Proc. Boston Soc. Nat. Hist. xvii. p. 260 (1874). *Microcentrum Peruvianum, Brunn.* Mon. Phan. pp. 335, 342. n. 13 (1878).	Peru.

Genus 681. **Lobophyllus.**

Sauss. Rev. Zool. (2) xi. p. 205 (1859); Brunn. Mon. Phan. pp. 30, 343 (1878); Verh. zool.-bot. Ges. Wien. xli. p. 22 (1891).

1. **L. Legumen, Sauss.** (*Phylloptera L.*) l. c. p. 205 (1852). *L. Legumen, Brunn.* Mon. Phan. p. 343. n. 1, pl. 7. f. 98 *a*, *b* (1878); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 364. n. 1. pl. 18. ff. 12–15 (1898).	Brazil.

Genus 682. **Ischyra.** (*Type* no. 2.)

Brunn. Mon. Phan. pp. 30, 343 (1878);
Verh. zool.-bot. Ges. Wien, xli. p. 23 (1891).

1. **I. Vigens, Walk. (*Orophus V.*) Cat. Derm. Salt. B. M. ii. p. 383. n. 13 (1869).	Jamaica.
2. **I. Punctinervis, Brunn.** Mon. Phan. p. 344. n. 1, pl. 7. f. 99 *a*, *b* (1878).	Brazil.
3. **I. Zonata, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 82 (1898).	Ecuador.
4. **I. Planiceps, Walk. (*Orophus P.*) l. c. p. 385. n. 16 (1869).	Para.
5. **I. Plana, Walk. (*Microcentrum Planum*) l. c. p. 374. n. 13 (1869). *I. Flaviceps, Brunn.* l. c. p. 345. n. 2, pl. 7. f. 99 *c* (1878).	Santarem, Jamaica.
6. **I. Frutetorum, Sauss. & Pict.** Biol. Centr.-Amer., Orth. i. p. 365. n. 1 (1898).	Guatemala.
7. **I. Vepretorum, Sauss. & Pict.** l. c. n. 2 (1898).	Central America.

Genus 683. **Petaloptera.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xi. p. 205 (1859); Brunn. Mon. Phan. pp. 30, 345 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 23 (1891).

*1. **P. Zendala, Sauss.** (*Phylloptera Z.*) l. c. p. 205 (1859). *Petaloptera Zendala, Brunn.* Mon. Phan. p. 346. n. 1, pl. 7. f. 100 *a*, *b* (1878); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 365. n. 1, pl. 17. ff. 16–18 (1898).	Mexico, Guatemala, Costa Rica.
2. **P. Filia, Brunn.** l. c. p. 346. n. 2 (1878); Sauss. & Pict. l. c. p. 366. n. 2 (1898).	Mexico.
3. **P. Confusa, Rehn,** Trans. Amer. Ent. Soc. xxix. p. 23 (1902).	id.

Genus 684. **Syntechna.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 30, 347 (1878); Verh. zool.-bot. Ges. Wien, xli, p. 23 (1891); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 366 (1898).

1. **S. Olivaceoviridis, Brunn.** Mon. Phan. pp. 347, 348. n. 1, pl. 7. f. 101 *a–e* (1878); Bol. Viaje al Pacif., Ins. p. 57 (1884); Sauss. & Pict. l. c. p. 366. n. 2 (1878).	Colombia, Venezuela, Ecuador.
*2. **S. Tarasca, Sauss.** (*Phylloptera T.*) Rev. Zool. (2) xi. p. 203 (1859). *S. Tarasca, Brunn.* l. c. p. 348. n. 2 (1878); Sauss. & Pict. l. c. p. 366. n. 1, pl. 17. ff. 14, 14 *a*, 15 (1898).	Mexico, Costa Rica, Colombia.
3. **S. Divisa, Walk. (*Microcentrum Divisum*) Cat. Derm. Salt. B. M. ii. p. 373. n. 12 (1869).	Jamaica.
4. **S. Caudelli, Rehn,** Trans. Amer. Ent. Soc. xxvii. p. 224 (1901).	Mexico.

Genus 685. **Apoballa.**

Brunn. Mon. Phan. pp. 30, 348 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 23 (1891).

*1. **A. Errabunda, Brunn.** Mon. Phan. p. 349. n. 1, pl. 7. f. 101* *a*, *b* (1878); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 366. n. 1 (1898).	Mexico, Guatemala.

Genus 686. **Philophyllia.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 40 (1873); Recens. Orth. ii. p. 18 (1874); Brunn. Mon. Phan. pp. 31, 349 (1878); Verh. zool.-bot. Ges. Wien, xli. p. 23 (1891).

*1. **P. Guttulata, Stål,** ll. cc. p. 42. n. 1 (1873); p. 42. n. 1 (1874); Brunn. Mon. Phan. p. 350. n. 1, pl. 7. f. 102 *a*, *b* (1878); Sauss. & Pict. Biol. Centr.-Amer., Orth. i. p. 367. n. 1 (1898).	Mexico, Guatemala.
2. **P. Latior, Brunn.** l. c. pp. 350, 351. n. 2 (1878).	Brazil.
3. **P. Venosa, Brunn.** ll. cc. n. 3 (1878).	id.

Genus 687. **Phœbolampta.** (*Type* no. 1.)

Brunn. Mon. Phan. pp. 31, 352 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. p. 23 (1891).

1. **P. Excellens, Walk. (*Microcentrum E.*) Cat. Derm. Salt. B. M. ii. p. 371. n. 9 (1869). — Haiti.
P. Magnifica, Brunn. Mon. Phan. p. 352. n. 1, pl. 7. f. 103 (1878).
2. **P. Subæquale, Walk. (*Microcentrum S.*) l. c. p. 372. n. 10 (1869). — id.

Genus 688. **Acra.**

Brunn. Mon. Phan. pp. 31, 353 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. p. 23 (1891).

1. **A. Tectiformis, Brunn.** Mon. Phan. p. 353. n. 1, pl. 7. f. 104 *a*, *b* (1878). — Quito.

Genus 689. **Dysmorpha.**

Brunn. Mon. Phan. pp. 31, 355 (1878) ;
Verh. zool.-bot. Ges. Wien, xli. p. 24 (1891).

1. **D. Obesa, Brunn.** Mon. Phan. p. 355. n. 1, pl. 8. f. 106 *a*, *b* (1878). — Malacca.

INDEX.

The names of Families and Subfamilies are printed in Capitals, and those of Genera are either printed in Capitals or enclosed in parentheses. The names of species are printed in Roman, and those of varieties and synonyms in Italics. In case of an accidental duplication of entry of a species, the page indicating the reference to be erased is enclosed in square brackets.

Abacata (Hammatofera), 409.
Abbreviata (*Acheta*), 35.
Abbreviata (Agrœcia), 260.
Abbreviata (Chelidoptera), 210.
Abbreviata (Ectadia), 397.
Abbreviata (Gampsocleis), 185.
Abbreviata (Gryllacris), 141.
Abbreviata (*Hemideina*), 115.
Abbreviata (*Hormilia*), 443.
Abbreviata (Insara), 443.
Abbreviata (*Mecopoda*), 365.
Abbreviata (Pachysmopoda), 365.
Abbreviatus (Aphractus), 310.
Abbreviatus (*Conocephalus*), 244.
Abbreviatus (Corixogryllus), 107
Abbreviatus (*Decticus*), 210.
Abbreviatus (Diophanes), 346.
Abbreviatus (Gryllus), 35.
Abbreviatus (Hetrodes), 154.
Abbreviatus (Scapteriscus), 2.
Abdominalis (*Ectadoderus*), 58.
Abdominalis (Ornebius), 58.
Aberrans (Anisoptera), 279.
Aberrans (Diacanthodis), 315.
Aberrans (Madiga), 160.
Aberrans (*Prionocnemis*), 160.
Aberrans (*Xiphidium*), 279.
Abluta (Gryllacris), 147.
Abnormis (Phlugis), 285.
Abnormis (Thysdrus), 285.
Abnormis (Trichoplophora), 118.
Abnormis (Trigonocorypha), 448.
Abominata (Magrettia), 120.
Abortiva (Gymnoproctus), 157.
Abortiva (*Hetrodes*), 157.
Abortivus(Anurogryllus), 24.
Abortivus (Gryllodes), 24.
Abortivus (Nemobius),18.
ABRODLÆTA, 469.
Abruptum (Typophyllum), 352.
Abruptus (Conocephaloides), 251.
Abruptus (*Conocephalus*), 251.
Abruptus (Corycus), 367.
Abyssinica (Phæophilacris), 71.
Abyssinica (*Phæophyllacris*), 71.
ACANTHACARA, 235.
Acanthocephala (*Phaneroptera*), 410.
Acanthoceras (*Conocephalus*), 236.
Acanthoceras (*Locusta*), 236.
Acanthoceras (*Oxyprora*), 236.
Acanthodiformis (*Diaphlebus*), 358.
Acanthodiformis (Mossula), 358.
ACANTHODIPHRUS, 339.
ACANTHODIS, 313, 318.
ACANTHOGRYLLUS, 23.
ACANTHOPLISTUS, 60.
ACANTHOPLUS, 155.
ACANTHOPRION, 304.
ACANTHOPROCTUS, 159.
ACAULOPLAX, 305.
Acclivis (Tympanocompus), 324.
Accola (Gongrocnemis), 326.
Accrana (Arantia), 406.
Acervorum (Blatta), 54.

Acervorum (Myrmecophila), 54.
Acervorum (*Myrmecophilus*), 54.
Acervorum (*Sphærium*), 54.
Achatina (*Acheta*), 22.
Achatina (*Gryllus*), 22.
Achatina (*Brachytrypes*), 22.
ACHETA, 3, 24, 27.
ACHETIDÆ, 1.
ACILACRIS, 372.
Acinaces ([illegible]), 292.
Acinaces (Zabalius), 292.
Acorifolia (*Locusta*), 411.
Acorifolia (Orophus), 481.
Acorifolia (*Phylloptera*), 481.
ACRA, 486.
ACRIDA, 217.
ACRIDOPEZA, 407.
ACRIDOXENA, 362.
ACRIPEZA, 407.
Acrobatus (Nemobius), 15.
ACRODONTA, 258.
ACROMETOPA, 393.
Aculeata (Parametrypa), 108.
Aculeatus (*Parametrypus*), 108.
Acuminata (*Anaulacomera*), 469.
Acuminata (Cora), 476.
Acuminata (Furnia), 469.
Acuminata (*Gryllus*), 345.
Acuminata (Isophya), 385.
Acuminata (*Locusta*), 126, 236, 250.
Acuminata (Oxyprora), 236.
Acuminata (*Tettigonia*), 345.
Acuminatus (Aphractus), 310.
Acuminatus (Bliastes), 332.
Acuminatus (*Conocephalus*), 250.
Acuminatus (*Gryllus*), 236, 252.
Acuminatus (*Pseudorhynchus*), 238.
Acuminatus (Tettigonia), 236.
Acuminatus (*Tettigonia*), 252.
Acuminipennis (*Gryllus*), 21.
Acuta (Acanthacara), 235.
Acuta (Coryphodes), 240.
Acutangula (Tapeina), 424.
Acutelaminatus (*Aprion*), 304.
Acutelaminatus (Morsimus), 304.
Acutelobata (Sympæstria), 432.
Acutifolia (Cædicia), 413.
Acutifolia (Simodera), [illegible].
Acutifolius (Hemigyrus), 297.
Acutipennis (*Chlorotri*[illegible]), 298.
Acutipennis (Eriolus), 234.
Acutipennis (Euthypoda), 336.
Acutipennis (Gryporhynchus), 234.
Acutipennis (*Mecopoda*), 366.
Acutipennis (Phyllomimus), 299.
Acutula (Caulopsis), 240.
Acutulus (*Conocephalus*), 240.
Acutus (Acanthoplistus), 60.
Acutus (*Apithes*), 98.
Acutus (Hapithus), 98.
ADAPANTOPSIS, 325.
ADAPANTUS, 325.
ADECLUS, 314.
Adelphus (Æthiomerus), 256.
ADENES, 323.
Adeps (Plangiopsis), 428.
Adiera (Eurycorypha), 463.
Adjutor (Macrochiton), 338.
Adjutrix (Gryllacris), 145.
Adspersa (Ducetia), 399.
Aduncum (Liocentrum), 292.
Aduncus (Conocephaloides), 241.
Aduncus (*Conocephalus*), 241.
Aduncus (Teleutias), 341.
Adusta (*Locusta*), 436.
Adusta (Phaneroptera), 436.
Adustum (Anisoptera), 283.
Adustum (*Xiphidium*), 283.
Adustus (Cocconotus), 336.
Adustus (Gryllus), 32.
Adventa (Gryllacris), 146.
ÆCANTHUS, 72.
ÆGIMIA, 409.
ÆGIPAN, 443.
Ægyptiacus (Gryllus), 30.
ÆMASIA, 333.
ÆMODOGRYLLUS, 125.
Ænea (Epacra), 152.
Æqualis (*Acheta*), 141.
Æqualis (Cacopteris), 193.
Æqualis (Gryllacris), 141.
Æquatorialis (Amblycorypha), 463.
Æquatorialis (Isophya), 383.
Æquipennis (Gryllus), 32.
ÆTHIOMERUS, 256.
Æthiopica (*Locusta*), 279.
Æthiopicum (*Xiphidium*), 279.
Æthiops (Cocconotus), 335.
Æthiops (Gryllacris), 144.
Æthiops (Nemobius), 15.
Afer (Gryllus), 31.
Afer (Hirpinus), 66.
Affine (Anisoptera), 278.
Affine (*Xiphidium*), 278.
Affiliatum (Microcentrum), 482.
Affinis (Banza), 254.
Affinis (*Brachymetopa*), 254.
Affinis (Cædicia), 415.
Affinis (Camptonotus), 151.
Affinis (Chelidoptera), 206.
Affinis (Conocephaloides), 251.
Affinis (*Conocephalus*), 251.
Affinis (Drymadusa), 180.
Affinis (*Locusta*), 244.
Affinis (*Odontura*), 375.
Affinis (*Orocharis*), 97.
Affinis (Parœcanthus), 97.
Affinis (*Platycleis*), 206.
Affinis (Pœcilemon), 375.
Afra (*Cædicia*), 415.
Afra (Catoptropteryx), 415.
Africana (Curtilla), 5.
Africana (Gryllacris), 147.
Africana (*Gryllotalpa*), 5.
Africana (Poreuomena), 428.

Africana (Salmania), 62.
Africana (Scudderia), 447.
Africanum (Anisoptera), 279.
Africanum (*Xiphidium*), 279.
Africanus (*Heteropus*), 7.
Africanus (Heterotrypus), 91.
Africanus (Platydactylus), 62.
Africanus (*Pseudorhynchus*), 237.
Africanus (Scapsipedus), 45.
Afzelii (Mustius), 291.
Afzelii (*Pseudophyllus*), 291.
AGANACRIS, 443.
Agarena (*Ephippigera*), 162.
Agarenus (Uromenus), 162.
Agassizii (Ceuthophilus), 133.
Agassizii (*Raphidophora*), 133.
Agassizii (Scapteriscus), 2.
AGAURA, 462.
AGENNIS, 470.
Agile (Orchelimum), 273.
Agile (*Xiphidium*), 272, 273.
Agilis (*Locusta*), 273.
Agitator (Apithes), 97, 98.
Agitator (Hapithus), 97.
Agitatrix (Apithis), 97.
AGNAPHA, 437.
AGNOTECOUS, 64.
AGRÆCIA, 259.
Agricola (*Acheta*), 28.
AGRŒCIA, 259.
AGRŒCIINÆ, 255.
AISTUS, 117.
ALAMIA, 77.
Alata (Chœroparnops), 326.
Alata (*Echinacris*), 326.
Alata (Gryllus), 31.
Alatum (*Anostostoma*), 121.
Alatus (Anabropsis), 116.
Alatus (*Batleria*), 121.
Alatus (Ectadoderus), 59.
Alatus (Prognathogryllus), 109.
Alatus (*Schœnobates*), 116.
Alatus (Spizaphilus), 121.
Alberti (*Decticus*), 185.
Albescens (Anisoptera), 278.
Albescens (*Xiphidium*), 278.
Albicans (Coryphoda), 402.
Albicorne (Meconema), 371.
Albicornis (Lanciana), 190.
Albicornis (*Phalangopsis*), 67.
Albicornis (*Phaneroptera*), 441.
Albida (Grammadera), 469.
Albida (Holochlora), 430.
Albidiceps (Cædicia), 414.
Albidiceps (*Phaneroptera*), 414.
Albidicollis (Coryphoda), 402.
Albidicollis (*Phaneroptera*), 402.
Albidifer (Apereisis), 314.
Albidonervis (Conocephaloides), 251.
Albidonervis (*Conocephalus*), 251.
Albifasciatus (*Matæus*), 292.
Albifasciatus (Zabalius), 292.
Albifrons (Adenes), 323.
Albifrons (Decticus), 214.
Albifrons (Gryllus), 33.
Albifrons (*Locusta*), 214.
Albifrons (Tettigonia), 214.
Albinotata (Celidophylla), 349.
Albipalpus (Cophogryllus), 44.
Albipalpus (Nemobius), 19.
Albisellata (Astralia), 298.
Albisellatus (*Aprion*), 298.
Alboatra (Cyrtoxipha), 81.
Alboatra (*Eneoptera*), 81.
Albofasciata (Angara), 388.
Albofasciata (Plagiostira), 195.
Albolineata (Turpilia), 479.
Albolineatus (Diplophyllus), 479.
Albomarginata (*Acanthodis*), 332.
Albomarginatus (Bliastes), 332.
Albonodulosa (Anaulacomera), 467.
Albonotata (Plagiostira), 195.
Albopunctata (Chelidoptera), 203.
Albopunctatus (*Tettigonia*), 203.
Albosignata (*Tæniomena*), 433.
Albosignata (Tinzeda), 433.
Albovittata (*Leptophyes*), 390.
Albovittata (*Odontura*), 390.
Albovittatus (*Barbitistes*), 390.
Albovittatus (Leptophyes), 390.
ALECTORIA, 413.
Algerica (*Ephippiger*), 164.
Algerica (*Ephippigera*), 164.
Algerica (*Locusta*), 219.
Algerica (Odontura), 387.
Algerica (Phasgonura), 219.
Algericus (Steropleurus), 164.
Algirica (Sciobia), 50.
Algiricus (*Gryllus*), 31.
Algiricus (Platyblemmus), 50.
Algirius (Gryllus), 31.
Aliena (Allodapa), 438.
Aliena (Gryllacris), 141.
Aliena (*Gryllacris*), 142.
Aliena (Gryllomorpha), 51.
Aliena (*Ischnoptera*), 444.
Aliena (Petaloptila), 51.
Aliena (*Phaneroptera*), 396.
Aliena (Phanischnoptera), 444.
Alienus (Conocephaloides), 247.
Alienus (*Conocephalus*), 238, 247.
Alienus (*Gryllomorphus*), 51.
Alienus (Lipotactes), 284.
Alineata (Arota), 476.
Alipes (*Aphidna*), 411.
Alipes (*Aphidnia*), 411.
Alipes (Dysonia), 411.
Alipes (*Dysonia*), 411.
Alipes (*Phaneroptera*), 411.

Aliquantula (Anepitacta), 373.
Alliedea (Phylloptera), 474.
Alligatus (*Conocephalus*), 243.
ALLODAPA, 438.
ALLOMENUS, 256.
Alluaudi (Calliphona), 219.
Alluaudi (Odontolabis), 268.
ALLUAUDIA, 47.
ALLUAUDIELLA, 47.
ALOGOPTERA, 421.
Alogus (Gryllus), 36.
ALPHOPTERYX, 262.
Alpina (*Analota*), 183.
Alpina (*Pterolepis*), 183.
Alpinus (Anonconotus), 183, 184.
Alpinus (Ceuthophilus), 133.
Alpinus (*Platycleis*), 209.
Altera (*Ctenophlebia*), 470.
Altera (Viadana), 470.
Alternans (Gryllacris), 140.
Alternans (*Gryllacris*), 141.
Alternata (Hemideina), 114.
Alternatum (Anisoptera), 275.
Alternatum (Paratrigonidium), 79.
Alternatum (Xiphidium), 275.
Altus (*Macropathus*), 137.
Altus (Pachyrhamma), 137.
Alutaceus (Meroncidius), 322.
Amabile (Anisoptera), 283.
Amabile (*Xiphidium*), 283.
AMAURA, 449.
Amazonæ (*Apotetamenus*), 119.
Amazonæ (Licodia), 119.
Amazonica (*Subria*), 256.
Amazonicus (Triencentrus), 323.
Ambigua (*Turpilia*), 480.
Ambiguus (*Conocephalus*), 252.
Ambiguus (Diplophyllus), 480.
Ambiguus (Gryllus), 32.
Ambitiosus (Nemobius), 18.
AMBLYAKIS, 269.
AMBLYCORYPHA, 459.
AMBLYLAKIS, 269.
AMBLYOPUS, 97.
AMBLYRHETHUS, 97.
Amboinica (Liotrachela), 432.
Ambulans (Apotrechus), 152.
Ambulans (*Gryllacris*), 152.
Ambulator (Gryllodes), 44.
Ambulator (*Gryllus*), 44.
Americana (Myrmecophila), 55.
Americana (Polichnodes), 421.
Americanum (Cycloptilum), 59.
Americanus (Cycloptilus), 59.
Americanus (Gryllus), 36.
Americanus (*Myrmecophilus*), 55.
Americanus (*Orchesticus*), 183.
Americanus (Podoscirtus), 104.
Americanus (Stipator), 183.
AMETROSOMUS, 153.
AMETRUS, 152.
Amissus (Pœcilemon), 378.
Amœnus (Brachyauchenus), 325.
Amœnus (*Phylloscirtus*), 86.
Amœnus (Phylloscyrtus), 86.
Amorii (Cocconotus), 335.
AMPHIACUSTA, 67.
AMPHIACUSTES, 67.
AMPHIESTRIS, 220.
Amplectens (Corymeta), 403.
Amplectens (*Phaneroptera*), 403.
Ampliatus (Pœcilemon), 378.
Amplifolia (Chlorophylla), 353.
Amplifolia (*Phyllophora*), 368.
Amplifolia (Sasima), 368.
Amplipennis (Chelidoptera), 212.
Amplipennis (Gryllacris), 142.
Amplipennis (Isophya), 385.
Amplipennis (*Matæus*), 292.
Amplipennis (*Mustius*), 292.
Amplipennis (Phaloria), 69.
Amplipennis (Platycleis), 212.
Amplipennis (Phyllomimus), 299.
Amplus (Conocephaloides), 251.
Amplus (*Conocephalus*), 251.
Amplus (Hemigyrus), 297.
Ampulla (*Matæus*), 292.
Ampulla (Zabalius), 292.
Ampullacea (*Aprion*), 304.
Ampullacea (*Locusta*), 304.
Ampullacea (Morsimus), 304.
AMURIA, 183.
AMUSURGUS, 83.
AMUSUS, 65.
Amusus (Orocharis), 99.
Amusus (Podoscirtus), 104.
Amydra (Tropidophrys), 439.
AMYTTA, 373.
ANABROPSIS, 116.
ANABRUS, 191.
ANALLOMES, 434.
ANALOTA, 183.
Anatolica (Paradrymadusa), 180.
ANAUDUS, 103.
ANAULACOMERA, 465.
ANAXIPHA, 86.
ANAXIPHUS, 86.
ANCHIPTOLIS, 327.
ANCHISPORA, 447.
Ancilla (Phylloptera), 473.
ANCISTROGERA, 148.
ANCYLECHA, 422.
Andalusica (*Ephippigera*), 165.

Andalusicus (*Platycleis*), 205.
Andalusius (Steropleurus), 165.
ANELYTRA, 257.
ANEPISCEPTUS, 157.
ANEPITACTA, 373.
ANEPSIA, 461.
ANGARA, 388.
Angolensis (Phæophilacris), 71.
Angolensis (*Phæophyllacris*), 71.
Angulato-ocellata (*Tanusia*), 348.
Angulosa (Arytropteris), 182.
Angusta (Anaulacomera), 467.
Angusta (Eremus), 151.
Angusta (*Gryllacris*), 151.
Angusta (Hyperphrona), 375.
Angustata (Hyperhomala), 368.
Angustata (*Locusta*), 308.
Angustata (Tegra), 308.
Angustata (*Tettigonia*), 308.
Angustatum (*Microcentrum*), 480.
Angustatus (Cocconotus), 336.
Angustatus (Orophus), 480.
Angusticauda (Leptophyes), 389.
Angusticollis (Cyrtoxipha), 82.
Angusticollis (*Cyrtoxiphus*), 82.
Angusticollis (Nemobius), 18.
Angustifolia (Anaulacomera), 465.
Angustifolia (*Phaneroptera*), 445.
Angustifolia (*Phylloptera*), 465.
Angustifolia (*Scudderia*), 446.
Angustifrons (Anisoptera), 282.
Angustiloba (Polichne), 420.
Angustipennis (Anaulacomera), 466.
Angustipennis (Debrona), 420.
Angustipennis (Hyperophora), 403.
Angustipennis (Œcanthus), 74.
Angustipennis (Otiaphysa), 420.
Angustipennis (*Oxyscelus*), 303.
Angustipennis (Tympanoptera), 303.
Angustixiphum (Leurophyllum), 320.
Angustixiphum (*Lissophyllum*), 321.
Angustixiphum (*Platyphyllum*), 320.
Angustixiphum (Platyphyllum), 321.
Angustulus (*Gryllus*), 24.
Angustulus (Gryllus), 34.
Angustus (*Brachytrypus*), 23.
Angustus (Gryllus), 35.
Angustus (Gymnogryllus), 23.
Angustus (Mormotus), 324.
ANIARA, 402.
ANISOPTERA, 274.
ANISOTOCHRA, 397.
ANISOTRYPUS, 102.
Annæ (*Ephippigera*), 164.
Annæ (Steropleurus), 164.
Annulata (*Elimæa*), 395.
Annulata (*Euxoptera*), 96.
Annulata (*Gryllacris*), 141.
Annulata (Laranda), 64.
Annulata (*Phalangopsis*), 71.
Annulata (Phaneroptera), 436.
Annulata (Phylloptera), 472.
Annulata (*Rhacocleis*), 187.
Annulatus (Arachnomimus), 71.
Annulatus (Parœcanthus), 96.
Annulatus (Rhacocleis), 187.
Annulicornis (*Apithis*), 98.
Annulicornis (Clisis), 333.
Annulicornis (*Conocephalus*), 237.
Annulicornis (Hapithus), 98.
Annulicornis (Hexacentrus), 287.
Annulicornis (Locusta), 237.
Annulicornis (Stenampyx), 303.
Annulifemur (Pœcilogramma), 405.
Annulipes (Amphiacusta), 68.
Annulipes (*Amphiacustes*), 68.
Annulipes (Arachnomimus), 71.
Annulipes (*Arachnopsis*), 71.
Annulipes (Nemobius), 16.
Annulipes (Ochrida), 356.
Annulipes (*Olynthoscelis*), 198.
Annulipes (*Phalangopsis*), 68.
Annulipes (Pholidoptera), 198.
Annulipes (*Thamnotrizon*), 198.
Anodon (Conocephaloides), 247.
Anodon (*Conocephalus*), 247.
ANŒDOPODA, 362.
ANONCONOTUS, 183.
ANONISTUS, 315.
ANOSTOSTOMA, 116.
ANTAXIUS, 188.
Antennalis (Pseudorhynchus), 238.
Antennalis (*Pyrgocorypha*), 238.
Antennata (*Ephippigera*), 164.
Antennata (Salomona), 265.
Antennatus (Acanthodis), 313.
Antennatus (*Ephippiger*), 164.
Antennatus (Orpacophora), 313.
Antennatus (Steropleurus), 164.
ANTERASTES, 195.
ANTHRACITES, 263.
Antillarum (Anaulacomera), 468.
Antillarum (Anurogryllus), 24.
Antillarum (Ectadoderus), 59.
Antillarum (*Gryllodes*), 24.

Antillarum (Orocharis), 99.
Antilope (*Deracantha*), 178.
Antilope (Deracanthella), 178.
Antinorii (Leptophyes), 391.
Antipodum (*Xiphidium*), 278.
ANUROGRYLLUS, 23.
Apenninigera (*Analota*), 184.
Apenninigera (*Anonconotus*), 184.
Apenninigera (*Omalota*), 184.
Apenninigerus (Anonconotus), 184.
APEREISIS, 314.
Aperta (*Calyptotrypus*), 95.
Aperta (Madasumma), 95.
Apertus (*Platydactylus*), 100.
APHASIUS, 107.
APHIDNA, 411.
APHIDNIA, 411.
APHONOGRYLLUS, 105, 109.
APHONOMORPHUS, 105.
APHONUS, 105.
APHRACTIA, 159.
APHRACTUS, 310.
APHROPTERA, 407.
Apiatus (Aphonomorphus), 105.
Apiatus (*Aphonus*), 105.
Apicalis (*Cædicia*), 416.
Apicalis (Catoptropteryx), 416.
Apicalis (Diestrammena), 124.
Apicalis (*Matæus*), 291.
Apicalis (Mustius), 291.
Apicalis (Tridactylus), 10.
Apicalis (*Xya*), 7, 10.
Apicalis (Zabolius), 291.
APIOTARSUS, 20.
APITHES, 97.
APITHIS, 97.
Apithoides (Diatrypa), 93.
Apithoides (*Diatrypus*), 93.
APOBALLA, 485.
APOCERYCTA, 480.
APOTE, 182.
APOTETAMENUS, 119.
APOTRECHUS, 152.
Appendiculata (Anchispora), 447.
Appendiculata (Elbenia), 425.
Appendiculata (*Elimæa*), 396.
Appendiculata (Gryllacris), 144.
Appendiculata (*Turpilia*), 479.
Appendiculatus (Diplophyllus), 479.
Appendiculatus (*Thamnotrizon*), 197.
APRION, 302, 304.
APROPHANTIA, 156.
Aptera (*Acheta*), 52.
Aptera (Endacusta), 69.
Aptera (*Endacustes*), 69.
Aptera (*Gryllus*), 53.
Aptera (*Locusta*), 201, 202.
Aptera (*Micropteryx*), 203.
Aptera (*Olynthoscelis*), 201.
Aptera (Pholidoptera), 201.
Aptera (*Pterolepis*) 203.
APTEROGRYLLUS, 20.
APTERONOMUS, 152.
APTEROSCIRTUS, 361.
Apterum (Odontoxiphidium), 283.
Apterus (Anabropsis), 117.
Apterus (Dædalus), 230.
Apterus (*Decticus*), 203.
Apterus (*Gryllus*), 53, 154.
Apterus (*Hetrodes*), 154.
Apterus (Phyllomimus), 300.
Apterus (Thamnotrizon), 201.
Apterus (Schœnobates), 117.
Apteryx(Aphonogryllus), 109.
Aquea (*Acheta*), 73.
Aqueus (*Gryllus*), 73.
Aqueus (*Œcanthus*), 73.
Aquilina (Acanthodis), 318.
Aquilina (*Brisilis*), 318.
Aquilina (*Gryllus*), 318.
Aquilina (*Locusta*), 318.
Aquilina (*Tettigonia*), 318.
Aquilinus (*Gryllus*), 318.
Aquilinus (*Meroncidius*), 318.
Aquilinus (*Tettigonia*), 318.
ARACHNACRIS, 177.
ARACHNOCEPHALUS, 60.
Arachnoides (*Acheta*), 68.
Arachnoides (Listroscelis), 288.
ARACHNOMIMUS, 70.
Arachnopis (Endecous), 70.
Aranea (Amphiacusta), 68.
Aranea (*Amphiacustes*), 68.
Aranea (*Deracantha*), 178.
Aranea (Deracanthella), 178.
Aranea (*Deracanthella*), 178.
Aranea (Dolichopoda), 127.
Aranea (*Ephippiger*), 178.
Aranea (Phæophilacris), 71.
Aranea (*Phæophyllacris*), 71.
Araneiformis (*Phalangopsis*), 126.
ARANTIA, 405.
Aratifrons (Cocconotus), 335.
Araucanus (Nemobius), 19.
Arboreus (*Gryllus*), 371.
Arbustorum (Plagiopleura), 452.
Arctata (Gryllacris), 140.
Arcuata (Marsa), 129.
Arcufolia (Aprion), 302.
Arcufolia (*Locusta*), 302.
Arcuatus (Morsimus), 305.
Arenaceus (Gryllus), 36.
Arenosa (*Acanthodis*), 340.
Arenosus (Semileptotettix), 340.
Areolaria (*Ephippigera*), 166.
Areolaria (Ephippigerida), 166.
Areolarius (*Ephippiger*), 166.
Areolata (Sasima), 368.
Areolatus (Acanthodiphrus), 339.
Areolatus (Cocconotus), 339.
Arescus (Semiophygas), 301.
ARETILÆA, 443.

Argentata (Polichne), 419.
Argentatus (*Mogisoplistus*), 56.
Argentatus (Mogoplistus), 56.
Argentea (*Polichne*), 419.
Argentina (Pleminia), 316.
Argentinus (Conocephaloides), 246.
Argentinus (*Conocephalus*), 246.
Argentinus (Gryllus), 37.
Argentinus (Œcanthus), 74.
Argillata (Cymatomera), 306.
Argillatus (Hoplidostylus), 324.
ARGIZALA, 14.
Argyropterus (Miogryllus), 39.
ARGYRTES, 130.
ARIAGONA, 196.
Aridifolia (*Gryllus*), 348.
Aridifolia (Mimetica), 350.
Aridifolia (Tanusia), 348.
Aridifolia (*Tanusia*), 348.
Aridifolia (*Tettigonia*), 348.
Aridus (Ceuthophilus), 134.
Aridus (*Pseudophyllus*), 291, 292.
Aridus (Zabalius), 292.
Aries (Conocephaloides), 345.
Aries (*Conocephalus*), 345.
Arietulus (Loxoblemmus), 46.
Arizonensis (Ceuthophilus), 131.
Arizonensis (Drymadusa), 180.
Armadillo (*Locusta*), 176.
Armata (*Chlorophylla*), 353.
Armata (Gryllacris), 145.
Armata (Listroscelis), 288.
Armata (*Machamala*), 132.
Armata (Odontolakis), 268.
Armata (Panoploscelis), 333.
Armata (Pemba), 342.
Armatipes (Anisoptera), 278.
Armatipes (*Xiphidium*), 278.
Armatum (Isoplectron), 138.
Armatus (*Bliastes*), 336.
Armatus (*Cocconotus*), 336.
Armatus (*Conocephalus*), 318.
Armatus (Cratomelus), 123.
Armatus (Cratonotus), 336.
Armatus (Gryllus), 36.
Armiger (*Deinacrida*), 114.
Armiger (*Hemideina*), 114.
Armillata (Antaxius), 189.
Armillata (*Pterolepis*), 189.
ARNOBIA, 423.
AROTA, 476.
Arota (Phylloptera), 374.
Arrogans (Kneilia), 361.
Arrosa (Tanusia), 349.
Aruana (*Phyllophora*), 368.
Aruana (Sasima), 368.
Arvensis (*Acheta*), 30.
Arvensis (*Gryllus*), 30.
ARYTROPTERIS, 182.
Ascendens (*Conocephalus*), 236.
Ascendens (Oxyprora), 236.
Asiatica (Acauloplax), 305.
Aspericauda (*Barbitistes*), 386.
Aspericauda (*Odontura*), 386.
Aspericauda (Odonturella), 386.
Aspersus (*Gryllus*), 29.
ASPIDONOTUS, 355.
Assimilis (*Barbitistes*), 381.
Assimilis (*Decticus*), 214.
Assimilis (Gryllus), 37.
Assimilis (Microprion), 297.
Assimilis (*Platycleis*), 207.
Assimilis (*Pseudophyllus*), 297.
Assimilis (Tettigonia), 214.
Assoi (Gampsocleis), 185.
ASTRALIA, 298.
Asturiensis (*Ephippigera*), 165.
Asturiensis (Steropleurus), 165.
Asymmetrica (Pardalota), 404.
Asynamorus (Tachycines), 125.
Asyrinx (Podoscirtus), 104.
ATELOPLUS, 195.
Ater (Ceuthophilus), 134.
Ater (*Gryllus*), 26, 39.
Ater (Lissotrachelus), 61.
Ater (Miogryllus), 39.
Ater (*Scleropterus*), 77.
Ater (Stenopelmatus), 112.
Aterrimus (Nemobius), 18.
Athleta (Gryllacris), 145.
ATLANTICUS, 181.
Atlanticus (Conocephaloides), 247.
Atlanticus (*Conocephalus*), 247.
Atomarius (Macroxiphus), 264.
Atomifera (Letana), 400.
Atomifera (*Pyrrhicia*), 400.
Atra (Dyscapna), 118.
Atra (Rhipipteryx), 11.
Atra (*Rhipipteryx*), 11.
Atrata (Gryllacris), 140.
Atrata (*Gryllacris*), 141.
Atrata (Listroscelis), 288.
Atratulus (Gryllus), 34.
Atratus (*Gryllus*), 25.
Atriceps (Gryllacris), 146.
Atriceps (*Gryllacris*), 141.
Atriceps (Orthoxiphus), 83.
Atricula (*Gryllacris*), 147.
Atrifrons (Anchiptolis), 328.
Atrifrons (Bliastes), 331.
Atrifrons (Cocconotus), 335.
Atrifrons (Dasyscelus), 315.
Atrifrons (Eonius), 158.
Atrispinum (Idiarthron), 328.
Atrispinus (*Idiarthron*), 328.
Atrispinus (*Meroncidius*), 328.
Atroferrugineum (Peratrigonidium), 79.
Atrofrons (*Eonius*), 150.
Atrofrons (Gryllacris), 140.

Atrogeniculata (Gryllacris), 140.
Atrolineata (*Arantia*), 405.
Atrolineatum (Cosmophyllum), 404.
Atrosignata (Ceraia), 451.
Atrosignata (Gongrocnemis), 327.
Atrosignata (Hyperphrona), 375.
Atrosignatus (Brachyauchenus), 325.
Atrosignatus (Diophanes), 346.
Atrosignatus (Microprion), 297.
Atrosignatus (*Temnophyllus*), 297.
Atrospinosa (Biroa), 356.
Atrotectus (Eremus), 150.
Atroterminatum (Tympanoptera), 302.
Atroterminatus (Aprion), 302.
Atrum (Trigonidium), 77.
Attenuata (*Acanthodis*), 313.
Attenuata (Orpacophora), 313.
Attenuata (Phaneroptera), 436.
Auditor(Heterecous),107.
Aurantiaca (Gryllacris), 145.
Aurantifolia(Cycloptera), 353.
Aurantifolia (*Cycloptera*), 353.
Aurantifolia (*Gryllacris*), 353.
Aurantifolia (*Pterochroza*), 353.
Aurantifolia (*Tettigonia*), 353.
Austera (Sthenaropoda), 365.
Australasiæ (Anostostoma), 116.
Australis (Anurogryllus), 24.
Australis (Chlorobalius), 190.
Australis (*Conocephalus*), 250.
Australis (Curtilla), 6.
Australis (Endacusta),69.
Australis (*Endacustes*), 69.
Australis (*Ephippiger*), 190.
Australis (*Gryllotalpa*), 6.
Australis (Hexacentrus), 287.
Australis (*Laurepa*), 104.
Australis (Madasumma), 95.
Australis (Microgryllacris), 139.
Australis (Myrmecophila), 55.
Australis (Nemobius), 16.
Australis (*Platydactylus*), 95.
Australis (Podoscirtus), 104.
Australis (Prochilus), 355.
Austriacus (*Thamnotrizon*), 201.
Autumnalis (*Locusta*), 390.
Autumnalis (*Barbitistes*), 161, 390.
Autumnalis (*Locusta*), 390.
Averni (Anaxipha), 86.
Averni (*Anaxiphus*), 86.
Averni (*Nemobius*), 86.
AXYLUS, 286.
Azami (Chelidoptera), 210.
Azami (*Platycleis*), 210.
Azteca (*Acanthodis*), 327.
Azteca (Amphiacusta), 67.
Azteca (*Amphiacustes*),67.
Azteca (*Apithis*), 98.
Azteca (*Copiophora*), 231.
Azteca (Copiphora), 231.
Azteca (*Ctenophlebia*), 472.
Azteca (Cyrtoxipha), 82.
Azteca (Endacusta), 69.
Azteca (*Gongrocnemis*), 327.
Azteca (*Gryllotalpa*), 3.
Azteca (Phalangopsis), 67.
Azteca (*Phylloptera*), 456.
Azteca (*Stilpnochlora*), 456.
Azteca (Viadana), 472.
Aztecum(Glaphyrosoma), 120.
Aztecum (Microcentrum), 456.
Aztecum (*Microcentrum*), 483.
Aztecus ([illegible]), 305.
Aztecus (*Amphiacustes*), 67.
Aztecus (*Apithes*), 98.
Aztecus (*Aprion*), 305.
Aztecus (Centhophilus), 130.
Aztecus (Conocephaloides), 243.
Aztecus (*Conocephalus*), 243.
Aztecus (*Cyrtoxiphus*), 82.
Aztecus (Ectadoderus), 58.
Aztecus (Endacustes), 69.
Aztecus (*Gryllus*), 37.
Aztecus (Hapithus), 98.
Aztecus (Morsimus), 305.
Aztecus (Ornebius), 58.
Aztecus (Orophus), 483.
Aztecus (*Paroecanthus*), 96.
Azurea (*Gryllus*), 227.
Azurea (*Saga*), 227.
Azurea (*Tettigonia*), 227.

Bachmani (Hemihetrodes), 155.
Bachmani (*Hetrodes*), 155.
Baeri (Rhapidophora), 124.
BÆTICA, 172.
Bætica (Amphiestris), 220.
Bætica (*Amphiestris*), 220.
Bæticus (*Barbitistes*), 220.
Bahiensis (Tafalisca), 108.
Bahiensis (*Metrypus*), 108.
Balearica (*Ephippiger*), 164.
Balearica (*Ephippigera*), 164.
Balearica (Steropleurus), 164.
Balli (Eremopedes), 192.
BANZA, 254.
Baramica (Gryllacris), 140.
Barbara (Sciobia), 50.
Barbarus (*Platyblemmus*), 49, 50.
BARBITISTES, 380.
Bardus (Adapantus), 325.
Barellus (Posidippus), 458.
Bariana (Apocerycta), 480.
Barombica (Gryllacris), 147.
Barrettii (Gryllus), 37.
BARYPROSTHA, 416.

Basalis (Arytropteris), 182.
Basalis (Eremus), 150.
Basalis (Gryllacris), 141.
Basalis (*Gryllacris*, 150.
Basalis (Nemobius), 19.
Basalis (*Thyreonotus*), 182.
Basalis (*Tinzeda*), 433.
BASILEUS, 233.
Basinotata (Stizoscepa), 303.
Batesii (Phylloscyrtus), 86.
BATHYSCAPHA, 177.
Batnensis (*Platyblemmus*), 48.
Batnensis (Sciobia), 48.
BATODROMUS, 312.
Beleki (Conchotopoda), 394.
Bellicosus (Cocconotus), 334.
Bellicosus (Phrixocnemis), 134.
Bellua (Baryprostha), 416.
BELOCEPHALUS, 235.
Beresowskii (Gymnaeta), 125.
Berezovskii (*Gymneta*), 125.
Beringuieri (*Barbitistes*), 382.
Bermudensis (Gryllus), 36.
Berthellus (Gryllodes), 42.
Bertrandi (Gryllacris), 145.
Bicolor (*Calyptotrypus*), 95.
Bicolor (Ceuthophilus), 133.
Bicolor (Chelidoptera), 204.
Bicolor (*Decticus*), 204.
Bicolor (Euthypoda), 366.
Bicolor (Gelatopœa), 439.
Bicolor (*Gelatopoia*), 439.
Bicolor (Gryllus), 37.
Bicolor (*Gryllus*), 95.
Bicolor (*Homœoxiphus*), 79.
Bicolor (*Locusta*), 204, 222.
Bicolor (*Macroscyrtus*), 366.
Bicolor (*Micropteryx*), 204.
Bicolor (Mnesibulus), 95.
Bicolor (Mogoplistes), 56.
Bicolor (Nemobius), 16.
Bicolor (Odontolakis), 268.
Bicolor (*Phalangopsis*), 95.
Bicolor (*Platycleis*), 204.
Bicolor (*Platydactylus*), 90.
Bicolor (*Scaphura*), 454, 455.
Bicolor (*Stenopelmatus*), 113.
Bicolor (Trigonidium), 79.
Bicoloripes (*Lucera*), 364.
Bicordata (*Locusta*), 477.
Bicordata (Phylloptera), 477.
Bicordata (*Plangioptera*), 478.
Bicordata (Pycnopalpa), 477.
Bicuspidata (*Acanthodis*), 313.
Bicuspidata (Orpacophora), 313.
Bidens (Thyreonotus), 188.
Bidentata (Elimæa), 396.
Bidentata (Hyperphrona), 475.
Bidentata (Phrixa), 477.
Bifasciata (*Lobaspis*), 261.
Bifasciata (Myrmecophila), 54.
Bifasciata (Nicsara), 261.
Biguttata (Gryllacris), 143.
Bilineata (Hexacentrus), 287.
Bilineata (*Locusta*), 287.
Bilineata (Steiroxys), 193.
Bilineatum (Anisoptera), 283.
Bilineatum (*Xiphidium*), 283.
Bilineatus (*Conocephalus*), 246.
Bilineatus (Idiotatus), 193.
Bilineatus (*Scapsipedus*), 45.
Bilineolata (Molpa), 423.
Bilineolata (*Phaneroptera*), 441.
Bilineolata (Tylopsis), 441.
Billinghursti (Gryllacris), 146.
Biloba (Anaulacomera), 467.
Biloba (Holochlora), 430.
Biloba (*Holochlora*), 430.
Bilobata Steirodonopsis), 458.
Bilobatus (*Ceuthophilus*), 129.
Bilobatus (Gammarotettix), 129.
Bimacula (Allomenus), 256.
Bimaculata (Acheta), 26.
Bimaculata (Centrofera), 412.
Bimaculata (*Lobaspis*), 261
Bimaculata (Nicsara), 261.
Bimaculatus (*Gryllus*), 26.
Bimaculatus (*Liogryllus*), 26.
Bimaculatus (Podoscirtus), 104.
Binglei (*Acrida*), 214.
Binotata (*Acheta*), 76.
Binotata (Hyperphrona), 475.
Binotata (Madasumma), 93.
Binotata (Phylloptera), 473.
Binotata (Viadana), 473.
Binotatus (*Calyptotripus*), 93.
Binotatus (Teleutias), 341.
Biolleyi (Rhipipteryx), 13.
Bipunctata (*Agrœcia*), 259.
Bipunctata (Neoxabea), 76.
Bipunctata (Pomatonota), 358.
Bipunctata (*Xabea*), 76.
Bipunctatus (Eschatocerus), 259.
Bipunctatus (*Œcanthus*), 76.
Bipunctatus (*Xabea*), 76.
Biramosa (Anaulacomera), 468.
Biramosa (Isotima), 399.
[Biramosa (Paura), 407.]
Biramosa (*Paura*), 399.
Birmanus (Acanthoplistus), 61.
BIROA, 356.
Biroi (Aphroptera), 407.

Bisignatus (Brachytrypes), 22.
Bisinuatum (Typophyllum), 352.
Bispina (*Platycleis*), 211.
Bispinulosa (Cædicia), 415.
Bisulca (Exocephala), 233.
Bisulca (*Locusta*), 233.
Bitæniatus (Lebinthus), 88.
Bitæniatus (*Paraeneopterus*), 88.
Biterrensis (*Ephippiger*), 169.
Biterrensis (*Ephippigera*), 169.
Biterrensis (Ephippigerida), 169.
Bitterensis (*Ephippiger*), 169.
Bituberculata (Anaulacomera), 468.
Bituberculata (Characta), 361.
Bituberculatum (Anisoptera), 279.
Bituberculatum (*Xiphidium*), 279.
Bivittata (Gongrocnemis), 326.
Bivittatum (Anisoptera), 283.
Bivittatum (*Xiphidium*), 283.
Bivittatus (Bliastes), 331.
Bivittatus (Diaphlebus), 357.
Bivittatus (*Euscirtus*), 101.
Bivittatus (Euscyrtus), 101.
Bivittatus (Nemobius), 16.
Blackburni (Banza), 254.
Blackburni (*Brachymetopa*), 254.
Blackburni (*Conocephalus*), 254.
Blanchardi (Eumegalodon), 289.
Blanchardi (*Megalodon*), 289.
Blandus (Conocephaloides), 248.
Blandus (*Conocephalus*), 248.
Blandus (Miltinobates), 430.
Blatchleyi (Ceuthophilus), 132.
Blennus (Gryllodes), 42
BLIASTES, 330.
Bloyeti (Anthracites), 263.
Bloyeti (Enyaliopsis), 156.
Bloyeti (*Eugaster*), 156.
Bocagei (*Matæus*), 292.
Bocagei (*Mustius*), 292.
Bocagei (Zabalius), 292.
Bogotensis (*Metrypus*), 108.
Bogotensis (Tafalisca), 108.
Bohlsii (Gryllodes), 43.
Bohlsii (Hyperbænus), 148.
Bolivari (Callicrania), 171.
Bolivari (Conocephaloides), 248.
Bolivari (*Conocephalus*), 248.
Bolivari (Ctenodecticus), 196.
Bolivari (Ephippiger), 171.
Bolivari (*Ephippigera*), 171.
Bolivari (*Gryllomorpha*), 51.
Bolivari (*Gryllomorphus*), 51.
Bolivari (*Hormilia*), 443.
Bolivari (Insara), 443.
Bolivari (Isophya), 385.
Bolivari (Leptotettix), 339.
Bolivari (Oryctopus), 113.
Bolivari (Petaloptila), 51.
Bolivari (Pycnogaster), 174.
Boliviana (Anaulacomera), 467.
Bolivianus (Amusus), 65.
BONGEIA, 428.
Bonneti (Chelidoptera), 205.
Bonneti (*Platycleis*), 205.
BORBOROTHIS, 118.
Bordaensis (Apteronomus), 152.
Bordigalensis (*Gryllus*), 30.
Boreale (Cycloptilum), 59.
Borealis (*Cycloptilus*), 59.
Borealis (Ectadoderus), 59.
Borealis (*Gryllotalpa*), 3.
Borealis (Neocurtilla), 3.
Borealis (Steiroxys), 194.
Borellii (Anisoptera), 281.
Borellii (*Copiophora*), 232.
Borellii (Copiphora), 232.
Borellii (Ectecous), 65.
Borellii (*Ephippigera*), 169.
Borellii (Ephippigerida), 169.
Borellii (Isophya), 383.
Borellii (Scapteriscus), 1.
Borellii (*Xiphidium*), 281.
Bormansi (Dolichopoda), 126.
Bormansi (*Ephippigera*), 170.
Bormansi (Ephippigerida), 170.
Bormansi (Rhacocleis), 187.
Borneense (Anisoptera), 278.
Borneense (*Xiphidium*), 278.
Borneensis (Chondrodera), 305.
Borneensis (Cophogryllus), 44.
Borneensis (Gryllacris), 139.
Borneensis (Homalotrypus), 103.
Borneensis (Psyra), 427.
Borneensis (Xantia), 459.
Borneoensis (*Gryllacris*), 139.
Borrei (Odontura), 387.
Boscai (Gryllodes), 41.
Boschnakii (*Onconotus*), 221.
Boschniakii (*Onconotus*), 221.
Boscii (Leptophyes), 390.
Boscii (Odontura), 391.
Bosphoricus (Pœcilemon), 379.
Brachixiphus (Conocephaloides), 249.
Brachixiphus (*Conocephalus*), 249.
BRACHYAUCHENUS, 325.
Brachyceriformis (Eugaster), 159.
BRACHYMETOPA, 254.
Brachynotus (*Callimenus*), 176.
BRACHYPORUS, 116.
Brachyptera (*Acanthodis*), 316.
Brachyptera (Chelidoptera), 209.

Brachyptera (Gryllacris), 140.
Brachyptera (*Locusta*), 209.
Brachyptera (*Micropteryx*), 209.
Brachyptera (Platycleis), 209.
Brachyptera (Pleminia), 316.
Brachypterum (*Anisoptera*), 209.
Brachypterus (Conocephaloides), 244.
Brachypterus (*Conocephalus*), 244.
Brachypterus (*Decticus*), 209.
Brachypterus (Duolandrevus), 50.
Brachypterus (*Gryllus*), 50. 209.
Brachypterus (*Landrevus*), 50.
Brachypterus (*Platycleis*), 209.
BRACHYTRUPES, 21.
BRACHYTRYPA, 21.
BRACHYTRYPUS, 21.
Brachyxipha (Plaminia), 316.
BRADYOPISTHIUS, 160.
BRADYPORUS, 173, 175, 177.
Brahmina (Gryllacris), 142.
Brancsiki (*Cymatomera*), 306.
Brasiliana (Tafalisca), 100.
Brasilianum (Cycloptilum), 59.
Brasilianus (*Cycloptilus*), 59.
Brasilianus (*Metrypus*), 108.
Brasiliensis (*Acheta*), 90.
Brasiliensis (*Argizala*), 19.
Brasiliensis (*Ctenophlebia*), 471.
Brasiliensis (Dibelona), 148.
Brasiliensis (*Eneoptera*), 90.
Brasiliensis (*Gryllus*), 90.
Brasiliensis (Hyperophora), 402.
Brasiliensis (Isophya), 383.
Brasiliensis (Lutosa), 119.
Brasiliensis (Nemobius), 19.
Brasiliensis (*Pherterus*), 119.
Brasiliensis (*Platydactylus*), 90.
Brasiliensis (Viadana), 471.
Brevicauda (Anaulacomera), 466.
Brevicauda (Arethaea), 444.
Brevicauda (*Dichopetala*), 388, 444.
Brevicauda (Gongrocnemis), 327.
Brevicauda (*Locusta*), 252.
Brevicauda (Œcanthus), 73.
Brevicauda (Parabucrates), 254.
Brevicaudata (Letana), 400.
Brevicaudata (*Pyrrhicia*), 400.
Brevicaudatus (Anurogryllus), 23.
Brevicaudus (Nemobius), 19.
Breviceps (Conocephaloides), 253.
Breviceps (*Conocephalus*), 251, 253.
Brevicollis (Anaulacomera), 467.
Brevicollis (*Ephippiger*), 164.
Brevicollis (*Ephippigera*), 164.
Brevicollis (Eurycorypha), 463.
Brevicollis (Pholidoptera), 203.
Brevicollis (Salomona), 267.
Brevicollis (Steropleurus), 164.
Brevicollis (*Thamnotrizon*), 203.
Brevicorne (Anisoptera), 279.
Brevicorne (*Xiphidium*), 279.
Brevicornis (*Copiophora*), 232.
Brevicornis (Copiphora), 232.
Brevifissa (Holochlora), 431.
Brevifolia (*Aprion*), 298.
Brevifolia (*Chlorotribonia*), 298.
Brevifolia (*Locusta*), 298.
Brevifolia (Mioacris), 298.
Brevifolia (Phylloptera), 473.
Brevifoliatus (Eremus), 151.
Brevifolius (Scopiorus), 343.
Brevifolius (Teleutias), 341.
Brevihastata (Dichopetala), 388.
Brevipenne (Anisoptera), 281.
Brevipenne (Meconema), 371.
Brevipenne (Stenoschema), 319.
Brevipenne (Trigonidium), 77.
Brevipenne (*Xiphidium*), 281.
Brevipennis (Adeclus), 314.
Brevipennis (*Apithes*), 98.
Brevipennis (*Conocephalus*), 291.
Brevipennis (Coptaspis), 260.
Brevipennis (Cylindrogryllus), 92.
Brevipennis (*Decticus*), 211.
Brevipennis (Drymadusa), 179.
Brevipennis (Eriolus), 234.
Brevipennis (Eurepa), 89.
Brevipennis (Eurycorypha), 463.
Brevipennis (Euthypoda), 365.
Brevipennis (*Gryllodes*), 39.
Brevipennis (*Gryllotalpa*), 3.
Brevipennis (*Gryllus*), 39.
Brevipennis (*Hapithus*), 98.
Brevipennis (Isophya), 385.
Brevipennis (*Locusta*), 211.
Brevipennis (*Macroscirtus*), 365.
Brevipennis (*Meconema*), 371.
Brevipennis (Miogryllus), 39.

Brevipennis (Oxystethus), 257.
Brevipennis (Piestodactylus), 89.
Brevipennis (*Platycleis*), 211.
Brevipennis (Xiphidium), 281.
Brevipes (*Amblyopus*), 97.
Brevipes (Amblyrhethus), 97.
Brevipes (Ceuthophilus), 131.
Brevipes (Daihinia), 128.
Brevipes (*Phalangopsis*), 128.
Brevipes (Polichne), 419.
Brevipes (Pycnogaster), 174.
Breviramulosa (Phylloptera), 474.
Brevirostris (*Copiophora*), 233.
Brevirostris (Lirometopum), 233.
Brevis (Conocephaloides), 244.
Brevis (*Conocephalus*), 244.
Brevis (*Phaneroptera*), 436.
Brevispina (*Gryllacris*), 140.
Brevistylus (Lichenochrus), 317.
Breviusculus (Phyllozelus), 300.
Breviusculus (*Pseudophyllus*), 300.
Brevivaginatus (Diaphlebus), 357.
Brevixipha (Elbenia), 425.
Brevixipha (Gryllacris), 146.
Brevixiphum (Leurophyllum), 320.
Brevixiphum (*Platyphyllum*), 320.
BRISILIS, 318.
Brisoutii (*Pterolepis*), 187.
BROCHOPEPLUS, 297.
Brongniarti (Salomona), 265.
Broughi (*Deinacrida*), 115.
Broughi (Hemideina), 115.
Brullæi (*Pterochroza*), 347.
Brullæi (Tanusia), 347.
Brullei (*Chloracris*), 294.
Brullei (Pseudophyllus), 294.
Brullei (Rhipipteryx), 12.
Bruneri (Capnobotes), 181.
Bruneri (Ceuthophilus), 133.
Bruneri (Conocephaloides), 242.
Bruneri (*Conocephalus*), 242.
Bruneri (Orchelimum), 273.
BRUNNEA, 296.
Brunnea (Banza), 254.
Brunnea (*Brachymetopa*), 254.
Brunnea (Neduba), 194.
Brunnea (Phyllophora), 369.
Brunneri (Æmodogryllus), 125.
Brunneri (Antaxius), 189.
Brunneri (Barbitistes), 382.
Brunneri (Borborothis), 118.
Brunneri (Conocephaloides), 248.
Brunneri (*Conocephalus*), 248.
Brunneri (Cymatomera), 306.
Brunneri (*Ephippiger*), 163.
Brunneri *Ephippigera*), 163.
Brunneri (Eurycorypha), 462.
Brunneri (Grylloderes), 39.
Brunneri (Gryllus), 32.
Brunneri (Isophya), 384.
Brunneri (*Isophya*), 385.
Brunneri (Letana), 400.
Brunneri (Melidia), 437.
Brunneri (Mimetica), 350.
Brunneri (Odontolakis), 268.
Brunneri (*Odontura*), 377.
Brunneri (Pholidoptera), 198.
Brunneri (Pœcilemon), 377.
Brunneri (Posidippus), 459.
Brunneri (*Pterolepis*), 189.
Brunneri (*Pyrrhizia*), 400.
Brunneri (Rhaphidophora), 24.
Brunneri (Saga), 225.
Brunneri (Steropleurus), 163.
Brunneri (*Thamnotrizon*), 198.
Brunneriana (Nisitra), 87.
Brunnerianus (*Apterogryllus*), 20.
Brunnerianus (Arachnocephalus), 60.
Brunnerianus (*Cachoplistus*), 61.
Brunnerianus (Cacoplistes), 61.
Brunnerianus (Calyptotrypus), 95.
Brunnerianus (Mnesibulus), 95.
Brunnerianus (*Nisitrus*), 87.
Brunnerianus (*Phylloscirtus*), 85.
Brunnerianus (Phylloscyrtus), 85.
Brunneus (Idionotus), 194.
Brunneus (*Mogisoplistes*), 56.
Brunneus (Mogoplistes), 56.
Bucchicii (Rhacocleis), 187.
Bucchichii (*Rhacocleis*), 187.
Bucchici (*Rhacocleis*), 187.
Bucephalus (*Olynthoscelis*), 199.
Bucephalus (Pholidoptera), 199.
Bucephalus (*Thamnotrizon*), 199.
BUCRATES, 253.
Buergeri (*Decticus*), 186.
Buergeri (Gampsocleis), 186.
BUETTNERIA, 421.
BUGAJUS, 113.
Bulgaricus (Pœcilemon), 79.
Buqueti (*Gryllus*), 91.

Buqueti (Heterotrypus), 91.
Buqueti (*Phalangopsis*), 91.
Burdigalensis (*Acheta*), 30.
Burdigalensis (*Gryllus*), 30.
BURGILIS, 402.
Burmeisteri (*Ephippigera*), 172.
Burmeisteri (Œcanthus), 73.
BUTLERIA, 121.
Buyssoni (Chelidoptera), 212.
Buyssoni (*Decticus*), 214.
Buyssoni (*Platycleis*), 212.

CACHOPLISTUS, 61.
CACONEMOBIUS, 13.
CACOPLISTES, 61.
CACOPTERIS, 193.
Cæcus (Ceuthophilus), 132.
CÆDICIA, 413.
Cæruleus (*Phylloscirtus*), 85.
Cæruleus (Phylloscyrtus), 85.
Cæruleus (Thamnoscirtes), 84.
Caizanum (Anisoptera), 281.
Caizanum (*Xiphidium*), 281.
CALAMOPTERA, 314.
Calcaratum (Isoplectron), 138.
Calcaratus (Stenopelmatus), 111.
Caledonicus (Aphonomorphus), 105.
Caledonicus (*Aphonus*), 105.
Caliendrum (*Platyblemma*), 48.
Caliendrum (*Platyblemmus*), 48.
Caliendrum (Sciobia), 48.
Caliendrus (*Platyblemmus*), 49.
Californiana (Hemiudeopsylla), 130.
Californianus (Ceuthophilus), 134.
Californica (Platylyra), 447.
Californicus (*Gammarotettix*), 129.
Californicus (Idiostatus), 193.
Californicus (Œcanthus), 75.
Californicus (Stenopelmatus), 111.
Callabomensis (Eonius), 150.
CALLICRANIA, 171.
CALLIMENELLUS, 310.
CALLIMENUS, 175.
CALLIMUS, 175.
CALLIPHONA, 219.
Callosa (*Condylocnema*), 337.
Callosa (Condylocnemis), 337.
Callosa (Paragryllacris), 148.
CALOPSYRA, 426.
CALOXIPHUS, 343.
CALYPTOTRYPUS, 93.
Camellifolia (*Locusta*), 344, 345.
Camellifolia (Pterophylla), 344.
Camellifolium (*Lissophyllum*), 321.
Camellifolius (*Platyphyllus*), 321.
Camelus (*Deracantha*), 178.
Camelus (Deracanthella), 178.
Camelus (*Ephippiger*), 178.
Camerani (Acanthodiphrus), 339.
Camerani (*Bliastes*), 339.
Camerani (*Cocconotus*), 339.
Camerani (Eremus), 151.
Camerani (Scapteriscus), 2.
Camerata (*Corycomima*), 465.
Camerata (*Plangia*), 465.
Camarensis (Nemobius), 15.
Camillifolia (Cycloptera), 354.
Camillifolia (*Gryllus*), 354.
Camillifolia (*Tettigonia*), 354.
Campbellii (Cylindracheta), 7.
Campbellii (*Cylindrodes*), 7.
Campestre (Orchelimum), 272.
Campestris (Acheta), 25.
Campestris (*Acheta*), 21.
Campestris (*Gryllus*), 25, 26.
Campestris (*Liogryllus*), 25.
CAMPTONOTUS, 151.
Camptoxipha (*Isophya*), 384.
Camptoxypha (*Barbitistes*), 384.
Camptoxypha (*Isophya*), 384.
Camptoxypha (*Odontura*), 384.
Camptulus (Œcanthus), 73.
Camurum (*Xiphidium*), 275.
Canaliculatus (Eurycorypha), 463.
Canotus (*Phylloscirtus*), 85.
Canotus (Phylloscyrtus), 85.
Cantans (*Decticus*), 219.
Cantans (Ectecous), 65.
Cantans (Gryllodes), 42.
Cantans (*Gryllus*), 218.
Cantans (*Locusta*), 218.
Cantans (Phasgonura), 218.
Canus (Nemobius), 18.
Capellei (Antaxius), 189.
Capense (Trigonidium) 77.
Capensis (*Acheta*), 26.
Capensis (Conicus), 153.
Capensis (Odontura), 387
Capensis (Œcanthus), 73.
Capensis (Tridactylus), 9.
Capitata (*Locusta*), 253.
Capitatus (*Amblyopus*), 97.
Capitatus (Amblyrhethus), 97.
Capitatus (Bucrates), 253.
Capitatus (Gryllus), 36.
Capitatus (Miogryllus), 38.
Capito (*Copiophora*), 232.
Capito (Copiphora), 232.
Capitolina (*Hemideina*), 115.
CAPNOBOTES, 181.
CAPNOPTERA, 309.
Cappadocia (Saga), 224.
Capreola (Catoptropteryx), 415.
Capreola (Xiphidiopsis), 284.

Caraibea (Amphiacusta), 68.
Caraibeus (*Amphiacustes*), 68.
Caraibeus (*Gryllodes*), 24.
Caraibeus (Eriolus), 234.
Carbonaria (Rhipipteryx), 12.
Carbonarium (Anisoptera), 283.
Carbonarium (*Xiphidium*), 283.
Carbonarius (Conocephaloides), 248.
Carbonarius (*Conocephalus*), 248.
Carbonarius (Gryllus), 34.
CARCINOPSIS, 117.
Caribbeum (Alogoptera), 421.
Caricifolia (Elimæa), 396.
Caricifolia (*Locusta*), 396.
Caricifolia (*Phaneroptera*), 396.
Carinata (Biroa), 356.
Carinata (*Copiphora*), 252.
Carinata (Ectemna), 452.
Carinata (Elimæa), 395.
Carinata (*Ephippigera*), 166.
Carinata (Ephippigerida), 166.
Carinata (*Locusta*), 398.
Carinata (Mirollia), 398.
Carinata (Neduba), 194.
Carinata (*Phaneroptera*), 398.
Carinatum (Aprion), 304.
Carinatus (Acanthoplistus), 60.
Carinatus (Conocephaloides), 241.
Carinatus (*Conocephalus*), 241.
Carinatus (*Ephippiger*), 166.
Carinatus (Morsimus), 304.
Carinifolia (Cycloptera), 353.
Carinulatus (Scopiorus), 342.
Carita (Arethæa), 444.
Carolinensis (*Camptonotus*), 151.
Carolinensis (*Gryllacris*), 151.
Carolinensis (*Neortus*), 151.
Carolinus (Nemobius), 19.
Carpetana (Pholidoptera), 205.
Carpetana (*Platycleis*), 205.
Carrascoi (Gryllodes), 43.
CARSIDAVA, 96.
CASIGNETA, 424.
Cassinæfolia (*Locusta*), 174.
Cassinæfolia (Phylloptera), 174.
Castanea (Diatrypa), 93.
Castanea (Gryllacris), 142.
Castanea (Mimetica), 350.
Castanea (Tropizaspis), 191.
Castaneoviridis (*Olynthoscelis*), 199.
Castaneoviridis (Pholidoptera), 199.
Castaneoviridis (*Thamnotrizon*), 199.
Castaneum (Paratrigonidium), 79.
Castaneus (Asylus), 286.
Castaneus (Brachyauchenius), 325.
Castaneus (Ceuthophilus), 134.
Castaneus (*Diatrypa*), 93.
Castaneus (Lichenochrus), 318.
Castaneus (Lissotrachelus), 61.
Castaneus (Teleutias), 341.
Castellana (*Ephippigera*), 163.
Castellanus (*Ephippiger*), 163.
Castellanus (*Gryllodes*), 41.
Castellanus (Steropleurus), 163.
Castetsi (Tridactylus), 9.
Castigatus (Ectadoderus), 58.
Castigatus (*Ornebius*), 58.
Castus (Cocconotus), 336.
Catalaunica (*Ephippigera*), 164.
Catalaunicus (Steropleurus), 164.
CATASPARATA, 352.
CATOPTROPTERYX, 415.
Caucasica (Paradrymadusa), 180.
Caucasica (Pholidoptera), 199.
Caucasica (*Pterolepis*), 180.
Caudata (Anisoptera), 280.
Caudata (Gryllus), 25.
Caudata (*Locusta*), 218.
Caudata (Phasgonura), 218.
Caudata (*Phylloptera*), 460.
Caudata (*Xiphidium*), 280.
Caudatum (*Xiphidium*), 275.
Caudatus (Phlugis), 285.
Caudatus (*Thysdrus*), 285.
Caudelli (Syntechna), 485.
CAULOPSIS, 240.
Cavannæ (*Ephippigera*), 165.
Cavannæ (Steropleurus), 165.
Cavernæ (Pleioplectron), 138.
Cavernarum (Hadenœcus), 135.
Cavernarum (*Rhaphidophora*), 135.
Caviceps (Brachytrypus), 22.
Cavicola (Arachnomimus), 71.
Cavicola (*Arachnopsis*), 71.
Cavicola (*Locusta*), 127.
Cavicola (*Rhaphidophora*), 127.
Cavicola (Troglophilus), 127.
Cayennensis (Orocharis), 99.
Cazmaneæ (Matæus), 291.
CECENTROMENUS, 339.
Celatus (Ceuthophilus), 131.
Celebica (Holochlora), 431.
Celebica (*Locusta*), 437.
Celebica (Phaneroptera), 437.
CELIDOPHYLLA, 349.
Centrifera (Paracædicia), 418.
CENTROCEPHALUS, 267.
CENTROFERA, 412.

CENTROPHORUS, 449.
Cephalotes (Clonophora), 282.
Cephalotes (*Eucorypha*), 101.
Cephalotes (Eurycorypha), 101.
Cephalotes (Monter-[illegible]), 121.
Cephalotes (Phlugis), 283.
Cephalotes (Stenopelmatus), 112.
Cephalotes (*[illegible]*), 283.
CERALIA, 470.
Ceraseptrum (Pseudophyllus), 400.
CERATINOPTERUS, 77.
CERATOPOMPA, 408.
CERBERODON, 288.
Ceresii (Eurycorypha), 402.
Ceresii (*Phylloptera*), 402.
Cerisyi (*Gryllus*), 29, 31.
Cervina (Decticus), 230.
Cervinus (*[illegible]*), 170.
cervinus (*Locusta*), 170.
Cervinus (Homorocoryphus), 160.
CESTROMOECHA, 420.
CESTROPHORUS, 270.
CEUTHOPHILUS, 101.
Ceylonica (Baetica), 309.
Ceylonica (Perna), 426.
Ceylonicus (Mecopoda), 301.
Ceylonicus (Nemobius), 18.
Ceylonicus (*[illegible]*), 82.
Chabrieri (*Decticus*), 198.
Chabrieri (Locusta), 197, 201.
Chabrieri (*Olynthoscelis*), 198.
Chabrieri (Platycleis), 197.
Chabrieri (*Pterolepis*), 198.
Chabrieri (*Thamnotrizon*), 198, 202.
Chalybea (*Scaphura*), 454.
Championi (*Callicrania*), 143.
Championi (Chloroxiphus), 344.
Championi (Cyrtoxipha), 82.
Championi (*Cyrtoxiphus*), 82.
Championi (Ditrypa), 98.
Championi (*Ditrypa*), 98.
Championi (Microcentrum), 482.
Championi (*Orophus*), 482.
Championi (P[illegible]), 438.
Championi (Phylloptera), 420.
CHAMPIONICA, 391.
CHARACTA, 391.
CHARISOMA, 406.
Charpentieri (*Barbitistes*), 357.
Chelina (Amblycorypha), 407.
CHELIDOPTERA, 202.
Chevrolati (*Cyrtoxipha*), 83.
Chevrolati (*Cyrtoxiphus*), 83.
Chinensis (Gryllus), 27.
Chinensis (*Hexacentrus*), 128.
Chinensis (*Curtilla*), 6.
Chinensis (*Gryllotalpa*), 6.
Chinensis (Anisoptera), 277.
Chinensis (*Xiphidium*), 277.
Chinensis (*Acheta*), 29.
Chinensis (Gryllus), 29.
Chinensis (*Gryllus*), 31.
Chinensis (Hexacentrus), 297.
Chinensis (Isopsera), 309.
CHLOMACRIS, 298.
Chloris (*Elimaea*), 309.
Chloris (*Locusta*), 309.
Chloris (*Phaneroptera*), 309.
CHLOROBALIUS, 190.
CHLOROBAPTELUS, 347.
Chlorotica ([illegible]), 415.
CHLOROPHYLLA, 378.
Chlorophyllum (*Tettigonia*), 362.
Chlorophyllum (Typophyllum), 362.
CHLOROSCIRTUS, 462.
Chlorotica (*[illegible]*), 425.
CHLOROTRIBONIA, 258.
CHOEROPARNOPS, 32.
CHONDRODERA, 305.
Chrysops (*Phlugis*), 283.
Chyzeri (*Callimenus*), 413.
Cicindeloides (*Cardiodactylus*), 77.
Cicindeloides (*Gryllus*), 78.
Cicindeloides (*Phylloscirtus*), 84.
Cicindeloides (*Phyllopalpus*), 84.
Cicindeloides (*Phalangopsis*), 78.
Cicindeloides (Trigonidium), 84.
Cicindeloides (*Trigonidium*), 77.
Cicur (*Podoscirtus*), 108.
Cincta (*Acheta*), 50.
Cinctus (*Gryllus*), 50.
Cinctus (*Cyrtoxiphus*), 80.
Cinerea (*Decticus*), 177.
Cinerea (Xestoptera), 240.
Cinerascens (Decticus), 256.
Cinerascens (Meconema), 169.
Cinereus (*Platycleis*), 478.
Cinereus (Tarquinia), 478.
Cinereus (*Zeuca*), 78.
Cinereus (Decticus), 177.
Cinereus (*Platycleis*), 177.
Cinereus (*Gryllus*), 347.
Cinereus (Conocephalus), 97.
Cinereus (*Xiphidium*), 97.
Cinereus (*Locusta*), 202.
Cinereus (Olynthoscelis), 202.
Cinereus (*Pholidoptera*), 203.
Cinereus (*Pterolepis*), 202.
Cinerascens (Anisoptera), 270.
Cinerascens (*Xiphidium*), 270.
Cinereus (*Aphonomorphus*), 106.
Cinereus (*Lerneca*), 107.
Cinereus (*Homoeogryllus*), 274.

Cinereus (*Enoptera*), 105.
Cinereus (*Gryllus*), 30, 105, 202.
Cinereus (Parœcanthus), 105.
Cinereus (Thamnotrizon), 202.
Cingalensis (Scutotribonia), 298.
Cingalensis (*Zumala*), 298.
Cinnamomeum (Typophyllum), 351.
Circumcincta (*Acanthodis*), 311.
Circumcincta (Prosthacusta), 63.
Circumcincta (Rhipipteryx), 12.
Circumcincta (Tetragonomera), 311.
Circumcinctus (Nemobius), 63.
Circumdata (Gongrocnemis), 327.
Circumdatus (*Meroncidius*), 327.
Citrifolia (*Locusta*), 457, 458, 459.
Citrifolia (*Phaneroptera*), 457.
Citrifolia (*Phyllophora*), 457.
Citrifolia (*Phylloptera*), 457.
Citrifolium (Steirodon), 457.
Citrifolius (*Gryllus*), 456.
Citrifolius (*Posidippus*), 458.
Citrifolius (Steirodon), 456, 457.
Citrifolius (*Tettigonia*), 456.
Clara (Grammadera), 469.
Clara (Landreva), 51.
Claraziana (*Gryllotalpa*), 3.
Claraziana (Neocurtilla), 3.
Clarazianus (Anurogryllus), 24.
Clarazianus (*Gryllodes*), 24.
Clarelius (Gryllus), 34.
Clarus (Conocephaloides), 249.
Clarus (*Conocephalus*), 249.
Clarus (*Gryllus*), 51.
Clarus (*Landrevus*), 51.
CLASMA, 237.
Claudicans (*Metrypus*), 107.
Claudicans (Tafalisca), 107.
Clausus (Conocephaloides), 248.
Clausus (*Conocephalus*), 248.
Clavata (Anaulacomera), 467.
Clavata (Cædicia), 414.
Clavaticercus (Mormotus), 324.
Clavicercum (Idiarthron), 328.
Clavigera (Peronura), 391.
CLEANDRUS, 294.
CLEARIDAS, 20.
CLIMACOPTERA, 295.
CLINOPLEURA, 194.
Clipeatus (*Apotetamenus*), 119.
CLISIS, 333.
CLOANTHELLA, 155.
CLONIA, 226.
Clypeata (Cloanthella), 155.
Clypeata (*Locusta*), 202.
Clypeatus (Licodia), 119.
Coarctata (Curtilla), 6.
Coarctata (*Gryllotalpa*), 6.
Coarctatus (Conocephaloides), 249.
Coarctatus (*Conocephalus*), 249.
Cocanus (Bucrates), 253.
Cocanus (Conocephaloides), 248.
Cocanus (*Conocephalus*), 248.
COCCONOTUS, 334.
Cochlearistylus (Opisthodicrus), 292.
Cochleata (Casigneta), 425.
Cochleata (*Copiophora*), 231.
Cochleata (Copiphora), 231.
CŒLOPHYLLUM, 437.
Cœrulescens (Hyperphrona), 475.
Cognata (Barbitistes), 379.
Cognatum (Anisoptera), 283.
Cognatum (*Xiphidium*), 283.
Cognatus (Pœcilemon), 379.
Coleoptrata (*Homœoxiphus*), 79.
Coleoptrata (Metioche), 79.
Coleoptratum (*Trigonidium*), 79.
Colini (Curtilla), 6.
Colini (*Gryllotalpa*), 6.
Collaris (Gryllacris), 141.
Collatatus (Ectadoderus), 58.
Collatatus (*Ornebius*), 58.
Colligatus (Conocephaloides), 244.
Colligatus (*Conocephalus*), 244.
Colliurides (*Cranistus*), 85.
Colliurides (*Phylloscirtus*), 85.
Colliurides (Phylloscyrtus), 85, 86.
Colliurides (*Phylloscyrtus*), 86.
Collocatus (*Gryllus*), 37.
Colombicus (Podoscirtus), 104.
Colombicus (*Platydactylus*), 104.
Coloradus (Anabrus), 192.
Colorata (*Pterochroza*), 348.
Colorata (Tanusia), 348.
Colorata (Veria), 262.
Colorificus (Conocephaloides), 242.
Colorificus (*Pseudorhynchus*), 242.
Colosseum (*Microcentrum*), 483.
Colosseus (Orophus), 483.
COLOSSOPUS, 270.
Columbia (*Gryllotalpa*), 3.
Columbia (Neocurtilla), 3.
Columbiæ (*Gryllotalpa*), 3.
Columbiana (*Gryllotalpa*), 3.
Columbicum (Trypophyllum), 351.
Comanchus (Nemobius), 18.
Comanchus (Stenopelmatus), 112.
Combinata (*Gryllacris*), 152.

Combusta (*Gryllacris*), 148.
Combusta (Paragryllacris), 148, 148.
COMICUS, 153.
Commodus (Gryllus), 33.
Compacta (Narea), 356.
Compacta (Udeopsylia), 129.
Compactus (Gryllus), 33.
Comparatus (Gryllus), 34.
Compressa (Eurycorypha), 462.
Compressa (Phaula), 426.
Compressicollis (*Ephippiger*), 162.
Compressicollis (Uromenus), 162.
Compressus (*Orophus*), 462.
Compromittens (Gryllacris), 145.
Comptus (Gryllus), 38.
Comptus (*Phyllopalpus*), 85.
Comptus (Phylloscyrtus), 85.
Concava (*Pterophylla*), 344.
Concavum (*Platyphyllum*), 344.
Concavus (Cyrtophyllus), 344.
CONCHOTOPODA, 394.
Concinnum (Orchelimum), 272.
Concinnum (*Xiphidium*), 272.
Concinnus (Chelidoptera), 212.
Concinnus (*Decticus*), 212.
Concinnus (*Eneoptera*), 102.
Concinnus (*Euscirtus*), 102.
Concinnus (Euscyrtus), 102.
Concinnus (*Gryllus*), 102.
Concinnus (*Pœcilemon*), 378.
Concisa (Anaulacomera), 466.
Concisa (*Anaulacomera*), 466.
Concisa (Cædicia), 413.
Concisum (*Microcentrum*), 482.
Concisus (*Conocephalus*), 238.
Concisus (Gryllus), 34.
Concisus (Orophus) 482.
Concisus (Pseudorhynchus), 238.
Concolor (Anelytra), 257.
Concolor (Anisoptera), 277.
Concolor (Cyrtoxipha), 81.
Concolor (*Eneoptera*), 81.
Concolor (Lezina), 117.
Concolor (Subria), 256.
Concolor (*Xiphidium*), 277, [279].
Concolor (*Xyphidium*), 277, [280].
CONDYLOCNEMA, 337.
CONDYLOCNEMIS, 337.
CONDYLOMERA, 409.
Configuratus (Gryllus), 33.
Confinis (*Aprion*), 304.
Confinis (Morsimus), 304.
Confirmata (*Acheta*), 34.
Confirmatus (Gryllus), 34.
Confusa (*Ephippigera*), 161.
Confusa (Petaloptera), 484.
Confusus (*Ephippiger*), 161.
Confusus (Nemobius), 19.
Confusus (Uromenus), 161.
Congensis (Oxyaspis), 293.
Congolensis (Cosmoderus), 156.
Congrua (Cædicia), 414.
Congrua (*Laurepa*), 104.
Congruus (Podoscirtus), 104.
Coniceps (Conocephaloides), 249.
Coniceps (*Conocephalus*), 249.
Conifrons (Conocephaloides), 245.
Conifrons (*Conocephalus*), 245.
Conjunctus (Gryllus), 34.
Connata (Letana), 400.
Connata (*Pyrrhicia*), 400.
Connexus (Bliastes), 332.
CONOCEPHALINÆ, 229.
CONOCEPHALOIDES, 241.
CONOCEPHALUS, 241, 274.
Conocephalus (Anisoptera), 279.
Conocephalus (*Gryllus*), 279.
Conocephalus (*Locusta*), 279.
Conocephalus(*Tettigonia*), 279.
Consanguinea (*Acanthodis*), 320.
Consanguineum (Leurophyllum), 320.
Consanguineum (*Platyphyllum*), 320.
Conscitus (Gryllus), 33.
Consimilis (*Gryllus*), 33.
Consimilis (*Platydactylus*), 105.
Consimilis (Podoscirtus), 105.
Consobrina (Euthyrrhachis), 452.
Consobrina (*Plagiopleura*), 452.
Consobrinus (*Conocephalus*), 252.
Consobrinus (Eriolus), 234.
Consobrinus (Gryllus), 31.
Consobrinus (*Gryllus*), 31.
Consocius (*Brachytrypus*), 21.
Consocius (*Gryllus*), 21.
Consocius(Macrogryllus), 21.
Conspersa (*Anepsia*), 461.
Conspersa (*Copiophora*), 231.
Conspersa (Gryllacris), 145.
Conspersa(Madasumma), 94.
Conspersa (*Orocharis*), 99.
Conspersa (*Paragenes*), 461.
Conspersa (*Phaneroptera*), 435.
Conspersa (Sagona), 461.
Conspersa (Salomona), 266.
Conspersum (*Meroncidium*), 323.

Conspersus (Acanthodiphrus), 339.
Conspersus (*Calyptotrypus*), 94.
Conspersus (Conocephaloides), 247.
Conspersus (*Conocephalus*), 247.
Conspersus (Gryllus), 32.
Conspersus (Meroncidius), 323.
Conspersus (Orocharis), 99.
Conspersus (*Orophus*), 461.
Conspersus (*Paræcanthus*), 94.
Conspurcata (Gymnocera), 455.
Conspurcata (*Scaphura*), 455.
Constricta (Arethæa), 443.
Constrictus (Barbitistes), 381.
Constrictus (Cocconotus), 334.
Constructa (Gryllacris), 142.
Constructa (Phylloptera), 174.
Constructum (Typophyllum), 351.
Consuetipes (Arethæa), 444.
Contaminata (Anepitacta), 373.
Contaminata (Cyrtoxipha), 81.
Contaminata (*Soria*), 478.
Contaminatus (*Cyrtoxiphus*), 81.
Contaminatus (*Gryllus*), 32.
Contiguus (*Platydactylus*), 104.
Contiguus (Podoscirtus), 104.
Contingens (*Conocephalus*), 243.
Contingens (*Gryllus*), 37.
Continua (Madasumma), 95.
Continua (*Phaneroptera*), 441.
Continua (Tylopsis), 441.
Continuum (Anisoptera), 279.
Continuum (*Xiphidium*), 279.
Continuus (*Platydactylus*), 95.
Contortipes (Parablistes), 332.
Convolutus (*Gryllodes*), 39.
Convolutus (*Gryllus*), 39.
Convolutus (Microgryllus), 39.
Cooksoni (*Agrœcia*), 329.
Cooksoni (*Liparoscelis*), 329.
Cooksoni (Nesœcia), 329.
COPHOGRYLLUS, 44.
Cophta (Curtilla), 5.
Cophta (*Gryllotalpa*), 5.
Cophtus (*Gryllotalpa*), 5.
Cophtus (*Gryllus*), 5.
COPHUS, 71.
COPIDOPHORA, 230.
COPIOPHORA, 230.
COPIPHORA, 230.
COPTASPIS, 260.
CORA, 476.
Cordipennis (Philoscirtus), 361.
Cordubensis (Pterolepis), 186.
Coriacea (Phylloptera), 174.
Coriacea (Prosagoga), 476.
Coriacea (Salomona), 266.
Coriacea (Sexava), 359.
Coriaceus (*Gryllus*), 61, 359.
Coriaceus (*Moristus*), 359.
Coriaceus (*Onconotus*), 221.
Coriaceus (Phlugis), 284.
Coriaceus (Scleropterus), 61.
Coriaceus (*Tettigonia*), 359.
Coriaceus (*Thysdrus*), 284.
CORIXOGRYLLUS, 107.
Cornea (*Stibara*), 432.
Cornea (Xestoptera), 346.
Cornucervi (Anaulacomera), 468.
Cornuta (Ceraia), 451.
Cornuta (*Copiophora*), 231.
Cornuta (Copiphora), 231.
Cornuta (*Lobaspis*), 261.
Cornuta (*Locusta*), 231.
Cornuta (Nicsara), 261.
Cornuta (Phaula), 426.
Cornuta (Sathrophyllia), 307.
Cornutoides (Ceraia), 451.
Cornutus (Conocephaloides), 249.
Cornutus (*Conocephalus*), 249, 307.
Coronata (*Acanthodis*), 313.
Coronata (*Copiophora*), 232.
Coronata (Copiphora), 232.
Coronata (*Ephippiger*), 164.
Coronata (*Locusta*), 313.
Coronata (Orpacophora), 313.
Coronatum (Lirometopum), 232.
Coronatus (*Gryllus*), 313.
Coronatus (Peucestes), 457.
Coronatus (*Tettigonia*), 313.
Corrodita (*Phylloptera*), 473.
Corrosa (*Karschia*), 421.
Corrosifolium (Drepanophyllum), 421.
Corrugata (Laurepa), 100.
Corrugatus (*Orocharis*), 100.
Corsica (*Pterolepis*), 188.
Corsicus (Thyreonotus), 188.
Corticicola (Ceuthophilus), 131.
CORYCOMIMA, 465.
CORYCUS, 366.
CORYMETA, 403.
CORYPHODES, 240.
COSMODERUS, 156.
COSMOPHYLLUM, 404.
COSMOZOMA, 448.
Costalis (*Apithes*), 98.
Costalis (Hapithus), 98.
Costata (Isophya), 384.
Costaticollis (*Ephippiger*), 162.
Costaticollis (*Ephippigera*), 162.

Costaticollis (Uromenus), 162.
Costatus (*Phylloscirtus*), 85.
Costatus (Phylloscyrtus), 85.
Costulata (*Dictyota*), 416.
Costulata (Torbia), 416.
Costulatus (Ctenodecticus), 196.
Costulatus (Mimnermus), 122.
Couloni (*Bugajus*), 113.
Couloni (Licodia), 113.
Couloniana (*Phylloptera*), 455.
Coulonianus (*Landrevus*), 50.
Coulonianus (Paralandrevus), 50.
Coulonii (Podoscirtus), 104.
Cragini (Stipator), 183.
Cragini (*Thyreonotus*), 183.
CRANISTUS, 85.
Crassicaudus (Onconotus), 221.
Crassiceps (*Conocephalus*), 238.
Crassiceps (*Euscirtus*), 102.
Crassiceps (*Locusta*), 238.
Crassiceps (Patiscus), 102.
Crassiceps (Pseudorhynchus), 238.
Crassicornis (Gammaroparnops), 137.
Crassicornis (Heterogryllus), 65.
Crassicornis (Mastighapha), 354.
Crassicornis (*Parysatis*). 352.
Crassicornis (Rhaphidophora), 123.
Crassicornis (Roxelana), 352.
Crassidens (*Anostostoma*), 113.
Crassidens (Stenopelmatus), 113.
Crassinervosa (Coptaspis), 260.
Crassipes (*Brachymetopa*), 254.
Crassipes (Gryllacris), 142.
Crassipes (Hyperomerus), 255.
Crassipes (*Lichenochrus*), 318.
Crassipes (Onosandrus), 121.
Crassipes (Pachypodagrus), 123.
Crassipes (Platydactylus), 142.
Crassus (Ceuthophilus), 134.
Crassus (Conocephaloides), 242.
Crassus (*Conocephalus*), 242.
CRATOMELUS, 123.
CRATONOTUS, 336.
CRATYLUS, 293.
Crenata (Ectemna), 452.
Crenifolia (*Locusta*), 308.
Crenifolia (Olcinia), 308.
Crenulata (*Locusta*), 448.
Crenulata (Prosagoga), 477.
Crenulata (Rhaphidophora), 124.
Crenulata (Trigonocorypha), 448.
Crepitans (Conocephaloides), 246.
Crepitans (*Conocephalus*), 246.
Crepitans (*Cyrtophyllus*), 345.
Crepitans (Paratrigonidium), 80.
Crepitans (Thliboscelus), 345.
Cretaceus (*Onomarchus*). 296.
Cretaceus (*Pseudophyllus*), 296.
Cretensis (Pœcilemon), 376.
Cribrosum (*Microcentrum*), 482.
Cribrosus (Orophus), 482.
Cristata (*Pterochroza*), 348.
Cristata (Tanusia), 348.
Cristatissimus (Peucestes), 458.
Cristovallensis (Conocephaloides), 250.
Cristovallensis (*Conocephalus*), 250.
Cristulata (Acanthodis), 313.
Cristulata (Orpacophora), 313.
Crocinus (Podoscirtus), 103.
Cruciata (Ducetia), 399.
Crucigera (*Ephippigera*), 169.
Crucigera (Ephippigerida), 169.
Crucis (*Acheta*), 75.
Crucis (Œcanthus), 75.
Cruenta (*Ceraia*), 451.
Cruenta (Gryllacris), 143.
Cruenta (*Phaneroptera*), 451.
Cruenta (*Scudderia*), 451.
Cruenta (Vellea), 451.
Crypsiphonus (*Metrypus*), 108.
Crypsiphonus (Tafalisca), 108.
Crypterius (Epiphlebus), 388.
Csikii (Nemobius), 16.
CTENODECTICUS, 196.
CTENOPHLEBIA, 470.
Cubaensis (*Locusta*), 119.
Cubaensis (Lutosa), 119.
Cubaensis (*Rhaphidophorus*), 119.
Cubensis (Dibelona), 148.
Cubensis (*Gryllus*). 37.
Cubensis (Nemobius), 18.
Cubensis (*Phoeterus*), 119.
Cucullata (*Ephippigera*), 172.
Cucullata (Eucalypta), 262.
Cucullata (Pycnogaster), 174.
Cucullata (Tapeina), 424.
Cucullatus (*Barbitistes*), 174.
Cucullatus (*Ectadoderus*), 58.
Cucullatus (Ornebius), 58.
Cucullatus (Pycnogaster), 174.
Cultricornis (*Copiophora*), 231.
Cultricornis (Copiphora), 231.
Cultrifera (Ægimia), 409.
Cultriger (Curtilla), 6.
Cultriger (*Gryllotalpa*), 6.
Cuneata (Scudderia), 446.
Cuniculator (Anostostoma), 116.
Cunii (*Ephippigera*), 169.

Cunii (*Ephippigera*), 169.
Cunii (Ephippigerida), 169.
Curta (Burgilis), 402.
Curta (*Phaneroptera*), 402.
CURTILLA, 2, 3.
CURTILLINÆ, 1.
Curvicauda (*Locusta*), 445.
Curvicauda (Moristus), 324.
Curvicauda (*Phaneroptera*), 445, 446.
Curvicauda (Scudderia), 445.
Curvicauda (*Scudderia*), 444.
Curvicercata (*Ctenophlebia*), 471.
Curvicercata (Elimæa), 396.
Curvicercata (Viadana), 471.
Curvidens (Acanthodis), 319.
Curvidens (*Brisilis*), 319.
Curviferus (*Aprion*), 304.
Curviferus (Morsimus), 304.
Curvinervis (Prosagoga), 477.
Curvirostris (Oxyprora), 236.
Cuspidata (Acanthodis), 314.
Cuspidata (Caulopsis), 240.
Cuspidata (*Conocephalus*), 229, 240.
Cuspidata (Eurycorypha), 462.
Cuspidata (*Locusta*), 229.
Cuspidata (*Martinezia*), 229.
Cuspidata (Storniza), 229.
Cuspidatus (Adeclus), 314.
Cuspidatus (*Conocephalus*), 240.
Cuspidatus (*Panacanthus*), 229.
Cuticulare (Orchelimum), 273.
Cuticulare (*Xiphidium*), 273.
Cyanea (Gryllacris), 139.
Cyanipennis (Rhipipteryx), 12.
Cyclops (Gryllacris), 147.
CYCLOPTERA, 353.
CYCLOPTILUM, 59.
CYCLOPTILUS, 59.
CYLINDRACHETA, 7.
CYLINDRODES, 7.
CYLINDROGRYLLUS, 92.
CYPHODERRIS, 193.
Cyprius (Gryllus), 30.
CYRTASPIS, 372.
CYRTOPHYLLUS, 343.
Cyrtoscelis (Mecopoda), 363
CYRTOXIPHA, 80.
CYRTOXIPHUS, 80.

DÆDALUS, 230.
DAIHINIA, 119, 128.
Dalmatica (*Olynthoscelis*), 199.
Dalmatica (Pholidoptera), 199.
Dalmaticus (*Thamnotrizon*), 199.
Dalmatina (*Acheta*), 52.
Dalmatina (Gryllomorpha), 52
Dalmatina (*Phaneroptera*), 393.
Dalmatinus (*Arachnocephalus*), 60.
Dalmatinus (*Gryllomorphus*), 52.
DAPANERA, 424.
Darienica (Anaulacomera), 466.
Darienica (Endacusta), 69.
Darienicus (*Endacustes*), 69.
Darwinii (Anaulacomera), 466.
Darwinii (*Anaulacomera*), 466.
DASYPHLEPS, 357.
Dasypus (Brachyporus), 175.
Dasypus (*Callimenus*), 175.
Dasypus (*Callimenus*), 175.
Dasypus (*Dinarchus*), 176.
Dasypus (*Locusta*), 175.
DASYSCELUS, 315.
Davidis (Gongrocnemis), 327.
Debile (Paratrigonidium), 80.
Debilis (Curtilla), 6.
Debilis (Gryllacris), 146.
Debilis (*Gryllotalpa*), 6.
Debilis (Gryllodes), 43.
Debilis (Gryllus), 36.
DEBRONA, 420.
Decisus (*Orophus*), 461.
Decolor (*Aphidnia*), 411.
Decolor (Dysmia), 411.
Decoloratus (Lichenochrus), 317.
DECOLYA, 287.
Decolya (Eremus), 150.
Decora (Xabea), 76.
Decorata (Chelidoptera), 205.
Decorata (*Platycleis*), 205.
Decorata (*Pterochroza*), 348.
Decoratum (*Microcentrum*), 481.
Decoratus (Orophus), 481.
Decoratus (*Platycleis*), 205.
Decoratus (Segestes), 359.
Decorus (*Œcanthus*), 76.
Decorus (*Xabeus*), 76.
Decticoides (Chlorobalius), 190.
Decticoides (*Locusta*), 190.
DECTICUS, 212.
Deflorata (Gryllacris), 142.
Deflorata (*Pterochroza*), 349.
Deflorata (*Stenophyllia*), 403.
Deflorita (Exora), 397.
Degeeri (Cocconotus), 335.
Degeeri (*Meroncidium*), 335.
Degeeri (*Meroncidius*), 335.
Degeerii (*Frontinus*), 459.
Degeerii (Posidippus), 459.
DEINACRIDA, 114.
Delalandi (Cyphogryllus), 44.
Delectus (*Gryllus*), 46.
Delectus (*Platyblemmus*), 46.
Delicatula (Cyrtoxipha), 82.
Delicatum (Orchelimum), 271.
Delicatus (Nemobius), 17.
Delineata (Anaulacomera), 467.
Demigratus (Dasyscelis), 315.
Deminuta (Gongrocnemis), 326.
Deminuta (Gryllacris), 142.
Dentata (Anaulacomera), 468.
Dentata (Arantia), 406.

Dentata (Ceraia), 451.
Dentata (*Scudderia*), 451.
Dentatus (Nemobius), 17.
Dentatus (Peucestes), 457.
Denticauda (Anaulacomera), 467.
Denticauda (*Barbitistes*), 374.
Denticauda (*Ephippigera*), 374.
Denticauda (*Odontura*), 375.
Denticauda (Orphania), 374, 375.
Denticauda (Phaula), 426.
Denticauda (*Polysarcus*), 375.
Denticollis (Cymatomera), 306.
Denticulata (*Clonia*), 228.
Denticulata (Hemisaga), 228.
Denticulata (*Locusta*), 204.
Denticulata (*Saga*), 228.
Denticulatus (Bliastes), 331.
Denticulatus (*Ceuthophilus*), 134.
Denticulatus (Ellipes), 11.
Denticulatus (*Heteropus*), 11.
Denticulatus (*Nemobius*), 18.
Denticulatus (*Tridactylus*), 11.
Dentiferum (*Steirodon*), 458.
Dentiferus (*Conocephalus*), 243.
Dentiferus (Posidippus), 458.
Dentipes (Gongrocnemis), 326.
Dentipes (Parapyrrhicia), 469.
Denuda (Gymnocera), 455.
Denudata (*Scaphura*), 455.
Denudatus (Apteroscirtus), 361.
Deplanata (Banza), 255.
Deplanata (Brachymetopa), 255.
Deplanatus (Apterogryllus), 20.
Deplanatus (Pœcilemon), 376.
Depressiusculus (Aphonomorphus), 105.
Depressiusculus (*Aphonus*), 105.
Depressus (*[illegible]*), 97.
Depressus (Amblyrhethus), 97.
DERACANTHA, 177.
DERACANTHELLA, 178.
DERACANTHINÆ, 177.
Derodifolia (Phylloptera), 473.
Dero[illegible] (*D[illegible]*), 181.
Derosifolia (*Phylloptera*), 473.
Deserta (Paragryllacris), 149.
Desertorum (Acanthoplus), 155.
Desertus (Gryllus), 27.
Desjardinsii (Cyrtoxipha), 81.
Desjardinsii (*Cyrtoxiphus*), 81.
Desjardinsii (*Trigonidium*), 81.
Despecta (Letana), 400.
Despecta (*Pyrrhicia*), 400.
DESPŒNA, 302.
DESPOINA, 302.
Desultorius (Podogryllus), 44.
Detectus (Loxoblemmus), 46.
Detectus (*Platyblemmus*), 46.
Deterninatus (*Gryllus*), 37.
Detersus (Phyllomimus), 299.
Detersus (*Pseudophyllus*), 299.
Deusta (Rhaphidophora), 124.
Deustus (*Rhaphidophorus*), 124.
Devia (*Gryllotalpa*), 2.
Devia (Neocurtilla), 2.
Devitzi (Arachnocephalus), 60.
Devius (Ceuthophilus), 134.
DEXERRA, 190.
Diabolica (Tropizaspis), 191.
DIACANTHODIS, 314.
Diademata (Aphractia), 159.
Diademata (*Hetrodes*), 159.
Diadematus (*Basileus*), 233.
Diadematus (*Enyalius*), 160.
Diadematus (*Eugaster*), 159.
Diadematus (*Gryllus*), 45.
DIAPHLEBUS, 316.
DIASTELLA, 416.
DIASTELLIDIA, 417.
DIATRYPA, 92.
DIATRYPUS, 92.
DIBELONA, 148.
DICHOPETALA, 388.
DICRANACRUS, 269.
DICRANOCERCUS, 263.
DICRANOPSYRA, 427.
DICRANOSTOMUS, 330.
DICRANUCRUS, 269.
DICTYOTA, 416.
Didactyla (*Gryllotalpa*), 2.
Didactylus (*Gryllotalpa*), 2.
Didactylus (Scapteriscus), 2.
DIESTRAMMENA, 124.
Differens (Agrœcia), 260.
Differens (Cocconotus), 335.
Differens (Conocephaloides), 252.
Differens (*Conocephalus*), 252.
Difformis (Antaxius), 189.
Difformis (*Ctenophlebia*), 472.
Difformis (*Euthypoda*), 362.
Difformis (*Mecopoda*), 362.
Difformis (Pterolepis), 189.
Difformis (Thamnotrizon), 189.
Difformis (Viadana), 472.
Digitata (*Acheta*), 8.
Digitata (Anaulacomera), 468.
Digitatus (Tridactylus), 8.
Digramma (Phylloptera), 473.
Digramma (*Viadana*), 473.
Dilatata (Mecopoda), 363.

Dilatatus (Callimenus), 176.
Dilatatus (Dasyscelus), 315.
Dilatatus (*Ectadoderus*), 58.
Dilatatus (Ornebius), 58.
Diluta (Anaulacomera), 466.
Diluta (*Decticus*), 211.
Diluta (*Ephippigera*), 170.
Diluta (*Locusta*), 211.
Dilutum (Stenamblyphyllum), 421.
Dilutus (*Ephippiger*), 170.
Dilutus (Ephippigerida), 170.
Dimidiata (Gryllacris), 140.
Dimidiata (*Paracœdicia*), 417.
Dimidiata (Procædicia), 417.
Dimidiata (Phyllopteral), 474.
Diminutus (*Gryllus*), 55.
Diminutus (Duolandrevus), 50.
Diminutus (*Gryllus*), 50.
DINDYMUS, 88.
DIOGENA, 440.
DIONCOMENA, 434.
DIOPHANES, 345.
DIPLACUSTA, 63.
DIPLACUSTES, 63.
DIPLOPHYLLUS, 478.
Dirempta (Symmetropleura), 447.
Discalis (*Laurepa*), 101.
DISCERATUS, 357.
Discoidalis (Acanthoplus), 155.
Discoidalis (Bliastes), 332.
Discoidalis (*Ephippiger*), 168
Discoidalis(*Ephippigera*), 168.
Discoidalis (Gryllacris), 144.
Discoidalis (Leptophyes), 391.
Discoidalis(*Meroncidius*), 332.
Discoidalis (Odontura), 391.
Discolor (*Brachymetopa*), 254.
Discolor (Ceuthophilus), 134.
Discolor (*Conocephalus*), 277, 283.
Discoloratus (*Œcanthus*), 74.
Discophorus (Diyllus), 341.
DISCOPTILA, 52.
Discrepans (*Rhacocleis*), 187.
Dispar (Endacusta), 69.
Dispar (*Endacustes*), 69.
Dissimilis (*Conocephalus*), 246.
Dissimilis (Nemobius), 19.
Distincta (Gryllacris), 140.
Distincta (Xiphidiopsis), 284.
Distinguendus (Nemobius), 17.
DITHELA, 401.
Divergens(Ceuthophilus), 133.
Divergens (Mecopoda), 363.
Diversa (Elimæa), 395.
Diversa (Homotoicha), 449.
Diversa (*Phaneroptera*), 395.
Diversum (*Pleioplectron*), 138.
Diversus (Aphonomorphus), 106.
Diversus (*Aphonus*), 106.
Diversus (Conocephaloides), 252.
Diversus (*Conocephalus*), 252.
Diversus (Miotopus), 138.
Diversus (*Platydactylus*), 106.
Dives (Oxyprorella), 410.
Divisa (Syntechna), 485.
Divisum (*Microcentrum*), 485.
DIYLLUS, 341.
Doenitzi (Cosmozoma), 448.
Dœnitzi (Loxoblemmus), 47.
Dohrni (Exora), 397.
Dohrni (Leptotettix), 340.
Dohrni (Parascudderia), 450.
Dohrni (Posidippus), 458.
Dohrni (*Salomona*), 266.
Dohrni (Xenica), 391.
DOLICHOCHÆTA, 123.
DOLICHOPODA, 126.
Domestica (*Acheta*), 29.
Domestica (Gryllus), 29.
Domesticus (*Acheta*), 28, 29.
Domesticus (*Gryllus*), 28.
Domingensis (Orocharis), 99.
Domogledi (Chelidoptera), 211.
Domogledi (*Platycleis*), 211.
Donovani (*Acanthodis*), 309.
Donovani (*Capnoptera*), 309.
Donovani (*Gryllus*), 309.
Donovani (Typhoptera), 309.
Dorhni (*Salomona*), 266.
Doriæ (Vossia), 464.
Dorsale (Anisoptera), 282.
Dorsale (*Xiphidion*), 282.
Dorsale (*Xiphidium*), 282.
Dorsale (*Xyphidium*), 282.
Dorsalis (Atlanticus), 181.
Dorsalis (*Conocephalus*), 239.
Dorsalis (Decticus), 181.
Dorsalis (Drymadusa), 179.
Dorsalis (*Ephippiger*), 167, 179.
Dorsalis (*Ephippigera*), 167.
Dorsalis (Ephippigerida), 167.
Dorsalis (*Euscirtus*), 102.
Dorsalis (Gryllus), 34.
Dorsalis (*Gryllus*), 35.
Dorsalis (*Locusta*), 282.
Dorsalis (Madasumma), 95.
Dorsalis (Patiscus), 102.
Dorsalis (*Xiphidion*), 282.
Dorsata (*Rhacocleis*), 195.
Dorsata (*Xiphidium*), 282.
Dorsatus (Eppia), 259.
Dorsatus (Hexacentrus), 287.
Dorsatus (*Thamnotrizon*), 195.
DORYCORYPHUS, 240.

Dregii (Mimnermus), 122.
Dregii (Pomatonota), 358.
Dregii (*Stenopelmatus*), 122.
DREPANOPHYLLUM, 421.
DREPANOXIPHUS, 328.
Driffieldi (Penthoplophora), 118.
DRYMADUSA, 179.
Dubia (Gryllacris), 145.
Dubia (Myrmecophila), 55.
Dubius (Arachnomimus), 71.
Dubius (*Arachnopsis*), 71.
Dubius (Conocephaloides), 250.
Dubius (*Conocephalus*), 250.
Dubius (*Myrmecophilus*), 55.
DUCETIA, 398.
Dumicola (Ectemna), 452.
Dumosus (Nemobius), 15.
Dumosus (Phisis), 286.
Dumosus (*Teuthras*), 286.
DUOLANDREVUS, 50.
Durandi (Enyaliopsis), 156.
Durandi (*Eugaster*), 156.
Durieuii (*Ephippiger*), 161.
Durieuii (*Ephippigera*), 161.
DYSCAPNA, 118.
DYSCOPHOGRYLLUS, 66.
DYSCOPHUS, 66.
DYSMORPHA, 486.
DYSONIA, 411.

Eburnata(*Elephantodeta*), 433.
Eburneata (Tinzeda), 433
Eburneata (*Tinzeda*), 433.
Eburneiguttata (Phyllophora), 369.
Eburneiguttata (Stenacropteryx), 429.
ECHINACRIS, 325.
Echinata (Phisis), 286.
Echinatus (Teuthras), 286.
ECTADIA, 397.
ECTADODERUS, 58.
ECTECOUS, 65.
ECTEMNA, 452.
ECTOLANDREVUS, 51.
ECTOTRYPA, 101.
ECTOTRYPUS, 101.
Edwardsii (*Hadenœcus*), 138.
Edwardsii(*Macropathus*), 138.
Edwardsii (*Pachyrhamma*), 138.
Edwardsii (Pleioplectron), 138.
Edwardsii (Scaphura), 454.
Egenus (*Adupantus*), 325.
Egestosa (Anepitacta), 373.
Ehrenbergii (*Pterolepis*), 199.
ELÆOPTERA, 358.
ELBENIA, 425.
Elderi (*Dictyota*), 416.
Elderi (Torbia), 416.
Elegans (*Aphidnia*), 411.
Elegans (Dysonia), 411.
Elegans (*Ephippigera*), 170.
Elegans (Ephippigerida), 170.
Elegans (Exocephala), 234.
Elegans (Gallienia), 264.
Elegans (Gymnocera), 455.
Elegans (Hexacentrus), 287.
Elegans (Hormilia), 443.
Elegans (Insara), 443.
Elegans (Jimenezia), 328.
Elegans (Lebinthus), 88.
Elegans (*Paraeneopterus*), 88.
Elegans (*Phyllopalpus*), 86.
Elegans (*Phylloscirtus*), 86.
Elegans (Phylloscyrtus), 85.
Elegans (Pœcilemon), 378.
Elegans (Saga), 227.
Elegans (*Scaphura*), 455.
Elegans(Semileptotettix), 340.
Elegantula (Parapolichne), 419.
Elegantula (*Polichne*), 419.
Elegantulus (Eremus), 150.
ELEPHANTODETA, 433.
Elephas (*Microcentrum*), 483.
Elephas (Orophus), 483.
ELIMÆA, 394.
ELLIPES, 11.
Elliptifolia (Micropion), 297.
Elongata (Ægimia), 409.
Elongata (*Locusta*), 364.
Elongata (Mastighapha), 354.
Elongata (Mecopoda), 364.
Elongata (Phaneroptera), 435.
Elongatus (Conocephaloides), 243.
Elongatus (*Conocephalus*), 243, 364.
Elongatus (Cratylus), 293.
Elongatus (*Gryllus*), 364.
Elongatus(Leptogryllus), 110.
Elongatus (Nannotettix), 337.
Elongatus (Prognathogryllus), 109.
Elongatus (*Tettigonia*), 364.
Emarginata (Dichopetala), 388.
Emarginata(Holochlora), 431.
Emarginata (Molpa), 423.
Emarginatus (Peucestes), 457.
Emarginatus (*Pyrgophylax*), 423.
EMPTERA, 222.
ENCALYPTA, 262.
ENCENTRA, 360.
ENDACUSTA, 69.
ENDACUSTES, 69.
ENDECOUS, 70.
ENDOLANDREVUS, 50.
ENEOPTERA, 90, 105.
ENEOPTERINÆ, 91.

Eneopteroides (Xenogryllus), 106.
ENEOPTERUS, 90.
ENGONIA, 403.
ENGONIASPIS, 81.
ENOCHLECTICA, 422.
Ensifer (Ceuthophilus), 130.
Ensifer (Conocephaloides), 248.
Ensifer (*Conocephalus*), 248.
Ensifer (*Eumegalodon*), 289.
Ensifer (Hyperbænus), 148.
Ensifer (Lesina), 289.
Ensifer (Liparoscelis), 329.
Ensifer (*Locusta*), 289.
Ensifer (*Megalodon*), 289, 369.
Ensifer (Nemobius), 17.
Ensifer (Nesœcia), 329.
Ensifer (*Xiphidium*), 281.
Ensiferum (Anisoptera), 281.
Ensiferum (*Xiphidium*), 282.
Ensiferus (*Conocephalus*), 248.
Ensifolia (Diplophyllus), 479.
Ensifolia (*Phylloptera*), 479.
Ensifolia (*Turpilia*), 479.
Ensiger (Conocephaloides), 245.
Ensiger (*Conocephalus*), 245.
Ensis (*Locusta*), 427.
Ensis (*Phaneroptera*), 427.
Ensis (Psyra), 427.
ENTHACANTHODES, 329.
ENYALIOPSIS, 156.
ENYALIUS, 159.
EONIUS, 150.
EPACRA, 152.
Ephippiata (Cacopteris), 193.
Ephippiatus (*Eugaster*), 156.
Ephippiatus (Enyaliopsis), 156.
EPHIPPIGER, 166.
Ephippiger (*Barbitistes*), 168.
Ephippiger (Ephippigerida), 168.
Ephippiger (*Gryllus*), 168.
Ephippiger (*Locusta*), 168.
EPHIPPIGERA, 166, 380, 389.
Ephippigera (Saga), 225.
EPHIPPIGERIDA, 166.
EPHIPPITHYTA, 412.
EPHIPPITHYTOIDEA, 413.
EPHIPPITYTHA, 412.
Ephippium (*Brachytrypus*), 20
Ephippium (Dysonia), 411.
Ephippium (*Gryllus*), 411.
Ephippium (Macrogryllus), 20.
Ephippium (*Tettigonia*), 411.
EPIPHLEBUS, 388.
EPISATTUS, 256.
Episcopus (Gryllodes), 42.
EPPIA, 258.
Equatoriale (Anisoptera), 276.
Equatoriale (*Xiphidium*), 246.
Equestris(Loxoblemmus), 46.
ERECHTHIS, 255.
Erectistylus (Mormotus), 324.
EREMOPEDES, 192.
EREMUS, 150.
Erinaceum (Anostostoma), 116.
Erinaceus (*Anostostoma*), 116.
Erinaceus (Cosmoderus), 156.
Erinaceus (*Ephippiger*), 156.
Erinaceus (Pteroplistes), 62.
Erinaceus (*Pteroplistus*), 62.
Erinaceus (*Stenopelmatus*), 116.
Erinifolia (Anaulacomera), 466.
Erinifolia (*Phylloptera*), 466.
ERIOLUS, 234.
Erosa (Anedopoda), 363.
Erosa (*Gryllus*), 352
Erosa (*Pterochroza*), 352.
Erosa (*Tettigonia*), 352.
Erosifolia (Mimetica), 350.
Erosifolia (Olcinia), 308.
Erosifolia (*Tanusia*), 348.
Erosifolia (*Typophyllum*), 350.
Erosum (*Microcentrum*), 483.
Erosum (Typophyllum), 382.
Erosus (Orophus), 483.
Errabunda (Apoballa), 485.
Erraticum(Cycloptilum), 59.
Erythrocephalus (*Scleropterus*), 77.
Erythrocephalus (Trigonidium), 77.
Erythromelas (*Stenopelmatus*), 111.
Erythrosoma (*Locusta*), 251.
Escaleræ (Gryllodes), 41.
Escalerai (Chelidoptera), 206.
Escalerai (*Platycleis*), 206.
Escalerai (Troglophilus), 128.
ESCHATOCERUS, 259.
EUACRIS, 341.
EUCATOPTA, 437.
EUCONCHOPHORA, 269.
EUGASTER, 158, 159.
EUMEGALODON, 389.
EUMENYMUS, 217.
EUPARTHENUS, 408.
EUREPA, 89.
EURYCORYPHA, 462.
EURYMETOPA, 235.
EURYPALPA, 408.
Eurypterus (Mustius), 290.
EUSCIRTUS, 101.
EUSCYRTUS, 101.
EUSTÆLIA, 362.
EUTHYPODA, 365.
EUTHYRRHACHIS, 452.
Euxina (Dolichopoda), 127.
Euzonus (Cophogryllus), 44.
Eversmanni (*Decticus*), 208.
Eversmanni (*Gryllus*), 30.
Eversmanni (Onconotus), 221.
Exaltatus (Conocephaloides), 243.
Exaltatus (*Conocephalus*), 243.

Excellens (*Microcentrum*), 486.
Excellens (Phœbolampta), 486.
Excelsa (Gryllacris), 144.
Excelsior (Anchiptolis), 328.
Excelsior (Arantia), 406.
Excisum (*Typophyllum*), 351.
Exemptum (Anisoptera), 277.
Exemptum (*Xiphidium*), 277.
Exigua (Acauloplax), 305.
Exigua (*Acheta*), 86.
Exigua (Anaxipha), 86.
Exigua (Gryllacris), 146.
Exiguum (*Lissophyllum*), 321.
Exiguum (Paratrigonidium), 80.
Exiguum (Platyphyllum), 321.
Exiguus (Eremus), 151.
Exiguus (*Nemobius*), 17, 19.
Exiguus (Pedinostethus), 236.
Exilis (Conocephaloides), 246.
Exiliscanorus (Conocephaloides), 245.
Exiliscanorus (*Conocephalus*), 245.
Eximia (Gryllacris), 147.
Exitiosum (Anisoptera), 281.
Exitiosum (*Xiphidium*), 281.
EXOCEPHALA, 233.
EXORA, 397.
Exotica (Anaulacomera), 468.
Exotica (Furnia), 468.
Exserta (Paragryllacris), 149.
Extensa (Conocephaloides), 250.
Extensa (*Conocephalus*), 250.
Extensipes (Catoptropteryx), 416.
Extenuata (Cædicia), 414.
Extenuata (*Phaneroptera*), 414.
Extraneus (Gryllodes), 43.
Extraordinaria (Tympanoptera), 302.
Extraordinarius (*Aprion*), 302.
Fabricii (Ephippigera), 169.
Facetus (Lagarodes), 303.
Facialis (*Gryllus*), 23.
Facialis (Gymnogryllus), 23.
Facifer (*Gryllacris*), 142.
Fagifolia (Chlorophylla), 353.
Falcata (Anaulacomera), 467.
Falcata (Gryllacris), 142.
Falcata (*Pygocephala*), 366.
Falcata (*Lobaspis*), 262.
Falcata (*Locusta*), 204, 435.
Falcata (Nicsara), 262.
Falcata (Phaneroptera), 434.
Falcata (*Phaneroptera*), 435, 436.
Falcatus (Eriolus), 234.
Falcatus (*Gryllus*), 371, 434.
Falcifolia (Chlorophylla), 353.
Falcifolia (*Cycloptera*), 353.
Falconaria (*Locusta*), 332, 339.
Falconarius (Bliastes), 332.
Falconarius (Leptotettix), 339, 340.
Falconneti (Gryllodes), 42.
Fallaciosa (Drymadusa), 179.
Fallaciosus (Zarceus), 84.
Fallax (Myrmecophana), 409.
Fallax (*Olynthoscelis*), 201.
Fallax (Parœcanthus), 95.
Fallax (Pholidoptera), 201.
Fallax (*Thamnotrizon*), 201, 202.
Fallax (Xiphidiopsis), 284.
Famula (Phylloptera), 474.
Farinosa (*Elephantodeta*), 433.
Fasciata (Arantia), 405.
Fasciata (Eneoptera), 90.
Fasciata (Gryllacris), 140.
Fasciata (*Gryllacris*), 140, 147.
Fasciata (*Gryllomorpha*), 53.
Fasciata (Gymnocera), 455.
Fasciata (*Hormilia*), 443.
Fasciata (Insara), 443.
Fasciata (*Larnaca*), 140.
Fasciata (*Locusta*), 275.
Fasciata (*Phylloptera*), 405.
Fasciata (*Scaphura*), 455.
Fasciata (Scudderia), 446.
Fasciata (*Tarphe*), 308.
Fasciata (Tegra), 308.
Fasciatum (Anisoptera), 275.
Fasciatum (Paratrigonidium), 79.
Fasciatum (*Xiphidion*), 275, 276.
Fasciatum (*Xiphidium*), 275.
Fasciatus (Bliastes), 332.
Fasciatus (Cophogryllus), 44.
Fasciatus (*Eneoptera*), 104.
Fasciatus (*Gryllus*). 17, 104.
Fasciatus (*Liphoplus*), 57.
Fasciatus (Nemobius), 17.
Fasciatus (*Nemobius*), 31.
Fasciatus (Œcanthus), 75.
Fasciatus (Onosandrus), 120.
Fasciatus (Ornebius), 57.
Fasciatus (*Platydactylus*), 90.
Fasciatus (Podoscirtus), 104.
Fasciatus (Stenopelmatus), 111.
Fasciatus (Teleutias), 341.
Fasciatus (Tridactylus), 10.
Fasciculata (Gryllacris), 145.
Fascifer (*Macropathus*), 137.
Fascifer (Pachyrhamma), 137.
Fascipes (Cyrtoxipha), 81.
Fascipes (*Eneoptera*), 81.
Fastigiosus (Posidippus), 459.
Fatidica (Arantia), 406.
Fatidica (*Holochlora*), 406.
Fausta (Diogena), 440.
Fausta (*Phaneroptera*), 440.
Fausta (Symmetropleura), 447.

Feana (Himerta), 401.
Fedtschenkoi (Chelidoptera), 208.
Fedtschenkoi (*Decticus*), 208.
Fedtschenkoi (*Platycleis*), 208.
Femoralis (*Anostostoma*), 116.
Femoralis (Anthracites), 263.
Femoralis (*Carcinopsis*), 117.
Femoralis (Conocephaloides), 250.
Femoralis (*Conocephalus*), 250.
Femoralis (Cosmoderus), 156.
Femoralis (Hexacentrus), 288.
Femoralis (Libanasa), 117.
Femoralis (*Thamnotrizon*), 201.
Femorata (Cacopteris), 193.
Femorata (Elimæa), 396.
Femorata (*Gryllus*), 307.
Femorata (Hemideina), 115.
Femorata (*Locusta*), 307.
Femorata (*Olynthoscelis*), 202.
Femorata (Paracædicia), 418.
Femorata (Pholidoptera), 201.
Femorata (Sathrophyllia), 307.
Femorata (*Tettigonia*), 307.
Femoratus (*Gryllus*), 242.
Femoratus (*Locusta*), 242.
Femoratus (Nemobius), 16.
Femoratus (Onosandrus), 121.
Femoratus (*Pterolepis*), 201.
Femoratus (*Thamnotrizon*), 201.
Fenestrata (Ancylecha), 422.
Fenestrata (*Locusta*) 293, 422.
Fenestrata (*Phylloptera*), 422.
Fenestrata (*Pseudophyllus*), 293.
Fenestrata (Tetraconcha), 420.
Fenestrata (*Tetraconcha*), 420.
Fenestratus (Cratylus), 293.
Fenestratus (*Gryllus*), 293.
Fenestratus (*Pseudophyllus*), 307.
Fenestratus (*Tettigonia*), 293.
Ferdinandi (Gryllodes), 40.
Ferreus (*Brachytrypus*), 22.
Ferricollis (Gryllus), 34.
Ferrotestacea (Gryllacris), 147.
Ferruginea (Gryllacris), 146.
Ferruginea (*Gryllus*), 364.
Ferruginea (*Lencica*), 123.
Ferruginea (Listroscelis), 288.
Ferruginea (*Mecopoda*), 354.
Ferruginea (*Mygalopsis*), 235.
Ferruginea (Polichne), 420.
Ferruginea (*Scaphura*), 454.
Ferruginea (*Tettigonia*), 364.
Ferrugineovittatus (Lissotrachelus), 61.
Ferrugineus (Callimenellus), 310.
Ferrugineus (Cocconotus), 335.
Ferrugineus (*Phanerotus*), 310.
Festæ (Acrometopa), 393.
Festæ (Agræcia), 260.
Festæ (Amusus), 65.
Festæ (Anaulocomera), 467.
Festæ (Anisoptera), 282.
Festæ (Brachyauchenus), 325.
Festæ (Ceraia), 451.
Festæ (Cocconotus), 336.
Festæ (*Copiophora*), 232.
Festæ (Copiphora), 232.
Festæ (*Cœnophlebia*), 471.
Festæ (Disceratus), 337.
Festæ (Festella), 196.
Festæ (Hyperbænus), 148.
Festæ (Isophya), 386.
Festæ (Leptophyes), 389.
Festæ (Phylloptera), 473.
Festæ (Viadana), 471.
Festæ (*Xiphidium*), 282.
Festai (*Acrometopa*), 393.
Festai (Leptophyes), 389.
FESTELLA, 196.
Festiva (Ceratopompa), 408.
Fibigii (*Ephippigera*), 169.
Fieberi (*Barbitistes*), 376.
Fieberi (*Pœcilemon*), 376.
Fieberi (Psorodonotus), 215.
Fieberi (*Pterolepis*), 215.
Fiebigii (*Ephippigera*), 169.
Figurata (*Hemideina*), 115.
Filia (Petaloptera), 484.
Filicum (Paratrigonidium), 80.
Filifer (Macropathus), 139.
Filiger (*Œcanthus*), 73.
Finoti (*Ephippiger*), 162.
Finoti (*Ephippigera*), 162.
Finoti (Gryllodes), 40.
Finoti (Phylloptera), 474.
Finoti (*Platyblemmus*), 49.
Finoti (Pycnogaster), 174.
Finoti (Sciobia), 49.
Finoti (Uromenus), 162.
Finotiana (Sciobia), 49.
Finotianus (*Platyblemmus*), 49.
Firmus (Gryllus), 36.
Fischeri (Barbitistes), 381.
Fischeri (Hetrodes), 154.
Fischeri (*Odontura*), 381, 382.
Fissa (Gongroenemis), 326.
Fissipes (Tridactylus), 10.
Fistulator (Gryllodes), 43.
Flavescens (*Barbitistes*), 379.
Flavescens (*Conocephalus*), 238.
Flavescens (Corycomima), 465.
Flavescens (*Odontura*), 379.
Flavescens (*Orophus*), 465.
Flavescens (Pœcilemon), 379.
Flavescens (Pseudorhynchus), 238.
Flaviceps (*Ischyra*), 484.

Flavicornis (*Oxyprora*), 236.
Flavifolium (Typophyllum), 351.
Flavifrons (Aphonomorphus), 105.
Flavifrons (*Aphonus*), 105.
Flavifrons (Lichenochrus), 317.
Flavipalpis (*Ectatoderus*), 58.
Flavipalpis (Ornebius), 58.
Flavipennis (*Leptodera*), 408.
Flavipennis (Leptoderes), 408.
Flavipes (*Acheta*), 75.
Flavipes (Ganoblemmus), 47.
Flavipes (Œcanthus), 75.
Flavipes (Trigonidium), 78.
Flavirostris (Conocephaloides), 241.
Flavirostris (*Conocephalus*), 241.
Flavispina (Gryllodes), 43.
Flavolimbata (Prosagoga), 477.
Flavolimbatus (Meroncidius), 322.
Flavolineata (*Elimæa*), 395.
Flavolineatus (Pseudorhynchus), 238.
Flavomarginata (Clinopleura), 194.
Flavopicta (Alluaudiella), 47.
Flavopicta (*Alluaudia*), 47.
Flavoscripta (*Copiophora*), 232.
Flavoscripta (Copiphora), 232.
Flavovittata (*Ephippigera*), 165.
Flavovittatus (*Ephippiger*), 165.
Flavovittatus (Steropleurus), 165.
Flavum (Anisoptera), 277.
Flavum (*Xiphidium*), 277.
Fletcheri (Drymadusa), 180.
Flexuosa (Cælicia), 415.
Flexuosocercata (Dastella), 416.
Florezi (Antaxius), 189.
Floridana (Amblycorypha), 460.
Floridensis (*Cyrtophyllus*), 344.
Floridensis (Lea), 344.
Focalis (Onosandrus), 121.
Foeda (Rhaphidophora), 124.
Foliata (*Eustalia*), 362.
Foliata (*Stalia*), 362.
Foliicauda (*Barbitistes*), 390.
Foraminata (Plangiopsis), 426.
Foraminatus (Paroecanthus), 96.
Forbesi (Œcanthus), 75.
Forceps (*Calyptotrypus*), 94.
Forceps (Chloroscirtus), 453.
Forceps (Madasumma), 94.
Forceps (Rhipipteryx), 11.
Forcipata (Poreuomena), 426.
Forcipata (Scudderia), 446.
Forcipatus (Gryllodes), 43.
Forcipatus (Thaumaspis), 373.
Foreli (*Ctenophlebia*), 472.
Foreli (Thliptoblemmus), 47.
Foreli (Viadana), 472.
Forficata (Xiphidiopsis), 284.
Forficata (*Xyphidiopsis*), 284.
Forficularis (Leptogryllus), 110.
Forficularis (*Prognathogryllus*), 110.
Formicarum (Myrmecophila). 55.
Formidabilis (*Acanthodis*), 314.
Formidabilis (Diacanthodis), 314.
Formosum (Anisoptera), 283.
Formosum (*Xiphidium*), 283.
Formosus (*Œcanthus*). 76.
Forreriana (Hemiadeopsylla), 130.
Forstenii (Holochlora), 431.
Forstenii (*Locusta*), 431.
Forstenii (*Phylloptera*). 431.
Forticeps (Gryllus). 38
Fortior (Hypocophus), 119.
Fortipes (Acanthogryllus), 23.
Fortipes (*Gryllus*), 23.
Fortipes (*Nessa*), 108.
Fortipes (Parametropa), 108.
Fortis (Acanthoproctus), 159.
Fortis (Cleandrus), 295.
Fortis (*Hetrodes*), 159.
Fortis (*Pseudophyllus*), 295.
Fossa (*Acheta*), 8.
Fossor (Curtilla), 6.
Fossor (*Gryllotalpa*), 6.
Fossor (Tridactylus), 8.
Fossor (*Xya*). 8.
Fosteri (Phylloptera), 473.
Fragosoi (Discoptila), 52.
Fragosoi (*Gryllomorpha*), 52.
Fragosoi (*Gryllomorphus*). 52.
Françoisi (Ityocephala), 366.
Françoisi (Salomona), 265.
Fraserensis (*Tæniomena*), 433.
Fraserensis (Tinzeda), 433.
Fratellus (Conocephaloides), 244.
Fratellus (*Conocephalus*), 244.
Fratellus (Triencentrus), 323.
Frater (Anabropsis). 117.
Frater (*Conocephalus*), 244, 248.
Frater (Eriolus). 234.
Frater (Eugaster), 158.
Frater (Pachytrachelus), 197.
Frater (*Schœnobates*), 117.
Fraterna (Rhipipteryx), 12.
Fraternus (Cocconotus), 334.
Freycinetiæ (Paratrigonidium), 79.
Frivaldskyi (*Barbitistes*), 382.

Frivaldskyi (*Olynthoscelis*), 200.
Frivaldskyi (Pholidoptera), 200.
Frivaldskyi (*Thamnotrizon*), 200.
Friwaldskyi (*Thamnotrizon*), 200.
Froggatti(Ephippitytha), 413.
Frontalis (Chlorobalius), 190.
Frontalis (Gryllacris), 142.
Frontalis (Gryllus), 31.
Frontalis (*Laurepa*), 144.
Frontalis (*Mecopoda*), 365.
Frontalis (Podoscirtus), 104.
Frontalis (Sthenaropoda), 365.
Fruhstorferi (*Ctenophlebia*), 471.
Fruhstorferi (Hexacentrus), 288.
Fruhstorferi (Trachyzulpha), 408.
Fruhstorferi (Viadana), 471.
Frutetorum (Ischyra), 484.
Fuliginosa (*Acheta*), 22.
Fuliginosa (*Gryllus*), 22
Fuliginosa (*Locusta*), 22.
Fuliginosa (Madasumma), 93.
Fuliginosa (Sathrophyllia), 307.
Fuliginosus (Capnobotes), 181.
Fuliginosus (*Gryllus*), 34.
Fuliginosus (*Platydactylus*), 93.
Fulva (Cyrtoxipha), 82.
Fulva (*Echinacris*). 326.
Fulva (Ectadia), 397.
Fulva (Rhaphidophora). 124.
Fulvescens (Orocharis), 99.
Fulvipennis(Gryllus), 36.
Fulvipes (Curtilla), 5.
Fulvipes (*Gryllotalpa*), 5.
Fulvus (Amusurgus), 83.
Fulvus (*Brachytrypes*), 22.
Fulvus (Chœroparnops), 326.
Fulvus (*Cyrtoxiphus*), 82.
Fumatus (Eonius), 150.
Fumigata (Gryllacris), 139.
Fumosa (*Gryllacris*). 145.
Fumosa (Xerophyllopteryx), 311.
Fumosa (*Xeropteryx*), 311.
Fumosus (*Meroncidius*). 332.
Funambulus (Heterotrypus), 91.
Funebris (Gryllacris), 140.
Funesta (Phæophilacris), 71.
Funesta (*Phæophyllacris*), 71.
Furcata (Anaulacomera). 466.
Furcata (Pterophylla), 344.
Furcata (Scudderia), 445.
Furcatum (Idiarthron), 328.
Furcatus (Anisotrypus), 102.
Furcatus (Dicranacrus), 270.
Furcatus (*Pterophyllus*). 344.
Furcifer (Dicranacrus), 269.
Furcifer (*Dicranucrus*), 269.
Furcifera (*Œcella*), 468.
Furcifera (Phaneroptera), 436.
Furcifera (Scudderia), 445.
Furculata (*Scudderia*), 445.
FURNIA, 468.
Furva (Cyrtoxipha), 81.
Furvus (*Cyrtoxiphus*), 81.
Fusca (Agnapha), 437.
Fusca (*Capnoptera*), 309.
Fusca (*Carcinopsis*). 117.
Fusca (Chelidoptera), 210.
Fusca (*Locusta*), 276, 282.
Fusca (*Platycleis*), 210.
Fusca (Typhoptera), 309.
Fusca (*Xiphidion*), 276.
Fusca (*Xiphidium*), 277.
Fuscescens (*Aprion*), 299.
Fuscescens (*Decticus*), 215.
Fuscescens (*Locusta*), 299.
Fuscescens (Promeca), 299.
Fuscescens (Sanabria). 412.
Fuscescens (Tettigonia), 215.
Fuscicorne (*Trigonidium*). 78.
Fuscicornis (Amphiacusta), 68.
Fuscicornis (*Amphiacustes*), 68.
Fuscicornis (Homœoxiphus), 78.
Fuscicornis (Metioche), 78.
Fuscicornis (*Phalangopsis*), 68.
Fuscicornis (Scapsipedus), 45.
Fuscifrons (*Aphidnia*), 411.
Fuscifrons (Dysonia). 411.
Fuscifrons (Gryllacris), 144.
Fuscinervis (*Calyptotrypus*), 94.
Fuscinervis (Conocephaloides), 248.
Fuscinervis (*Conocephalus*). 248.
Fuscinervis (Gryllacris), 141.
Fuscinervis (Madasumma), 94.
Fuscinervis (*Paræcanthus*), 94.
Fuscipennis (*Diplacusta*), 63.
Fuscipennis (*Diplacustes*), 63.
Fuscipennis (Lernecа), 63.
Fuscipes (*Conocephalus*), 250.
Fuscipes (Œcanthus), 74.
Fuscoalatus (Lichenochrus), 317.
Fuscofasciatus (*Maxentius*), 114.
Fuscomarginatus (*Conocephalus*). 244.
Fusconotata (Isophya), 385.
Fusconotatus (Leptogryllus), 110.
Fuscopunctata (Cacopteris), 193.

Fuscopunctata (Homotoicha), 449.
Fuscospinosa (Holochlora), 431.
Fuscostriatus (Conocephaloides), 214.
Fuscostriatus (*Conocephalus*), 214.
Fuscoterminatus (Eremus), 150.
Fuscum (Anisoptera), 276.
Fuscum (*Xiphidium*), 276, 277.
Fuscus (Meroncidius), 322.
Fuscus (Segestes), 359.
Fuscus (Stenopelmatus), 112.
Fuscus (Teleutias), 341.
Fusifera (Hemideina), 115.
Fusiformis (Ceuthophilus), 132.
Fusiformis (Hapithus), 98.
Fusiformis (*Orocharis*), 98.
Fussi (Pœcilemon), 377.

Gabunensis (Arantia), 406.
Gaimardi (Cardiodactylus), 88, 89.
Gaimardi (*Platydactylus*), 88.
Galapagensis (Gryllus), 38.
Galbana (Goetia), 428.
Galitzini (Paradrymadusa), 180.
Galla (*Tridactylus*), 8.
GALLIENIA, 264.
Gallina (Paraphidnia), 411.
Gamma (Salomona), 265.
GAMMAROPARNOPS, 137.
GAMMAROTETTIX, 129.
GAMPSOCLEIS, 184.
GANOBLEMMUS, 47.
Gansuicus (Gymnæta), 125.
Garleppi (Chæroparnops), 326.
Gaudichaudi (Phalangopsis), 70.
Gaumeri (Anchiptolis), 327.
Gaumeri (Orocharis), 99.
Gaverniensis (*Locusta*), 219.
GELATOPŒA, 439.
GELATOPOIA, 439.
Gemina (Gryllacris), 146.
Geminum (Typophyllum), 352.
Geniculare (*Xiphidium*), 283.
Genicularis (Hemiudeopsylla), 129.
Genicularis (Phyllozelus), 300.
Geniculata (Dolichopoda), 126.
Geniculata (Holochlora), 431.
Geniculata (*Rhaphidophora*), 126.
Geniculatus (Anthracites), 263.
Geniculatus (Eremus), 150.
Geniculatus (Oxystethus), 257.
Gennalis (Gryllacris), 140.
Genufusca (Gryllacris), 147.
Genuteres (Dapanera), 424.
Germanica (*Decticus*), 186.
Germanica (*Pterolepis*), 186.
Germanica (Rhacocleis), 186.
Germanus (Acanthoplus), 155.
Gessardi (Pterolepis), 186.
Gestri (Arantia), 407.
Ghiliani (Anonconotus), 184.
Gibbosus (Atlanticus), 181.
Gigantea (Daihinia), 128.
Gigantea (Deinacrida), 114.
Gigantea (*Hemideina*), 114.
Gigantea (*Saga*), 225.
Gigantea (*Udeopsylla*), 128.
Giganteum (*Platyphyllum*), 360.
Giganteus (*Gryllus*), 223.
Giganteus (*Tettigonia*), 223.
Gigas (*Acheta*), 21.
Gigas (Eugaster), 159.
Gigas (Pseudorhynchus), 238.
Gigas (Trigonidium), 78.
Gigliotosi (Lamniceps), 232.
Gigliotosi (Leptotettix), 339.
Gilva (Cyrtoxipha), 80.
Gilvus (*Cyrtoxiphus*), 80.
Glaber (*Decticus*), 184.
Glaber (*Gampsocleis*), 184.
Glaberrimum (Orchelimum), 272.
Glaberrimum (*Xiphidium*), 272.
Glabra (Gampsocleis), 184.
Glabra (*Gampsocleis*), 185.
Glabra (*Locusta*), 184.
Glabratus (*Acanthodis*), 322.
Glabratus (Meroncidius), 322.
Glabricauda (*Barbitistes*), 386, 390.
Glabricauda (Odontura), 386.
Gladiator (Conocephaloides), 247.
Gladiator (*Conocephalus*), 247.
Gladiator (Gryllacris), 140.
Gladiator (*Locusta*), 140
Gladiator (Orchelimum), 271.
Gladiatum (Anisoptera), 278.
Gladiatum (*Xiphidium*), 278.
Gladius (*Brisilis*), 321.
Gladius (Liostethus), 235.
Glandiatrix (Tomeophera), 470.
GLAPHYRONOTUS, 262.
GLAPHYROSOMA, 119.
Glaucescens (*Orchelimum*), 273.
Glaucescens (*Phaneroptera*), 417.
Glaucescens (Symmachis), 417.
Globifer (Conocephaloides), 245.
Globifer (*Conocephalus*), 245.

Globosus (Coccenotus), 334.
Glomerina (*Gryllacris*), 151.
Glomerinus (Eremus), 151.
GLYPHONOTUS, 220.
GNATHOCLITA, 330.
Godeffroyi (*Agræcia*), 265.
Godeffroyi (Salomona), 265.
Godeffroyi (*Salomona*), 265.
GODMANELLA, 453.
GOETIA, 428.
GONATOXIA, 424.
GONYATOPUS, 302.
Gossypii (Gryllus), 29.
Gracile (*Aprion*), 304.
Gracile (Glaphyrosoma), 120.
Gracile (Orchelimum), 272.
Gracile (*Orchelimum*), 271.
Gracile (Stenoschema), 319.
Gracile (*Trigonidium*), 81, 83.
Gracilimum (*Xiphidium*), 271.
Gracilipes (Anisotochra), 397.
Gracilipes (Arethæa), 443.
Gracilipes (Ceuthophilus), 131.
Gracilipes (Conocephaloides), 248.
Gracilipes(*Conocephalus*), 248.
Gracilipes (*Ephippitytha*), 443.
Gracilipes (Gryllus), 32.
Gracilipes (*Hemideina*), 397.
Gracilipes(Nannagrœcia), 263.
Gracilipes(*Phalangopsis*), 131.
Gracilipes (Phisis), 286.
Gracilipes (Phylloptera), 473.
Gracilipes (*Teuthras*), 286.
Gracilis (Aistus), 127.
Gracilis (Anaulacomera), 467.
Gracilis (Barbitistes), 377.
Gracilis (Caulopsis), 240.
Gracilis (Conocephaloides), 250.
Gracilis (*Conocephalus*), 247, 250.
Gracilis (*Copiophora*), 231.
Gracilis (Copiphora), 231.
Gracilis (Cyrtoxipha), 83.
Gracilis (*Ephippigera*), 186.
Gracilis (Ephippigerida), 186.
Gracilis (Euthyrrhachis), 452.
Gracilis (Gryllacris), 141.
Gracilis (*Gryllus*), 74.
Gracilis (Hyperphrona), 475.
Gracilis (Ischnomela), 338.
Gracilis (*Locusta*), 441.
Gracilis (Nemobius), 15.
Gracilis (*Œcanthus*), 74.
Gracilis (Pachytrachelus), 197
Gracilis (Phaneroptera), 436.
Gracilis (Phaula), 426.
Gracilis (*Phyllopalpus*), 81.
Gracilis (*Plagiopleura*), 452.
Gracilis (Rhaphidophora), 124.
Gracilis (Siliquofera), 369.
Gracilis (*Thamnotrizon*), 197.
Gracillima (Caulopsis), 240.
Gracillima (*Hormilia*), 442
Gracillima (Insara), 442.
Gracillimum (Anisoptera), 275.
Gracillimum (*Xiphidium*), 275.
Gracillimus (*Conocephalus*), 240.
Graefli (Corycus), 367.
Graellsii (Pycnogaster), 174.
Grallator (Ægipan), 443.
Grallatoria (*Horatosphaga*), 392.
Grallatoria (*Phaneroptera*), 392.
Grallatoria (Plegmatoptera), 392.
Graminea (*Phylloptera*), 464.
Graminea (Plangia) 464.
Gramineus (*Orophus*), 463.
GRAMMADERA, 469.
Grande (Paratrigonidium), 80.
Grande (*Xiphidium*), 255.
Grandidieri (*Calyptotrypus*), 93.
Grandidieri (Colossopus), 270.
Grandidieri (Madasumma), 93.
Grandidieri (Nemobius), 15.
Grandidieri (Brachytrypes), 22.
Grandifolia (Cycloptera), 353
Grandiocellata (*Tanusia*), 348.
Grandis (Amphiacusta), 68.
Grandis (*Amphiacusta*), 68.
Grandis (*Callimenus*), 177.
Grandis (Ceuthophilus), 131.
Grandis (Diplophyllus), 480.
Grandis (*Gryllotalpa*), 5.
Grandis (Idioderus), 177.
Grandis (*Phyllophora*), 369.
Grandis (Stipator), 183.
Grandis (Subria), 255.
Grandis (*Tarpilia*), 480.
Graniger (*Cleandrus*), 295.
Graniger (*Pseudophyllus*), 295.
Granosa (Diacanthodis), 315.
Granosus (Bliastes), 331.
Granulata (Zichya), 179.
Granulatus (*Ephippiger*), 179.
Granulicollis (*Mataeus*), 291.
Granulosa (*Ctenophlebia*), 471.
Granulosa (*Euthypoda*), 361.
Granulosa (*Leptoscirtus*), 361.
Granulosa (*Mecopoda*), 361.
Granulosa(Viadana), 471.

Granulosum (Leurophyllum), 320.
Granulosum (*Lissophyllum*), 321.
Granulosum (Platyphyllum), 321.
Granulosum (*Platyphyllum*), 320.
Granulosus (Leptoscirtus), 361.
Granulosus (Phyllomimus), 299.
Gratiosa (*Euparthenus*), 408.
Gratiosa (*Gampsocleis*), 185.
Gratiosus (*Decticus*), 185.
Gratiosus (Gampsocleis), 185.
GRAVENREUTHIA, 430.
Gravidus (Adenes), 323.
Grioleti (*Oxyscelus*), 303.
Grioleti (Tympanoptera), 303.
Grisea (Acanthodis), 319.
Grisea (Drymadusa), 180.
Grisea (*Locusta*), 203.
Grisea (*Platycleis*), 204.
Grisea (Tetana), 401.
Grisea (Uchucha), 263.
Griseoaptera (*Locusta*), 202.
Griseoaptera (*Olynthoscelis*), 202.
Griseoaptera (Pholidoptera), 202.
Griseoapterus (*Thamnotrizon*), 202.
Griseus (*Brisilis*), 319.
Griseus (*Decticus*), 204, 205.
Griseus (*Gryllus*), 57.
Griseus (*Liphoplus*), 57.
Griseus (*Mogisoplistes*), 57.
Griseus (Mogoplistes), 57.
Griseus (Nemobius), 17.
Griseus (*Platycleis*), 204, 205.
GRYLLACRINÆ, 139.
GRYLLACRIS, 139.
Gryllacroides (Apiotarsus), 20.
GRYLLACROPSIS, 118.
GRYLLODERES, 39.
GRYLLODES, 39.
Gryllodes (*Gryllus*), 99.
Gryllodes (Orocharis), 99.
Grylloides (*Piliger*), 454.
GRYLLOMORPHA, 52.
GRYLLOMORPHUS, 52
GRYLLOMYIA, 72.
GRYLLOTALPA, 3.
Gryllotalpa (*Acheta*), 4.
Gryllotalpa (Curtilla), 4.
Gryllotalpa (*Gryllotalpa*), 5.
Gryllotalpa (*Gryllus*), 4.
GRYLLUS, 24, 27.
GRYPORHYNCHUS, 234.
Guadeloupensis (*Acheta*), 24.
Guadelupensis (*Gryllodes*), 24.
Guanchicus (*Gryllus*), 28.
Guatemalæ (Amblycorypha), 469.
Guatemalæ (Parœcanthus), 94.
Guatemalæ (Stenopelmatus), 112.
Guentheri (Nannotettix), 337.
Guerini (*Liphoplus*), 57.
Guerini (Ornebius), 57.
Guerinianus (*Liphoplus*), 58.
Guerinianus (Ornebius), 58.
Guineense (Anisoptera), 280.
Guineense (*Xiphidium*), 280.
Guineensis (*Homeoxiphus*), 78.
Guineensis (Metioche), 78.
Gundlachi (Cyrtoxipha), 82.
Gundlachi (*Cyrtoxiphus*), 82.
Gundlachi (Erechthis), 255.
Gundlachi (Nemobiopsis), 63.
Gundlachi (Polyancistroides), 342.
Gundlachi (Pseudancistrus), 342.
Gundlachi (*Subria*), 255.
Guttata (*Conocephalus*), 242.
Guttatipennis (Plangia), 464.
Guttatipes (Catoptropteryx), 415.
Guttatum (Leurophyllum), 320.
Guttatum (*Platyphyllum*), 320.
Guttatus (Conocephaloides), 242.
Guttatus (*Conocephalus*), 242.
Guttifrons (Apotrechus), 152.
Guttiventris (Gryllus), 34.
Guttulata (Philophyllia), 485.
Guttulata (Protina), 417.
Guttulosus (Ceuthophilus), 133.
Guyanensis (Gryllodes), 43.
Guyoni (Eugaster), 158.
Guyoni (*Eugaster*), 159.
Guyoni (*Hetrodes*), 158, 159.
Guyonii (*Eugaster*), 158.
Guyonii (*Hetrodes*), 159.
GYMNÆTA, 125.
GYMNETA, 125.
Gymnica (Phæophilacris), 71.
Gymnica (*Phæophyllacris*), 71.
GYMNOCERA, 454.
GYMNOGRYLLUS, 23.
GYMNOPLECTRON, 137.
GYMNOPROCTUS, 157.
GYMNOSCIRTUS, 366.

Haani (Salomona), 266.
Haanii (Cardiodactylus), 88.
Haanii (Loxoblemmus), 46,
Haanii (*Metrypa*), 108.
Haanii (*Metrypus*), 108.
Haanii (Phygela), 423.
Haanii (Tafalisca), 108.
Haanii (Trigonidium), 78.
Habasqui (Hyperhomala), 368.
Habasqui (*Phyllophora*), 368.
HABETIA, 260.
HABRA, 426.
HABROCOMES, 316.
HADENŒCUS, 135.
HADROSOMA, 374.
Hadrus (Semiophygas), 301.

HÆMODIASMA, 314.
Hageni (*Lobaspis*), 262.
Hageni (Nicsara), 262.
Hahneli (Chœroparnops), 326.
Haitensis (*Gryllacris*), 147.
Haldemanii (*Anabrus*), 183.
Haldemanii (Stipator), 183.
Halmaheræ (Conocephaloides), 250.
Halmaheræ (*Conocephalus*), 250.
Halmaturina (Cædicia), 414.
Halterata (Simodera), 354.
Hamata (Isophya), 383.
Hamata (Pyrgocorypha), 239.
Hamatus (*Conocephalus*), 239.
Hamatus (Pœcilemon), 376.
HAMMATOFERA, 409.
Hamuligera (Morgenia), 429.
HAPITHUS, 92. 97.
Harmandi (Oxystethus), 257.
Harpago (Anaulacomera), 468.
HARPOSCEPA, 442.
Harrisoni (Pseudophyllus), 294.
Hastata (*Ephippigera*), 162.
Hastata (Grammadera), 469.
Hastata (*Hemisaga*), 228.
Hastata (*Locusta*), 280.
Hastata (Odontolakis), 268.
Hastata (Pyrgocorypha), 238.
Hastatum (Anisoptera), 280.
Hastatum (*Xiphidium*), 280.
Hastatum (*Xyphidium*), 280.
Hastatus (Nemobius), 17.
Hastatus (*Peltastes*), 216.
Hastatus (Psorodontus), 216.
Hastatus (*Pterolepis*), 216
Hastatus (*Pyrgocorypha*), 238.
Hastatus (Scapsipedus), 45.
Hastatus (Uromenus), 162.
Hastifer (*Conocephalus*), 238.
Hastifer (Pseudorhynchus), 238.
Hastiferus (Phrixocnemis), 134.
Hawaiiensis (*Conocephaloides*), 250.
Hebardi (Falcicula), 87.
Hebes (Conocephaloides), 246.
Hebes (*Conocephalus*), 246.
Hebetata (*Otiophysa*), 420.
Hebræus (Gryllodes), 41.
Hecticum (Anisoptera), 280.
Hecticum (*Xiphidium*), 280.
Hector (*Landrevus*), 50.
Hector (Paralandrevus), 50.
HECTORIA, 413.
Hedephonus (Ectecous), 65.
Helleri (Typophyllum), 351.
Helmsi (Ametrosomus), 153.
Helvola (Madasumma), 94.
Helvolus (*Calyptotrypus*), 94.
Helvolus (*Gryllus*), 91, 95.
Helvolus (Orocharis), 100.
Helvolus (*Phalangopsis*), 91, 95.
Helvolus (*Platydactylus*), 94.
Hemelytrus (*Eneoptera*), 102.
Hemelytrus (*Euscirtus*), 102.
Hemelytrus (Euscyrtus), 102.
Hemelytrus (Gryllodes), 42.
Hemelytrus (Gryllus), 102.
HEMICLONIA, 226.
HEMICOPHUS, 69.
HEMIDEINA, 114.
HEMIELIMÆA, 397.
HEMIGRYLLUS, 20.
HEMIGYRUS, 297.
HEMIHETRODES, 155.
HEMIPHONUS, 101.
Hemiptera (Landreva), 51.
Hemipterus (*Conocephalus*), 279.
Hemipterus (*Landrevus*), 51.
HEMISAGA, 228.
HEMIUDEOPSYLLA, 129.
HENICUS, 122.
Henshawi (*Ceuthophilus*), 129.
Henshawi (Marsa), 129.
Herbaceum (Orchelimum), 272.
Herbstii (*Anostostoma*), 122.
Herinaceus (Polyglochin), 312.
Heringi (Eucatopta), 437.
Hermannii (Idiostatus), 193.
Hermannii (*Steiroxys*), 193.
Hermsdorfensis (*Gryllus*), 31.
Heros (Ceuthophilus), 132.
Heros (Gryllacris), 145.
Heros (Macrochiton), 338.
Heros (*Metrypus*), 107.
Heros (Tafalisca), 107.
HETAIRA, 478.
Heteracantha (Anostostoma), 114.
Heteracantha (Deinacrida), 114.
Heteracanthus (Oxystethus), 257.
HETERECOUS, 107.
HETEROGRYLLUS, 65.
HETEROMALLUS, 136.
Heteromorpha (Pantolepta), 394.
HETEROPUS, 8, 11.
Heteropus (Conocephaloides), 245.
Heteropus (*Conocephalus*), 244, 245.
Heteropus (Nemobius), 16.
HETEROTRYPUS, 91.
HETRODES, 153.
HETRODINÆ, 153.
Hewaniana (Acridoxena), 362.
HEXACENTRUS, 287.
Hexadactyla (*Gryllotalpa*), 2. 3.

Hexadactyla (Neocurtilla), 2.
Heydeni (*Eneoptera*)), 89.
Heydeni (Ligypterus), 89.
Heydenii (*Gryllus*), 14.
Heydenii (Nemobius), 14.
Hieroglyphica (*Gryllacris*), 142.
Hilaris (Lichenochrus), 317.
Hildebrandtiana (Peronura), 391.
Hiloensis (*Brachymetopa*), 254.
HIMERTA, 400.
Hippolyti(Anepisceptus), 157.
HIRPINUS, 66.
Hirsuta (Cædicia), 415.
Hirsuta (Curtiila), 5.
Hirsuta (*Gryllotalpa*), 5.
Hirsutulus (*Gryllus*), 19.
Hirsutulus (Nemobius), 19.
Hirtellus (Podoscirtus), 104.
Hirticauda (Myrmecophila), 54.
Hirticollis (*Gryllus*), 15.
Hispanica (*Ephippiger*), 167.
Hispanica (Ephippigerida), 167.
Hispanica (*Locusta*), 219.
Hispanica (Phasgonura), 219.
Hispanicus (Antaxius), 189.
Hispanicus (*Ephippiger*), 167.
Hispida (Chœroparnops), 326.
Hispida (*Echinacris*), 326.
Histrio (Catasparata), 352.
Histrio (Ellipes), 11.
Histrio (Gryllodes), 42.
Histrio (*Heteropus*), 11.
Histrio (*Homœoxiphus*), 80.
Histrio (Nemobius), 16.
Histrio (Stenopelmatus), 112.
Histrio (*Tridactylus*), 11.
Histrionicus (Ellipes), 11.
Histrionicus (*Heteropus*), 11.
Histrionicus (Loxoblemmus), 46.
Histrionicus(*Tridactylus*), 11.
Hiulcus (Gryllodes), 42.
Hoegei (Tanusia), 349.
Hoegii (Phrixa), 477.
Hoehneli (Phlegmatoptera), 392.
Hofmanni (*Calyptotrypus*), 95.
Hofmanni(Gryllodes), 41.
Hofmanni(Madasumma), 95.
HOLOCHLORA, 430.
Holzi (Pœcilemon), 377.
HOMALOBLEMMUS, 45.
HOMALOTRYPUS, 103.
Homacanthus (Oxystethus), 257.
HOMŒOGRYLLUS, 66.
HOMŒOXIPHA, 80.
HOMŒOXIPHUS, 80.
HOMOTOICHA, 449.
Honorabilis (Rhomboptera), 294.
Honorei (Anisoptera), 283.
Honorei (*Xyphidium*),283.
HOPLIDOSTYLUS, 324.
Hoplomachus (Conocephaloides), 248.
Hoplomachus (*Conocephalus*), 248.
HORATOSPHAGA, 392.
Hordeifolia (*Locusta*), 437.
Hordeifolia (Phaneroptera), 437.
HORMILIA, 442.
Horrida (*Hetrodes*), 157.
Horrida (*Locusta*), 157.
Horridus (Anepisceptus), 157.
Horridus (*Hetrodes*), 157.
Horridus (*Hexacentrus*), 222.
Horridus (*Porrotrips*), 157.
Horridus (Terpandrus), 222.
Horvathi (Phyllophora), 369.
Hospes (*Acheta*), 17.
Hospes (Cædicia), 415.
Hospodar (Jaquetia), 380.
Hova (*Calyptotrypus*), 93.
Hova (*Euscirtus*), 101.
Hova (Euscyrtus), 101.
Hova (Madasumma), 93.
Howarthæ (Acanthoproctus), 159.
Huasteca (Amblycorypha), 460.
Huasteca (*Phylloptera*), 460.
Hudsoni (Pleioplectron), 138.
Humbertiana (Metioche), 78.
Humbertiana (Scutotribonia), 298.
Humbertianus (*Homœoxiphus*), 78.
Humbertiellus (Stephoblemmus), 47.
Humeralis (*Brachytrypus*), 23.
Humeralis (*Gryllus*), 23.
Humeralis (Gymnogryllus), 23.
Humilis (*Acanthodis*), 313.
Humilis (Onosandrus), 121.
Humilis (Orpacophora), 313.
Huoniensis (Polichne), 419.
Huttoni (Hemideina), 114.
Huttoni (Macropathus), 139.
Hyalina (*Gryllacris*), 146.
Hyalina (Nisitra), 87.
Hyalinus (*Nisitrus*), 87.
Hybrida (Sciobia), 50.
Hybridus (Aprosphylus), 216.
Hybridus (*Platyblemmus*), 50.
Hydatinoptera (Arantia), 406.
Hydrocephalus (*Stenopelmatus*), 112.
Hydrodroma (Rhipipteryx), 12.
HYDROPEDETICUS, 84.
Hygracantha (Machima), 410.
Hygrophilus (Gryllus), 31.
HYPERBÆNUS, 148.
Hyperborea (Cymatomera), 306.
HYPERHOMALA, 368.
Hypericifolia (*Gryllus*), 344.
Hypericifolia (*Pterophylla*), 344.
Hypericifolia (*Tettigonia*), 344.

Hypericifolius (*Cyrtophyllus*), 344.
HYPEROMALA, 368.
HYPEROMERUS, 255.
HYPEROPHORA, 402.
HYPERPHRONA, 475.
HYPOCOPHUS, 119.
Hystrix (*Machima*), 410.
Hystrix (Markia), 410.
Hystrix (Phaneroptera), 410.

Ibericus (Gryllodes), 40.
Ichneumoneus (Conocephaloides), 242.
Ichneumoneus (*Conocephalus*), 242.
Ictum (Anisoptera), 281.
Ictum (*Xiphidium*), 281.
IDIARTHRON, 328.
IDIODERUS, 177.
IDIONOTUS, 194.
IDIOSTATUS, 193.
Idomenæi (*Ephippigera*), 163.
Idomenæi (Steropleurus), 163.
Ignobilis (Cocconotus), 336.
Ignobilis (Gryllus), 32.
Ignobilis (*Gryllus*), 34.
Illinoiensis (Tridactylus), 10.
Illustrata (*Pterochroza*), 348.
Illustrata (Tæniomena), 348.
Imbecillus (Gryllodes), 43.
Imbecilus (Gryllacris), 146.
Imhoffiana (*Acanthodis*), 314.
Imhoffiana (Calamoptera), 314.
Imitator (Cyrtoxipha), 82.
Imitator (*Cyrtoxiphus*), 82.
Immaculata (Gonatoxia), 424.
Immaculipennis (*Acanthodis*), 311.
Immaculipennis (Catoptropteryx), 415.
Immunda (Lacipoda), 302.
Immunis (*Aprion*), 305.
Immunis (Leptotettix), 340.
Immunis (*Meroncidius*), 340.
Immunis (Morsimus), 305.
Immunis (*Tarphe*), 308.
Immunis (Tegra), 308.
Imperator (*Mecopoda*), 363.
Imperfecta (Neobarrettia), 182.
Imperfectus (*Capnobotes*), 182.
Imperialis (*Acanthodis*), 309.
Imperialis (*Locusta*), 309, 360.
Imperialis (Pseudophyllanax), 360.
Imperialis (Sanaa), 309.
Imperialis (*Termera*), 309.
Impictus (Borborothis), 118.
Impictus (*Onosandrus*), 118.
Inalata (*Diplacustes*), 63.
Inalata (Larnaca), 63.
Inalata (*Euthypoda*), 361.
Inalata (*Mecopoda*), 361.
Inalatus (Apteroscirtus), 361.
Inca (Cocconotus), 335.
Incarnatus (*Gryllus*), 481.
Incarnatus (*Locusta*), 481.
Incarnatus (Orophus), 481.
Incerta (*Anaulacomera*), 468.
Incerta (Chelidoptera), 207.
Incerta (Furnia), 468.
Incerta (Gongrocnemis), 326.
Incerta (Gryllacris), 147.
Incerta (*Platycleis*), 207.
Incertus (Conocephaloides), 251.
Incertus (*Conocephalus*), 251.
Incertus (Gryllodes), 43.
Incertus (Poecilemon), 377.
Incertus (Tridactylus), 10.
Incisa (*Cycloptera*), 350.
Incisa (Libanasa), 117.
Incisa (Mimetica), 350.
Incisa (*Stilpnochlora*), 456.
Incisum (Microcentrum), 456.
Inclusa (Pachypyga), 392.
Incommoda (Apocerycta), 480.
Incompta (Cyrtoxipha), 83.
Incompta (*Eneoptera*), 83.
Inconspicua (*Amytta*), 373.
Inconspicua (Anaulacomera), 467.
Inconspicua (Anepitacta), 373.
Inconspicua (Gryllacris), 143.
Inconspicua (Marenestha), 404.
Inconspicua (Phaula), 426.
Inconspicua (Tetragonomera), 311.
Inconstans (*Anchiptolis*), 327.
Incurvum (Idiarthron), 328.
Incurvus (*Meroncidius*), 328.
Indecora (Madasumma), 94.
Indecorus (*Platydactylus*), 94.
Indianense (Orchelimum), 272.
Indica (Emptera), 222.
Indica (Holochlora), 430.
Indica (*Locusta*), 222.
Indica (*Phaneroptera*), 436.
Indica (Phaula), 426.
Indica (*Saga*), 222.
Indicator (Conocephaloides), 251.
Indicator (*Conocephalus*), 251.
Indicus (Conocephaloides), 249.
Indicus (*Conocephalus*), 249.
Indicus (Homaloblemmus), 45.
Indicus (Hypocophus), 119.
Indicus (Nemobius), 16.
Indicus (Œcanthus), 74.
Indigena (Pterolepis), 186.
Indistincta (*Olynthoscelis*), 199.
Indistincta (Pholidoptera), 199.
Indistinctus (Bliastes), 332.
Indistinctus (*Meroncidius*), 332.
Indivisa (*Dictyota*), 416.
Indivisa (Torbia), 416.
Indivisus (Anisotrypus), 102.

Inerme (*Xiphidium*), 272.
Inermis (*Amblyakis*), 269.
Inermis (Amblylakis), 269.
Inermis (Anaulocomera), 467.
Inermis (*Bradyporus*), 173.
Inermis (Cacopteris), 193.
Inermis (Cædicia), 414.
Inermis (Hyperhomala), 368.
Inermis (*Phyllophora*), 368.
Inermis (Polyclepteş), 311.
Inermis (Pycnogaster), 173.
Inermis (Pyrgomorpha), 239.
Inexpectatus (Prognathogryllus), 109.
Infecta (*Pterochroza*), 348.
Infecta (Tanusia), 348.
Inferior (*Lobaspis*), 261.
Inferior (Nicsara), 261.
Infernalis (Gryllus), 33.
Inficita (*Meroncidius*), 316.
Inficita (Pleminia), 316.
Infirmus (Phlugis), 285.
Infirmus (*Thysdrus*), 285.
Inflata (Letana), 400.
Inflata (*Lobaspis*), 261.
Inflata (Nicsara), 261.
Inflata (Pyrrhicia), 400.
Inflata (Tridactylus), 8.
Inflata (*Xya*), 8.
Inflatus (*Callimenus*), 176.
Inflatus (*Conocephalus*), 293.
Inflatus (*Cratylus*), 293.
Inflatus (Hexacentrus), 287.
Inflatus (Pœcilemon), 376.
Infumata (Gryllacris), 146.
Infumata (Vescelia), 69.
Infumatum (Anisoptera), 278.
Infumatum (*Xiphidium*), 278.
Infumatus (Lichenochrus), 317.
Infumatus (*Phyllozelus*), 300.
Infuscata (Euconchophora), 269.
Infuscata (Gymnocera), 455.
Infuscata (*Paragryllacris*), 149.
Infuscata (Phylloptera), 473.
Infuscata (*Scaphura*), 455.
Infuscatus (Conocephaloides), 244.
Infuscatus (*Conocephalus*), 244.
Inhabilis (Phrixocnemis), 134.
Inhumata (*Tylopsis*), 442.
Innocentii (*Ephippiger*), 162.
Innocentii (Uromenus), 162.
Innotatus (Leptotettix), 340.
Innotatus (*Meroncidius*), 340.
Inornata (*Eugaster*), 158.
Inornata (*Palota*), 279.
Inornatus (*Eugaster*), 158.
Inornatus (Meroncidius), 323.
Inquinatus (Ceuthophilus), 134
Inquinatus (Gonyatopus), 302.
Inquinatus (Phyllomimus), 300.
INSARA, 442.
Insignis (Elimæa), 395.
Insignis (*Gryllacris*), 149.
Insignis (*Landrera*), 51.
Insignis (*Landrevus*), 51.
Insignis (Mormotus), 324.
Insignis (Nisitra), 87.
Insignis (*Nisitrus*), 87.
Insignis (*Paragryllacris*), 141.
Insignis (*Phaneroptera*), 395.
Insolita (*Gryllacris*), 152.
Insolitus (Apotrechus), 52.
Instabilis (*Gryllus*), 33.
Insulana (Megaloessa), 447.
Insulanus (Conocephaloides), 250.
Insulanus (*Conocephalus*), 246, 250.
Insularis (*Anaulacomera*), 468.
Insularis (*Eneoptera*), 87.
Insularis (Furnia), 468.
Insularis (Gryllus), 36.
Insularis (Homoeoxiphus), 79.
Insularis (Metioche), 79.
Insularis (Podoscirtus), 104.
Insularis (*Pseudophyllanax*), 360.
Intacta (*Phylloptera*), 462.
Intactus (Conocephaloides), 253.
Intactus (*Conocephalus*), 253.
Integer (Gonyatopus), 302.
Integer (Gryllus), 36.
Integer (*Phyllomimus*), 302.
Integricauda (Parableta), 455.
Interjectum (Phyrama), 354.
Intermedia (Anaulacomera), 466.
Intermedia (*Barbitistes*), 377.
Intermedia (Chelidoptera), 205.
Intermedia (*Gryllotalpa*), 3.
Intermedia (*Hormilia*), 442.
Intermedia (Insara), 442.
Intermedia (Neocurtilla), 3.
Intermedia (Platycleis), 205.
Intermedia (Pterophylla), 344.
Intermedia (*Scaphura*), 454.
Intermedium (*Lissophyllum*), 321.
Intermedium (Platyphyllum), 321.
Intermedius (Cyrtophyllus), 344.
Intermedius (*Decticus*), 205.
Intermedius (Meroncidius), 323.
Intermedius (Oxystethus), 257.
Intermedius (*Platycleis*), 205.
Intermedius (Pœcilemon), 377, 378.
Interruptus (Conocephaloides), 251.

Interruptus (*Conocephalus*), 251.
Interruptus (*Gryllus*), 26.
Inusta (Salomona), 266.
Inversa (Anaulacomera), 468.
Inversa (*Ctenophlebia*), 470.
Inversa (Elimaea), 395.
Inversa (Viadana), 470.
Inversus (*Aprion*), 305.
Inversus (Morsimus), 305.
Inversus (Mustius), 290.
Inversus (Phyllomimus), 300.
Ionicus (Pœcilemon), 379.
Iris (Anisoptera), 279.
Iris (*Xiphidion*), 279.
Iris (*Xiphidium*), 279.
Irregularis (Dapanera), 424.
Irregularis (Hyperphrona), 476.
Irregularis (Psacadonotus), 258.
Irregularis (Stenopelmatus), 111.
Irregularis (Talitropsis), 136.
Irregularis (Tylopsis), 441.
Irregulariterdentatus (Posidippus), 459.
Irrorata (Endacusta), 69.
Irrorata (Ephippitytha), 413.
Irrorata (*Phaneroptera*), 413.
Irroratus (*Apithes*), 98.
Irroratus (*Calyptotrypus*), 94.
Irroratus (*Conocephalus*), 243.
Irroratus (*Endacustes*), 69.
Irroratus (Hapithus), 98.
ISCHNOMELA, 338.
ISCHNOPHYLLUS, 257.
ISCHNOPTERA, 444.
ISCHYRA, 484.
ISCHYROPLECTRON, 136.
Iselyi (Amblycorypha), 460.
Isernii (*Cocconotus*), 336.
Isernii (Cratonotus), 336.
Isolatum (Ischyroplectron), 136.
Isolatus (*Ceuthophilus*), 136.
ISOPHYA, 383.
ISOPLECTRON, 138.
ISOPSERA, 438.
Italica (*Gryllomorpha*), 73.
Italica (Saga), 225.
Italicus (*Gryllus*), 73.
Italicus (*Œcanthus*), 73.
ITARA, 91.
ITARISSA, 459.
ITOKIIA, 428.
ITYROCEPHALA, 366.
IVENSIA, 405.

Jallæ (Acanthoplus), 155.
JAMAICANA, 322.
Jamaicensis (Camptonotus), 152.
Jansoni (Diatrypa), 93.
Jansoni (*Diatrypus*), 93.
Janus (Nemobius), 19.
Japonica (*Ducetia*), 398.
Japonica (Holochlora), 431.
Japonica (*Locusta*), 398, 431.
Japonica (*Phaneroptera*), 431.
Japonica (Tettigonia), 215.
Japonicum (Anisoptera), 282.
Japonicum (*Xiphidium*), 282.
Japonicus (*Decticus*), 215.
Japonicus (*Gryllus*), 9, 67.
Japonicus (Homœgryllus), 67.
Japonicus (*Phalangopsis*), 67.
Japonicus (Tridactylus), 9.
JAQUETIA, 380.
Javana (*Locusta*), 364.
Javana (*Mecopoda*), 364.
Javanica (Holochlora), 431.
Javanica (Isotima), 99.
Javanica (Salomona), 267.
Javanicum (Anisoptera), 282.
Javanicum (*Xiphidium*), 282.
Javanicus (*Conocephalus*), 239.
Javanicus (Timanthes), 302.
Javanicus (Xestophrys), 236.
Javanus (*Gryllus*), 364.
Javanus (Nemobius), 16.
Javanus (*Platyxyphus*), 62.
Javanus (Podoscirtus), 103.
JIMENEZIA, 338.
Jocosa (Peringueyella), 227.
Jonicus (*Barbitistes*), 376.
Jonicus (*Pœcilemon*), 376.
Jugicola (Pycnogaster), 174.
Jugicola (*Pycnogaster*), 174.
Juncea (*Phaneroptera*), 420.
Juncea (Polichne), 420.
Junghuhni (Promeca), 299.
Junghuhni (*Pseudophyllus*), 299.
Junior (Gryllacris), 145.
Jurinei (Corycus), 367.
Jurinei (*Corycus*), 367.
Juvenis (Hyperbaenus), 148.

Kabyla (Chelidoptera), 205.
Kabyla (*Platycleis*), 205.
Kanguroo (Euthypoda), 365.
Kanguroo (*Macroscirtus*), 365.
Karschi (Charisoma), 366.
Karschi (Corycus), 367.
Karschi (Disceratus), 337.
Karschi (Mecopoda), 363.
KARSCHIA, 421.
Karschiana (Harposcepa), 442.
Kerkennensis (Gryllodes), 40.
Kerkennensis (*Gryllodes*), 40.
Kevica (Hyperhomala), 368.
Kevica (*Phyllophora*), 368.
KHEILIA, 361.

Kingsleyæ (Cosmoderus), 156.
Kirbii (*Scaphura*), 454.
Kirschianus (Amusus), 65.
Kirschii (Gryllodes), 43.
Kochii (Cylindracheta), 7.
Kochii (*Cylindrodes*), 7.
Kœnigi (Calliphona), 219.
Kolenatii (*Conocephalus*), 218.
Kollarii (*Platyblemmus*), 49.
Konowi (Drymadusa), 180.
Kraussi (Amusus), 65.
Kraussi (Antaxius), 189.
Kraussi (*Antaxius*), 189.
Kraussi (Chelidoptera), 209.
Kraussi (Conocephaloides), 247.
Kraussi (*Conocephalus*), 247.
Kraussi (Corycus), 367.
Kraussi (Isophya), 384.
Kraussi (*Paradrymadusa*), 189.
Kraussi (*Platycleis*), 209.
Kraussi (Saga), 224.
Kriechbaumeri (Hemigryllus), 20.
Krinickii (*Decticus*), 206.
Krueperi (Discoptila), 52.
Krueperi (*Gryllomorpha*), 52.
Krugi (*Apithes*), 100.
Krugi (Laurepa), 100.
Krugi (*Orochirus*), 100.
Krugii (*Liphoplus*), 58.
Krugii (Ornebius), 58.
Krynickii (*Decticus*), 206.
Kutahiensis (Pœcilemon), 378.

LACIPODA, 302.
Lacteipennis (*Symmachis*), 417.
Lactuca (Sasima), 368.
LADNEA, 400.
Læta (Gryllacris), 141.
Læta (*Gryllacris*) 142.
Læta (Homalaspis), 338.
Lætitia (Gryllacris), 142.
Lætum (Anisoptera), 278.
Lætum (*Xiphidium*), 278.
Lævicauda (Symmetropleura), 447.
Lævifrons (Bliastes), 331.
Lævifrons (Salomona), 266.
Lævigata (Gryllacris), 143.
Lævigata (*Turpilia*), 479.
Lævigatus (Diplophyllus), 479.
Lævis (Loja), 260.
Lævis (Phaula), 426.
Lævis (Phylloptera), 474.
Lævis (Schochia), 312.
Lævissima (*Odontura*), 377.
Lævissimus (Pœcilemon), 377.
LAGARODES, 303.
Lalandæi (*Clonia*), 227.
Lalandæi (Hemiclonia), 227.
Lalandei (*Clonia*), 227.
Lamellata (Anœdopoda), 362, 363.
Lamellatus (*Gryllus*), 362.
Lamellatus (*Tettigonia*), 362.
Lamellosa (Casigneta), 425.
Lamellosa (*Mecopoda*), 363.
Lamellosus (*Gryllus*), 363.
Lamellosus (*Tettigonia*), 363.
Laminata (Homotoicha), 449.
Laminifera (Plangia), 464.
LAMNICEPS, 232.
LAMPROGASTER, 171.
Lanceolata (Abrodiæta), 469.
Lanceolata (Anaulacomera), 468.
Lanceolata (Cyrtoxipha), 83.
Lanceolata (Elimæa), 395.
Lanceolata (*Encoptera*), 83.
Lanceolata (*Gryllus*), 360.
Lanceolata (Hyperhomala), 368.
Lanceolata (*Locusta*), 243.
Lanceolata (*Phyllophora*), 368.
Lanceolata (*Phylloptera*), 480.
Lanceolata (*Sexava*), 360.
Lanceolata (*Tettigonia*), 360.
Lanceolatum (*Microcentrum*), 480.
Lanceolatum (*Steirodon*), 395.
Lanceolatus (*Ceuthophilus*), 121.
Lanceolatus (*Conocephalus*), 238, 250.
Lanceolatus (*Locusta*), 238.
Lanceolatus (Onosandrus), 121.
Lanceolatus (Orophus), 480.
Lanceolatus (Pseudorhynchus), 238.
LANCIANA, 190.
Lancifer (Conocephaloides), 241.
Lancifer (*Conocephalus*), 241.
Lancifera (*Conocephalus*), 241.
Lancifera (*Copiophora*), 241.
LANDREVA, 51.
LANDREVUS, 51.
LANISTA, 237.
Lanosa (*Pleminia*), 316.
Lanosus (Habrocomes), 316.
Lanzti (Odontolakis), 268.
Lapidicola (*Ceuthophilus*), 131, 132.
Lapidicola (*Phalangopsis*), 131.
Lapidicolus (Ceuthophilus), 131.
Lapidicolus (*Ceuthophilus*), 131.
Laplatæ (Gryllodes), 43.
Laplatæ (*Gryllus*), 43.
Laqueatus (*Gryllus*), 32.
Laqueatus (Heterotrypus), 91.
LARANDA, 64.
LARANDUS, 64.
Larrapintæ (Nemobius), 16.
Latebrarum (*Phalangopsis*), 127.
Latebricola (Ceuthophilus), 131.
Latebricola (*Phalangopsis*), 127.
Latelineolata (Gryllacris), 149.

Latens (Ceuthophilus), 132.
Lateralis (*Agræcia*), 257.
Lateralis (Anelytra), 257.
Lateralis (Barbitistes), 378.
Lateralis (Cyrtoxipha), 81.
Lateralis (*Eneoptera*), 81.
Lateralis (Gryllodes), 40.
Lateralis (*Gryllus*), 40.
Lateralis (*Nemobius*), 15.
Lateralis (Penalva), 118.
Lateralis (Pœcilemon), 378.
Latevittatum (Phlaurocentrum), 422.
Latibuli (Ceuthophilus), 131.
Laticauda (Anaulacomera), 467.
Laticauda (Chelidoptera), 206.
Laticauda (Leptophyes), 389.
Laticauda (*Odontura*), 377, 389.
Laticauda (Orchelimum), 273.
Laticauda (*Platycleis*), 206.
Laticauda (Scudderia), 445.
Laticauda (*Xiphidium*), 273.
Laticeps (Conocephaloides), 247.
Laticeps (*Conocephalus*), 247.
Laticeps (*Locusta*), 266.
Laticeps (Salomona), 266.
Laticollis (*Ephippiger*), 162.
Laticollis (*Ephippigera*), 162.
Laticollis (Uromenus), 162.
Latifolia (Anaulacomera), 467.
Latifolia (Arantia), 406.
Latifolia (Chlorophylla), 353.
Latifolia (Diastella), 416.
Latifolius (Scopiorus), 343.
Latifolius (Timanthes), 302.
Latifrons (Anisoptera), 282.
Latifrons (*Conocephalus*), 253.
Latifrons (*Gryllacris*), 142.
Latifrons (Gryllus), 32.
Latifrons (Monteiroa), 464.
Latifrons (*Xiphidium*), 282.
Latior (Philophyllia), 485.
Latipennis (*Anaura*), 449.
Latipennis (Anœdopoda), 363.
Latipennis (Cleandrus), 295.
Latipennis (*Conocephalus*), 250.
Latipennis (*Ephippiger*), 167.
Latipennis (*Ephippigera*), 167.
Latipennis (Ephippigerida), 167.
Latipennis (Gryllacris), 141.
Latipennis (*Hormilia*), 443.
Latipennis (Insara), 443.
Latipennis (Ligocatinus), 449.
Latipennis (*Matæus*), 291.
Latipennis (*Mecopoda*), 363.
Latipennis (Œcanthus), 75.
Latipennis (*Onomarchus*). 296.
Latipennis (Peucestes), 457.
Latipennis (*Phyllopalpus*), 87.
Latipennis (Zabalius), 291.
Latipes (Callimenus), 177.
Latipes (Ceuthophilus), 134.
Latisulcus (*Ceuthophilus*), 132.
Lativertex (Anaulacomera), 467.
Lativertex (Loxoblemmus), 46.
Lativittata (Jamaicana), 322.
Lativittatus (*Meroncidius*), 322.
LAUREPA, 160.
Laurifolia (*Gryllns*), 481.
Laurifolia (Itarissa), 459.
Laurifolia (*Locusta*), 481.
Laurifolia (Ommatoptera). 348.
Laurifolia (*Phylloptera*), 481.
Laurifolia (Tanusia), 348.
Laurifolium (*Microcentrum*), 482.
Laurifolius (*Gryllus*), 457.
Laurifolius (Microcentrum). 456.
Laurifolius (Scopiorus), 343.
Laurifolius (*Tettigonia*), 456.
Laxmanni (*Bradyporus*), 221.
Laxmanni (*Gryllus*), 221.
Laxmanni (Onconotus), 221.
LEA, 344.
LEBINTHUS, 88.
LEBUSSA, 97.
Ledereri (*Olynthoscelis*), 198.
Ledereri (Pholidoptera), 198.
Ledereri (Saga), 224.
Ledereri (*Thamnotrizon*), 198.
Lefebvrei (Gymnocera), 455.
Legumen (Lobophyllus), 485.
Legumen (*Phylloptera*), 483.
Lemur (Conocephaloides), 251.
Lemur (*Conocephalus*), 251.
LENCICA, 123.
Lenzi (Phaula), 426.
Lepida (*Gryllacris*), 150.
Lepidula (*Metioche*), 78.
Lepidus (Gryllus), 35.
Lepidus (Neanias), 150.
Lepismoide (Cycloptilum), 59.
Lepismoides (*Ceuthophilus*), 121.
Lepismoides (Onosandrus), 121.
LEPROSCIRTUS, 361.
Leptocerca (*Heratosphaga*), 392.
Leptocerca (Rhegmatopoda), 392.
Leptocnemis (Arantia), 406.
LEPTODERA, 408.
LEPTODERES, 408.
LEPTOGRYLLUS, 110.
LEPTOPHYES, 389.

LEPTOTETTIX, 339.
LERNECA, 63.
LESINA, 289.
Lessonae (Stenopelmatus), 111.
Lessonii (Pseudorhynchus), 258.
LETANA, 399.
Leuconotus (Onosandrus), 296.
Leuconotus (Pseudolepidulus), 296.
Leucostictus (Gryllus), 23.
Leucostomus (Gryllus), 32.
Leucoviridis (Chlorobalius), 190.
LEUROPHYLLUM, 320.
LEZINA, 117.
LIARA, 258.
LIBANASA, 117.
LICHENOCHRUS, 317.
LICODIA, 119.
LICOLA, 113.
Licornis (Copiphora), 231.
Ligata (Deinacrida), 115.
Ligata (Gryllacris), 146.
Ligatum (Microcentrum), 482.
Ligneus (Cleandrus), 295.
Ligatus (Orophus), 482.
Lignicolor (Cocconotus), 335.
LIGOCATINUS, 449.
LIGYPTERUS, 89.
Lilifolia (Locusta), 440.
Lilifolia (Phaneroptera), 435, 440.
Lilifolia (Tylopsis), 441.
Liliifolia (Phaneroptera), 440, 441.
Liliifolia (Tylopsis), 441.
Limbata (Drymadusa), 179.
Limbata (Ephippigera), 168.
Limbata (Ephippigerida), 168.
Limbata (Rhipipteryx), 12.
Limbata (Xya), 12.
Limbaticollis (Gryllacris), 141.
Limbatus (Ephippiger), 168.
Limbatus (Œcanthus), 75.
Limbatus (Scapsipedus), 45.
Limosa (Phalangopsis), 64.
Limosus (Paragryllus), 64.
Linderi (Dolichopoda), 126.
Linderi (Phalangopsis), 126.
Linearis (Diplophyllus), 480.
Linearis (Letana), 400.
Linearis (Metrypus), 108.
Linearis (Nessa), 108.
Linearis (Turpilia), 480.
Lineata (Elæoptera), 358.
Lineata (L[illegible]), 252.
Lineaticeps (Gryllus), 31, 36.
Lineaticollis (Cyrtoxipha), 81.
Lineatifrons ([illegible]), 331.
Lineatipes (Conocephaloides), 249.
Lineatipes (Conocephalus), 249.
Lineatocolle (Trigonidium), 81.
Lineatocollis (Cyrtoxipha), 81.
Lineatus (Ectadoderus), 58.
Lineatus (Gryllodes), 38.
Lineatus (Gryllus), 38.
Lineatus (Miogryllus), 38.
Lineatus (Œcanthus), 74.
Lineatus (Posidippus), 458.
Lineiceps (Gryllodes), 43.
Lineiceps (Gryllus), 34.
Lineolata (Cyrtaspis), 372.
Lineolata (Gryllacris), 143.
Lineolata ([illegible]), 478.
Lineolatus ([illegible]), 331.
Lineolatus ([illegible]), 291.
Lineolatus (Gryllus), 15.
Lineolatus (Mnesibulus), 95.
Lineolatus (Nemobius), 15.
Lineolatus (Pseudophyllus), 291.
Lineolatus (Zabalius), 291.
Lineosa (Gryllacris), 143.
Lineosus (Conocephaloides), 250.
Lineosus (Conocephalus), 250.
LIOCENTRUM, 252.
LIOGRYLLUS, 24.
LIOSTERNUS, 25[illegible].
LIOSTETHUS, 255.
LIOTRACHELA, 432.
LIPAROSCELIS, 524.
LIPOTACTES, 283.
LIROMETOPUM, 232.
LISSOBLEMMUS, 47.
LISSOTRACHELUS, 61.
Listeri (Phisis), 286.
LISTROSCELIS, 288.
Litoralis (Olynthoscelis), 200.
Litoralis (Thamnotrizon), 200.
Litoralis (Pholidoptera), 200.
Litoralis (Pterolepis), 200.
Littoralis (Thamnotrizon), 200.
Littoreus (Gryllodes), 41.
Liturata (Salomona), 267.
Lituratus (Micropion), 301.
Lituratus (Paracanthus), 96.
Lituratus (Platydactylus), 96.
Lituratus (Pseudophyllus), 301.
Livida (Eneoptera), 106.
Lividus (Aphanomorphus), 106.
Lividus (Aphonus), 106.
Lividus (Eneoptera), 108.
Lividus (Gryllus), 108.
Li[illegible]ensis (Orphania), 375.
LOBASPIS, 261.
Lobata (Ctenophlebia), 471.
Lobata (Ephippigera), 162.
Lobata (Liotrachela), 432.
Lobata (Paragryllacris), 149.
Lobata (Tæniomena), 433.
Lobata (Tinzeda), 433.
Lobata (Viadana), 471.
Lobipes (Preussia), 447.
Lobatus (Neanias), 149.

Lobatus (*Neanius*), 149.
Lobatus (Oxystethus), 257.
LOBEDA, 83.
Lobifolia (*Aprion*), 302.
Lobifolia (*Locusta*), 302.
Lobifolia (Timanthes), 302.
Lobifolius (*Timanthes*), 302.
LOBODES, 341.
Loboensis (*Locusta*), 264.
Loboensis (Macroxiphus), 264.
LOBOPHYLLUS, 483.
LOBOSCELIS, 230.
Lobulata (Terpnistria), 439.
Lobulipennis (Harposcepa), 442.
LOJA, 260.
Loliifolia (Casigneta), 424.
Loliifolia (*Locusta*), 424.
Loliifolia (*Phaneroptera*), 424.
LONCHITOPHYLLUM, 354.
Longa (*Gryllacris*), 149.
Longa (Paragryllacris), 149.
Longecaudatus (Gryllus), 31.
Longelaminata (Psyra), 427.
Longelaminatus (Bliastes), 331.
Longepilosa (*Tarphe*), 308.
Longepilosa (Tegra), 308.
Longestylata (Psyra), 427.
Longestylatus (Leptotettix), 339.
Longicauda (Acanthodis), 319.
Longicauda (*Acheta*), 53.
Longicauda (*Brisilis*), 319.
Longicauda (*Copiophora*), 231.
Longicauda (Copiphora), 231.
Longicauda (*Ephippiger*), 166.
Longicauda (*Ephippigera*), 166.
Longicauda (Ephippigerida), 166.
Longicauda (Eremus), 150.
Longicauda (Eurepa), 89.
Longicauda (Gryllomorpha), 53.
Longicauda (*Locusta*), 218.
Longicauda (*Piestodactylus*), 89.
Longicaudata (Saga), 224.
Longicaudus (*Ectadoderus*), 58.
Longicaudus (Ornebius), 58.
Longiceps (Conocephaloides), 249.
Longiceps (*Conocephalus*), 249.
Longicercata (Amaura), 449.
Longicercata (Pterophlebia), 470.
Longicercata (Elimæa), 396.
Longicercata (Viadana), 470.
Longicercatus (Ligocatinus), 449.
Longicollis (Callimenus), 176.
Longicorne (Anisoptera), 278.
Longicorne (*Xiphidium*), 278.
Longicornis (*Acheta*), 66.
Longicornis (Dolichochæta), 123.
Longicornis (Gryllacris), 147.
Longicornis (Homœogryllus), 67.
Longicornis (Phalangopsis), 67.
Longicornis (Scytocera), 256.
Longipenne (Anisoptera), 278.
Longipenne (Orchelimum), 272.
Longipenne (*Trigonidium*), 81.
Longipenne (*Xiphidium*), 278.
Longipennioides (Cædicia), 414.
Longipennis (Cadicia), 414.
Longipennis (Conocephaloides), 251.
Longipennis (*Conocephalus*), 251.
Longipennis (Cyrtoxiphа), 81.
Longipennis (*Cyrtoxiphus*), 81.
Longipennis (Eriolus), 234.
Longipennis (Gryllacris), 143.
Longipennis (*Gryllotalpa*), 3, 5.
Longipennis (Gryllus), 33.
Longipennis (*Gryllus*), 5.
Longipennis (*Locusta*), 278.
Longipennis (*Mataeus*), 291.
Longipennis (Nemobius), 19.
Longipennis (*Orchelimum*), 272.
Longipennis (*Tylopsis*), 442.
Longipennis (*Xiphidium*), 278.
Longipes (Acanthoplus), 155.
Longipes (Agnapha), 437.
Longipes (Anisoptera), 275.
Longipes (Encentra), 360.
Longipes (Gymnoplectron), 137.
Longipes (*Hemideina*), 157.
Longipes (Heterotrypus), 91.
Longipes (*Hetrodes*), 155.
Longipes (*Locusta*), 364.
Longipes (Nannotettix), 337.
Longipes (Paradrymadusa), 180.
Longipes (Phalangopsis), 70.
Longipes (Polichne), 419.
Longipes (Sympæstria), 432.
Longipes (*Tellidia*), 421.
Longipes (Tetraconcha), 421.
Longipes (Thaumaspis), 373.
Longipes (*Xiphidium*), 275.
Longirostris (Dorycoryphus), 240.
Longispina (*Listroscelis*), 288.
Longispina (Monocerophora), 288.

Longispina (Stenopelmatus), 111.
Longiuscula (*Gryllacris*), 89.
Longiusculus (Cardiodactylus), 89.
Longixiphus (Lichenochrus) 317.
LOPHASPIS, 346.
Loricata (*Phalangopsis*), 123.
Loricata (Rhaphidophora), 123.
Loricatus (Eugaster), 158.
Loricatus (*Stilpnothorax*), 358.
LOXOBLEMMUS, 46.
Lucasi (*Ephippiger*), 164.
Lucasi (*Ephippigera*), 164.
Lucasi (Eugaster), 159.
Lucasi (Steropleurus), 164.
Lucasii (Saga), 224.
Lucens (Gryllus), 33.
LUCERA, 363.
Lucidum (*Microcentrum*), 481, 482.
Lucidus (Orophus), 481.
Luctuosa (Gryllacris), 141.
Luctuosa (Sciobia), 49.
Luctuosus (*Platyblemmus*), 49, 50.
Luctuosus (Gryllus), 35.
Lugubre (Anisoptera), 280.
Lugubre (*Xiphidium*), 280.
Lugubrina (Strophia), 69.
Lugubris (Acheta) 26.
Lugubris (Gryllacris), 145.
Lugubris (*Gryllus*), 26.
Lugubris (*Pterolepis*), 201.
Lunatum (Typophyllum), 351.
Lunuligera (*Ancylecha*), 422.
Lurida (*Metrypa*), 107.
Lurida (Phaneroptera), 436.
Lurida (Tafalisca), 107.
Luridum (Leurophyllum), 320.
Luridum (*Platyphyllum*), 320.
Luridus (Gryllus), 37.
Luridus (*Metrypus*), 107.
Lusitanica (Sciobia), 49.
Lusitanicum (*Platyblemmus*), 49.
Lusitanicus (*Platyblemmus*), 49.
Lusitanus (*Gryllodes*), 41.
Lutaria (*Semblis*), 73.
Lutea (Hemisaga), 228.
Lutea (Natricia), 438.
Lutea (*Saga*), 228.
Lutea (*Xiphosaga*), 228.
Luteolus (Nemobius), 16.
Lutescens (Gryllacris), 147.
Lutescens (*Lesina*), 289.
Lutescens (Ocica), 357.
LUTOSA, 119.
LUZARA, 65.
Luzonicus (Nemobius), 16.
Lycoides (Homœoxipha), 80.
Lycoides (*Phyllopalpus*), 80.
Lycosoides (Stenopelmatus), 112.
Lyrata (Gryllacris), 142.
Lyristes (Conocephaloides), 242.
Lyristes (*Conocephalus*), 242.

Macassariensis (*Locusta*), 354.
Macassariensis (*Mecopoda*), 364.
MACEDNA, 401.
Macer (Œcanthus), 73.
MACHAMALA, 130.
MACHIMA, 410.
Macilenta (Cyrtoxipha), 82.
Macilenta (*Gryllotalpa*), 2.
Macilenta (Neocurtilla), 2.
Macilentus (*Aphonus*), 106.
Macilentus (*Cyrtoxiphus*), 82.
Macilentus (Gryllacris), 147.
Macilentus (*Philoscirtus*), 86.
Macilentus (Phlugis), 285.
Macilentus (Phylloscyrtus), 86.
Macilentus (Stenaphonus), 106.
Macilentus (Stenotettix), 333.
Macilentus (*Thysirus*), 285.
MACKIA, 410.
Macra (Elimæa), 395.
Macra (*Phaneroptera*), 395.
Macrocephala (*Locusta*), 267.
Macrocephala (Peringueyella), 227.
Macrocephala (*Saga*), 227.
Macrocephala (Salomona), 267.
Macrocephalus (Tettigonia), 211.
Macrocera (Gryllacris), 146.
MACROCHITON, 338.
Macrogaster (*Callimus*), 176.
Macrogaster (*Ephippiger*), 176.
MACROGRYLLUS, 21.
MACROLYRISTES, 362.
MACROPATHUS, 139.
Macropoda (Acrometopa), 393.
Macropoda (*Phaneroptera*), 393.
Macroptera (Platycleis), 211.
Macropterus (Conocephaloides), 245.
Macropterus (*Conocephalus*), 245.
Macropterus (Gryllodes), 40.
Macropus (Ceuthophilus), 134.
MACROSCIRTUS, 365.
Macroxiphus (Conocephaloides), 247.
Macroxiphus (*Conocephalus*), 247.
Macrurus (Gryllus), 32.
Macrurus (Hetrodes), 154.
Macularis (*Meroncidius*), 321.
Maculata (Agrœcia), 260.
Maculata (Anaulacomera), 468.
Maculata (*Aprophantia*), 156.
Maculata (*Decticus*), 185.
Maculata (*Ephippigera*), 163.
Maculata (Ephippitytha), 412.

Maculata (Gonatoxia), 424.
Maculata (Gryllacris), 144.
Maculata (*Gryllacris*), 147.
Maculata (*Locusta*), 185.
Maculata (*Mecopoda*), 364.
Maculata (Peropyrrhicia), 388.
Maculata (Peropyrrhizia), 388.
Maculata (*Phalangopsis*), 132.
Maculata (*Raphidophora*), 132.
Maculatopennis (Rhodopteryx), 349.
Maculatum (Anisoptera), 278.
Maculatum (*Xiphidium*), 278, 279.
Maculatus (Ceuthophilus), 132.
Maculatus (*Ceuthophilus*), 133.
Maculatus (Cosmoderus), 156.
Maculatus (*Decticus*), 185.
Maculatus (Nemobius), 17.
Maculatus (*Platyblemmus*), 49.
Maculatus (Spilacris), 136.
Maculiceps (Buettneria), 421.
Maculicollis (*Gryllacris*), 144.
Maculifolia (*Aprion*), 304.
Maculifolia (Morsimus), 304.
Maculifolius (*Aprion*), 304.
Maculifrons (Coccenotus), 335.
Maculifrons (*Libanasa*), 121.
Maculifrons (Onosandrus), 121.
Maculifrons (Salomona), 267.
Maculipenne (Leurophyllum), 320.
Maculipenne (*Platyphyllum*), 320.
Maculipennis (Calyptropteryx), 415.
Maculipennis (Gryllacris), 145.
Maculipennis (Podoscirtus), 104.
Maculipes (Gryllacris), 144.
Maculosa (*Clonia*), 226.
Maculosa (Nisitra), 87.
Maculosa (*Phaneroptera*), 472.
Maculosa (Phylloptera), 472.
Maculosa (*Saga*), 226.
Maculosus (Conocephaloides), 244.
Maculosus (*Conocephalus*), 244.
Maculosus (Heterotrypus), 91.
Maculosus (Lichenochrus), 317.
Maculosus (Nemobius), 16.
Madacassum (Trigonidium), 77.
Madacassus (Æthiomerus), 256.
Madagascariensis (Brachytrypes), 22.
Madagascariensis (*Gryllus*), 22.
Madagassa (Turpilia), 480.
Madagassus (*Conocephalus*), 251.
Madagassus (Diplophyllus), 480.
MADASUMMA, 93.
Madecassa (Madasumma), 92.
Madecassus (Calyptotrypus), 93.
Madecassus (Tridactylus), 9.
MADIGA, 160.
Maesoi (*Euscirtus*), 102.
Maesoi (Patiscus), 102.
Magareyi (Pachypodagrus), 123.
Magniceps (*Gryllacris*), 118.
Magniceps (Gryllacropsis), 118.
Magnifica (Drymadusa), 180.
Magnifica (Gryllacris), 139.
Magnifica (*Phlebolampta*), 486.
Magnificum (*Thamnotrizon*), 198.
Magnifolia (*Phylloptera*), 455.
MAGRETTIA, 120.
Major (Æmasia), 333.
Major (Cælicia), 414.
Major (*Chlorotribonia*), 298.
Major (*Ephippigera*), 168.
Major (Gryllacris), 146.
Major (*Gryllotalpa*), 2.
Major (Hexacentrus), 287.
Major (Hyperophora), 403.
Major (Isophya), 386.
Major (*Machima*), 410.
Major (Markia), 410.
Major (*Matæus*), 291.
Major (Meroncidius), 323.
Major (Mioacris), 298.
Major (Nemobius), 39.
Major (Neocurtilla), 2.
Major (Phyllomimus), 300.
Major (*Phylloptera*), 473.
Major (Pseudophaneroptera), 398.
Major (Tridactylus), 8.
Majus (Phyrama), 354.
Malaya (*Anaulacomera*), 469.
Malaya (Furnia), 469.
Malgachus (Nemobius), 15.
Malivolans (Conocephaloides), 244.
Malivolans (*Conocephalus*), 244.
Malleolatus (Lichenochrus), 317.
Mammisignum (Arantia), 407.
Mandarinus (Onomarchus), 296.
Mandibularis (*Conocephalus*), 251, 252.
Mandibularis (Gryllus), 43.
Mandibularis (*Locusta*), 251.
Mandibularis (Scapsipedus), 45.
MANGOMALOBA, 430.
Manillensis (Elbenia), 425.
Mantispa (Phlugis), 285.
Mantispa (*Th[illegible]rus*), 285.
Maori (*Deinacrida*), 115.
Maori (Hemideina), 115.
Maori (Onosandrus), 121.
Maoricum (Anisoptera), 278.
Maoricum (Trigonidium), 78.

Maoricum (*Xiphidium*), 278.
Maoricus (*Scleropterus*), 78.
Maorius (Gryllus), 43.
Maranana (Anallomes), 434.
MARENESTHA, 404.
Margaritæ (Ariagona), 196.
Marginalis (*Gryllacris*), 149.
Marginalis (*Gryllus*), 28.
Marginalis (Lutosa), 119.
Marginalis (Paragryllacris), 149.
Marginalis (*Phaneroptera*), 436.
Marginata (*Acheta*), 45.
Marginata (Cædicia), 413.
Marginata (Gryllacris), 142.
Marginata (Gymnocera), 454.
Marginata (Himerta), 400.
Marginata (Holochlora), 431.
Marginata (*Locusta*), 219, 220.
Marginata (*Nemobius*), 17.
Marginata (*Nisitra*), 87.
Marginata (Phygela), 423.
Marginata (Pleminia), 316.
Marginata (Rhipipteryx), 12.
Marginata (Tylopsis), 441.
Marginata (Xya), 12.
Marginatum (*Microcentrum*), 481.
Marginatus (Bradyporus), 220.
Marginatus (Eremus), 151.
Marginatus (*Gryllus*), 30.
Marginatus (Hetrodes), 154.
[Marginatus (Meroncidius), 323.]
Marginatus (*Meroncidius*), 316.
Marginatus (*Mogisoplistus*), 56.
Marginatus (Mogoplistes), 56.
Marginatus (Nannotettix), 337.
Marginatus (Onconotus), 220.
Marginatus (Orophus), 481.
Marginatus (Phlugis), 285.
Marginatus (Rhachidorus), 190.
Marginatus (Scapsipedus), 45.
Marginatus (*Thysdrus*), 285.
Marginatus (*Tridactylus*), 12.
Marginiguttata (*Phaneroptera*), 441.
Marginella (*Phylloptera*), 455.
Marginella (*Stilpnochlora*), 455.
Marginellum (Microcentrum), 455.
Marginifer (*Meroncidius*), 316.
Marginifer (Pleminia), 316.
Marginifera (*Locusta*), 219.
Marginifera (Phasgonura), 219.
Marginipennis (*Acheta*), 89.
Marginipennis (*Calyptotrypus*), 94.
Marginipennis (Eurepa), 89.
Marginipennis (Madasumma), 94.
Marginipennis (*Piestodactylus*), 89.
Marginipennis (*Platydactylus*), 94.
Maritima (Cyrtoxipha), 81.
Maritimus (Arachnocephalus), 60.
Maritimus (*Cyrtoxiphus*), 81.
MARKIA, 410.
Marmorata (*Acanthodis*), 265, 311.
Marmorata (*Agræcia*), 266.
Marmorata (Arantia), 406.
Marmorata (Chelidoptera), 212.
Marmorata (Diastrammena), 124.
Marmorata (Elimæa), 395.
Marmorata (Himerta), 401.
Marmorata (Larunda), 64.
Marmorata (*Locusta*), 124.
Marmorata (Madasumma), 93.
Marmorata (Mimetica), 350.
Marmorata (*Platycleis*), 212.
Marmorata (*Rhaphidophora*), 124.
Marmorata (Salomona), 265.
Marmorata (*Salomona*), 265, 266.
Marmorata (Sathrophyllia), 307.
Marmorata (Segestidia), 359.
Marmorata (Tetragonomera), 311.
Marmorata (Voeltzkowia), 70.
Marmoratum (Drepanophyllum), 421.
Marmoratus (*Calyptotrypus*), 93.
Marmoratus (Centromenus), 339.
Marmoratus (Diaphlebus), 357.
Marmoratus (Episattus), 256.
Marmoratus (*Gryllus*), 93.
Marmoratus (*Larandus*), 64.
Marmoratus (Lichenochrus), 317.
Marmoratus (*Phalangopsis*), 93.
Marmoratus (Pristoceuthophilus), 135.
Marmoriceps (Gryllacris), 146.
Marmoriceps (*Gryllacris*), 146.
Maroccana (*Ephippigera*), 162.
Maroccana (*Locusta*), 219.
Maroccana (Homaloblemmus), 45.
Maroccanus (Uromenus), 162.
Marqueti (Chelidoptera), 212.
Marqueti (*Platycleis*), 212.
MARSA, 129.
Martinezii (*Ephippiger*), 173.

Martinezii (*Ephippigera*), 173.
Martinezii (Platystolus), 173.
Martini (Cophogryllus), 44.
Martini (Macedna), 401.
Martini (Paragryllus), 64.
Martinicum (*Microcentrum*), 481.
Martinicus (Orophus), 481.
Martorellii (*Ephippigera*), 163.
Martorellii (Steropleurus), 163.
Masferreri (Ctenodecticus), 196.
Massaiæ (*Dichopetala*), 388.
Massaiæ (Peropyrrhicia), 388.
MASTIGHAPHA, 354.
MATEUS, 291.
Maura (Rhacocleis), 187.
Mauiensis (Banza), 255.
Mauiensis (*Brachymetopa*), 255.
Maurelii (*Eugaster*), 157.
Maurelii (Gymnoproctus), 157.
Mauretanica (Ephippigera), 162.
Mauretanicus (Homaloblemmus), 45.
Mauretanicus (Uromenus), 162.
Mauritanica (Myrmecophila), 55.
Mauritanicum (*Sphærium*), 55.
Mauritiana (Arantia), 406.
Maurus (*Acheta*), 25.
MAXENTIUS, 113.
Maxillaris (Orocharis), 99.
Maxillosa (*Locusta*), 243.
Maxillosus (Conocephaloides), 243.
Maxillosus (*Conocephalus*), 243.
Maxima (Ceraia), 450.
Maximus (Macropathus), 137.
Maya (Orocharis), 99.
Maya (Phrixa), 477.
Mayeti (Nemobius), 15.
Mazarredoi (Lissoblemmus), 47.
Mazerani (Nicephora), 374.
MECONEMA, 370.
MECONEMINÆ, 370.
MECOPODA, 363.
MECOPODINÆ, 355.
Mecopodoides (Phlaurocentrum), 422.
Media (Phyllophora), 369.
Media (*Phyllophora*), 369.
Media (Topana), 478.
Megacephala (Conocephaloides), 268.
Megacephala (*Copiophora*), 268.
Megacephala (Deinacrida), 115.
Megacephala (*Hemideina*), 115.
Megacephala (*Locusta*), 265.
Megacephala (Odontolakis), 268.
Megacephala (Salomona), 268.
Megacephalus (Brachytrypes), 21.
Megacephalus (*Brachytrypus*), 21
Megacephalus (*Gryllus*), 21.
MEGALODON, 289.
Megapterus (Macroxiphus), 265.
MEGOTOESSA, 447.
Melæna (*Locusta*), 278.
Melæna (*Xiphidium*), 278.
Melænum (Anisoptera), 278.
Melaleuca (Dysonia), 411.
Melaleuca (*Valna*), 411.
Melanocantha (Elimæa), 395.
Melanocantha (*Phaneroptera*), 395.
Melanocephalus (Gryllus), 34.
Melanocephalus (*Gryllus*), 32.
Melanocnemis (*Phaneroptera*), 450.
Melanocnemis (Theudoria), 450.
Melanocondylea (Paracædicia), 418.
Melanonota (Psyra), 427.
Melanonotus (Arantia), 407.
Melanopeza (Zeuneria), 429.
Melanopleura (Clinopleura), 194.
Melanoptera (*Clonia*), 226.
Melanoptera (Hemiclonia), 226.
Melanoptera (*Locusta*), 226.
Melanoptera (*Saga*), 226.
Melanopterus (*Gryllus*), 226.
Melanopterus (*Tettigonia*), 226.
Melanum (*Xiphidium*), 278.
Melas (*Acheta*), 27.
Melas (Gryllus), 27.
Melica (Morgenia), 429.
MELIDIA, 437.
Melleus (Nemobius), 18.
MELOIMORPHA, 109.
Membranacea (*Acheta*), 21.
Membranacea (*Gryllus*), 21.
Membranaceus (Brachytrypes), 21.
Membranaceus (*Brachytrypus*), 21.
Membranaceus (*Gryllus*), 21, 33.
Meridionale (Anisoptera), 281.
Meridionale (Meconema), 371.
Meridionale (*Xiphidium*), 281.
Meridionalis (Ceuthophilus), 132.
Meridionalis (Conocephaloides), 247.
Meridionalis (*Orocharis*), 100.
Meroncidioides (Cocconotus), 334.
MERONCIDIUM, 322.
MERONCIDIUS, 322.
MESOMEDES, 123.
METABALLUS, 190.
METIOCHE, 78.
METRYPA, 107.
METRYPUS, 107.
Mexicana (*Acanthodis*), 327.
Mexicana (*Amphiacusta*), 67.
Mexicana (Anchiptolis), 327.
Mexicana (*Anepsia*), 461.
Mexicana (Argyrtes), 130.
Mexicana (Copiophora), 234.
Mexicana (*Daihinia*), 120.
Mexicana (Dichopetala), 388.

Mexicana (Ectemna), 452.
Mexicana (*Gryllotalpa*), 1.
Mexicana (Paragenes), 461.
Mexicana (*Phaneroptera*), 445.
Mexicana (*Phylloptera*), 461.
Mexicana (*Prosthacusta*), 63.
Mexicana (Rhipipteryx), 12.
Mexicana (Sagona), 461.
Mexicana (Scudderia), 445.
Mexicana (*Turpilia*), 479.
Mexicanum (Anisoptera), 282.
Mexicanum (Glaphyrosoma), 120.
Mexicanum (*Xiphidium*), 282.
Mexicanus (Amusus), 65.
Mexicanus (Anabropsis), 116.
Mexicanus (Ceuthophilus), 133.
Mexicanus (Conocephaloides), 243.
Mexicanus(*Conocephalus*), 243.
Mexicanus (Diplophyllus), 479.
Mexicanus (Eriolus), 234.
Mexicanus (*Euscirtus*), 102.
Mexicanus (Euscyrtus), 102.
Mexicanus (Gryllus), 37.
Mexicanus (*Liphoplus*), 58.
Mexicanus (Nemobius), 19.
Mexicanus (Ornebius), 58.
Mexicanus (Orocharis), 100.
Mexicanus(*Paroccanthus*), 96.
Mexicanus(Parœcanthus), 96.
Mexicanus (Phlugis), 285.
Mexicanus (*Prosthacustes*), 63.
Mexicanus (Scapteriscus), 1.
Mexicanus (*Schœnobates*), 116.
Mexicanus (*Stenopelmatus*), 111.
Mexicanus (*Thysdrus*), 285.
Micado (Scapsipedus), 45.
Micans (*Aganacris*), 454.
Micans (Scaphura), 454.
MICROCENTRUM, 455, 480.
Microcephala (Subria), 255.
Microcephalus (Gryllodes), 42.
Microcephalus (*Gryllus*), 91.
Microcephalus (Itara), 91.
Microcephalus (*Phalangopsis*), 91.
MICROGRYLLACRIS, 139.
MICROGRYLLUS, 57.
Micromegas (*Gryllodes*), 38.
Micromegas (*Gryllus*), 39.
Micromegas (Miogryllus), 38, 39.
MICROPION, 301.
MICROPRION, 297, 301.
Microptera (*Acanthodis*), 316.
MICROSAGA, 254.
MICTA, 293.
Mictiformis (Posus), 67.
Miegii (Callicrania), 172.
Miegii (*Ephippigera*), 172.
Mikado (Gampsocleis), 185.
Mikoi (Thamnotrizon), 201.
Militaris (Acanthoproctus), 159.
Militaris (*Hetrodes*), 159.
MILITITSA, 439.
MILTINOBATES, 430.
MIMETICA, 350.
Mimeticus (Conocephaloides), 248
Mimeticus(*Conocephalus*), 248.
MIMNERMUS, 122.
Minax (*Monocerophora*), 288.
Minima (Gryllacris), 142.
Minima (Phaneroptera), 436.
Minimus (Dasyscelus), 315.
Minor (Cædicia), 415.
Minor (*Conocephalus*), 252.
Minor (Elimæa), 395.
Minor (Engonia), 403.
Minor (*Ephippigera*), 168.
Minor (*Gryllacris*), 141.
Minor (Homotoicha), 449.
Minor (Hyperophora), 403.
Minor (Orchelimum), 271.
Minor (*Paracædicia*), 418.
Minor (Pristes), 319.
Minor (Pseudorhyncius), 238.
Minor (*Scudderia*), 449.
Minor (Stenopelmatus), 112.
Minor (*Tæniomena*), 433.
Minor (*Tinzeda*), 433.
Minuscula (*Gryllacris*), 149.
Minuscula (Paragryllacris), 149.
Minusculus (*Gryllus*), 29, 43.
Minuta (Curtilla), 6.
Minuta (Cyrtoxipha), 83.
Minuta (*Cyrtoxypha*), 83.
Minuta (Ellipes), 11.
Minuta (*Gryllotalpa*), 6.
Minuta (Liotrachela), 432.
Minutus (*Acheta*), 83.
Minutus (*Anobrus*), 183.
Minutus (Drepanoxiphus), 328.
Minutus (*Gryllus*), 83.
Minutus (Œcanthus), 75.
Minutus (Stipator), 183.
Minutus (*Tridactylus*), 11.
MIOACRIS, 298.
MIOGRYLLUS, 38.
MIOSAGA, 228.
MIOTOPUS, 138.
Mirabilis (Agaura), 462.
Mirabilis (Nicephora), 374.
MIROLLIA, 398.
Miser (Gryllus), 34.
Misera (*Oxyprora*), 410.
Misera (Oxyprorella), 410.

Miserabilis (*Acanthodis*), 316.
Miserabilis (Pleminia), 316.
Mitrata (Sciobia), 49.
Mitratus (Gryllus), 33.
Mitratus (*Platyblemmus*), 49.
Miurus (*Brachytrupus*), 23.
Miurus (Gymnogryllus), 23.
Mixta (*Xya*), 10.
Mixtus (Tridactylus), 10.
MNESIBULUS, 95.
Modesta (*Acanthodis*), 313.
Modesta (Chelidoptera), 208.
Modesta (Cymatomera), 306.
Modesta (Elbenia), 425.
Modesta (Epacra), 152.
Modesta (*Gymnocera*), 403.
Modesta (Isophya), 383, 384.
Modesta (Liparoscelis), 329.
Modesta (*Odontura*), 383.
Modesta (Orpacophora), 313.
Modesta (Paragryllacris), 149.
Modesta (*Platycleis*), 208.
Modesta (Pleminia), 316.
Modesta (*Pterolepis*), 187.
Modesta (Stenophyllia), 403,
Modesta (Symmetropleura), 446.
Modesta (Tomeophora), 470.
Modestior (Isophya), 384.
Modestum (Anisoptera), 277.
Modestum (*Xiphidium*), 277, 280.
Modestus (Cocconotus), 335.
Modestus (Lichenochrus), 317.
Modestus (*Platycleis*), 208.
Modestus (Podoscirtus), 104.
Modulata (Morgenia), 429.
Modulator (Heterotrypus), 91.
Mœsta (Gryllacris), 143.
Mœstissima (Gryllacris), 143.
MOGISOPLISTES, 55.
MOGISOPLISTUS, 55.
MOGOPLISTES, 55.
Molineusiana (Gryllacris), 147.
Molokaiensis (Banza), 255.
Molokaiensis (*Brachymetopa*), 255.
Molokaiensis (Paratrigonidium), 80.
MOLPA, 423.
Moluccana (*Lobaspis*), 261.
Moluccana (Niesara), 261.
MONCHECA, 233.
MONOCEROPHORA, 288.
Monoceros (Conocephaloides), 241.
Monoceros (Copiphora), 231.
Monoceros (Dicranostomus), 330.
Monoceros (*Gryllus*), 241.
Monoceros (*Locusta*), 241.
Monocerus (*Dicranostomus*), 330.
Monomorphus (Nemobius), 16.
Monroviana (*Mecopoda*), 365.
Monrovianus (*Macroscirtus*), 365.
Monspeliensis (Decticus), 214.
Monstrosa (*Acheta*), 153.
Monstrosa (*Cyphoderris*), 193.
Monstrosa (*Locusta*), 122.
Monstrosa (*Saga*), 225.
Monstrosa (Teratura), 271.
Monstrosus (Cyphoderris), 193.
Monstrosus (*Gryllus*), 153.
Monstrosus (Loxoblemmus), 46.
Monstrosus (Mimnermus), 122.
Monstrosus (Schizodactylus), 153.
Montana (Championica), 311.
Montana (Chelidoptera), 207.
Montana (Eurycorypha), 153.
Montana (*Locusta*), 207.
Montana (*Thyreonotus*), 188.
Montandoni (*Callimenus*), 176.
Montanus (*Apithes*), 98.
Montanus (*Decticus*), 207, 208.
Montanus (Hapithus), 98.
Montanus (Pharmacus), 138.
Montanus (*Platycleis*), 207, 208.
Montanus (Thamnoscirtus), 84.
MONTEIROA, 464.
MONTESA, 233.
Montesi (Momotus), 323.
Montesi (*Momotus*), 324.
Montesi (Platyphyllum), 323.
Monticola (Callicrania), 171.
Monticola (*Ephippiger*), 171.
Monticola (Mangomaloba), 430.
Morbillosa (Zaora), 53.
Morbillosus (*Gryllomorphus*), 53.
MORGENIA, 429.
Morio (Acheta), 24.
Morio (*Gryllus*), 25.
Morio (*Liogryllus*), 25.
Moristoides (Bliastes), 332
MORISTUS, 359.
Mormonius (Nemobius), 18.
MORMOTUS, 323.
MORSIMUS, 304.
Mortuifolia (Mimetica), 350.
Mortuifolia (*Phyllogryllus*), 92.
Mortuifolia(Pycnopalpa), 478.
Mortuifolia (*Typophyllum*), 350.
MOSSULA, 357.
Motschulskii (*Onconotus*), 221.
Mucronata (*Copiophora*), 231.
Mucronata (Copiophora), 231.
Mucronatus (Scopiorus), 342.
Muelleri (Eremus), 151.
Multicolor (Dicranopsyra), 427.
Multiramosa (*Arethæa*), 143.

Multiramosa (*Ctenophlebia*), 472.
Multiramosa (Viadana), 472.
Multispinosa (*Lobaspis*), 261.
Multispinosa (Niesara), 261.
Multituberculatus (*Callimenus*), 176.
MUNDA, 103.
Munda (*Gongrocnemis*), 327.
Munda (Gryllacris), 146.
Munda (Hexacentrus), 287.
Munda (*Piura*), 287.
Mundamensis (Cestromoecha), 429.
Mundus (*Diplophyllus*), 473.
Mundus (*Gryllus*), 37.
Musica (Cyrtoxipha), 81.
Musica (Laurepa), 100.
Musicus (*Cyrtoxiphus*), 81.
Musicus (*Orocharis*), 100.
MUSTIUS, 290.
Muta (Tafalisca), 108.
Mutabilis (Gryllacris), 142.
Mutica (Eurycorypha), 463.
Mutica (*Gongrocnemis*), 327.
Mutica (Magrettia), 120.
Mutica (Pleminia), 316.
Mutica (*Rhaphidophora*), 123.
Muticus (Anurogryllus), 23, 24.
Muticus (*Conocephalus*), 244.
Muticus (*Gryllodes*), 23.
Muticus (*Gryllus*), 23.
Muticus (Lichenochrus), 318.
Muticus (Scopiorus), 343.
Mutilatus (Bronchopeplus), 298.
Mutilatus (Phyllomimus), 300.
Mutilatus (*Zumala*), 298.
Mutillata (Amytta), 373.
Mutillatum (Typophyllum), 351.
Mutsohito (*Gampsocleis*), 186.
Mutus (Aphonomorphus), 106.
Mutus (*Aphonus*), 106.
Mutus (*Metrypus*), 108.
MYGALOPSIS, 235.
Myops (*Pseudophyllus*), 293.
MYRMECOPHANA, 409.
MYRMECOPHILA, 53.
MYRMECOPHILINÆ, 53.
MYRMECOPHILUS, 54.
Myrmecophilus (*Gryllus*), 54.
Myrtifolia (*Ctenophlebia*), 471.
Myrtifolia (*Gryllus*), 471.
Myrtifolia (*Locusta*), 446, 471.
Myrtifolia (*Phylloptera*), 471.
Myrtifolia (*Tettigonia*), 471.
Myrtifolium (*Gryllus*), 446.
Myrtifolium (*Microcentrum*), 481.
Myrtifolium (Orophus), 481.
Myrtifolius (*Gryllus*), 471.
Myrtifolius (*Locusta*), 446.
Myrtifolius (*Tettigonia*), 471.
Myrtifolius (Viadana), 471.

Nana (Gryllacris), 147.
Nana (Gryllus), 371.
Nana (Phaneroptera), 435.
Nana (*Phaneroptera*), 435.
Nana (*Tettigonia*), 371.
NANNOTETTIX, 337.
Nanus (Gryllodes), 43.
Nanus (*Gryllus*), 43.
Nanus (*Piestodactylus*), 43.
Nanus (Semileptotettix), 340.
NAREA, 356.
Nasalis (Gryllacris), 141.
Nasicornis (Macroxiphus), 264.
NASIDIUS, 121.
NASTONOTUS, 333.
Nasuta (Phrixa), 477.
Nasuta (*Phrixa*), 477.
Nasutus (Conocephaloides), 250.
Nasutus (*Conocephalus*), 250.
Nasutus (Dicranacrus), 270.
Natalense (Anisoptera), 280.
Natalense (*Xiphidium*), 280.
Natalensis (*Phylloptera*), 464.
Natoliæ (Saga), 225.
NATRICIA, 438.
Navicula (Gryllacris), 143.
NEANIAS, 149.
NEANIUS, 149.
Nebrascensis (Conocephaloides), 245.
Nebrascensis (*Conocephalus*), 245.
Nebrascensis (Myrmecophila), 55.
Nebulosa (*Plangia*), 464.
Necessarius (Conocephaloides), 245.
Necessarius (*Conocephalus*), 245.
NEDUBA, 194.
Nefandus (Gryllus), 34.
Neglecta (Rhacocleis), 187.
Neglecta (*Pterolepis*), 187.
Neglectus (Ceuthophilus), 132.
Neglectus (*Gryllus*), 35, 36.
Neglectus (Troglophilus), 127.
Nehawkæ (Myrmecophila), 55.
NEMOBIOPSIS, 63.
NEMOBIUS, 13.
Nemoptera (Phlugis), 284.
Nemoptera (*Thysdrus*), 284.
Nemorale (Anisoptera), 281.
Nemorale (*Xiphidium*), 281.
Nemoralis (Nemobius), 19.
NEOBARRETTIA, 182.
Neochlora (*Phaneroptera*), 398.
NEOCURTILLA, 2.
Neomexicanus (Ceuthophilus), 134.
Neomexicanus (Nemobius), 18.
NEONETUS, 125.
NEOXABEA, 76.
Nerii (*Ephippigera*), 164.
Nerii (Steropleurus), 164.
Neriifolia (*Gryllus*), 295.
Neriifolia (*Locusta*), 294.
Neriifolia (*Pseudophyllus*), 294.

Neriifolia (*Tettigonia*), 295.
Neriifolius (Cleandrus), 295.
Neriifolius (*Cleandrus*), 295.
Neriifolius (*Pseudophyllus*), 294.
NESŒCIA, 329.
NESOGRYLLUS, 109.
NESSA, 108.
Neutralipennis (Catoptropteryx), 416.
Nevadensis (Cacopteris), 193.
NICEPHORA, 374.
NICSARA, 261.
Nieti (Conocephaloides), 246.
Nieti (*Conocephalus*), 246.
Nieti (Stenopelmatus), 112.
Nietneri (Arachnomimus), 70.
Nietneri (*Arachnopsis*), 70.
Nietoi (*Conocephalus*), 246.
Niger (*Ceuthophilus*), 128.
Niger (Gryllus), 33, 35.
Niger (*Gryllus*), 454.
Niger (Odontogryllus), 51.
Niger (Parœcanthus), 97.
Nigerrima (Rhaphidophora), 124.
Nigerrimus (*Gryllus*), 35.
Nigra (Dicranocercus), 263.
Nigra (*Gryllus*), 35.
Nigra (Scaphura), 454.
Nigra (Udeopsylla), 128.
Nigræneus (*Tridactylus*), 9.
Nigrantennata (*Phaneroptera*), 436.
Nigrata (Gryllacris), 140.
Nigrescens (Cocconotus), 334.
Nigricana (Ceuthophilus), 132.
Nigricans (Conocephaloides), 242.
Nigricans (*Conocephalus*), 242.
Nigricauda (Exocephala), 233.
Nigricauda (*Vestria*), 233.
Nigriceps (Clearidas), 20.
Nigriceps (Gryllacris), 147.
Nigricornis (*Œcanthus*), 75.
Nigridens (*Conocephalus*), 239.
Nigridens (Pyrgomorpha), 239.
Nigridens (Scopiorus), 342.
Nigrifrons (Agrœcia), 259.
Nigrifrons (Anelytra), 257.
Nigrifrons (*Eremus*), 150.
Nigrifrons (Gryllacris), 146.
Nigrifrons (Gryllodes), 42.
Nigrifrons (Lichenochrus), 317.
Nigrifrons (*Lobaspis*), 261.
Nigrifrons (Macroxiphus), 264.
Nigrifrons (Nicsara), 261.
Nigrifrons (Plastocorypha), 237.
Nigrifrons (*Pseudorhynchus*), 237.
Nigrilabris (Gryllacris), 145.
Nigripalpis (*Ectadoderus*), 57.
Nigripalpis (Ornebius), 57.
Nigripennis (Gryllacris), 143.
Nigripes (Odontolakis), 268.
Nigripes (*Xiphidium*), 273.
Nigrispina (*Liparoscelis*), 329.
Nigrispina (Nesœcia), 329.
Nigrispinis (*Liparoscelis*), 329.
Nigritarsis (Metholce), 262.
Nigritus (Nemobius), 16.
Nigroæneus (Tridactylus), 9.
Nigroantennata (Phaneroptera), 436.
Nigroantennatus (Cocconotus), 335.
Nigroauriculata (Phylloptera), 474.
Nigrogeniculata (*Gryllacris*), 140.
Nigrogeniculatum (Anisoptera), 278.
Nigrogeniculatum (*Xiphidium*), 278.
Nigrolimbata (Amblylakis), 269.
Nigrolimbatus (Conocephaloides), 245.
Nigrolimbatus (*Conocephalus*), 245.
Nigrolineata (Theudoria), 450.
Nigrolineatus (Leptogryllus), 110.
Nigromaculatus (Conocephaloides), 242.
Nigromaculatus (*Conocephalus*), 242.
Nigromaculatus (Leptogryllus), 116.
Nigromarginata (*Ephippigera*), 167.
Nigromarginata (Ephippigerida), 167.
Nigromarginata (Plagiopleura), 452.
Nigromarginatus (Ephippiger), 167.
Nigromarginatus (*Orchesticus*), 183.
Nigromarginatus (Stipator), 183.
Nigronotatus (Leptotettix), 339.
Nigropicta (Dysonia), 412.
Nigropleura (*Xiphidium*), 275.
Nigropleurum (Anisoptera), 275.
Nigropleurum (*Xiphidium*), 275.
Nigropunctata (Paracædicia), 418.
Nigropunctatus (Conocephaloides), 242.
Nigropunctatus (*Conocephalus*), 242.
Nigroscutata (*Gryllacris*), 140.
Nigrosignata (Chelidoptera), 207.
Nigrosignata (Elbenia), 425.
Nigrosignata (Ehmæa), 395.
Nigrosignata (*Platycleis*), 207.
Nigrosignatus (*Anaudus*), 103.
Nigrosignatus (*Decticus*), 207.
Nigrosignatus (Eremus), 150.
Nigrosignatus (Nemobius), 16.
Nigrosignatus (Platycleis), 207.
Nigrosignatus (Rupilius), 103.

Nigrosparsa (Letana), 400.
Nigrosparsa (*Phaneroptera*), 400.
Nigrospinosa (Acrodonta), 258.
Nigrospinosa (Cardiodicia), 415.
Nigrospinosa (Catoptropteryx), 415.
Nigrospinosa (Gongrocnemis), 326.
Nigrospinosus (Diophanes), 346.
Nigrospinosus (Mormotus), 324.
Nigrospinulosa (Holochlora), 431.
Nigrostrigata (Ityocephala), 366.
Nigrostrigatus (*Pseudophyllus*), 366.
Nigrostriolatus (Scopiorus), 343.
Nigrotarsatus (Teleutias), 341.
Nigrovarius (*Phyllopalpus*), 85.
Nigrovarius (Phylloscirtus), 85.
Nigrovittata (*Agræcia*), 259.
Nigrovittata (*Pyrrhicia*), 400.
Nigrovittatus (Barbitistes), 382.
Nigrovittatus (Eschatocerus), 259.
Nigrovittatus (Semileptotettix). 340.
Niloticus (Gryllodes), 40.
Niponensis (*Locusta*), 364.
Niponensis (Mecopoda), 364.
NISITRA, 87.
NISITRUS, 87.
Nitens (*Hemideina*), 114.
Nitida (Banza), 254.
Nitida (*Brachymetopa*), 254.
Nitida (Elæoptera), 358.
Nitida (Liotrachela), 432.
Nitida (Scaphura). 453.
Nitida (*Subria*), 256.
Nitidifolia (*Locusta*), 432.
Nitidifolia (Phylloptera), 432.
Nitidifolia (Sympæstria), 432.
Nitidipennis (Hyperphrona), 475.
Nitidipennis (*Plagioptera*), 475.
Nitidula (Curtilla). 6.
Nitidula (*Gryllotalpa*), 6.
Nitidula (*Phyllostachys*), 315.
Nitidula (Prosagoga), 476.
Nitidulus (Conocephaloides), 251.
Nitidulus (*Conocephalus*), 251.
Nitidulus (*Gryllodes*), 39.
Nitidulus (*Gryllus*), 39, 251.
Nitidulus (Miogryllus), 39.
Nitidum (Orchelimum), 273.
Nitidum (Paratrigonidium), 79.
Nitidum (*Xiphidium*), 273.
Nitidus (Anthracites), 263.
Nitidus (Dicranostomus), 330.
Nitidus (Eremus), 151.
Nitidus (Lichenochrus), 318.
Nitidus (Nemobius), 16.
Nitidus (Tetanopus), 312.
Nivea (*Acheta*). 74.
Nivea (Gryllacris), 148.
Niveus (*Gryllus*), 74.
Niveus (Œcanthus), 74.
Nobilis (*Conocephalus*), 238.
Nobilis (Elephantodeta), 433.
Nobilis (Gryllacris), 145.
Nobilis (*Gryllacris*). 141.
Nobilis (Onomarchus), 296.
Nobilis (*Phaneroptera*), 433.
Nobilis (Pœcilemon), 377.
Nobilis (Pseudorhynchus), 238.
Nobrei (*Ephippigera*), 165.
Nobrei (Steropleurus), 165.
NOCERA, 286.
Noctivagus (*Thamnotrizon*), 202.
Nodicornis (Hammatofera), 409.
Nodicornis (*Phaneroptera*), 409.
Nodulosa (Anaulacomera), 466.
Nodulosus (Ceuthophilus), 133.
Nodulosus (Phyllomimus), 300.
NOIA, 304.
Nomina (Peronura), 391.
Normalis (Dasyscelus), 315.
Nossibiana (Gryllacris), 141.
Nossibianus (Prosecogryllus), 67.
Notabilis (Apote), 182.
Notabilis (Elimaea), 396.
Notabilis (Gryllus), 31.
Notabilis (Heteromallus), 136.
Notabilis (Mnesibulus), 95.
Notabilis (*Phaneroptera*), 396.
Notabilis (*Platydactylus*), 95.
Notata (*Xya*), 12.
Notatipes (Chondrodera), 305.
Notatipes (Mnesibulus), 95.
Notatipes (*Platydactylus*), 95.
Notatus (Ateloplus), 195.
Notatus (Orophus), 461.
Notatus (Paradiaphlebus), 358.
Noui (Chelidoptera), 210.
Noui (*Platycleis*), 210.
Noumeensis (Ornebius), 58.
Novæ-Guineæ (Dasyphleps), 367.
Novæ-Guineæ (*Locusta*), 357.
Novæ-Guineæ (*Moristus*), 359.
Novæ-Guineæ (Sexava), 359.
Novæ-Hollandiæ (*Locusta*). 308.
Novæ-Hollandiæ (*Tarphe*), 308.
Novæ-Hollandiæ (Tegra), 308.
Novæ-Seelandiæ (Pachyrhamma), 137.
Novaki (Mogoplistes), 56.
Novaræ (*Homœoxiphus*), 79.
Novaræ (*Liphoplus*), 58.
Novaræ (Metioche), 79.
Novaræ (Nemobius), 16.
Novaræ (Ornebius), 58.

Novata (Paracædicia), 418.
Nubiger (Disceratus), 337.
Nubila (Sexava), 359.
Nubilus (*Moristus*), 359.
Nudipes (*Tettigopsis*), 224.
Nympha (*Gryllus*). 176.
Nympha (*Tettigonia*). 176.

Oahuensis (Prognathogryllus). 109.
Oajacanus (*Gryllus*), 37.
Oberthuri (Caulopsis), 240.
Obesa (Dysmorpha). 486.
Obesa (Eurymetopa). 235.
Obesa (Paracædicia). 418.
Obesa (Vossia), 464.
Obesus (Adenes), 323.
Obesus (Callimenus), 175.
Obesus (*Cratylus*), 295.
Obesus (Pœcilemon), 375.
Obliqua (Licodia), 119.
Obliquevenosus (*Aprion*), 304.
Obliquevenosus (Morsimus), 304.
Obliterans (*Anonistus*), 315.
Oblongicollis (Chelidoptera), 212.
Oblongicollis (*Platycleis*), 212.
Oblongifolia (Amblycorypha), 460.
Oblongifolia (*Locusta*), 460.
Oblongifolia (*Phylloptera*), 460, 461.
Oblongipennis (*Phaneroptera*), 473.
Oblongoculata (*Turpilia*), 479.
Oblongooculata (*Turpilia*), 479.
Oblongooculatus (Diplophyllus), 479.
Obscura (*Acheta*), 15.
Obscura (*Agræcia*), 267.
Obscura (*Eneoptera*). 106.
Obscura (Gryllacris). 144.
Obscura (Magrettia), 120.
Obscura (Prophalangopsis), 290.
Obscura (Salomona), 267.
Obscura (*Tarraga*). 290.
Obscura (*Tridactylus*), 10
Obscurella (Laurepa). 100.
Obscurellus (Conocephaloides), 244.
Obscurellus (*Conocephalus*), 244.
Obscurus (Aphonomorphus). 106.
Obscurus (*Decticus*), 185.
Obscurus (Gampsocleis), 185.
Obscurus (Meroncidius), 322.
Obscurus (Nemobius). 15.
Obsoleta (*Ephippigera*), 163.
Obsoletus (Steropleurus), 163.
Obtusa (*Anepsia*). 462.
Obtusa (Holochlora). 431.
Obtusa (Isophya), 385.
Obtusa (Isopsera), 438.
Obtusa (Tetragonomera), 311.
Obtusangula (Diplophyllus), 479.
Obtusangula (*Turpilia*), 479.
Obtusatus (Moristus), 323.
Obtusatus (Teleutias), 341.
Obtusifolia (Cædicia). 415.
Obtusus (Anchiptolis). 328.
Obtusus (Barbitistes), 381.
Obtusus (*Conocephalus*), 246.
Obtusus (Loxoblemmus), 46.
Obuncus (Enyaliopsis), 156.
Obuncus (*Enyalius*), 156.
Occidentale (Anisoptera), 275.
Occidentale (*Xiphidium*). 275.
Occidentalis (Amytta). 373.
Occidentalis (Capnobotes), 182.
Occidentalis (Conocephaloides), 247.
Occidentalis (*Conocephalus*), 247.
Occidentalis (Ectadoderus), 59.
Occidentalis (*Locusta*), 182.
Occidentalis (*Mogisoplistes*), 59.
Occidentalis (*Mogoplistes*), 59.
Occipitalis (*Gryllus*), 33.
Occultus (Ceuthophilus), 133.
Occultus (*Mogisoplistes*), 57.
Occultus (Mogoplistes), 57.
Oceanica (Gryllacris), 145.
Oceanica (*Tympanoptera*), 305.
Oceanicus (*Aprion*), 305.
Oceanicus (Gryllus), 33.
Oceanicus (Morsimus), 305.
Ocellaris (Aphanomorphus). 105.
Ocellaris (*Aphonus*). 105.
Ocellaris (Heterogryllus), 65.
Ocellaris (Orocharis), 99.
Ocellata (*Gryllus*), 347.
Ocellata (*Locusta*), 347.
Ocellata (Pterochroza), 347.
Ocellata (*Pterochroza*), 347.
Ocellata (*Pterophylla*), 347.
Ocellata (*Tettigonia*), 347.
Ocellatus (*Gryllus*), 347.
Ocellatus (*Tettigonia*), 347.
Ochracea (*Acanthodis*), 322.
Ochracea (*Gryllus*), 322.
Ochracea (Myrmecophila). 55.
Ochracea (Natricia), 438.
Ochracea (Tanusia), 349.
Ochracea (*Tettigonia*), 322.
Ochraceus (Bliastes). 331.
Ochraceus (Meroncidius). 322.

Ochraceus (*Myrmecophilus*), 55.
OCHRIDA, 356.
OCICA, 357.
Oeskayi (Barbitistes), 382.
Ocskayi (*Odontura*), 382.
Octomaculata (Calopsyra), 426.
Octomaculata (*Phylloptera*), 426.
Octoseriata (*Locusta*), 427.
Octoseriata (*Phaneroptera*), 427.
Octoseriata (Pœcilopsyra), 427.
Ocularis (Diplophyllus), 479.
Ocularis (*Turpilia*), 479.
Oculatum (*Aprion*), 304.
Oculatus (*Stenopelmatus*), 112.
ODONTOGRYLLUS, 51
ODONTOLAKIS, 268
ODONTOXIPHIDIUM, 283.
ODONTURA, 386.
Odonturæformis (Himerta), 401.
ODONTURELLA, 386.
ŒCANTHINÆ, 62, 63.
ŒCANTHUS, 72.
ŒCELLA, 465.
Œdemeroides (Cyrtoxipha), 81.
Œdemeroides (*Eneoptera*), 81.
ŒDIBLEMMUS, 46.
Œrtzeni (Barbitistes), 382.
Oklahomæ (Miogryllus), 38.
Olcesii (*Homaloblemmus*), 46.
Olcesii (Œdiblemmus), 46.
OLCINIA, 308.
Oleifolia (*Aprion*), 304.
Oleifolia (*Locusta*), 304.
Oleifolia (Morsimus), 304.
Oleifolius (*Pseudophyllus*), 304.
Olivacea (Amaura), 449.
Olivacea (Anaulacomera), 466.
Olivacea (*Cedicia*), 414.
Olivaceoviridis (Syntechna), 485.
Olivaceum (Cosmophyllum), 401.
Olivaceus (Ligocatinus), 449.
Olmeca (Cyrtoxipha), 82.
Olmeca (Ectotrypa), 101.
Olmecus (*Cyrtoxiphus*), 82.
Olmecus (Ectotrypus), 101.
OLYNTHOSCELIS, 197.
OMMATOPHORA, 347.
ONCODOPUS, 270.
ONCONOTUS, 220.
Oniscus (*Bradyporus*), 176.
Oniscus (*Callimenus*), 176.
ONOMARCHUS, 296.
Onos (*Bradyporus*), 177.
Onos (Deracantha), 177.
Onos (*Ephippiger*), 177.
Onos (*Gryllus*), 177, 224, 225.
Onos (*Locusta*), 177.
Onos (*Tettigonia*), 224, 225.
ONOSANDRUS, 120.
Onthophagus (Dyscophogryllus), 66.
Opaca (Borborothis), 118.
Opaca (Prosagoga), 477.
Opaca (*Turpilia*), 479.
Opacifolia (*Anaulacomera*), 466.
Opacum (Anostostoma), 116.
Opacus (Callimenellus), 310.
Opacus (Micropion), 301.
Opacus (Onosandrus), 121.
Opacus (*Phanerotus*), 310.
Opacus (Tridactylus), 9.
Ophthalmicus (*Pseudophyllus*), 292.
Opilioides (Tabaria), 360.
Opilionoides (Rhammatopoda), 360.
OPISTHODICRUS, 292.
Oporina (Chelidoptera), 211.
Oporina (*Platycleis*), 211.
ORBEGA, 105.
Orbelicus (Pœcilemon), 379.
ORCHELIMUM, 271.
ORCHESTRIDOPTERA, 324.
Oregonensis (Myrmecophila), 55.
Oridiops (Orophus), 429.
Oridiops (*Turpilia*), 479.
Orientalis (*Acheta*), 33.
Orientalis (Brachytrypes), 22.
Orientalis (*Brachytrypus*), 22.
Orientalis (*Gryllotalpa*), 6.
Orientalis (Gryllus), 33.
Orientalis (*Gryllus*), 22.
Orientalis (*Matæus*), 292.
Orientalis (Scapsipedus), 45.
Orientalis (Zabalius), 292.
Orina (Chelidoptera), 207.
Orina (*Platycleis*), 207.
Ornata (*Carcinopsis*), 117.
Ornata (*Climacoptera*), 296.
Ornata (Curtilla), 5.
Ornata (Diatrypa), 93.
Ornata (Dioncomena), 434.
Ornata (*Ephippigera*), [168], 375.
Ornata (Ephippigerida), [168].
Ornata (*Gryllacris*), 149.
Ornata (*Gryllotalpa*), 5.
Ornata (Libanasa), 117.
Ornata (Paragryllacris), 149.
Ornata (Saga), 224.
Ornata (*Saga*), 224.
Ornata (Salomona), 266.
Ornaticeps (Gryllus), 32.
Ornatipennis (*Leptodera*), 408.
Ornatipennis (Leptoderes), 408.
Ornatipes (Eurycorypha), 463.
Ornatus (Pœcilemon), 375, 376.
ORNEBIUS, 57.
OROCHARIS, 98.
OROCHIRUS, 100.
OROPHILA, 374.
OROPHUS, 480.
ORPACOPHORA, 313.
ORPHANIA, 374.
Ortegai (*Ephippigera*), 164.

Ortegai (Steropleurus), 164.
Orthocnemis (Arantia), 406.
Orthoxipha (*Miosaga*), 228.
ORTHOXIPHUS, 83, 260.
Ortonii (Nemobius), 19.
Oryctes (Curtilla), 6.
Oryctes (*Gryllotalpa*), 6.
ORYCTOPUS, 113.
Osorioi (*Adapantopsis*), 325.
Osorioi (Lichenochrus), 318.
Osorioi (*Platyphyllum*), 318, [325].
Ostentatrix (Enochlectica), 422.
OTIAPHYSA, 420.
Otomarius (Orophus), 483.
Otomia(*Phylloptera*),483.
Otomium (*Microcentrum*), 483.
Otomius (Orophus), 483.
Oudryanus (*Ephippiger*), 172.
Ovalifolia (Microcentrum), 456.
Ovalifolia (Phyllophora), 369.
Ovalifolia (Phylloptera), 472.
Ovalifolia(*Stilpnochlora*), 456
Ovalis (Lobeda), 83.
Ovata (*Paragenes*), 461.
Ovata (Sagona), 461.
Ovata (Tropizaspis), 191.
Ovatus (*Orophus*), 461.
OXYASPIS, 293.
Oxycephala (*Gryllus*), 243.
Oxycephala (*Tettigonia*), 243.
Oxydactyla (Gryllotalpa), 1.
Oxydactyla (Scapteriscus). 1.
Oxydactylus (*Scapteriscus*), 1.
OXYLAKIS, 258.
OXYPRORA, 236, 410.
OXYPRORELLA, 236, 410.
OXYSCELUS, 303.
OXYSTETHUS, 257.

Pachycephalus (Gryllus), 32.
Pachygaster (*Ephippiger*), 172.
Pachygaster (*Ephippigera*), 172.
Pachygaster(*Platystolus*), 172.
Pachygaster (Præphippigerida), 172.
Pachymerus (Atlanticus), 181.
Pachymerus (*Decticus*), 181.
Pachymerus (*Thyreonotus*), 181.
PACHYPODAGRUS, 123.
Pachypterus (*Decticus*), 209.
PACHYPYGA, 392.
PACHYRHAMMA, 137.
Pachyrrhynchoides (Scepastus), 96.
PACHYSAGA, 228.
PACHYSMOPODA, 365.
PACHYTRACHELUS, 196.
Pacifica (Marsa), 129.
Pacificum (Paratrigonidium), 80.
Pacificum (*Trigonidium*), 80.
Pacificus (*Ceuthophilus*), 129.
Pacificus (Heterotrypus), 91.
Pacificus (*Platydactylus*), 91.
Pallens (Anaxipha), 87.
Pallens (*Gryllus*), 46.
Pallens (*Locusta*), 446.
Pallens (Loxoblemmus), 46.
Pallens (Scudderia), 446.
Pallens (*Trigonidium*), 87.
Pallescens (Ceuthophilus), 133.
Pallicornis (Storniza), 230.
Pallida (*Gryllus*), 37.
Pallida (Himerta), 401.
Pallida (Madasumma), 94.
Pallida (Nesœcia), 329.
Pallida (*Nocera*), 286.
Pallida (Orbega), 105.
Pallidegeniculatus (Ectadoderus), 58.
Pallidemaculata (*Capnoptera*), 309.
Pallidemaculata (Typhoptera), 309.
Pallidenotatus (Bliastes), 331.
Pallidespinosa (Gongrocnemis), 326.
Pallidevittatus (Nannotettix), 337.
Pallidicorne (*Trigonidium*), 78.
Pallidicornis (*Homoeoxiphus*). 78.
Pallidicornis (Metioche), 78.
Pallidifrons (Salomona), 266.
Pallidipalpus (*Decticus*), 194.
Pallidipalpus (Steiroxys), 194.
Pallidipes (Cymatomera), 306.
Pallidispina (Liparoscelis), 329.
Pallidissimus (Aphonomorphus), 106.
Pallidissimus (*Gryllus*), 106.
Pallidocincta (Tafalisca), 108.
Pallidocinctus (*Œcanthus*), 108.
Pallidolinea (*Paragryllacris*), 149.
Pallidospinosus (Macrochiton), 338.
Pallidula (Gryllacris), 142.
Pallidulum (Cosmophyllum), 404.
Pallidulus (Mnesibulus), 95.
Pallidum (*Microcentrum*), 481.
Pallidus (Acanthoplus), 155.
Pallidus (Ceuthophilus), 134.
Pallidus (*Ceuthophilus*), 131.
Pallidus (Conocephaloides), 250.
Pallidus (*Conocephalus*), 250.
Pallidus (*Decticus*), 364.
Pallidus (*Euscirtus*), 102.
Pallidus (*Hetrodes*), 155.
Pallidus (*Liparoscelis*), 329.
Pallidus (Maxentius), 113.
Pallidus (Patiscus), 102.
Pallidus (Phyllomimus), 300.
Pallidus (*Platydactylus*), 91.

Pallidus (*Stenopelmatus*), 113.
Pallipes (*Homœoxiphus*), 79.
Pallipes (Licodia), 119.
Pallipes (Metioche), 79.
Pallipes (Microgryllus), 51.
Pallipes (*Mogisoplistes*), 57.
Pallipes (*Mogoplistes*), 57.
Pallipes (*Trigonidium*), 79.
Pallitarsis (*Libanasa*), 121.
Pallitarsis (*Onosandrus*), 121.
Palmeri (Ceuthophilus), 131.
Palmetorum (Gryllus), 31.
PALOTTA, 274.
Palpata (Dolichopoda), 126.
Palpata (*Phalangopsis*), 126.
Palpata(*Rhaphidophora*), 126.
Palpatus (*Gryllus*), 126.
Palpatus (*Tettigonia*), 126.
Paludicola (*Alamia*), 77.
Paludicola (*Liparoscelis*), 329.
Paludicola (Nesœcia), 329.
Paludicola (*Trigonidium*), 77.
Palustris (Conocephaloides), 246.
Palustris (*Conocephalus*), 246.
Palustris (Nemobius), 18.
PANACANTHUS, 229.
Panamensis (Gryllacris), 147.
Pancici (Callimenus), 176.
Pancici (Psorodonotus), 215.
PANOPLOSCELIS, 333.
PANTECPHYLUS, 310.
Panteli (Ephippiger), 165.
Panteli (Gryllacris), 145.
Panteli (Gryllodes), 41.
Panteli (Steropleurus), 165.
Pantigana (*Ephippiger*), 167.
Pantigana (Ephippigerida), 167.
PANTOLEPTA, 394.
PARABLETA, 453.
PARABLIASTES, 332.
Parabolicus (Loxoblemmus), 46.
PARABUCRATES, 254.
PARACEDICIA, 418.
PARACOSMOPHYLLUM, 404.
PARACYRTOPHYLLUS, 344.
PARADIAPHLEBUS, 358.
Paradoxa (Cymatomera), 306.
Paradoxurus (Bradyopisthius), 160.
Paradoxus (Cestrophorus), 270.
Paradoxus (Corycus), 367.
Paradoxus (*Tridactylus*), 8.
PARADRYMADUSA, 180.
PARADRYNADOSA (=PARADRYMADUSA), 180.
PARAGENES, 461.
PARAGRYLLACRIS, 148, 149.
PARAGRYLLUS, 64.
PARALANDREVUS, 50.
Parallela(Euthyphlebia), 394.
Parallelinervis(Agennis), 470.
Parallelus (Climacoptera), 296.
Parallelus (*Gryllus*), 45.
Parallelus (*Pseudophyllus*), 296.
PARALOBASPIS, 262.
PARAMETRYPA, 108.
Paranæ (Nemobius), 19.
PARANAUDUS, 103.
PARANEMOBIUS, 13.
PARAPHIDNIA, 411.
PARAPOLICHNE, 419.
PARAPYRRHICIA, 469.
PARASCUDDERIA, 450.
PARATRIGONIDIUM, 79.
PARAXIPHIDIUM, 271.
Pardalina (Gryllacris), 143.
Pardalis (*Ephippitytha*), 424.
Pardalis (Tapeina), 424.
Pardalis (Zaora), 53.
PARDALOTA, 404.
Parilis (*Gryllus*), 37.
PAROCCANTHUS, 96.
PARŒCANTHUS, 96.
Paronæ (Scudderia), 445.
Particularis (Ancistrogera), 148.
Parumpunctata(Elimæa), 396.
Parumpunctata(*Locusta*), 396.
Parumpunctata (*Phaneroptera*), 396.
Parva (*Deinacrida*), 115.
Parva (*Exocephala*), 234.
Parva (Exocephala), 234.
Parva (Gongrocnemis), 327.
Parva (Hemideina), 115.
Parvicauda (*Phaneroptera*), 419.
Parvicauda (Polichne), 419.
Parviceps (Gryllodes), 42.
Parviceps (Gryllus), 42.
Parvipennis (Amblycorypha), 460.
Parvipennis (Gryllodes), 43.
Parvipennis (*Gryllodes*), 42.
Parvipennis (Scapteriscus), 2.
Parvispinosus (Clasma), 237.
Parvula (Abrodiæta), 469.
Parvula (Banza), 254.
Parvula (*Brachymetopa*), 254.
Parvula (Gryllacris), 147.
Parvula (*Gryllacris*), 142.
Parvula (Rhacocleis), 187.
Parvulus (Cocconotus), 335.
Parvulus (Gryllodes), 43.
Parvulus (*Gryllus*), 43.
Parvulus (Œcanthus), 73.
Parvus (Conocephaloides), 247.
Parvus (*Conocephalus*), 247.
PARYSATIS, 352.
Patagonus (Gryllodes), 43.

PATISCUS, 102.
Pattersonii (*Acheta*), 122.
Pattersonii (*Gryllus*), 122.
Pattersonii (Henicus), 122.
Pattersonii (*Locusta*), 122.
Pattersonii (*Mimnermus*), 122.
Pattersonii (*Tettigonia*), 122.
Paulinoi (*Ephippiger*), 167.
Paulinoi (*Ephippigera*), 167.
Paulinoi (Ephippigerida), 167.
Paulula (Gryllacris), 147.
Pauperculus (Mygalopsis), 235.
Pauperculus (*Pseudorhynchus*), 235.
PAURA, [399], 407.
Pavelii (Isophya), 383.
Pavonifolia (*Cycloptera*), 348.
Pectinata (*Locusta*), 286.
Pectinata (Phisis), 286.
Pectinatum (Pleioplectron), 138.
Pectinatus (*Teuthras*), 286.
Peculiaris (Gryllacris), 141.
Peculiaris (Polyglochin), 312.
Pedata (Antaxius), 188.
Pedata (*Pterolepis*), 188.
Pedestris (Apterogryllus), 20.
Pedestris (*Brachytrypes*), 20.
Pedestris (*Locusta*), 189.
Pedestris (*Pterolepis*), 189.
PEDINOSTETHUS, 236.
Pedo (*Gryllus*), 223.
Pedo (Saga), 223.
Pedo (*Tettigopsis*), 223.
Pedunculata (Isopsera), 458.
Peeli (Rhegmatopoda), 392.
Pellucens (*Æcanthus*), 73.
Pellucens (*Gryllus*), 72.
Pellucens (Œcanthus), 72.
Pellucida (Amytta), 373.
Pellucida (Callicrania), 171.
Pellucida (Casigneta), 425.
Pellucida (*Decticus*), 211.
Pellucida (*Ephippigera*), 171.
Pellucida (Grammadera), 469.
Pellucida (Tympanophora), 229.
PEMBA, 342.
PENALVA, 118.
Pennsylvanicus (Gryllus), 35.
Pennsylvanicus (*Gryllus*), 35.
Pensylvanicus (*Gryllus*), 35.
PENTACENTRUS, 62.
PENTHOPLOPHORA, 118.
Peraccæ (Ceraia), 451.
PERANABRUS, 192.
Peregrina (Phaula), 426.
Perezi (*Ephippiger*), 164.
Perezi (*Ephippigera*), 164.
Perezi (Steropleurus), 164.
Perficita (Torbia), 416.
Perforata (*Ephippigera*), 169, 170.
Perforata (Ephippigerida), 169.
Perforata (*Locusta*), 169.
Perforatus (*Ephippiger*), 170.
Pergamicus (Pœcilemon), 378.
Pergandei (Myrmecophila), 55.
PERINGUEYELLA, 227.
Peringueyi (Hemihetrodes), 155.
Peringueyi (Thoracistus), 182.
PERINGUEYLLA, 227.
Perlarea (*[illegible]*), 408.
Perlaria (*Phaneroptera*), 408.
Perlaria (Zulpha), 408.
[illegible] (*Gryllacris*), 149.
Perloides (Paragryllacris), 149.
PERONURA, 391.
PEROPYRRHICIA, 388.
Perpulchra (Tylopsis), 141.
Persica (Magrettia), 120.
Personata (Cocconotus), 310.
Personata (Gryllacris), 146.
Personata (Pleminia), 316.
Personatus (Brachyporus), 116.
Personatus (Callimenellus), 310.
Personatus (Gryllus), 36.
Perspicillata (*Gryllus*), 345.
Perspicillata (*Locusta*), 344.
Perspicillata (*Tettigonia*), 345.
Perspicillatum (*Platyphyllum*), 345.
Perspicillatus (Cyrtophyllus), 344.
Perspicillatus (*Diophanes*), 345.
Perspicillatus (Gryllus), 345.
Perturbans (Gryllacropsis), 118.
Peruviana (Anchiptolis), 328.
Peruviana (*Ctenophlebia*), 472.
Peruviana (Cyrtoxipha), 83.
Peruviana (*Hormilia*), 443.
Peruviana (Hyperophora), 403.
Peruviana (Insara), 443.
Peruviana (Phylloptera), 474.
Peruviana (*Rhipipteryx*), 13.
Peruviana (Viadana), 472.
Peruvianum (*Microcentrum*), 483.
Peruvianus (Typophyllum), 351.
Peruvianus (Aphonomorphus), 106.
Peruvianus (*Aphonus*), 106.
Peruvianus (*Cyrtoxiphus*), 83.
Peruvianus (Orophus), 483.
Peruviensis (Gryllus), 38.
PETALOPTERA, 484.
PETALOPTILA, 51.
[illegible] (*[illegible]*), 93.

Petersi (Madasumma), 93.
Petersii (Enyaliopsis), 156.
Petersii (*Hetrodes*), 156.
PEUCESTES, 457.
Pfeifferæ (*Capnoptera*), 309.
Pfeifferæ (Typhoptera), 309.
PHÆOPHILACRIS, 71.
PHÆOPHYLLACRIS, 71.
Phæopsis (*Agræcia*), 265.
PHALANGACRIS, 70.
Phalangium (*Ægipan*), 443.
Phalangium (Amphiacusta), 68.
Phalangium (*Amphiacustes*), 68.
Phalangium (Arethæa), 443.
Phalangium (Phæophilacris), 71.
Phalangium (*Phæophyllacris*), 71.
PHALANGOPSIS, 70, 126.
PHALORIA, 69.
PHANEROPTERA, 434.
Phaneropteroides (Phaula), 426.
PHANISCHNOPTERA, 444.
Phanopteroides (= Phaneropteroides) (Phaula), 426.
PHARMACUS, 138.
PHASGONURA, 216.
PHASGONURIDÆ, 111.
PHASGONURINÆ, 216.
PHASMODES, 355.
PHAULA, 425.
PHERTERUS, 119.
Philippicus (*Decticus*), 208.
Philippina (Liotrachela), 432.
Philippinensis (Microprion), 297.
Philippinica (Hyperhomala), 368.
Philippinica (*Phyllophora*), 368.
PHILOPHYLLIA, 485.
PHILOSCIRTUS, 361.
PHISIS, 286.
PHLAUROCENTRUM, 422.
PHLUGIS, 284.
PHOBERODEMA, 356.
PHOBEROPUS, 120.
PHŒBOLAMPTA, 486.
PHOLIDOPTERA, 197.
PHORMINCTER, 91.
PHRICTA, 355.
PHRICTÆTYPUS, 356.
PHRIXA, 477.
PHRIXOCNEMIS, 134.
Phryganoides (Gryllacris), 146.
Phthisica (*Hormilia*), 442.
Phthisica (Insara), 442.
Phthisicus (Stenogryllus), 92.
PHYGELA, 423.
Phyllacantha (Machima), 410.
Phyllacantha (*Phaneroptera*), 410.
PHYLLOGRYLLUS, 92.
PHYLLOMIMUS, 297.
PHYLLOPALPUS, 85.
PHYLLOPHORA, 367, 369.
PHYLLOPHORINÆ, 367.
PHYLLOPTERA, 472.
Phyllopteroides (Arnobia), 423.
Phyllopteroides (*Decticus*), 423.
Phyllopteroides (*Parableta*), 474.
Phyllopteroides (Phylloptera), 474.
PHYLLOSCIRTUS, 84.
PHYLLOSCYRTUS, 84.
PHYLLOSTACHYS, 315.
PHYLLOTRIBONIA, 291.
PHYLLOZELUS, 299.
PHYRAMA, 354.
PHYSOBLEMMA, 60.
PHYSOCORYPHA, 465.
Physomerus (Cophogryllus), 44.
Physomerus (*Gryllus*), 44.
Picea (Gryllacris), 144.
Picea (*Locusta*), 124.
Picea (*Rhaphidophora*), 123, 124.
Picea (*Rhaphidophorus*), 124.
Piceifrons (Gryllacris), 145.
Piceiventris (Stenopelmatus), 112.
Piceus (Dicranacrus), 270.
Piceus (*Dicranacrus*), 270.
Pichinchæ (Conocephaloides), 243.
Pichinchæ (*Conocephalus*), 243.
Picinus (Nemobius), 19.
Picta (Cyrtoxipha), 82.
Picta (Gryllacris), 147.
Picta (Paralobaspis), 262.
Picta (Phylloptera), 474.
Picta (Rhytidaspis), 267.
Picteti (Conocephaloides), 249.
Picteti (*Conocephalus*), 249.
Picteti (Gryllacris), 141.
Picteti (Mimetica), 350.
Picteti (Salomona), 266.
Picticeps (Arachnomimus), 70.
Picticeps (*Phalangopsis*), 70.
Pictifolia (Pterochroza), 348.
Pictifolia (Tanusia), 348.
Pictipennis (*Euacris*), 341.
Pictipes (*Arachnopsis*), 70.
Pictipes (Cædicia), 413.
Pictipes (Macroxiphus), 264.
Pictum (Anisoptera), 283.
Pictum (*Xiphidium*), 283.
Picturata (*Munda*), 104.
Picturata (*Pterochroza*), 348.
Picturata (Tanusia), 348.
Picturata (Tropizaspis), 191.
Picturatus (Podoscirtus), 104.
Pictus (Cardiodactylus), 88.
Pictus (*Cyrtoxiphus*), 82.
Pictus (Nemobius), 17.
Pictus (Paranemobius), 13.
Pictus (*Pseudonemobius*), 13.
Pictus (Stenopelmatus), 112.
PIESTODACTYLUS, 89.
Pilipes (Arnobia), 423.
Pilipes (Loboscelis), 230.
Pilipes (*Locusta*), 423.
Pilipes (*Phaneroptera*), 423.
Pilosa (Ectadia), 397.
Pilosa (Laurepa), 100.
Pilosula (Trichotettix), 330.

Pilosulus (*Trichotettix*), 330.
Pilosus (Gonyatopus), 301.
Pilosus (Neonetus), 125.
Pilosus (*Orocharis*), 100.
Pilosus (Semileptotettix), 340.
Pilosus (*Trichotettix*), 330.
PILUGIS, 284.
Pinguis (Ceuthophilus), 134.
Pinguis (Elephantodeta), 433.
Pinguis (Maxentius), 113.
Pinguis (*Phaneroptera*), 433.
Pinguis (*Stenopelmatus*), 113.
Pini (Ecanthus), 75.
Piperi (Cyphoderris), 193.
Pipiens (Gryllodes), 40, 41.
Pipiens (*Gryllodes*), 41.
Pipiens (*Gryllus*), 40.
Pipilans (Phyllogryllus), 92.
Pisifolia (Phylloptera), 473.
Pisifolius (Diastellidea), 417.
Pistacina (Engonia), 403.
Pistillata (Scudderia), 444.
PIURA, 287.
Plagiata (Gryllacris), 141.
Plagiceps (Gryllus), 32.
PLAGIOPLEURA, 452.
PLAGIOSTIRA, 195.
Plana (Ischyra), 484.
Plana (Madasumma), 94.
Plana (*Phaneroptera*), 441.
Plana (Tylopsis), 441.
PLANGIA, 464.
PLANGIOPSIS, 428.
Planiceps (*Calyptotrypus*), 95.
Planiceps (*Euscirtus*), 101.
Planiceps (Euscyrtus), 101.
Planiceps (Ischyra) 484
Planiceps (Madasumma), 95.
Planiceps (*Orophus*), 484.
Planicollis (Paracædicia), 418.
Planispina (*Conocephala*), 240.
Planispina (*Locusta*), 240.
Planispina (Pyrgocorypha), 240.
Planiusculus (Dasyscelus), 315.
Plantaris (*Hexacentrus*), 288.
Plantaris (*Locusta*), 288.
Planum (*Microcentrum*), 484.
Planus (Orocharis), 100.
Planus (*Platydactylus*), 94, 100.
PLASTOCORYPHA, 237.
PLATENIA, 307.
PLATYBLEMMA, 48.
PLATYBLEMMUS, 48.
Platyceps (Hemiudeopsylla), 129.
Platyceps (Tapinopus), 101.
PLATYCLEIS, 203.
Platycleis (Pteroplistes), 62.
Platycleis (*Pteroplistus*), 62.
PLATYDACTYLUS, 90.
PLATYLYRA, 447.
Platyphœa (Mecopoda), 364.
Platyphylloides(*Bliastes*), 332.
PLATYPHYLLUM, 320, 321, 345.
PLATYPHYLLUS, 321.
PLATYSIAGON, 122.
PLATYSTOLUS, 172, 173.
Platythorax (Chœroparnops), 326.
Platyxiphus (*Pteroplistus*), 62.
PLATYXYPHUS, 62.
Platyxyphus (*Gryllus*), 62.
Platyxyphus (Pteroplistes), 62.
Plebeia (Gryllacris), 141.
Plebejus (Gryllus), 34.
PLEGMATÒPTERA, 392.
PLEIOPLECTRON, 138.
PLEMINIA, 316.
Pleminioides (Anchiptalis), 328.
Pleminioides (Leurophyllum), 320.
Pleminioides (*Platyphyllum*), 320.
Poæfolia (Elimæa), 395.
Poæfolia (*Locusta*), 395.
Poæfolia (*Phaneroptera*), 395.
POASCIRTUS, 235.
Podagrosus (Parœcanthus), 97.
Podocausta (Gryllacris), 140.
PODOGRYLLUS, 44.
PODOSCIRTUS, 103.
Poduroides (*Hadenœcus*), 136.
Poduroides (Talitropsis), 136.
PŒCILEMON, 375.
PŒCILOGRAMMA, 405.
PŒCILOPSYRA, 427.
Poeyi (Cyrtoxipha), 82.
Poeyi (*Cyrtoxiphus*), 82.
Poeyi (*Gryllodes*), 42.
Pogonopoda (*Locusta*), 286.
Pogonopoda (Phisis), 286.
POLICHNE, 419.
POLICHNODES, 421.
Polita (*Ephippigera*), 165.
Polita (*Steropleurus*), 165.
Politurata (Physocorypha), 465.
Politus (Brachytrypes), 22.
Politus (Ceuthophilus), 133.
Politus (Stenopelmatus), 113.
Politus (Steropleurus), 165.
Pollonerae (Cocconotus), 334.
Polluticornis (Ceuthophilus), 133.
POLYANCISTROIDES, 342.
POLYANCISTRUS, 341.
POLYCLEPTIS, 311.
POLYGLOCHIN, 312.
POLYSARCUS, 374.
POMATONOTA, 358.
Pomòna (Psyra), 427.
Poneyi (*Ephippigera*), 162.
Poneyi (Uromenus), 162.
Ponderosa (*Gryllotalpa*), 3.
Ponderosa (Neocurtilla), 3.

Ponderosum (Steirodon), 457.
Pontica (*Olynthoscelis*), 199.
Pontica (Pholidoptera), 199.
Pontica (*Thamnotrizon*), 199.
Pontoni (*Hectoria*), 412.
Popeana (Eremopedes), 192.
POREUOMENA, 428.
PORNOTRIPS, 157.
PORPHYROMMA, 349.
Porrecta (Cædicia), 414.
Porrectum (*Aprion*), 302.
Porrectus (Aprion), 302.
Porrigens (*Conocephalus*), 238.
Porrigens (Pseudorhynchus), 238.
Portentosa (*Acheta*), 22.
Portentosa (*Anastostoma*), 122.
Portentosa (*Gryllus*),122.
Portentosus (Brachytrypes), 22.
Portentosus (Mimnermus), 122.
Portentosus (*Stenopelmatus*), 122.
Porteri (*Dædaleus*), 230.
Porteri (Dædalus), 230.
POSIDIPPUS, 458.
Postica (Gryllacris), 241.
Postica (Topana), 478.
Posticum (Anisoptera), 277.
Posticum (*Xiphidium*), 277.
Posticus (Gryllus), 32.
POSUS, 67.
Powysi (Eugaster), 158.
Præcipua (Madasumma), 94.
Præcipuum (*Xiphidium*), 255.
Præcipuus (*Platydactylus*), 94.
Præditoria (*Hemisaga*), 227.
Præditoria (Peringueyella), 227.
Præmorsus (Corycus), 367.
PRÆPHIPPIGERIDA, 172.
Præstantissima (Weissenbornia), 422.
Prætermissa (Holochlora), 431.
Præusta (*Phaneroptera*), 441.
Prasina (*Chloracris*), 294.
Prasina (Insara), 143.
Prasina (*Locusta*), 218.
Prasina (*Olynthoscelis*), 199.
Prasina (Pholidoptera), 199.
Prasina (*Phylloptera*), 448.
Prasinata (Eurycorypha), 462.
Prasinus (Conocephaloides), 248.
Prasinus (*Conocephalus*), 248.
Prasinus (Pseudophyllus), 294.
Prasinus (*Steirodon*), 448.
Prasinus (*Thamnotrizon*), 199.
Praticola (Loxoblemmus), 47.
Prenjica (Chelidoptera), 210.
Prenjica (*Platycleis*), 210.
Pretiosa (Moncheca), 233.
PREUSSIA, 447.
Preussiana (Sthenaropoda), 365.
Preussianus (*Macroscirtus*), 365.
Priapus (Podoscirtus), 104.
Prima (*Locusta*), 184.
Princeps (Conocephalus), 238.
Princeps (Gryllacris), 143.
Princeps (*Pseudorhynchus*), 238.
Princeps (Segestidia), 359.
PRIONOCNEMIS, 160.
PRISTES, 319.
PRISTOCEUTHOPHILUS, 134.
Privata (*Phaneroptera*), 399.
PROCÆDICIA, 417.
Procera (*Climacoptera*), 295.
Procerus (Conocephaloides), 242.
Procerus (*Conocephalus*), 242.
PROCHILINÆ, 355.
PROCHILUS, 355.
PROCŒDICIA, 417.
Prodigiosa (*Acheta*), 21.
Prodigiosus (Mimnermus), 122.
Prodigiosus (Oryctopus), 113.
Producta (*Copiocera*), 231.
Producta (Copiphora), 231.
Producta (*Hemideina*), 115.
Productum (*Aprion*), 299.
Productum (Promeca), 299.
Productum (*Xiphidium*), 275.
Productus (Hetrodes), 154.
PROGNATHOGRYLLUS, 109.
PROMECA, 299.
PRONEMOBIUS, 14.
PROPHALANGOPSINÆ, 290.
PROPHALANGOPSIS, 290.
Propinquum (Anisoptera), 281.
Propinquum (*Xiphidium*), 281.
Propinquus (Pœcilemon), 379.
Prora (Caulopsis), 240.
Prora (*Conocephalus*), 240.
PROSAGOGA, 476.
PROSECOGRYLLUS, 67.
Proserpinæ (Eurycorypha), 463.
PROSTHACUSTA, 63.
PROSTHACUSTES, 63.
PROTINA, 417.
Provincialis (*Ephippiger*), 174.
Provincialis (*Ephippigera*), 170.
Provincialis (Ephippigerida), 170.
Proxima (Aniara), 402.
Proxima (*Hormilia*), 443.
Proxima (Paracædicia), 418.
Proximus (Conocephaloides), 248.
Proximus (*Conocephalus*), 248.
Prudhommi (Hyperphrona), 475.

Pruinosa (*Dictyota*), 416.
PSACADONOTUS, 258.
PSEUDANCISTRUS, 342.
PSEUDISOTIMA, 387.
PSEUDOBURGILIS, 401.
Pseudola (*Ephippigera*), 163.
Pseudolus (*Ephippiger*), 163.
Pseudolus (Steropleurus), 163.
PSEUDOMETRYPA, 108.
PSEUDONEMOBIUS, 13.
PSEUDOPHANEROPTERA, 398.
PSEUDOPHYLLANAX, 360.
PSEUDOPHYLLINÆ, 290.
PSEUDOPHYLLUS, 294.
PSEUDOPYRRHIZIA, 438.
PSEUDORHYNCHUS, 238.
PSORODONOTUS, 215.
PSYRA, 427.
PTEROCHROZA, 346.
PTEROLEPIS, 186, 197.
PTERONEMOBIUS, 14.
PTEROPHYLLA, 343.
PTEROPLISTES, 62.
PTEROPLISTUS, 62.
Pubescens (*Gryllus*), 31.
Pubiventris (Leptotettix), 339.
Puella (Saga), 224.
Pugio (Liostethus), 235.
Pugiunculata (Tomeophera), 470.
Puiggarii (Conocephaloides), 242.
Puiggarii (*Conocephalus*), 242.
Pulchella (Isophya), 383.
Pulchellus (*Phyllopalpus*), 85.
Pulchellus (*Phylloscirtus*), 85.
Pulchellus (Phylloscyrtus), 85.
Pulcher (Cocconotus), 336.
Pulcher (Oxyostethus), 257.
Pulcher (*Phyllopalpus*), 86.
Pulcher (Phylloscyrtus), 86.
Pulcher (Pœcilemon), 376.
Pulchra (Chelidoptera), 210.
Pulchra (Niphella), 401.
Pulchra (*Platycleis*), 210.
Pulchriceps (Gryllus), 33.
Pulchripennis (Barbitistes), 382.
Pulchripennis (*Odontura*), 382.
Pulchripennis (Rhodopteryx), 349.
Pulex (Nemobius), 16.
Pulex (Tridactylus), 10.
Pulicaria (*Anaxipha*), 86.
Pulicaria (Rhipipteryx), 13.
Pulicarius (*Anaxiphus*), 86.
Pulicarius (*Gryllus*), 86.
Pulicarus (*Anaxiphus*), 86.
Pulvillatus (*Brachytrypus*), 23.
Pulvillatus (Gymnogryllus), 23.
Pumila (Anaxipha), 87.
Pumilio (*Brochopeplus*), 298.
Pumilus (*Gryllus*), 87.
Punctata (*Agrœcia*), 260.
Punctata (Agrœcia), 260.
Punctata (*Amaura*), 449.
Punctata (Anelytra), 257.
Punctata (Eurepa), 89.
Punctata (Exocephala), 234.
Punctata (Gryllacris), 145.
Punctata (Pseudisotima), 387.
Punctata (Pseudopyrrhizia), 438.
Punctata (*Turpilia*), 479.
Punctatissima (Barbitistes), 389.
Punctatissima (Leptophyes), 389.
Punctatissima (*Leptophyes*), 389, 390.
Punctatissima (*Locusta*), 389.
Punctatissima (*Odontura*), 389.
Punctatus (Aphonomorphus), 105.
Punctatus (*Aphonus*), 105.
Punctatus (Diphophyllus). 479.
Punctatus (*Eneoptera*), 105.
Punctatus (*Gryllus*), 105.
Punctatus (Ligocatinus), 449.
Punctatus (*Piestodactylus*), 89.
Punctatus (Scleropterus), 61.
Puncticeps (Mimnermus), 122.
Puncticeps (*Onosandrus*), 122.
Puncticollis (Bongeia), 428.
Punctifera (Cædicia), 415.
Punctifera (Elimæa), 396.
Punctifera (*Phaneroptera*), 396, 415.
Punctifrons (*Aphidnia*), 412.
Punctifrons (Bliastes), 332.
Punctifrons (*Decticus*), 199.
Punctifrons (Dysonia), 412.
Punctifrons (Eschatocerus), 259.
Punctifrons (Gryllacris), 140.
Punctifrons (*Microcentrum*), 482.
Punctifrons (*Olynthoscelis*), 199.
Punctifrons (Orophus), 482.
Punctifrons (Pholidoptera), 199.
Punctifrons (*Thamnotrizon*), 199.
Punctinervis (Ischyra), 484.
Punctinervis (Isophya), 383.
Punctinervis (*Odontura*), 383.
Punctipenne (Anisoptera), 279.
Punctipenne (*Xiphidium*), 279.
Punctipennis (Ducetia), 399.
Punctipennis (Gryllacris), 145.
Punctipennis (Oxylakis, 258.

Punctipennis (*Phaneroptera*), 399.
Punctipennis (Segestidia), 359.
Punctipes (Conocephaloides), 248.
Punctipes (*Conocephalus*), 248.
Punctipes (Ladnea), 400.
Punctipes (Segestes), 359.
Punctulata (Aniara), 402.
Punctulata (*Cælidia*), 415.
Punctulata (*Carcinopsis*), 117.
Punctulata (Catoptropteryx), 415.
Punctulata (Ceraia), 450.
Punctulata (Hyperphrona), 475.
Punctulata (Isopsera), 458.
Punctulata (Libanasa), 117.
Punctulata (Phaneroptera), 436.
Punctulata (*Scudderia*), 450, 451.
Punctulata (Tylopsis), 441.
Punctulatus (*Œcanthus*), 76.
Punctum-album (*Phylloptera*), 472.
Pungens (*Conocephalus*), 238.
Pungens (Pseudorhynchus), 238.
Puniceolata (*Temnophera*), 470.
Punicea (Gryllacris), 140.
Pupa (*Bradyporus*), 154.
Pupa (*Gryllus*), 154.
Pupa (*Locusta*), 154.
Pupa (*Tettigonia*), 154.
Pupa-spinosa (*Locusta*), 154.
Pupulus (Neanias), 150.
Pupus (*Agræcia*), 266.
Pupus (*Gryllus*), 154.
Pupus (Hetrodes), 154.
Pupus (Salomona), 266.
Pupus (*Tettigonia*), 154.
Pupus-Europæus (*Gryllus*), 126.
Pupus-Europæus (*Tettigonia*), 126.
Purpurascens (Anabrus), 192.
Purpurascens (Conocephaloides), 242.
Purpurascens (*Conocephalus*), 242.
Pusilla (Cyrtoxipha), 81.
Pusilla (Dolichopoda), 127.
Pusillus (*Cyrtoxiphus*), 81.
Pusillus (*Gryllodes*), 38.
Pusillus (*Gryllus*), 38.
Pusillus (Hexacentrus), 287.
Pusillus (Miogryllus), 38.
Pustulata (Gryllacris), 145.
Pustulatum (*Aprion*), 301.
Pustulatus (*Conocephalus*), 243.
Pustulatus (Gonyatopus), 301.
Pustulipes (*Gryllodes*), 42.
Pustulipes (*Gryllus*), 42.
Pustulipes (Pholidoptera), 203.
Pustulipes (*Pterolepis*), 203.
Pustulosa (*Pterolepis*), 203.
Putrida (Pseudometrypa), 108.
PYCNOGASTER, 173.
PYCNOGASTRINÆ, 161.
PYCNOPALPA, 477.
Pygmæa (Gryllacris), 147.
Pygmæa (Ruspolia), 240.
Pygmæus (*Gryllus*), 30.
Pyrenæa (*Isophya*), 384.
Pyrenæa (*Odontura*), 387.
Pyrenæa (*Barbitistes*), 384.
Pyrenea (Isophya), 384.
PYRGOCORYPHA, 239.
PYRGOPHYLAX, 423.
Pyrifer (Conocephaloides), 249.
Pyrifer (*Conocephalus*), 249.
PYRRHICIA, 399.
PYRRHIZIA, 399.
Pyrrhocnemis (Theudoria), 430.

Quadrata (*Apithis*), 98.
Quadrata (Madasumma), 94.
Quadrata (*Vetralia*), 362.
Quadrata (Vetralla), 362.
Quadratus (Calyptotrypus), 94.
Quadratus (*Gryllus*), 94.
Quadratus (Hapithus), 98.
Quadratus (Platydactylus), 94.
Quadridentata (Odontura), 387.
Quadrigesimaguttata (*Ephippitytha*), 412.
Quadrimaculatus (Gryllus), 34.
Quadripunctata (Gryllacris), 145.
Quadripunctata (Phaneroptera), 435.
Quadripunctata (Promeca), 299.
Quadripunctatus (Œcanthus), 75.
Quadripunctatus (Patiscus), 102.
Quadrisignata (Saga), 226.
Quadristrigatus (Gryllus), 31.
Quinquedentatus (Rhynchocerus), 230.
Quinquenervis (*Locusta*), 398.
Quinquenervis (Phaneroptera), 398.

Rabida (Gryllacris), 146.
Radiata (*Pterolepis*), 216.
Radiatus (*Peltastes*), 216.
Raffrayi (Salomona), 266.
Raia (Chelidoptera), 210.
Raia (*Platycleis*), 210.
Ramburi (*Ephippigera*), 171.
Ramburi (*Platyblemmus*), 49.
Ramburi (*Pterolepis*), 187.
Ramburi (Rhacocleis), 187.
Ramburii (*Ephippigera*), 171.
Ramburii (*Steropleurus*), 171.
Ranatriformis (Phasmodes), 355.
Rapax (Phisis), 286.
Rapax (*Teuthras*), 286.
Raroramosa (Paracædicia), 418.
Rarospinulosus (Posidippus), 459.

Rasilis (Ganoblemmus), 47.
Rastricercus (Mormotus), 324.
Raymondi (Anterastes), 195.
Raymondi (*Rhacocleis*), 195.
Raymondii (*Pterolepis*), 195.
Recta (Anaulacomera), 466.
Rectangulata (Engonia), 403.
Rectangulata (*Phaneroptera*), 403.
Recticauda (Anaulacomera), 466.
Recticauda (Gampsocleis), 185.
Rectifolia (Arantia), 406.
Rectiloba (Dithela), 401.
Rectinervis (Prosagoga), 477.
Rectipennis (Isophya), 385.
Redtenbacheri (Onchodopus), 270.
Redtenbacheri (Phoberodema), 356.
Redtenbacheri (Salomona), 266.
Reducta (*Gryllacris*), 93.
Reducta (Madasumma), 93.
Reductus (*Bliastes*), 333.
Reductus (Nastonotus), 333.
Reflexa (Diacanthodis), 315.
Regalis (Sanaa), 309.
Regalis (*Termera*), 309.
Regia (*Paracædicia*), 417.
Regia (Procædicia), 417.
Regimbarti (Leurophyllum), 321.
Regimbarti (*Platyphyllum*), 321.
Regina (*Acanthodis*), 320.
Regina (Arantia), 406.
Regina (Mecopoda), 363.
Regulus (Gryllus), 35.
Regulus (Nemobius), 16.
Regulus (Podoscirtus), 104.
Remotus (Conocephaloides), 251.
Remotus (*Conocephalus*), 251.
Repanda (Acanthodis) 313.
Repanda (*Locusta*), 233.
Repanda (Orpacophora), 313.
Repanda (*Pleminia*), 313.
Repandus (Basileus), 233.
Repens (Maxentius), 113.
REQUENA, 191.
Resinum (Anisoptera), 276.
Resinum (*Xiphidium*), 276.
Restrictus (Callimenus), 176.
Restrictus (*Callimus*), 176.
Restrictus (Conocephaloides), 245.
Restrictus (*Conocephalus*), 245.
Retiarius (Cocconotus), 334.
Reticulata (*Acridopeza*), 407.
Reticulata (Acripeza), 407.
Reticulata (Cycloptera), 353.
Reticulata (Gryllacris), 142.
Beticulata (*Gryllus*), 66.
Reticulata (*Locusta*), 332.
Reticulata (Phaneroptera), 436.
Reticulata (Plegmatoptera), 392.
Reticulatum (Lonchitophyllum), 354.
Reticulatus (*Acheta*), 66.
Reticulatus (Bliastes) 332.
Reticulatus (*Brochopeplus*), 297.
Reticulatus (Homœogryllus), 66.
Reticulatus (Scopiorus), 343.
Reticulosa (Isotima), 399.
Reticulosa (*Paura*), 399.
Reticulosus (Phyllomimus), 300.
Retinerve (*Microcentrum*), 482.
Retinervis (Arantia), 406.
Retinervis (*Microcentrum*), 482.
Retinervis (Orophus), 482.
Retinervis (*Phylloptera*), 482.
Retusus (Conocephaloides), 246.
Retusus (*Conocephalus*), 246.
Revoilii (Anepisceptus), 157.
Revoilii (*Eugaster*), 157.
Rex (*Cleandrus*), 295.
Rex (Diophanes), 346.
Rex (Paragryllus), 64.
RHACHIDORUS, 190.
RHACOCLEIS, 186.
RHAMMATOPODA, 360.
RHAPHIDOPHORA, 123. 126.
RHAPHIDOPHORINÆ, 123.
RHEGMATOPODA, 392.
Rhinoceros (*Copiophora*), 231.
Rhinoceros (Copiphora), 231.
RHIPIPTERYX, 11.
Rhoadsi (Pristoceuthophilus), 135.
Rhodei (*Aprion*), 304.
Rhodei (Morsimus), 304.
RHODOPTERYX, 349.
Rhombifolia (*Ctenophlebia*), 472.
Rhombifolia (Orophus), 482.
Rhombifolia (*Phylloptera*), 482.
Rhombifolia (Viadana), 472.
RHOMBOPTERA, 294.
RHYNCHOCERUS, 230.
RHYTIDASPIS, 267.
Richmondi (Diyllus), 341.
Richmondi (*Euacris*), 341.
Ricta (Hemideina), 115.
Riparius (Tridactylus), 9.
RIPIPTERYX, 11.
Ritsemæ (Acheta), 24.
Ritsemæ (Aphasius), 107.
Ritsemæ (Cyrtoxipha), 81.
Ritsemæ (Endolandrevus), 50.
Ritsemæ (*Landrevus*), 50.
Ritsemæ (*Liogryllus*), 24.
Ritsemai (*Liogryllus*), 24.
Rivæ (Peronura), 391.
Rivularis (Rhipipteryx), 12.

Robecchii (Anepisceptus), 158.
Roberti (Conocephaloides), 250.
Roberti (Conocephalus), 250.
Robusta (Daihinia), 128.
Robusta (Phalangopsis), 128.
Robusta (Udeopsylla), 128.
Robusta (Zumala), 298.
Robustum (Orchelimum), 272.
Robustum (Paratrigonidium), 80.
Robustum (Xiphidium), 292.
Robustus (Aprion), 304.
Robustus (Brachytrypes), 22.
Robustus (Conocephaloides), 245.
Robustus (Conocephalus), 245.
Robustus (Paracyrtophyllus), 344.
Robustus (Prognathogryllus), 109.
Rodriguezi (Orocharis), 99.
Rodsjankoi (Isophya), 385.
Roeselii (Chelidoptera), 210.
Roeselii (Locusta), 210.
Roeselii (Micropteryx), 211.
Roeselii (Platycleis), 211.
Rogenhoferi (Cachoplistus), 61.
Rogenhoferi (Cacoplistes), 61.
Rogenhoferi (Laranda), 64.
Rogenhoferi (Larandus), 64.
Rolphi (Apithes), 98.
Rolphi (Hapithus), 98.
Rosaceus (Conocephaloides), 250.
Rosaceus (Conocephalus), 250.
Rosalia (Meroncidius), 346.
Rosaura (Arota), 476.
Rosea (Elimæa), 396.
Rosea (Grammadera), 469.
Rosea (Pseudoburgilis), 401.
Rosea (Vellea), 451.
Roseata (Phaneroptera), 436.
Roseipennis (Glaphyronotus), 262.
Roseivitta (Gryllacris), 147.
Roseoinflata (Phylloptera), 473.
Roseolata (Elimæa), 396.
Rosescens (Diophanes), 346.
Roseum (Paratrigonidium), 79.
Rossii (Ephippigera), 170.
Rostrata (Allodapa), 438.
Rostrata (Oxyprora), 236.
Rostratum (Microcentrum), 481.
Rostratus (Endolandrevus), 50.
Rostratus (Landrevus), 50.
Rostratus (Orophus), 481.
Rotundifolia (Amblycorypha), 460, 461.
Rotundifolia (Phylloptera), 460.
ROXELANA, 352.
Rubens (Gryllus) 36.
Rubescens (Letana), 400.
Rubescens (Phaneroptera), 400.
Rubrescens (Tylopsis), 441.
Rubricollis (Acheta), 26.
Rubricollis (Gryllus), 26.
Rubricornis (Lobodes), 342.
Rubrimarginata (Aprion), 305.
Rubrimarginata (Chondrodera), 305.
Rubrinervosa (Dibelona), 148.
Rubrinervosa (Gryllacris), 148.
Rubromarginata (Locusta), 305.
Rufa (Gryllus), 364.
Rufa (Mecopoda), 364.
Rufa (Tettigonia), 364.
Rufatus (Phyllomimus), 299.
Rufescens (Conocephaloides), 246.
Rufescens (Conocephalus), 246.
Rufescens (Liara), 258.
Ruficeps (Gryllacris), 143.
Ruficornis (Meroncidius), 316.
Ruficornis (Pleminia), 316.
Ruficosta (Barbitistes), 389.
Rufidulus (Cardiodactylus), 88.
Rufidulus (Podoscirtes), 104.
Rufipennis (Luzara), 65.
Rufipes (Chlorophylla), 353.
Rufipes (Gryllodes), 43.
Rufipes (Orchestridoptera), 324.
Rufomarginata (Isotima), 399.
Rufonotata (Elimæa), 395.
Rufonotata (Phaneroptera), 395.
Rufosignata (Agnapha), 437.
Rufovaria (Gryllacris), 145.
Rufus (Nemobius), 19.
Rugifrons (Agræcia), 264.
Rugifrons (Salomona), 264.
Rugosa (Acanthodis), 307.
Rugosa (Deinacrida), 114.
Rugosa (Locusta), 307.
Rugosa (Sathrophyllia), 306, 307.
Rugosicollis (Conocephaloides), 248.
Rugosicollis (Conocephalus), 248.
Rugosicollis (Ephippiger), 161.
Rugosicollis (Ephippigera), 161.
Rugosicollis (Uromenus), 161.
Rugosifrons (Eremus), 150.
Rugosus (Conocephalus), 307.
Rugosus (Gryllus), 306.
Rugosus (Tettigonia), 306.
Rugulosa (Phaula), 425.
Rugulosa (Turpilia), 479.

Rugulosus (Diplophyllus), 479.
RUPILIUS, 103.
Ruspolii (Anepisceptus), 157.
Ruspolii (Conchotopoda), 394.
Ruspolii (Epiphlebus), 388.
Ruspolii (Pornotrips), 157.

Sacalava (*Gryllomorphus*), 53.
Sacalava (Zaora), 53.
SAGA, 223.
Sagaeformis (Metaballus), 190.
SAGEPHORUS, 312.
SAGINÆ, 222.
Sagittatus (Cocconotus), 334.
SAGONA, 461.
Salicifolia (*Phylloptera*), 482.
Sallei (Ceuthophilus), 132.
Sallei (*Conocephalus*), 239.
Sallei (Pyrgocorypha), 239.
Sallei (Stenopelmatus), 112.
SALMANIA, 62.
SALOMONA, 264.
Salomonis (Mossula), 358.
Salomonis (Myrmecophila), 55.
Salomonoides (Bliastes), 331.
Saltans (Anisoptera), 280.
Saltans (*Xiphidium*), 280.
Saltator (Anabropsis), 117.
Saltator (Anisoptera), 276.
Saltator (Dyscophogryllus), 66.
Saltator (*Dyscophus*), 66.
Saltator (Gryllodes), 41.
Saltator (Orocharis), 99.
Saltator (*Orocharis*), 100.
Saltator (*Schœnobates*), 117.
Saltator (Trigonidium), 79.
Saltator (*Xiphidium*), 276.
Saltatrix (*Orocharis*), 99.
Salvadorii (Semileptotettix), 340.
Salvifolia (Diophanes), 345.
Salvifolia (*Locusta*), 345.
Salvifolia (*Phylloptera*), 481.
Salvifolium (*Platyphyllum*), 345.
Salvini (Gryllacris), 143.
SANABRIA, 412.
Sanchez-Gomezi (Pycnogaster), 173.
Sanchezi (Lebinthus), 88.
Sancti-Pauli (Pœcilemon), 380.
Sanguinolenta (*Barbitistes*), 381.
Sanguinolenta (Gryllacris), 147.
Sanguinolenta (*Phylloptera*), 405.
Sanguinolentum (Scambophyllum), 405.
SANNA, 309.
Sanzii (*Barbitistes*), 382.
Sartorianus (Stenopelmatus), 113.
SASIMA, 367.
Satellitius (Loxoblemmus), 47.
SATHROPHYLLIA, 306.
Saturata (Gravenreuthia), 430.
Saturatus (Conocephaloides), 244.
Saturatus (*Conocephalus*), 244.
Saulcyi (Orocharis), 98.
Saulcyi (*Platydactylus*), 98.
Saussurea (*Platycleis*), 210.
Saussureana (*Platycleis*), 210.
Saussurei (Calyptotrypus), 94.
Saussurei (Cocconotus), 336.
Saussurei (*Gryllus*), 38.
Saussurei (Lebinthus), 88.
Saussurei (Madasumma), 94.
Saussurei (Mimetica), 350.
Saussurei (Miogryllus), 38.
Saussurei (Nemobius), 15.
Saussurei (Onosandrus), 121.
Saussurei (*Paracanthus*), 94.
Saussurei (Salomona), 267.
Saussuriana (*Platycleis*), 210.
Savignyi (Isophya), 386.
Savignyi (*Saga*), 224.
Savignyi (Tridactylus), 10.
Scabra (Zacatula), 361.
Scabricolle (*Platyphyllum*), 346.
Scabricollis (Diophanes), 346.
Scabricollis (*Ephippiger*), 165.
Scabricollis (Peranabrus), 192.
Scabricollis (Steropleurus), 165.
Scabrifrons (Bliastes), 331.
Scabripes (Ceuthophilus), 131.
Scabripes (*Phalangopsis*), 131.
Scabriuscula (Lophaspis), 346.
Scalaris (Cædicia), 414.
Scalaris (*Locusta*), 364.
Scalaris (*Tetraconcha*), 420.
SCAMBOPHYLLUM, 405.
SCAPHURA, 453, 454.
SCAPSIPEDUS, 45.
SCAPTERISCUS, 1.
Scariosa (*Acanthodis*), 315.
Scariosa (Anonistus), 315.
Scariosa (*Phyllostachys*), 315.
Scenicus (Gryllodes), 41.
Scenicus (*Gryllus*), 41.
SCEPASTUS, 96.
Schauinslandi (Caconemobius), 13.
Schauinslandi (*Paranemobius*), 13.
Schaumii (*Cymatomera*), 306.
Schereri (Chelidoptera), 210.

Scheereri (*Platycleis*), 210.
SCHIZODACTYLUS, 153.
Schmidi (*Thamnotrizon*), 198.
Schmidtii (*Barbitistes*), 377.
Schmidtii (Pœcilemon), 377.
Schneideri (Isophya), 386.
SCHOCHIA, 312.
Schœnemanni (Isophya), 383.
SCHŒNOBATES, 116.
Schumanni (Phrixa), 477.
SCIOBIA, 48.
Scissifolia (Mimetica), 351.
Scissifolia (*Typophyllum*), 351.
Scita (*Gryllacris*), 142.
Scitula (Metioche), 79.
Scitulus (*Homœoxiphus*), 79.
Scitulus (*Orocharis*), 97.
SCLEROPTERUS, 61.
SCOPIORUS, 342.
Scops (*Acanthodis*), 315.
Scops (Anonistus), 315.
Scops (*Phyllostachys*), 315.
Scripta (Gryllacris), 140.
Scriptus (Ceuthophilus), 153.
Scrophulosa (Rhipipteryx), 13.
Scudderæ (Amblycorypha), 460.
Scudderi (Anisoptera), 280.
Scudderi (Camptonotus), 151.
Scudderi (Eremopedes), 192.
Scudderi (Stipator), 183.
Scudderi (*Thyreonotus*), 183.
Scudderi (*Xiphidium*), 280.
SCUDDERIA, 444.
Scudderianus (*Gryllus*), 35.
Scudderii (Conocephaloides), 247.
Scudderii (*Conocephalus*), 247.
Scurra (Arantia), 416.
Scutata (Cyrtaspis), 372.
Scutata (*Cyrtaspis*), 372.
Scutata (Orphania), 375.
Scutatus (*Barbitistes*), 372.
Scutellifera (Polycleptis), 311.
SCUTOTRIBONIA, 298.
SCYTOCERA, 256.
Sechellensis (Gryllacris), 144.
Seclusus (Ceuthophilus), 131.
Secretus (Ceuthophilus), 131.
SECSIVA, 261.
Securifera (Anaulacomera), 468.
Securifera (Eurycorypha), 463.
Securifera (Habra), 426.
Securiferum (*Microcentrum*), 481.
Securiferus (Orophus), 481.
Securigera (*Elimæa*), 355.
Sedakovii (*Decticus*), 185.
Sedakovii (Gampsocleis), 185.
Sedilloti (*Talitropsis*), 136.
Sedilotti (Talitropsis), 136.
SEGESTES, 359.
SEGESTIDIA, 359.
Segonoides (*Phylloptera*), 464.
Segonoides (Plangia), 464.
Selenophora (*Ephippigera*), 168.
Sellata (*Pleminia*), 316.
Sellata (*Tedla*), 287.
Selliger (*Barbitistes*), 171.
Selliger (Callicrania), 171.
Selliger (*Ephippiger*), 165.
Selligera (*Ephippigera*), 165.
Semialata (Phæophilacris), 71.
Semialata (*Phæophyllacris*), 71.
Semialata (Plateria), 307.
Semiconchata (Plangiopsis), 428.
Semicruciata (Salomona), 266.
SEMILEPTOTETTIX, 340.
Semimuticus (Euthacanthodes), 329.
SEMIOPHYGAS, 301.
Semivitreum (*Aprion*), 302.
Semivitreus (Aprion), 302.
Semivittatus (*Decticus*), 283.
Senegalense (Orchelimum), 274.
Senegalense (*Xiphidium*), 274.
Senegalensis (*Mestius*), 293.
Senegalensis (Oxyaspis), 293.
Seniæ(Chelidoptera), 207.
Seniæ (*Platycleis*), 207.
Seoanei (Callicrania), 171.
Seoanei (*Ephippiger*), 171.
Seoanei (*Ephippigera*), 171.
Septentrionalis (Cædicia), 414.
Septentrionalis (*Gryllus*), 37.
Septentrionalis (*Phaneroptera*), 446.
Septentrionalis (Scudderia), 446.
Serbicus (Anterastes), 195.
Seriatus (Psacadonotus), 258.
Serrata (Callicrania), 171.
Serrata (*Ephippigera*), 171.
Serrata (*Locusta*), 223.
Serrata (Paracædicia), 418.
Serrata (*Saga*), 223.
Serrata (*Tettigopsis*), 224, 225.
Serraticollis (*Aprion*), 305.
Serraticollis (Morsimus), 305.
Serraticollis (Strongyloderus), 369.
Serratum (Pleioplectron), 138.
Serratus (Acanthoplus), 155.
Serricauda (Barbitistes), 380.
Serricauda (*Barbitistes*), 381.

Serricauda (*Locusta*), 380.
Serricauda (*Odontura*), 381, 382.
Serricaudus (*Barbitistes*), 381.
Serrifera (Horatosphaga), 393.
Serrulata (*Locusta*), 342.
Serrulatus (Polyancistrus), 342.
Serva (Phylloptera), 474.
Servillea (Acrometopa), 393.
Servillea (*Phaneroptera*), 393.
Servillei (Anepisceptus), 157.
Servillei (*Eugaster*), 157.
Servillei (Gryllacris), 144.
Servillei (*Gryllus*), 34, 90.
Servillei (*Hetrodes*), 157.
Servillei (Onconotus), 221.
Setosus (Odontogryllus), 51.
Setosus (*Phylloscirtus*), 86.
Setosus (Phylloscyrtus), 86.
SEXAVA, 359.
Sexpunctata (Conocephalus), 268.
Sexpunctata (*Copiophora*), 268.
Sexpunctata (Gryllacris), 143.
Sexpunctata (Odontolakis), 268.
Sexpunctatus (*Conocephalus*), 268.
Sharpi (Cocconotus), 335.
Siamensis (Curtilla), 5.
Siamensis (Eurepa), 89.
Siamensis (*Gryllotalpa*), 5.
Siamensis (*Piestodactylus*), 89.
Sibilans (Diatrypa), 93.
Sibilans (*Diatrypus*), 93.
Sicarius (Miogryllus), 38.
Sicarius (Pseudorhynchus), 238.
Siccifolia (*Locusta*), 347.
Siccifolia (*Mimetica*), 353.
Siccifolia (Pterochroza), 347.
Siccifolium (Corycus), 367.
Siccifolium (*Tovaria*), 352.
Siccifolium (Typophyllum), 352.
Siccus (Phyllozelus), 300.
Siccus (*Pseudophyllus*), 300.
SICTUNA, 439.
Sicula (*Ephippigera*), 163.
Siculus (Steropleurus), 163.
Sieboldii (*Decticus*), 205.
Sigillatus (Gryllodes), 42.
Sigillatus (*Gryllus*), 42.
Sigma (*Salomona*), 265.
Sigmoidalis (*Euscirtus*), 102.
Sigmoidalis (Patiscus), 102.
Signata (Carcinopsis), 117.
Signata (Elimæa), 396.
Signata (Holochlora), 431.
Signata (*Olynthoscelis*), 199.
Signata (Pholidoptera), 199.
Signatifrons (Gryllacris), 142.
Signatifrons (Parabliastes), 332.
Signatipennis (Catoptropteryx), 416.
Signatipennis (Mnesibulus), 95.
Signatipennis (*Platydactylus*), 95.
Signatipennis (Timanthes), 302.
Signatipes (*Gryllus*), 37.
Signatum (Anisoptera), 283.
Signatum (*Xiphidium*), 283.
Signatus (Gryllus), 37.
Signatus (*Gryllus*), 36.
Signatus (*Orocharis*), 97.
Signatus (Phyllozelus), 300.
Signatus (Platysiagon), 122.
Signatus (*Pseudophyllus*), 300.
Signatus (*Thamnotrizon*), 199.
Signifera (Gryllacris), 144.
Signifera (*Gryllus*), 144.
Signifera (*Tettigonia*), 144.
Signifrons (Gryllus), 34.
Signigera (Gryllacris), 145.
Signigera (*Gryllacris*), 149.
Signipes (Gryllus), 34.
Sikoræ (Cosmozoma), 448.
Silens (Aphonomorphus). 106.
Silens (*Aphonus*), 106.
SILIQUOFERA, 369.
Silvarum (Itokiia), 428.
Silvaticum (Orchelimum), 273.
Silvestris (Ceuthophilus), 133.
Sima (Phrixa), 477.
Similaris (Gryllus), 36.
Similis (Acanthodiphrus), 339.
Similis (Anabrus), 192.
Similis (Ceraia), 451.
Similis (*Cocconotus*), 339.
Similis (Leptogryllus), 110.
Similis (Orocharis), 99.
Similis (*Platydactylus*), 99.
Similis (Pœcilemon), 379.
Similis (*Thamnotrizon*), 200.
Simillimus (Heterotrypus), 91.
Simillimus (Leptogryllus), 110.
Simiola (Metioche), 78.
Simiolus (*Piestoxiphus*), 78.
SIMODERA, 354.
Simoni (Mimetica), 350.
Simplex (Anabrus), 191.
Simplex (Cædicia), 414.
Simplex (Cœlophyllum), 437.
Simplex (Gryllacris), 142.
Simplex (Gryllus), 38.
Simplex (*Phaneroptera*), 414.
Simplex (Pleioplectron), 138.
Simplex (*Tedla*), 287.
Simplicinervis (Arantia), 406.
Simplicipes (*Aphidnia*), 412.
Simplicipes (Dysonia), 412.
Simulator (Conocephaloides), 247.
Simulator (*Conocephalus*), 247.

Sinense (Anisoptera), 278.
Sinense (*Xiphidium*), 278.
Sinensis (*Decticus*), 185.
Sinensis (Gampsocleis), 185.
Sinensis (Microgryllacris), 139.
Sinensis (Œcanthus), 74.
Sinensis (*Pseudophyllum*), 299.
Sinuata (Cacopteris), 193.
Sinuatus (*Decticus*), 211.
Sinuosa (Pterochroza), 349.
Sinuosa (Tanusia), 349.
Sloanii (*Ceuthophilus*), 130.
Slossoni (*Mogisoplistus*), 57.
Slossoni (Mogoplistes), 57.
Smaragdina (Hetaira), 478.
Smaragdina (Tetraconcha), 420.
Smithi (Cyrtoxipha), 82.
Smithi (*Cyrtoxiphus*), 82.
Smithianus (Heterecous), 107.
Smyrnensis (*Olynthoscelis*), 198.
Smyrnensis (Pholidoptera), 198.
Smyrnensis (Pœcilemon), 379.
Smyrnensis (*Thamnotrizon*), 198.
Sobrinus (Conocephaloides), 249.
Sobrinus (*Conocephalus*), 249.
Socia (Phylloptera), 473.
Socius (Nemobius), 18.
Sodalis (Gnathoclita), 330.
Solida (*Agræcia*), 265.
Solida (Salomona), 265.
Somali (Anisoptera), 280.
Somali (Peronura), 391.
Somali (*Xiphidium*), 280.
Somaliensis (Milititsa), 439.
Sordida (Hyperphrona), 476.
Sordida (Paradrymadusa), 180.
Sordida (Salmania), 62.
Sordidus (Ectadoderus), 59.
Sordidus (*Ornebius*), 59.
Soror (Gryllacris), 144.
Soror (Parableta), 453.
Soror (*Tæniomena*), 433.
Sororcula (Anaulacomera), 467.
Sororoides (*Tæniomena*), 433.
Sororoides (Tinzeda), 433.
Sorrezensis (Antaxius), 189.
Sorrezensis (Thamnotrizon), 189.
Spada (*Agræcia*), 260.
Spada (Habetia), 260.
SPALACOMIMUS, 160.
Sparsa (*Agræcia*), 267.
Sparsa (Ephippithytoidea), 413.
Sparsa (*Phaneroptera*), 435.
Sparsa (Salomona), 267.
Spathulata (Molpa), 423.
Spathulatus (*Pyrgophylax*), 423.
Spatulatus (*Conocephalus*), 239.
Speciosa (Isophya), 385.
Speciosa (*Odontura*), 385.
Speciosa (Phyllophora), 369.
Speciosa (*Phyllophora*), 368.
Speciosa (Porphyromma), 349.
Speciosus (Temnophyllus), 297.
Spectabilis (*Drymadusa*), 179.
Spectabilis (*Gampsocleis*), 179.
Spectabilis (Holochlora), 431.
Spectabilis (*Phylloptera*), 431.
Spectrum (Amphiacusta), 68.
Spectrum (Phæophilacris), 71.
Spectrum (*Phæophyllacris*), 71.
Spectrum (*Phalangopsis*), 68.
Specularis (Bliastes), 332.
Specularis (*Locusta*), 332.
Specularis (*Meroncidius*), 327.
Specularis (*Peltastes*), 215.
Specularis (Psorodontus), 215.
Specularis (*Pterolepis*), 215.
Speculata (*Cycloptera*), 354.
Speculata (Odontolakis), 258.
Speculata (*Pterochroza*), 354.
Speculi (Nemobius), 20.
Speculifera (*Acanthodis*), 313.
Speculifera (Orpacophora), 313.
Speiseri (Acanthoplus), 155.
Speluncæ (*Hemideina*), 137.
Speluncæ (Pachyrhamma), 137.
Sphacophila (*Ephippigera*), 168.
Sphacophila (Ephippigerida), 168.
Sphacophilus (*Ephippiger*), 168.
SPHÆRIUM, 54.
Sphagnorum (*Decticus*), 274.
Sphagnorum (Orchelimum), 274.
Sphinx (*Gryllacris*), 151,
Sphinx (Eremus), 151.
Spiculata (*Acanthodis*), 314.
Spiculatus (Adeclus), 314.
Spiculatus (*Parametrypus*), 108.
SPILACRIS, 136.
Spilophora (Cymatomera), 306.
Spina (Heteromallus), 136.
Spinata (*Amaura*), 419.
Spinata (Anaulacomera), 465.
Spinatus (Ligocatinus), 449.
Spinibrachia (*Pterolepis*), 188.
Spinibrachius (Antaxius), 188.
Spiniger (Conocephaloides), 247.
Spiniger (*Conocephalus*), 247.
Spiniger (Eriolus), 234.
Spinigera (*Conchophora*), 269.
Spinigera (Elimæa), 395.
Spinigera (Euconchophora), 269.
Spinigerus (*Conocephalus*), 227.
Spinipes (Anisoptera), 278.

Spinipes (*Locusta*), 285.
Spinipes (Phlugis), 285.
Spinipes (*Xiphidium*), 278, 285.
Spinosa (*Cymatomera*), 306.
Spinosa (Despœna), 303.
Spinosa (*Despoina*), 303.
Spinosa (Paracædicia), 418.
Spinosa (Phricta), 355.
Spilosa (*Phyllophora*), 367.
Spinosa (Sasima), 367.
Spinosa (Zichya), 178.
Spinosolaminata (Phaula), 426.
Spinosum (Anisoptera), 275.
Spinosum (*Xiphidium*), 275.
Spinosus (Aspidonotus), 355.
Spinosus (*Centrophores*), 441.
Spinosus (Ceuthophilus), 152.
Spinosus (*Ephippiger*), 179.
Spinosus (Nannotettix), 337.
Spinosus (Panacanthus), 229.
Spinosus (Sagephorus), 312.
Spinulicauda(*Barbitistes*), 387.
Spinulicauda (Odontura), 387.
Spinulosa (Arantia), 405.
Spinulosa (Eurycorypha), 463.
Spinulosa (Gampsocleis), 185.
Spinulosa (*Locusta*), 158.
Spinulosa (Micta), 293.
Spinulosa (Phylloptera), 474.
Spinulosa (Polichne), 419.
Spinulosum (*Lissophyllum*), 321.
Spinulosum (Orchelimum), 273.
Spinulosum (*Orchelimum*), 273.
Spinulosum (Platyphyllum), 321.
Spinulosum (*Xiphidium*), 273.
Spinulosus (Eremus), 151.
Spinulosus (Eugaster), 158.
Spinulosus (*Gryllus*), 158.
Spinulosus (*Hetrodes*), 154, 157.
SPIZAPHILUS, 121.
Splendens (Prosagoga), 477.
Splendidulus (Mnesibulus), 95.
Spoliata (Pterolepis), 186.
Sponsa (Caulopsis), 240.
Sponsa (*Locusta*), 240.
Sponsa (*Tettigonia*), 240.
Spurca (Tremellia), 68.
Spurcata (Gryllacris), 144.
Spureatus (Gryllus), 34.
Spuria (Gryllacris), 143.
Spuria (*Lobaspis*), 261.
Spuria (Nicsara), 261.
Squamiger (*Gryllus*), 56.
Squamiger (*Mogisoplistes*), 56.
Squamiger (*Mogisoplistes*), 56.
Squamiger (Mogoplistes), 56.
Squamosum (Cycloptilum), 59.
Squamosus (Cycloptilus), 59.
Squamosus (Neanias), 150.
Stæli (Hexacentrus), 287.
Stæli (Holochlora), 431.
Stæli (Posidippus), 458.
Stæli (Steropleurus), 165.
Ståli (*Ephippigera*), 165.
STALIA, 362.
Stålii (*Ephippiger*), 165.
Standishi (*Acrida*), 390.
Staudingeri (*Capnoptera*), 309.
Staudingeri (Typhoptera), 309.
Stchukini (*Decticus*), 214.
Stchukini (Tettigonia), 214.
Steindachneri (*Arytropteris*), 191.
Steindachneri (Tropizaspis), 191.
Steini (Arachnocephalus), 60.
Steini (*Calyptotrypus*), 93.
Steini (Madasumma), 93.
STEIRODON, 456.
STEIROFONOPIS, 458.
STEIROXYS, 194.
STENACROPTERYX, 429.
STENAMBLYPHYLLUM, 421.
STENAMPYX, 303.
STENAPHONUS, 106.
STENAROPODA, 365.
STENOGRYLLUS, 92.
STENOPELMATINÆ, 111.
STENOPELMATUS, 111.
STENOPHYLLIA, 403.
STENOPLEURUS, 161.
Stenopterus (Tomias), 301.
Stenorhinus (Æthiomerus), 256.
STENOSCHEMA, 319.
STENOTETTIX, 333.
Stenoxipha (*Odontura*), 387.
Stenoxypha (*Barbitistes*), 387.
Stenoxypha (Odontura), 387.
Stephensianus (Gymnoplectron), 137.
STEPHOBLEMMUS, 47.
STEROPLEURUS, 163.
Stevensonii (*Anabrus*), 183.
Stevensonii (Stipator), 183.
STIBARA, 432.
Stichyrata (Tetraconcha), 420.
Stigmata (Gryllacris), 146.
Stigmosum (Phlaurocentrum), 422.
STILPNOCHLORA, 455.
STILPNOTHORAX, 358.
STIPATOR, 183.
STIZOSCEPA, 303.
Stolli (Pterochroza), 347.
Stollii (*Henicus*), 122.
Stolzmanni (Cyrtoxipha), 83.
Stolzmanni (*Cyrtoxiphus*), 83.
STORNIZA, 229.
Straminea (Anisoptera), 277.
Straminea (Cyrtoxipha), 82.
Straminea (Gryllacris), 146.
Straminea (*Locusta*), 277.
Straminea (*Xiphidium*), 277.

Stramineus (*Cyrtoxiphus*), 82.
Straminula (Cyrtoxipha), 82.
Straminula (*Locusta*), 284.
Straminula (Xiphidiopsis), 284.
Straminulus (*Cyrtoxiphus*), 82.
Strangulata (Eurycorypha), 462.
Strangulatus (*Orophus*), 462.
Stratiotes (Acanthoplus), 155.
Straubei (*Barbitistes*), 383.
Straubei (Isophya), 383.
Strenua (Cædicia), 414.
Strenua (*Phaneroptera*), 414.
Strenuus (*Conocephalus*), 238.
Striata (Chelidoptera), 210.
Striata (*Locusta*), 204.
Striatifemur (Pœcilogramma), 405.
Striatus (*Decticus*), 210.
Striatus (*Platycleis*), 210.
Stricta (Chelidoptera), 207.
Stricta (*Platycleis*), 207.
Strictum (Anisoptera), 280.
Strictum (*Aprion*), 304.
Strictum (*Xiphidium*), 280.
Strictus (*Decticus*), 207.
Strictus (*Platycleis*), 207.
Stridulans (Mesogryllus), 109.
Strigata (*Scudderia*). 445.
Strigata (Sictuna), 439.
Strigatipes (*Lobaspis*), 261.
Strigatipes (Nicsara), 261.
Strigulata (*Insara*), 442.
Striolata (Hyperphrona), 475.
Striolata (*Hyperphrona*), 475.
Striolatus (*Bliastes*), 334.
Striolatus (Cocconotus), 334.
Striolatus (Lebinthus), 88.
Striolatus (Pachytrachelus), 196.
Striolatus (*Paracucopterus*), 88.
Striolatus (Peucestes), 458.
Striolatus (*Thamnotrizon*), 197.
STRONGYLODERUS, 369.
STROPHIA, 69.
Stschukini (*Decticus*), 214.
Stuhlmanni (Conchotopoda), 394.
Stygia (*Raphidophora*), 130.
Stygius (Ceuthophilus), 130.
Stylata (Eurycorypha), 463.
Stylata (Isopsera), 438.
Styliformis (*Ctenophlebia*), 470.
Styliformis (Viadana), 470.
Suakimensis (Anepisceptus), 158.
Suakimensis (*Eugaster*), 158.
Subæquale (*Microcentrum*), 486.
Subæquale (Phœbolampta), 486.
Subaptera (Acrodonta), 258.
Subapterus (Belocephalus), 255.
Subapterus (*Euscirtus*), 102.
Subapterus (*Oxystethus*), 257.
Subcarinata (Elimæa), 396.
Subcarinata (Phaneroptera), 436.
Subcarinata (*Phaneroptera*), 396.
Subconspersa (Anchiptolis), 327.
Subdebilis (Gryllacris), 146.
Subdistincta (Homotoicha), 449.
Subfoliata (Thamnobates), 336.
Subguttata (Jamaicana), 322.
Subguttatus (*Meroncidius*), 322.
Subinermis (Diplophyllus), 479.
Subinermis (*Turpilia*), 479.
Subintegra (Mimetica), 350.
Sublliturata (Hyperphrona), 475.
Sublituratus (*Pseudophyllus*), 302.
Sublituratus (Timanthes), 302.
Submaculata (Anaulacomera), 465.
Submaculata (*Phaneroptera*), 465.
Submaculata (*Phylloptera*), 465.
Submarginatus (Bliastes), 331.
Submarginatus (*Meroncidius*), 331.
Submutica (Gryllacris), 148.
Submuticus (Onomarchus), 296.
Subnotata (*Phaneroptera*), 436.
Subnotata (*Phylloptera*), 462.
Subnotatum (Idiarthron), 328.
Subnotatus (*Cardiodactylus*), 90.
Subnotatus (*Meroncidius*), 332.
Subnotatus (*Platydactylus*), 90.
Subopacus (Gryllodes), 42.
Subproductum (Steirodon), 448.
Subpunctata (*Sagona*), 462.
Subpunctatum (Meconema), 371.
Subquadratum (Idiarthron), 328.
SUBRIA, 256.
Subroseata (*Phaneroptera*), 417.
Subroseata (Symmachis), 417.
Subroseum (Paratrigonidium), 80.
Subsulcatus (Arachnocephalus), 60.
Subterranea (*Raphidophora*), 135.
Subterranea (*Hadenœcus*), 135.
Subterraneus (Hadenœcus), 135.
Subterraneus (*Hadenœcus*), 135.
Subulata (Agrœcia), 259.
Subulata (*Conchophora*), 269.
Subulata (Copiphora), 232.
Subulata (Euconchophora), 269.
Subulata (*Gryllus*), 232.

Subulata (Nicephora), 374.
Subulata (Pyrgomorpha), 239.
Subulata (*Tettigonia*), 232.
Subulatus (Conocephaloides), 241.
Subulatus (*Conocephalus*), 239, 241.
Subulo (Batodromeus), 312.
Subulo (*Polyglochin*), 312.
Subvitrea (Chondrodera), 305.
Subvittata(*Conocephalus*), 253.
Subvittatus (*Conocephalus*), 253.
Succinea (Gryllacris), 145.
Sulcata (Anaulacomera), 468.
Sulcata (*Subria*), 256.
Sulcatus (Parœcanthus), 96.
Sumatrana (*Locusta*), 264.
Sumatrana (Phaula), 426.
Sumatranus (Macroxiphus), 264.
Sumatranus (*Macroxiphus*), 264.
Sumatranus (*Matæus*), 292:
Sumatranus (Zabalius), 292.
Sumichrasti (Stenopelmatus), 111.
Superba (Alectoria), 413.
Superba (Climacoptera), 296.
Superba (Despœna), 303.
Superba (Despoina), 303.
Superba (Dioncomena), 434.
Superba (Gryllacris), 143.
Superba (Mecopoda), 363.
Superba (*Odontura*), 376.
Superba (*Xenia*), 391.
Superba (Xenica), 391.
Superbus (Bliastes), 331.
Supplicans (*Acheta*), 33.
Supplicans (Gryllus), 33.
Supremum (*Microcentrum*), 456.
Surcularius (*Ephippiger*), 173.
Surcularius (Platystolus), 173.
Surinamensis (Ceraia), 451.
Surinamensis (Eneoptera), 93.
Surinamensis (*Eneopterus*), 90.
Surinamensis (*Gryllus*), 90.
Surinamensis (Oxyprora), 236.
Surinamensis (*Platydactylus*), 90.
Suspectus (*Aprion*), 304.
Suspectus (Morsimus), 305.
Sutorius (Scopiorus).343.
Suturalis (*Phaneroptera*), 446.
Suturalis (Salomona), 265.
Sylvaticum (Orchelimum), 273.
Sylvestris (*Acheta*), 14.
Sylvestris (*Ceuthophilus*), 133.
Sylvestris (*Gryllus*), 14.
Sylvestris (Nemobius), 14.
SYMMACHIS, 417.
SYMMETROPLEURA, 446.
SYMPÆSTRIA, 432.
Synophrys (*Saga*), 225.
SYNTECHNA, 485.
Syntechnoides (*Microcentrum*), 481.
Syntechnoides (Orophus), 481.
Syriaca (Acrometopa), 393.
Syriaca (Paradrymadusa), 180.
Syriaca (Saga), 225.
Syriacus (*Decticus*), 214.
Syriacus (Gryllus), 31.

TABARIA, 360.
TACHYCINES, 125.
Taciturnus (Aphonomorphus), 106.
Taciturnus (*Aphonus*), 105.
Tacitus (*Homæoxiphus*), 79.
Tacitus (Metioche), 79.
Tacitus (Podoscirtus), 103.
Tæniata (*Ephippigera*), 168.
Tæniata (Ephippigerida), 168.
Tæniatifrons (Bliastes), 331.
Tæniatum (*Xiphidium*), 280.
TÆNIOMENA, 433.
TAFALISCA, 107.
Tagalicus (*Euscirtus*), 102.
Tagalicus (Nemobius), 16.
Tagalicus (Patiscus), 102.
Tahitense (Trigonidium), 78.
Taicoun (Loxoblemmus), 46.
Taicun (*Loxoblemmus*), 46.
Talitrum (*Mogisoplistus*), 56.
Talitrus (*Mogoplistes*), 56.
Talpa (*Gryllus*), 4.
Talpa (Stenopelmatus), 111.
Tamerlana (Gampsocleis), 185.
Tamerlana (*Platycleis*), 210.
Tamerlanus (Chelidoptera), 210.
Tamerlanus (*Decticus*), 210.
Tamerlanus (*Platycleis*), 210.
Tanana (Chlorocœlus), 345.
Tanana (*Cyrtophyllus*), 345.
TANUSIA, 347.
TAPEINA, 424.
Tapinomus (Agnotecous), 64.
TAPINOPUS, 101.
Taprobanense (*Trigonidium*), 16.
Taprobanensis (Nemobius), 16.
Tarasca (*Phylloptera*), 485.
Tarasca (Syntechna), 485.
Tarda (Phylloptera), 473.
TARPHE, 308.
TARRAGA, 290.
Tarsatus (*Bliastes*), 333.
Tarsatus (Nastonotus), 333.
Tartara (Jaquetia), 380.
Tartara (*Olynthoscelis*), 200.
Tartarus (Gryllus), 29.
Tartarus (Nemobius), 15.
Tartarus (Pholidoptera), 200.
Tartarus(*Thamnotrizon*), 200.

Tartarus (Tridactylus), 8.
Taurica (Chelidoptera), 205.
Taurica (Isophya), 385.
Taurica (*Platycleis*), 205.
Tauricus (*Pœcilemon*), 379.
Taurus (*Ephippiger*), 178.
Taurus (Zichya), 178.
Tectiformis (Acra), 486.
TEDLA, 287.
TEGRA, 308.
TELEUTIAS, 341.
Telskii (Aphonomorphus), 106.
Telskii (*Aphonus*), 106.
TEMNOPHYLLUS, 267.
Temulentus (Paragryllus), 64.
Tenebrarum (Ceuthophilus), 133.
Tenebrosa (Acanthodis), 319.
Tenebrosa (*Brisilis*), 319.
Tenebrosa (Gongrocnemis), 327.
Tenebrosus (*Decticus*), 364.
Tenebrosus (*Meroncidius*), 327.
Tenebrosus (*Pseudophyllus*), 296.
Tenella (*Turpilia*), 479.
Tenellum (Anisoptera), 279.
Tenellum (*Xiphidium*), 279.
Tenellus (Diplophyllus), 479.
Tenellus (Gryllus), 33.
Tenellus (Pentacentrus), 62.
Tener (Cleandrus), 295.
Tener (*Pseudophyllus*), 295.
Tener (*Thysdrus*), 285.
Tenera (Elbenia), 425.
Tenera (*Phylloptera*), 473.
Tenue (Anisoptera), 280.
Tenue (*Xiphidium*), 280.
Tenuicauda (Conocephaloides), 247.
Tenuicauda (*Conocephalus*), 247.
Tenuicaudus (*Onconotus*), 221.
Tenuicornis (Hapithus), 98.
Tenuicornis (*Lebussa*), 98.
Tenuipes (Arachnacris), 177.
Tenuipes (Cestromœcha), 429.
Tenuipes (*Poreuomena*), 429.
Tenuis (Œcanthus), 75.
Tenuis (*Phaneroptera*), 419.
Tenuis (Polichne), 419.
Tenuis (Scapteriscus), 1.
Tenuistylus (Anchiptotis), 328.
Tepaneca (Amblycorypha), 460.
Tepperi (Paragryllacris), 149.
TERATURA, 271.
Terebrans (*Anaudus*), 103.
Terebrans (Peranaudus), 103.
Teres (Gryllodes), 42.
Teres (*Gryllus*), 42.
Teres (*Locusta*), 285.
Teres (Phlugis), 285.
Teres (*Pilugis*), 285.
Teres (*Thysdrus*), 285.
TERMERA, 309.
Terminalis (*Paracædicia*), 417.
Terminalis (Procædicia), 417.
Terminalis (Tridactylus), 10.
Terniensis (*Odontura*), 387.
TERPANDRULUS, 228.
TERPANDRUS, 222.
TERPNISTRIA, 439.
Terrenus (Stenopelmatus), 112.
Terrestris (*Ephippiger*), 170.
Terrestris (*Ephippigera*), 170.
Terrestris (Ephippigerida), 170.
Terrestris (Gryllodes), 41.
Terrificus (Brachytrypus), 22.
Tesselata (*Platycleis*), 206.
Tesselatus (*Decticus*), 206, 208.
Tesselatus (*Platycleis*), 206.
Tessellata (*Anepsia*), 461, 462.
Tessellata (Chelidoptera), 206.
Tessellata (*Clonia*), 227.
Tessellata (Gryllacris), 144.
Tessellata (*Gryllacris*), 144.
Tessellata (Hemiclonia), 227.
Tessellata (*Leptotettix*), 340.
Tessellata (*Locusta*), 144, 206, 208.
Tessellata (*Odontura*), 376.
Tessellata (*Orophus*), 461.
Tessellata (*Paragenes*), 461.
Tessellata (*Phylloptera*), 461.
Tessellata (*Platycleis*), 207.
Tessellata (Sagona), 461.
Tessellatus (*Decticus*), 206, 208.
Tessellatus (Homœogryllus), 66.
Tessellatus (Leptotettix), 340.
Tessellatus (Lichenochrus), 318.
Tessellatus (*Meroncidius*), 340.
Tessellatus (*Orophus*), 461.
Tessellatus (*Phalangopsis*), 66.
Tessellatus (*Platycleis*), 208.
Testacea (Engoniaspis), 181.
Testacea (Noia), 394.
Testaceus (Ceuthophilus), 133.
Testaceus (Conocephaloides), 245.
Testaceus (*Conocephalus*), 245.
Testaceus (Gryllus), 33.
Testaceus (*Gryllus*), 83.
TETANA, 401.
TETANOPSIS, 312.
Teter (*Pseudophyllus*), 294.
Teter (Rhomboptera), 294.
Tetra (*Agræcia*), 267.
Tetra (Salomona), 267.
TETRACONCHA, 420.
Tetradactyla (Gryllotalpa), 2.
TETRAGONOMERA, 311.

Tetrasticta (Phaneroptera), 435.
TETTIGONIA, 212, 216.
TETTIGOPSIS, 223.
TEUTHRAS, 286.
Texensis (Scudderia), 444.
Thalassina (Locusta), 370.
Thalassina (Meconema), 370.
Thalassinum (Meconema), 374.
THAMNOBATES, 336.
THAMNOSCIRTUS, 84.
THAMNOTRIZON, 197.
THAUMASPIS, 373.
THAUMATOGRYLLUS, 110.
THEIA, 478.
Thessalicus (Pœcilemon), 379.
THEUDORIA, 450.
THLIBOSCELUS, 345.
THLIPTOBLEMMUS, 47.
Thoracica (Deinacrida), 114, 115.
Thoracica (Hemideina), 115.
Thoracica (Hemideina), 115.
Thoracica (Lobaspis), 262.
Thoracica (Locusta), 220.
Thoracica (Nicsara), 262.
Thoracica (Odontura), 378.
Thoracica (Phylloptera), 456.
Thoracicum (Anisoptera), 277.
Thoracicum (Microcentrum), 456.
Thoracicum (Microcentrum), 455.
Thoracicum (Xiphidium), 277.
Thoracicum (Xyphidium), 277.
Thoracicus (Anaudus), 103.
Thoracicus (Barbitistes), 378.
Thoracicus (Cophus), 71.
Thoracicus (Glyphonotus), 220.
Thoracicus (Pœcilemon), 378.
Thoracicus (Tridactylus), 8.
Thoracicus (Tridactylus), 8.
THORANCISTUS, 182.
Thunbergi (Conocephaloides), 250.
Thunbergii (Conocephalus), 250.
Thymifolia (Cædicia), 414.
Thymifolia (Ducetia), 398.
Thymifolia (Locusta), 398, 414, 440.
Thymifolia (Tylopsis), 440.
THYREONOTUS, 187.
THYSDRUS, 284.
Tibiale (Trigonidium), 78.
Tibialis (Ametrus), 152.
Tibialis (Calyptotrypus), 95.
Tibialis (Ceraia), 450.
Tibialis (Chelidoptera), 210.
Tibialis (Cyrtoxipha), 82.
Tibialis (Cyrtoxiphus), 82.
Tibialis (Decticus), 210.
Tibialis (Gongrocnemis), 326.
Tibialis (Gryllacris), 140.
Tibialis (Gryllomorpha), 54.
Tibialis (Hemideina), 115.
Tibialis (Homœoxiphus), 78.
Tibialis (Laranda), 64.
Tibialis (Larandus), 64.
Tibialis (Madasumma), 95.
Tibialis (Metioche), 78.
Tibialis (Odontolakis), 268.
Tibialis (Orocharis), 99.
Tibialis (Paracædicia), 418.
Tibialis (Parœcanthus), 97.
Tibialis (Tridactylus), 10.
Tigrina (Psyra), 427.
Tigrinus (Eonius), 150.
Tigrinus (Nemobius), 17.
Tiliæfolia (Chlorophylla), 358.
TIMANTHES, 302.
Timidus (Aphonomorphus), 106.
Timidus (Aphonus), 106.
TINZEDA, 433.
Titan (Cleandrus), 295.
Titan (Pseudophyllus), 295.
Tolteca (Acanthodis), 320.
Tolteca (Amphiacusta), 67.
Tolteca (Anostostoma), 113.
Tolteca (Cyrtoxipha), 82.
Tolteca (Diatrypa), 92.
Tolteca (Hormilia), 442.
Tolteca (Insara), 442.
Tolteca (Phylloptera), 442, 456.
Tolteca (Stilpnochlora), 456.
Toltecum (Leurophyllum), 320.
Toltecum (Platyphyllum), 420.
Toltecus (Amphiacustes), 67.
Toltecus (Cyrtoxiphus), 82.
Toltecus (Diatrypus), 92.
Toltecus (Gryllus), 43.
Toltecus (Nemobius), 18.
Toltecus (Parœcanthus), 96.
Toltecus (Stenopelmatus), 113.
Tomentosus (Gryllus), 31.
Tomentosus (Gryllus), 15.
Tomentosus (Nemobius), 15.
TOMEOPHERA, 470.
TOMEOPHORA, 470.
TOMIAS, 301.
TOPANA, 478.
TORBIA, 416.
Torrida (Cymatomera), 307.
Totonaca (Phylloptera), 482.
TOVARIA, 351.
TRACHYZULPHA, 408.
Transfuga (Odontura), 386.
Transfuga (Odonturella), 386.
Transiens (Leurophyllum), 320.
Transiens (Typophyllum), 320.
Translucens (Gryllacris), 142.
Transmarinus (Adapantopsis), 325.

Transmarinus (Adapantus), 325.
Transmarinus (Meroncidius), 325.
Transsilvanicus (Thamnotrizon), 200.
Transsilvanica (Olynthoscelis), 200.
Transversa (Madasumma), 94.
Transversa (Viadana), 471.
Transversalis (Gryllus), 29.
Transversalis (Miogryllus), 38.
Transversus (Cardiodactylus), 94.
Transversus (Platydactylus), 94.
Transvittatus (Leptotettix), 340.
Transvittatus (Meroncidius), 340.
Transylvanica (Pholidoptera), 200.
Transylvanica (Thamnotrizon), 200.
Transylvanicum (Thamnotrizon), 200.
Transylvanicus (Thamnotrizon), 200.
Trapeziforme (Typophyllum), 351.
Trapeziformis (Locusta), 351.
Trapeziformis (Pterochroza), 351.
Trapeziformis (Tettigonia), 351.
TREMELLIA, 68.
Triangularis (Elbenia), 425.
Triangularis (Isophya), 384.
Triangularis (Salomona), 267.
Triangularis (Semileptotettix), 340.
Triangulatum (Microcentrum), 482.
Triangulatus (Orophus), 482.
TRICALA, 410.
Tricaudatus (Homœogryllus), 66.
Triceps (Conocephalus), 340.
Trichondyloides (Condylonera), 480.
TRICHOPLOPHORA, 118.
Trichopus (Locusta), 426.
Trichopus (Phanoptera), 426.
Trichopus (Phaula), 426.
TRICHOTETTIX, 330.
Tricolor (Rhipipteryx), 12.
Tricornis (Cocconotus), 334.
Tricornis (Conocephalus), 334.
TRIDACTYLUS, 7.
Tridens (Acilacris), 372.
Tridentatus (Mogisoplistus), 57.
Tridentatus (Mogoplistes), 57.
TRIENCENTRUS, 323.
Trifasciatum (Anisoptera), 283.
Trifasciatum (Xiphidium), 283.
Trifidus (Conocephalus), 317.
Trigintiduoguttata (Ephippithyta), 413.
Trigintiduoguttata (Ephippitytha), 412.
Trigintiduoguttata (Phaneroptera), 412.
Trigonalis (Nicsara), 261.
TRIGONIDIINÆ, 77.
Trigonidioides (Nicephora), 374.
TRIGONIDIUM, 77.
TRIGONOCORYPHA, 448.
Trigonurus (Thaumaspis), 373.
Triguttatus (Bliastes), 331.
Trilineata (Ephippigera), 381.
Trilineata (Steiroxys), 194.
Trilineatus (Barbitistes), 381.
Trilineatus (Locusta), 381.
Trilineatus (Steiroxys), 194.
Trilineatus (Thamnotrizon), 194.
Trilobata (Rhipipteryx), 12.
Trimaculata (Hyperphrona), 476.
Trinitatis (Nemobius), 18.
Trinotata (Gryllacris), 141.
Triops (Conocephaloides), 246.
Triops (Conocephalus), 246.
Triops (Gryllus), 246.
Triops (Tettigonia), 246.
Tripartitus (Heterotrypus), 91.
Tripunctata (Gryllacris), 142.
Tripunctata (Parascudderia), 450.
Tripunctata (Phylloptera), 450.
Tristani (Conocephaloides), 243.
Tristani (Conocephalus), 243.
Tristis (Gryllus), 28.
Triticifolia (Elimaea), 396.
Triticifolia (Locusta), 396.
Triticifolia (Phaneroptera), 396.
Trivittatum (Anisoptera), 283.
Trivittatum (Xiphidium), 283.
TROCHALODERA, 409.
Trockii (Decticus), 208.
TROGLOPHILUS, 127.
TROPIDISCHIA, 135.
TROPIDOPHRYS, 439.
TROPIZASPIS, 191.
Truculentus (Phrixocnemis), 134.
Truncata (Chelidoptera), 203.
Truncata (Salomona), 266.
Truncata (Sasima), 368.
Truncata (Scudderia), 446.
Truncata (Tapeina), 424.
Truncatifolia (Mimetica), 351.
Truncatifolia (Typophyllum), 351.
Truncatifrons (Nasidius), 121.
Truncatipennis (Eppia), 258.
Truncatipennis (Oxylakis), 258.
Truncatirostris (Conocephaloides), 242.
Truncatirostris (Conocephalus), 242.
Truncatistyla (Gongrocnemis), 327.
Truncatolobata (Sympæstria), 432.
Truncatum (Anisoptera), 281.

Truncatum (*Xiphidium*), 281.
Truncatus (Cacoblemmus), 46.
Truncatus (Nemobius), 16.
Truncatus (Phyllomimus), 300.
Tuberculata (Chœroparnops), 325.
Tuberculata (Diatrypa), 93.
Tuberculata (*Lobaspis*), 261.
Tuberculata (*Locusta*), 243. 252.
Tuberculata (Nicsara), 261.
Tuberculata (*Panoploscelis*), 325.
Tuberculata (*Plagioptera*), 478.
Tuberculata (Storniza), 230.
Tuberculata (Topana), 478.
Tuberculatus (Conocephaloides), 243.
Tuberculatus (*Conocephalus*), 252.
Tuberculatus (*Panacanthus*), 230.
Tuberculosa (Chœroparnops), 326.
Tuberculosa (*Panoploscelis*), 326.
Tuberosum (*Platyphyllum*), 319.
Tuberosus (Pristes), 319.
Tucumanensis (Miogryllus), 39.
Tumescens (Holochlora), 430.
Turbata (*Phaneroptera*), 441.
Turbata (Tylopsis), 441.
Turbida (Pseudophaneroptera). 398.
TURPILIA, 478.
Turpis (Conocephaloides), 250.
Turpis (*Conocephalus*), 250.
Turpis (Dexerra), 190.
Turpis (Lichenochrus). 318.
TYLOPSIS, 440.
TYMPANOCOMPUS, 324.
TYMPANOPHORA, 229.
TYMPANOPTERA, 302, 303.
Typhlops (Stenopelmatus), 112.
TYPHOPTERA, 309.
Typica (Aniara), 402.
Typographicus (Gryllus), 32.
TYPOPHYLLUM, 351.

UCHUCHA, 263.
Uclensis (Gryllomorpha), 52.
UDENUS, 136.
UDEOPSYLLA, 128.
Uhleri (Amblycorypha), 460.
Uhleri (Ceuthophilus), 132.
Uhleri (*Ceuthophilus*), 132.
Uhleri (Orocharis), 100.
Umbilicata (Chelidoptera), 206.
Umbilicata (*Platycleis*), 206.
Umbraculata (*Acheta*), 49.
Umbraculata (Sciobia), 48.
Umbraculatus (*Acheta*), 48.
Umbraculatus (*Gryllus*), 48, 49.
Umbraculatus (*Platyblemmus*), 48, 50.
Uncinata (Ivensia), 405.
Uncinata (Pyrgocorypha), 239.
Uncinatus (*Conocephalus*), 239.
Undulata (Tanusia), 349.
Unguiculata (*Euthypoda*), 366.
Unguiculata (*Mecopoda*), 366.
Unguiculatus (Gymnoscirtus), 366.
Ungulata (Scudderia), 445.
Unica (Banza), 254.
Unica (*Brachymetopa*), 254.
Unicolor (Acanthodis), 319.
Unicolor (Anaulacomera), 467.
Unicolor (*Brisilis*), 319.
Unicolor (*Capnoptera*), 309.
Unicolor (Carcinopsis), 117.
Unicolor (Cyrtoxipha), 81.
Unicolor (Diestrammena), 124.
Unicolor (*Eneoptera*), 81.
Unicolor (Epacra), 152.
Unicolor (Eremopedes), 192.
Unicolor (Gongrocnemis), 327.
Unicolor (*Gryllus*), 99, 448.
Unicolor (Hexacentrus), 287.
Unicolor (Jamaicana), 322.
Unicolor (*Laurepa*), 107.
Unicolor (Leurophyllum), 320.
Unicolor (*Locusta*), 287.
Unicolor (*Metrypus*), 107.
Unicolor (Orocharis), 99.
Unicolor (*Platyphyllum*), 320.
Unicolor (Promeca), 299.
Unicolor (Psyra), 427.
Unicolor (Segestes), 359.
Unicolor (Tafalisca), 107.
Unicolor (*Tettigonia*), 448.
Unicolor (Theia), 478.
Unicolor (Trigonocorypha), 448.
Unicolor (Typhoptera), 309.
Unidentatus (Peucestes), 457.
Uniformis (Ceuthophilus), 131.
Uniformis (Diaphlebus), 357.
Uniguttata (Paragryllacris), 149.
Uninotatus (Cleandrus), 295.
Uninotatus (*Pseudophyllus*), 295.
Unipunctata (Anallomes), 434.
Unispina (Anisoptera), 276.
Unispina (Curtilla), 5.
Unispina (*Gryllotalpa*), 5.
Unispina (*Xiphidium*), 276.
Unispinosa (*Acanthodis*), 313,
Unispinosa (Orpacophora). 313.
Unispinosus (*Ceuthophilus*), 129.

Unispinosus (Pœcilemon), 376.
Unispinulosum (Leurophyllum), 320.
Unispinulosum (*Platyphyllum*), 320.
Univittata (Secsiva), 261.
UROMENUS, 161.
Ustulata (Bætica), 172.
Ustulata (Salomona), 265.
Ustulatus (*Brachytrypes*), 22.
Ustulatus (Conocephaloides), 249.
Ustulatus (*Conocephalus*), 249.
Ustulatus (*Ephippiger*), 172.
Ustulatus (*Platystolus*), 172.
Utahensis (Ceuthophilus), 132.
Utahensis (Nemobius), 18.

Vacca (*Ephippiger*), 178.
Vacca (Zichya), 178.
Vaga (Isopsera), 438.
Vaginalis (Conocephaloides), 251.
Vaginalis (*Conocephalus*), 251.
Vaginalis (Godmanella), 453.
Vaginalis (Gryllacris), 143.
Vaginalis (Gryllus), 34.
Vaginalis (Lichenochrus), 317.
Vaginalis (Orocharis), 100.
Vaginatus (Macroxiphus), 264.
Vagus (Nemobius), 16.
Valentinus (*Gryllodes*), 41.
Valgus (Ceuthophilus), 133.
Valida (Cædicia), 414.
Valida (Laurepa), 100.
Valida (*Phaneroptera*), 414.
Validum (Orchelimum), 273.
Validum (Steirodon), 457.
Validum (*Xiphidium*), 273.
Validus (Phrixocnemis), 134.
Validus (Posidippus), 458.
Vandicana (Plastocorypha), 237.
Varia (*Acheta*), 15.
Varia (*Conocephalus*), 370.
Varia (Eurycorypha), 463.
Varia (*Locusta*), 198, 370.
Varia (Madasumma), 95.
Varia (*Meconema*), 73, 371.
Varia (Odontolakis), 268.
Varia (*Olynthoscelis*), 198.
Varia (Topana), 478.
Variabilis (Gryllacris), 144.
Variabilis (Lichenochrus), 317.
Variabilis (Tanusia), 348.
Varians (Paratrigonidium), 80.
Varicatus (Ceuthophilus), 131.
Varicolor (Ectadoderus), 59.
Varicornis (Barbitistes), 381.
Varicornis (*Ephippigera*), 381.
Varicornis (*Locusta*), 381.
Varicornis (Œcanthus), 75.
Variegata (*Acanthodis*), 313.
Variegata (*Gryllotalpa*), 2.
Variegata (Hyperhomala), 368.
Variegata (Orpacophora), 313.
Variegata (*Xya*), 9.
Variegatus (Ceuthophilus), 130.
Variegatus (Dicranacrus), 270.
Variegatus (*Dicranucrus*), 270.
Variegatus (Nemobius), 125.
Variegatus (Scapteriscus), 2.
Variegatus (Thaumatogryllus), 110.
Variegatus (Tridactylus), 9.
Variolosus (Hetrodes), 154.
Variopicta (Coptaspis), 372.
Varipennis (Madasumma), 94.
Varipennis (*Platydactylus*), 94.
Varipes (*Diplacusta*), 63.
Varipes (*Diplacustes*), 63.
Varipes (Lerneca), 63.
Varium (*Meconema*), 371.
Varius (Conocephaloides), 249.
Varius (*Conocephalus*), 249.
Varius (Leurophyllum), 321.
Varius (*Meroncidius*), 321.
Varius (Nemobius), 15.
Varius (Panacanthus), 229.
Varius (*Platydactylus*), 95.
Vasarensis (Ctenodecticus), 196.
Vastator (*Gryllus*). 22.
Vastatrix (*Acheta*), 22.
Vaucheri (Homaloblemmus), 45.
Vaucheriana (Ephippigera), 162.
Vaucheriana (*Locusta*), 219.
Vaucheriana (Phasgonura) 219.
Vaucherianus (*Eumenymus*), 219.
Vaucherianus (*Uromenus*), 162.
Velata (Sciobia), 48.
Velatus (*Platyblemmus*), 48.
Velicauda (Eurycorypha), 463.
VELLEA, 451.
Velutina (*Eneoptera*), 92.
Velutina (Pyrgocorypha), 238.
Velutina (Scaphura), 454.
Velutinus (Phyllogryllus), 92.
Velutinus (*Platydactylus*), 92.
Venata (Plangia), 464.
Venosa (Gryllacris), 143.
Venosa (Holochlora), 430.
Venosa (Philophyllia), 485.
Venosa (*Pterolepis*), 215.
Venosus (Climacoptera), 295.

Venosus (Homœogryllus), 66.
Venosus (*Peltastes*), 215.
Venosus (*Pseudophyllus*), 295.
Venosus (Psorodontus), 215.
Venosus (*Pterolepis*), 215.
Ventralis (Madasumma), 94.
Venustula (Cyrtoxipha), 81.
Venustulus (*Cyrtoxiphus*) 81.
Venustus (Bliastes), 331.
VERIA, 262.
Vermiculatus (Parabliastes), 332.
Vernalis (Conocephaloides), 248.
Vernalis (*Conocephalus*), 248.
Verrucifera (Madiga), 160.
Verruciferus (*Prionocnemis*), 160.
Verrucivora (*Acrida*), 214.
Verrucivora (*Gryllus*), 213.
Verrucivora (*Locusta*), 213.
Verrucivora (Tettigonia), 213.
Verrucivorus (*Decticus*), 213, 214.
Verrucosa (*Aphidnia*), 411.
Verrucosa (Deracanthella), 178.
Verrucosa (Elimæa), 395.
Verrucosa (Paracædicia), 418.
Verrucosa (Paraphidnia), 411.
Verrucosus (Bliastes), 331.
Verrucosus (*Ephippigera*), 178.
Verruculosa (*Phyllotribonia*), 291.
Verruger (*Conocephalus*), 249.
Verrugera (*Conocephalus*), 249.
Verrugera (*Locusta*), 249.
Versicolor (Anisoptera), 276.
Versicolor (Pardalota), 404.
Versicolor (*Xiphidium*), 276.
Verticalis (*Ephippigera*), 170.
Verticalis (Ephippigerida), 170.
Verticalis (Gryllacris), 143.
Verticalis (Gryllus), 36.
Verticalis (Requena), 191.
Verucivorus (*Decticus*), 214.
Veruger (Conocephaloides), 249.
Veruger (*Conocephalus*), 249.
VESCELIA, 69.
Vespertina (*Ephippiger*), 161.
Vestitum (Anisoptera), 203.
Vestitum (*Xiphidium*), 203.
Vestitus (Arachnocephalus), 60.
VESTRIA, 233.
VETRALIA, 362.
VETRALLA, 362.
VIADANA, 470.
Viator (Gryllus), 32.
Vicaria (*Phaneroptera*), 441.
Vicarius (*Gryllus*), 37.
Vicina (Eneoptera), 90.
Vicina (Phylloptera), 474.
Vicina (Pleminia), 316.
Vicinissimus (Teleutias), 341.
Vicinum (Anisoptera), 275.
Vicinum (*Xiphidium*), 275.
Vicinus (*Conocephalus*), 253.
Vicinus (*Platydactylus*), 90.
Vicinus (Scapteriscus), 2.
Vicinus (Stenopelmatus), 112.
Vidua (Anaulacomera), 467.
Viduus (Podoscirtus), 104.
Viennensis (*Locusta*), 205.
Vierecki (Udeopsylla), 128.
Vigens (Ischyra), 484.
Vigens (*Orophus*), 484.
Vigentissima (*Locusta*), 222.
Vigorsii (*Scaphura*), 454.
Vinculatus (Ceuthophilus), 134.
Violascens (*Trochalodera*), 409.
Virens (*Conocephalus*), 285.
Virens (Mecopoda), 364.
Virens (Phlugis), 285.
Virens (*Thysdrus*), 285.
Virescens (Aprion), 302.
Virescens (*Ephippigera*), 390.
Virescens (Eschatocerus), 259.
Virescens (Hyperhomala). 368.
Virescens (*Hyperomala*), 368, 369.
Virescens (*Metrypus*), 107.
Virescens (Odontolakis), 268.
Virescens (Tafalisca), 107.
Virgatipes (Ceuthophilus), 131.
Virgo (Hyperbænus), 148.
Virgulatus (Gryllodes), 42.
Viridator (*Conocephalus*), 244.
Viridescens (Gryllacris), 148.
Viridescens (Paratrigonidium), 80.
Viridiafflatus (Cocconotus), 335.
Viridicata (*Phylloptera*), 472.
Viridicatus (Thamnoscirtus), 84.
Viridifer (Thorancistus), 182.
Viridifer (*Thyreonotus*), 182.
Viridifolia (Hyperphrona), 475.
Viridifolia (*Locusta*), 321.
Viridifolia (Mimetica), 350.
Viridifolia (Porphyromma), 349.
Viridifolium (Platyphyllum), 321.
Viridifolius (Bliastes), 331.
Viridifrons (Semileptotettix), 340.

Viridinervis (Lichenochrus), 317.
Viridinervis (*Meroncidius*), 317.
Viridinotata (*Tarphe*), 308.
Viridinotata (Tegra), 308.
Viridipennis (Agrœcia), 259.
Viridipennis (Ischnophyllus), 257.
Viridis (Æmasia), 333.
Viridis (Centrocephalus), 267.
Viridis (Cerberodon), 288.
Viridis (Conocephaloides), 247.
Viridis (*Conocephalus*), 247.
Viridis (Exocephala), 234.
Viridis (Gryllodes), 42.
Viridis (*Listroscelis*), 288.
Viridis (*Locusta*), 217.
Viridis (Phrictætypus), 356.
Viridis (*Phrictotypus*), 356.
Viridis-Cantatrix (*Locusta*), 217.
Viridissima (*Dictyota*), 416.
Viridissima (*Gryllus*), 217.
Viridissima (*Locusta*), 217.
Viridissima (Phasgonura), 217, 218.
Viridissima (*Tettigonia*), 217.
Viridissima (Torbia), 416.
Viridissimus (*Conocephalus*), 218.
Viridissimus (*Tettigonia*), 217.
Viridissimus - minor (*Gryllus*), 371.
Viridissimus - minor (*Tetigonia*), 371.
Viridivitta (*Cymatomera*), 308.
Viridivitta (Tegra), 308.
Visenda (Decolya), 287.
Vitiensis (Aphonomorphus), 105.
Vitiensis (*Aphonus*), 105.
Vitiensis (Hydropedeticus), 84.
Vitium (*Ephippiger*), 169.
Vitium (*Ephippigera*), 168.
Vittata (*Acheta*), 17, 45.
Vittata (Agrœcia), 259.
Vittata (*Barbitistes*), 390.
Vittata (*Carcinopsis*), 117.
Vittata (Chelidoptera), 207.
Vittata (Clonia), 226.
Vittata (Cyrtoxipha), 82.
Vittata (*Decticus*), 207.
Vittata (*Gryllacris*), 141, 142.
Vittata (*Jamaicana*), 322.
Vittata (*Leptophyes*), 390.
Vittata (Libanasa), 117.
Vittata (*Locusta*), 207, 226.
Vittata (Nisitra), 87.
Vittata (*Odontura*), 390.
Vittata (*Platycleis*), 207.
Vittata (*Promeca*), 299.
Vittata (Saga), 225.
Vittata (*Tettigopsis*), 225.
Vittata (Tylopsis), 442.
Vittaticeps (Segestes), 359.
Vittaticolle (*Trigonidium*), 78.
Vittaticollis (*Homoeoxiphus*), 78.
Vittaticollis (Metioche), 78.
Vittatum (Paratrigonidium), 79.
Vittatum (*Xiphidium*), 278.
Vittatus (Acanthoproctus), 159.
Vittatus (*Barbitistes*), 390.
Vittatus (*Cyrtoxiphus*), 82.
Vittatus (*Decticus*), 208.
Vittatus (*Diaphlebus*), 358.
Vittatus (*Gryllus*), 87.
Vittatus (Hemiphonus), 101.
Vittatus (*Hetrodes*), 159.
Vittatus (Liosternus), 255.
Vittatus (Nannotettix), 337.
Vittatus (*Nemobius*), 17.
Vittatus (*Nisitrus*), 87.
Vittatus (Paradiaphlebus), 358.
Vittatus (*Phylloscirtus*), 84.
Vittatus (*Phylloscyrtus*), 84.
Vittatus (*Platycleis*), 208.
Vittatus (*Platydactylus*), 87.
Vittatus (Thamnoscirtus), 84.
Vitticolle (Anisoptera), 275.
Vitticolle (*Xiphidium*), 275.
Vitticollis (*Locusta*), 275.
Vitticollis (Mossula), 358.
Vittifer (Mustius), 290.
Vittifer (*Pseudophyllus*), 290.
Vittifrons (*Agræcia*), 266.
Vittifrons (Bliastes), 331.
Vittifrons (Conocephaloides), 247.
Vittifrons (*Conocephalus*), 247.
Vittifrons (*Meroncidius*), 331.
Vittifrons (Salomona), 266.
Vittipennis (Conocephaloides), 244.
Vittipennis (*Conocephalus*), 244.
Vittipes (Agrœcia), 259.
Vittipes (Gryllacris), 141.
Vividum (*Microcentrum*), 456.
Vocalis (Gryllus), 36.
Voeltzkowi (Dicranacrus), 270.
Voeltzkowi (Ectadoderus), 58.
Voeltzkowi (Podascirtus), 235.
VOELTZKOWIA, 70.
Volantum (Orchelimum), 273.
Volaticus (*Nemobius*), 18.
Voluptaria (Cosmozoma), 448.
Voluptaria (Gryllacris), 144.
Voluptarius (Leptotettix), 339.
Vorax (*Acheta*), 330.
Vorax (*Anostostoma*), 330.
Vorax (Gnathoclita), 330.
Vorax (*Gryllus*), 330.
Vorax (*Locusta*), 330.
Vosseleri (*Ephippiger*), 161.

Vosseleri (*Ephippigera*), 161.
Vosseleri (Uromenus), 161.
VOSSIA, 464.
Vraxi (Brunnea), 296.
Vulgare (Orchelimum), 271.
Vulgaris (*Gryllotalpa*), 4.
Vulturina (*Brisilis*), 317.
Vulturina (*Locusta*), 317.
Vulturinus (Lichenochrus), 317.

Wahlbergi (Clonia), 226.
Walkeri (Cophogryllus), 44.
Walkeri (Mecopoda), 463.
Wattenwylia (Nannagroecia), 263.
WEISSENBORNIA, 422.
Westwoodianus (*Cachoplistus*), 61.
Westwoodianus (Cacoplistes), 61.
W-nigrum (Udenus), 136.
Woodfordi (Hyperhomala), 368.
Woodfordi (*Phyllophora*), 368.
Woodii (Eugaster), 158.

XABEA, 76.
Xanthographa (*Phalangopsis*), 66.
Xanthographus (Homoeogryllus), 66.
Xanthoneurus (Gryllus), 32.
Xanthopterus (*Ectadoderus*), 57.
Xanthopterus (Ornebius), 57.
Xanthostoma (*Raphidophora*), 135.
Xanthostoma (Tropidischia), 135.
XANTIA, 459.
XENICA, 391.
XENOGRYLLUS, 106.
XENOPHYLLOPTERYX, 311.
XEROPTERYX, 311.
XESTOPHRYS, 236.
XESTOPTERA, 346.
Xiphias (*Conocephalus*), 241.
Xiphias (*Locusta*), 241.
XIPHIDIINÆ, 271.
XIPHIDION, 274.
XIPHIDIOPSIS, 284.
XIPHIDIUM, 271, 274.
XIPHOSAGA, 228.
XYA, 8.
XYPHIDIUM, 274.

Yersini (Arachnocephalus), 60.
Yersini (Barbitistes), 381.

ZABALIUS, 291.
ZACATULA, 361.
Zambesi (Homaloblemmus), 45.
Zanzibarica (Letana), 400.
Zanzibarica (Parapyrrhicia), 469.
Zanzibarica (*Pyrrhizia*), 400.
ZAORA, 53.
Zapateri (*Ephippigera*), 167.
Zapaterii (*Ephippiger*), 167.
Zapaterii (Ephippigerida), 167.
ZARCEUS, 84.
Zarudnyi (Magrettia), 120.
Zebra (Ornebius), 58.
Zebrata (Ceraia), 451.
Zebrata (*Phaneroptera*), 439.
Zebrata (Terpnistria), 439.
Zelleri (*Ephippigera*), 170.
Zelleri (Ephippigerida), 170.
Zendala (Gongrocnemis), 326.
Zendala (Petaloptera), 484.
Zendala (*Phylloptera*), 484.
Zetterstedti (*Ctenophlebia*), 471.
Zetterstedti (*Phylloptera*), 471.
Zetterstedti (Viadana), 471.
ZEUNERIA, 429.
ZICHYA, 178.
Zimmermanni (*Platyphyllus*), 344.
Zonarius (*Ceuthophilus*), 133.
Zonata (Ischyra), 484.
Zonatus (Oncodopus), 270.
Zonatus (Poecilemon), 378.
ZULPHA, 408.
ZUMALA, 298.

PRINTED BY TAYLOR AND FRANCIS, RED LION COURT, FLEET STREET.

N.H.M.
No. 21.

LIST OF THE CURRENT

NATURAL HISTORY PUBLICATIONS OF THE TRUSTEES OF THE BRITISH MUSEUM.

The following publications can be purchased through the Agency of *Messrs.* LONGMANS & Co., 39, *Paternoster Row, London, E.C.*; *Mr.* QUARITCH, 15, *Piccadilly, W.*; *Messrs* KEGAN PAUL, TRENCH, TRÜBNER & Co., *Dryden House,* 43, *Gerrard Street, Soho, W.*; and *Messrs.* DULAU & Co., 37, *Soho Square, W.*; or at the NATURAL HISTORY MUSEUM, *Cromwell Road, London, S.W.*

The History of the Collections contained in the Natural History Departments of the British Museum. Vol. I. Libraries; Botany; Geology; Minerals. Pp. xvii., 442. 1904, 8vo. 15*s.*

Catalogue of the Books, Manuscripts, Maps, and Drawings in the British Museum (Natural History). Compiled by B. B. Woodward, Assistant in charge of the General Library, with some clerical assistance:—
Vol. I. A—D. Pp. viii., 500. 1903, 4to. 20*s.*
Vol. II. E—K. Pp. 501–1038. 1904, 4to. 20*s.*

Catalogue of the Specimens and Drawings of Mammals, Birds, Reptiles, and Fishes of Nepal and Tibet. Presented by B. H. Hodgson, Esq., to the British Museum. 2nd edition. By John Edward Gray. Pp. xii., 90. [With an account of the Collection by Mr. Hodgson.] 1863, 12mo. 2*s.* 3*d.*

Catalogue of the Mammalia and Birds of New Guinea in the Collection of the British Museum. [With list of Species of New Guinea Birds, and those of the neighbouring Localities.] By John Edward Gray, Ph.D., F.R.S., and George Robert Gray, F.L.S., &c. Pp. 63. Woodcuts. 1859, 8vo. 1*s.* 6*d.*

Report on the Zoological Collections made in the Indo-Pacific Ocean during the voyage of H.M.S. "Alert," 1881–2. Pp. xxv., 684. 54 Plates. 1884, 8vo. 1*l.* 10*s.*

Summary of the Voyage...	By Dr. R. W. Coppinger.
Mammalia	,, O. Thomas.
Aves...	,, R. B. Sharpe.
Reptilia, Batrachia, Pisces	,, A. Günther.
Mollusca	,, E. A. Smith.
Echinodermata	,, F. J. Bell.
Crustacea	,, E. J. Miers.
Coleoptera	,, C. O. Waterhouse.
Lepidoptera	,, A. G. Butler.
Alcyonaria and Spongiida	,, S. O. Ridley.

1500 Wt 26279 2/06 D & S 9 23545

Report on the Collections of Natural History made in the Antarctic Regions during the Voyage of the "Southern Cross." Pp. ix., 344. 53 Plates. 1902, Royal 8vo. *2l.*

Mammalia	By Capt. G. E. H. Barrett-Hamilton.
Notes on Antarctic Seals ...	,, E. A. Wilson, M.B.
Extracts from the "Diary" of the late Nicolai Hanson.	——
Aves	,, Dr. R. Bowdler Sharpe.
Pisces...	,, G. A. Boulenger, F.R.S.
Tunicata	,, Prof. W. A. Herdman, F.R.S.
Mollusca	,, E. A. Smith.
Echinoderma	,, Prof. F. J. Bell.
Insecta	,, G. H. Carpenter and Hon. N. C. Rothschild.
Arachnida	,, Dr. E. L. Trouessart.
Crustacea	,, T. V. Hodgson.
Polychæta	,, Dr. A. Willey.
Gephyrea	,, A. E. Shipley.
Nematoda ... ... Cestoda	,, Dr. von Linstow.
Polyzoa ... ... Porifera	,, R. Kirkpatrick.
Anthozoa	,, Dr. L. Roule and S. J. Hickson, F.R.S.
Actiniæ	,, J. A. Clubb.
Hydrozoa	,, E. T. Browne
Cryptogamia	,, A. Gepp, V. H. Blackman, and Miss E. S. Barton.
Rock Specimens	,, Dr. G. T. Prior.

A Monograph of Christmas Island (Indian Ocean): Physical Features and Geology by C. W. Andrews, B.A., B.Sc., F.G.S., with descriptions of the Fauna and Flora by numerous contributors. Pp. xv., 337: 22 plates (7 coloured), a map, and 27 illustrations in text. [With Index.] 1900, 8vo. 20*s.*

First Report on Economic Zoology. By Fred. V. Theobald, M.A., &c. [With an Introduction, containing a Classification of Animals from the point of view of Economic Zoology, by Prof. E. Ray Lankester, LL.D., F.R.S.] Pp. xxxiv., 192. 18 Woodcuts. 1903, Roy. 8vo. 6*s.*

Second Report on Economic Zoology. By Fred. V. Theobald, M.A., &c. Pp. x., 197. 29 Illustrations. 1904, Roy. 8vo. 6*s.*

MAMMALS.

Catalogue of the Bones of Mammalia in the Collection of the British Museum. By Edward Gerrard. Pp. iv., 296. 1862, 8vo. 5*s.*

Catalogue of Monkeys, Lemurs, and Fruit-eating Bats in the Collection of the British Museum. By Dr. J. E. Gray, F.R.S., &c. Pp. viii., 137. 21 Woodcuts. 1870, 8vo. 4*s.*

Catalogue of Carnivorous, Pachydermatous, and Edentate Mammalia in the British Museum. By John Edward Gray, F.R.S., &c. Pp. vii., 398. 47 Woodcuts. 1869. 8vo. 6*s*. 6*d*.

Catalogue of Seals and Whales in the British Museum. By John Edward Gray, F.R.S., &c. 2nd Edition. Pp. vii., 402. 101 Woodcuts. 1866, 8vo. 8*s*.

——— Supplement. By John Edward Gray, F.R.S., &c., Pp. vi., 103. 11 Woodcuts. 1871, 8vo. 2*s*. 6*d*.

List of the Specimens of Cetacea in the Zoological Department of the British Museum. By William Henry Flower, LL.D., F.R.S., &c. [With Systematic and Alphabetical Indexes.] Pp. iv., 36. 1885, 8vo. 1*s*. 6*d*.

Catalogue of Ruminant Mammalia (*Pecora*, Linnæus) in the British Museum. By John Edward Gray, F.R.S., &c. Pp. viii., 102. 4 Plates. 1872, 8vo. 3*s*. 6*d*.

Catalogue of the Marsupialia and Monotremata in the Collection of the British Museum. By Oldfield Thomas. Pp. xiii., 401. 4 Coloured and 24 plain Plates. [With Systematic and Alphabetical Indexes.] 1888, 8vo. 1*l*. 8*s*.

BIRDS.

Catalogue of the Birds in the British Museum :—

Vol. VI. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cichlomorphæ* : Part III., containing the first portion of the family Timeliidæ (Babbling Thrushes). By R. Bowdler Sharpe. Pp. xiii., 420. Woodcuts and 18 coloured Plates. [With Systematic and Alphabetical Indexes.] 1881, 8vo. 1*l*.

Vol. VII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cichlomorphæ* : Part IV., containing the concluding portion of the family Timeliidæ (Babbling Thrushes). By R. Bowdler Sharpe. Pp. xvi., 698. Woodcuts and 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1883, 8vo. 1*l*. 6*s*.

Vol. VIII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cichlomorphæ* : Part V., containing the families Paridæ and Laniidæ (Titmice and Shrikes) ; and *Certhiomorphæ* (Creepers and Nuthatches). By Hans Gadow, M.A., Ph.D. Pp. xiii., 386. Woodcuts and 9 coloured Plates. [With Systematic and Alphabetical Indexes.] 1883, 8vo. 17*s*.

Catalogue of the Birds in the British Museum—*continued.*

Vol. IX. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cinnyrimorphæ*, containing the families Nectariniidæ and Meliphagidæ (Sun Birds and Honey-eaters). By Hans Gadow, M.A., Ph.D. Pp. xii., 310. Woodcuts and 7 coloured Plates. [With Systematic and Alphabetical Indexes.] 1884, 8vo. 14*s.*

Vol. X. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Fringilliformes*: Part I., containing the families Dicæidæ, Hirundinidæ, Ampelidæ, Mniotiltidæ, and Motacillidæ. By R. Bowdler Sharpe. Pp. xiii., 682. Woodcuts and 12 coloured Plates. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 1*l.* 2*s.*

Vol. XI. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Fringilliformes*: Part II., containing the families Cœrebidæ, Tanagridæ, and Icteridæ. By Philip Lutley Sclater, M.A., F.R.S. Pp. xvii., 431. Woodcuts and 18 coloured Plates. [With Systematic and Alphabetical Indexes.] 1886, 8vo. 1*l.*

Vol. XII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Fringilliformes*: Part III., containing the family Fringillidæ. By R. Bowdler Sharpe. Pp. xv., 871. Woodcuts and 16 coloured Plates. [With Systematic and Alphabetical Indexes.] 1888, 8vo. 1*l.* 8*s.*

Vol. XIII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Sturniformes*, containing the families Artamidæ, Sturnidæ, Ploceidæ, and Alaudidæ. Also the families Atrichiidæ and Menuridæ. By R. Bowdler Sharpe. Pp. xvi., 701. Woodcuts and 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1890, 8vo. 1*l.* 8*s.*

Vol. XIV. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Oligomyodæ*, or the families Tyrannidæ, Oxyrhamphidæ, Pipridæ, Cotingidæ, Phytotomidæ, Philepittidæ, Pittidæ, Xenicidæ, and Eurylæmidæ. By Philip Lutley Sclater, M.A., F.R.S. Pp. xix., 494. Woodcuts and 26 coloured Plates. [With Systematic and Alphabetical Indexes.] 1888, 8vo. 1*l.* 4*s.*

Catalogue of the Birds in the British Museum—*continued.*

Vol. XV. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Tracheophonæ*, or the families Dendrocolaptidæ, Formicariidæ, Conopophagidæ, and Pteroptochidæ. By Philip Lutley Sclater, M.A., F.R.S. Pp. xvii., 371. Woodcuts and 20 coloured Plates. [With Systematic and Alphabetical Indexes.] 1890, 8vo. 1*l.*

Vol. XVI. Catalogue of the Picariæ in the Collection of the British Museum. *Upupæ* and *Trochili*, by Osbert Salvin. *Coraciæ*, of the families Cypselidæ, Caprimulgidæ, Podargidæ, and Steatornithidæ, by Ernst Hartert. Pp. xvi., 703. Woodcuts and 14 coloured Plates. [With Systematic and Alphabetical Indexes.] 1892, 8vo. 1*l.* 16*s.*

Vol. XVII. Catalogue of the Picariæ in the Collection of the British Museum. *Coraciæ* (contin.) and *Halcyones*, with the families Leptosomatidæ, Coraciidæ, Meropidæ, Alcedinidæ, Momotidæ, Totidæ and Coliidæ, by R. Bowdler Sharpe. *Bucerotes* and *Trogones*, by W. R. Ogilvie Grant. Pp. xi., 522. Woodcuts and 17 coloured Plates. [With Systematic and Alphabetical Indexes.] 1892, 8vo. 1*l.* 10*s.*

Vol. XVIII. Catalogue of the Picariæ in the Collection of the British Museum. *Scansores*, containing the family Picidæ. By Edward Hargitt. Pp. xv., 597. Woodcuts and 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1890, 8vo. 1*l.* 6*s.*

Vol. XIX. Catalogue of the Picariæ in the Collection of the British Museum. *Scansores* and *Coccyges*: containing the families Rhamphastidæ, Galbulidæ, and Bucconidæ, by P. L. Sclater; and the families Indicatoridæ, Capitonidæ, Cuculidæ, and Musophagidæ, by G. E. Shelley. Pp. xii., 484: 13 coloured Plates. [With Systematic and Alphabetical Indexes.] 1891, 8vo. 1*l.* 5*s.*

Vol. XX. Catalogue of the Psittaci, or Parrots, in the Collection of the British Museum. By T. Salvadori. Pp. xvii., 658. Woodcuts and 18 coloured Plates. [With Systematic and Alphabetical Indexes.] 1891, 8vo. 1*l.* 10*s.*

Vol. XXI. Catalogue of the Columbæ, or Pigeons, in the Collection of the British Museum. By T. Salvadori. Pp. xvii., 676. 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1893, 8vo. 1*l.* 10*s.*

Vol. XXII. Catalogue of the Game Birds (*Pterocletes, Gallinæ, Opisthocomi, Hemipodii*) in the Collection of the British Museum. By W. R. Ogilvie Grant. Pp. xvi., 585. 8 coloured Plates. [With Systematic and Alphabetical Indexes.] 1893, 8vo. 1*l.* 6*s.*

Catalogue of the Birds in the British Museum—*continued.*

Vol. XXIII. Catalogue of the Fulicariæ (Rallidæ and Heliornithidæ) and Alectorides (Aramidæ, Eurypygidæ, Mesitidæ, Rhinochetidæ, Gruidæ, Psophiidæ, and Otididæ) in the Collection of the British Museum. By R. Bowdler Sharpe. Pp. xiii., 353. 9 coloured Plates. [With Systematic and Alphabetical Indexes.] 1894, 8vo. 20*s*.

Vol. XXIV. Catalogue of the Limicolæ in the Collection of the British Museum. By R. Bowdler Sharpe. Pp. xii., 794. Woodcuts and 7 coloured Plates. [With Systematic and Alphabetical Indexes.] 1896, 8vo. 1*l*. 5*s*.

Vol. XXV. Catalogue of the Gaviæ and Tubinares in the Collection of the British Museum. Gaviæ (Terns, Gulls, and Skuas), by Howard Saunders. Tubinares (Petrels and Albatrosses), by Osbert Salvin. Pp. xv., 475. Woodcuts and 8 coloured Plates. [With Systematic and Alphabetical Indexes.] 1896, 8vo. 1*l*. 1*s*.

Vol. XXVI. Catalogue of the Plataleæ, Herodiones, Steganopodes, Pygopodes, Alcæ, and Impennes in the Collection of the British Museum. Plataleæ (Ibises and Spoonbills) and Herodiones (Herons and Storks), by R. Bowdler Sharpe. Steganopodes (Cormorants, Gannets, Frigate-birds, Tropic-birds, and Pelicans), Pygopodes (Divers and Grebes), Alcæ (Auks), and Impennes (Penguins), by W. R. Ogilvie-Grant. Pp. xvii., 687. Woodcuts and 14 coloured Plates. [With Systematic and Alphabetical Indexes.] 1898, 8vo. 1*l*. 5*s*.

Vol. XXVII. Catalogue of the Chenomorphæ (Palamedeæ, Phoenicopteri, Anseres), Crypturi, and Ratitæ in the Collection of the British Museum. By T. Salvadori. Pp. xv., 636. 19 coloured Plates. [With Systematic and Alphabetical Indexes.] 1895, 8vo. 1*l*. 12*s*.

A Hand-list of the Genera and Species of Birds. [Nomenclator Avium tum Fossilium tum Viventium.] By R. Bowdler Sharpe, LL.D. :—

Vol. I. Pp. xxi., 303. [With Systematic Index.] 1899, 8vo. 10*s*.

Vol. II. Pp. xv., 312. [With Systematic Index, and an Alphabetical Index to Vols. I. and II.] 1900, 8vo. 10*s*.

Vol. III. Pp. xii., 367. [With Systematic and Alphabetical Indexes.] 1901, 8vo. 10*s*.

Vol. IV. Pp. xii., 391. [With Systematic and Alphabetical Indexes.] 1903, 8vo. 10*s*.

List of the Specimens of Birds in the Collection of the British Museum. By George Robert Gray :—

Part III., Section I. Ramphastidæ. Pp. 16. [With Index.] 1855, 12mo. 6*d.*

Part III., Section II. Psittacidæ. Pp. 110. [With Index.] 1859, 12mo. 2*s.*

Part III., Sections III. and IV. Capitonidæ and Picidæ. Pp. 137. [With Index.] 1868, 12mo. 1*s.* 6*d.*

Part IV. Columbæ. Pp. 73. [With Index.] 1856, 12mo. 1*s.* 9*d.*

Part V. Gallinæ. Pp. iv., 120. [With an Alphabetical Index.] 1867, 12mo. 1*s.* 6*d.*

Catalogue of the Birds of the Tropical Islands of the Pacific Ocean in the Collection of the British Museum. By George Robert Gray, F.L.S., &c. Pp. 72. [With an Alphabetical Index.] 1859, 8vo. 1*s.* 6*d.*

Catalogue of the Collection of Birds' Eggs in the British Museum (Natural History) :—

Vol. I. Ratitæ. Carinatæ (Tinamiformes—Lariformes). By Eugene W. Oates. Pp. xxiii., 252. 18 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1901, 8vo. 30*s.*

Vol. II. Carinatæ (Charadriiformes—Strigiformes). By Eugene W. Oates. Pp. xx., 400. 15 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1902, 8vo. 30*s.*

Vol. III. Carinatæ (Psittaciformes — Passeriformes). By Eugene W. Oates and Capt. Savile G. Reid. Pp. xxiii., 349. 10 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1903, 8vo. 25*s.*

Vol. IV. Carinatæ (Passeriformes continued). By Eugene W. Oates, assisted by Capt. Savile G. Reid. Pp. xviii., 352. 14 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1905, 8vo. 30*s.*

REPTILES.

Catalogue of the Tortoises, Crocodiles, and Amphisbænians in the Collection of the British Museum. By Dr. J. E. Gray, F.R.S., &c. Pp. viii., 80. [With an Alphabetical Index.] 1844, 12mo. 1*s.*

Catalogue of Shield Reptiles in the Collection of the British Museum. By John Edward Gray, F.R.S., &c.:—

Appendix. Pp. 28. 1872, 4to. 2*s.* 6*d.*

Part II. Emydosaurians, Rhynchocephalia, and Amphisbænians. Pp. vi., 41. 25 Woodcuts. 1872, 4to. 3*s.* 6*d.*

Hand-List of the Specimens of Shield Reptiles in the British Museum. By Dr. J. E. Gray, F.R.S., F.L.S., &c. Pp. iv., 124. [With an Alphabetical Index.] 1873, 8vo. 4*s.*

Catalogue of the Chelonians, Rhynchocephalians, and Crocodiles in the British Museum (Natural History). New Edition. By George Albert Boulenger. Pp. x., 311. 73 Woodcuts and 6 Plates. [With Systematic and Alphabetical Indexes.] 1889, 8vo. 15*s.*

Catalogue of the Lizards in the British Museum (Natural History). Second Edition. By George Albert Boulenger :—

Vol. I. Geckonidæ, Eublepharidæ, Uroplatidæ, Pygopodidæ, Agamidæ. Pp. xii., 436. 32 Plates. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 20*s.*

Vol. II. Iguanidæ, Xenosauridæ, Zonuridæ, Anguidæ, Anniellidæ, Helodermatidæ, Varanidæ, Xantusiidæ, Teiidæ, Amphisbænidæ. Pp. xiii., 497. 24 Plates. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 20*s.*

Vol. III. Lacertidæ, Gerrhosauridæ, Scincidæ, Anelytropidæ, Dibamidæ, Chamæleontidæ. Pp. xii., 575. 40 Plates. [With a Systematic Index and an Alphabetical Index to the three volumes.] 1887, 8vo. 1*l.* 6*s.*

Catalogue of the Snakes in the British Museum (Natural History). By George Albert Boulenger, F.R.S., &c. :—

Vol. I., containing the families Typhlopidæ, Glauconiidæ, Boidæ, Ilysiidæ, Uropeltidæ, Xenopeltidæ, and Colubridæ aglyphæ (part). Pp. xiii., 448 : 26 Woodcuts and 28 Plates. [With Systematic and Alphabetical Indexes.] 1893, 8vo. 1*l.* 1*s.*

Vol. II., containing the conclusion of the Colubridæ aglyphæ. Pp. xi., 382 : 25 Woodcuts and 20 Plates. [With Systematic and Alphabetical Indexes.] 1894, 8vo. 17*s.* 6*d.*

Vol. III., containing the Colubridæ (Opisthoglyphæ and Proteroglyphæ), Amblycephalidæ, and Viperidæ. Pp. xiv., 727 : 37 Woodcuts and 25 Plates. [With Systematic Index, and Alphabetical Index to the 3 volumes.] 1896, 8vo. 1*l.* 6*s.*

Catalogue of Colubrine Snakes in the Collection of the British Museum. By Dr. Albert Günther. Pp. xvi., 281. [With Geographic, Systematic, and Alphabetical Indexes.] 1858, 12mo. 4*s.*

BATRACHIANS.

Catalogue of the Batrachia Salientia in the Collection of the British Museum. By Dr. Albert Günther. Pp. xvi., 160. 12 Plates. [With Systematic, Geographic, and Alphabetical Indexes.] 1858, 8vo. 6*s*.

FISHES.

Catalogue of the Fishes in the British Museum. Second edition. Vol. I. Catalogue of the Perciform Fishes in the British Museum. Vol. I. Containing the Centrarchidæ, Percidæ, and Serranidæ (part). By George Albert Boulenger, F.R.S. Pp. xix., 394. Woodcuts and 15 Plates. [With Systematic and Alphabetical Indexes.] 1895, 8vo. 15*s*.

Catalogue of Fish collected and described by Laurence Theodore Gronow, now in the British Museum. Pp. vii., 196. [With a Systematic Index.] 1854, 12mo. 3*s*. 6*d*.

Catalogue of Lophobranchiate Fish in the Collection of the British Museum. By J. J. Kaup, Ph.D., &c. Pp. iv., 80. 4 Plates. [With an Alphabetical Index.] 1856, 12mo. 2*s*.

MOLLUSCA.

Guide to the Systematic Distribution of Mollusca in the British Museum. Part I. By John Edward Gray, Ph.D., F.R.S., &c. Pp. xii., 230. 121 Woodcuts. 1857, 8vo. 5*s*.

Catalogue of the Collection of Mazatlan Shells in the British Museum, collected by Frederick Reigen. Described by Philip P. Carpenter. Pp. xvi., 552. 1857, 12mo. 8*s*.

List of Mollusca and Shells in the Collection of the British Museum, collected and described by MM. Eydoux and Souleyet in the "Voyage autour du Monde, exécuté "pendant les années 1836 et 1837, sur la Corvette 'La "Bonite,'" and in the "Histoire naturelle des Mollusques "Ptéropodes." Par MM. P. C. A. L. Rang et Souleyet. Pp. iv., 27. 1855, 12mo. 8*d*.

Catalogue of Pulmonata, or Air Breathing Mollusca, in the Collection of the British Museum. Part I. By Dr. Louis Pfeiffer. Pp. iv., 192. Woodcuts. 1855, 12mo. 2*s*. 6*d*.

Catalogue of the Auriculidæ, Proserpinidæ, and Truncatellidæ in the Collection of the British Museum. By Dr. Louis Pfeiffer. Pp. iv., 150. Woodcuts. 1857, 12mo. 1*s*. 9*d*.

List of the Mollusca in the Collection of the British Museum. By John Edward Gray, Ph.D., F.R.S., &c.

Part II. Olividæ. Pp. 41. 1865, 12mo. 1*s*.

Catalogue of the Conchifera, or Bivalve Shells, in the Collection of the British Museum. By M. Deshayes :—

Part I. Veneridæ, Cyprinidæ, Glauconomidæ, and Petricoladæ. Pp. iv., 216. 1853, 12mo. 3*s*.

Part II. Petricoladæ (concluded); Corbiculadæ. Pp. 217-292. [With an Alphabetical Index to the two parts.] 1854, 12mo. 6*d*.

BRACHIOPODA.

Catalogue of Brachiopoda Ancylopoda or Lamp Shells in the Collection of the British Museum. [*Issued as* "Catalogue of the Mollusca, Part IV."] Pp. iv., 128. 25 Woodcuts. [With an Alphabetical Index.] 1853, 12mo. 3*s*.

POLYZOA.

Catalogue of Marine Polyzoa in the Collection of the British Museum. Part III. Cyclostomata. By George Busk, F.R.S. Pp. viii., 39. 38 Plates. [With a Systematic Index.] 1875, 8vo. 5*s*.

CRUSTACEA.

Catalogue of the Specimens of Amphipodous Crustacea in the Collection of the British Museum. By C. Spence Bate, F.R.S., &c. Pp. iv., 399. 58 Plates. [With an Alphabetical Index.] 1862, 8vo. 1*l*. 5*s*.

ARACHNIDA.

Descriptive Catalogue of the Spiders of Burma, based upon the Collection made by Eugene W. Oates and preserved in the British Museum. By T. Thorell. Pp. xxxvi., 406. [With Systematic List and Alphabetical Index.] 1895, 8vo. 10*s*. 6*d*.

INSECTS.

Coleopterous Insects.

Nomenclature of Coleopterous Insects in the Collection of the British Museum :—

Part VI. Passalidæ. By Frederick Smith. Pp. iv., 23. 1 Plate. [With Index.] 1852, 12mo. 8*d.*

Part VII. Longicornia, I. By Adam White. Pp. iv., 174. 4 Plates. 1853, 12mo. 2*s.* 6*d.*

Part VIII. Longicornia, II. By Adam White. Pp. 237. 6 Plates. 1855, 12mo. 3*s.* 6*d.*

Illustrations of Typical Specimens of Coleoptera in the Collection of the British Museum. Part I. Lycidæ. By Charles Owen Waterhouse. Pp. x., 83. 18 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1879, 8vo. 16*s.*

Catalogue of the Coleopterous Insects of Madeira in the Collection of the British Museum. By T. Vernon Wollaston, M.A., F.L.S. Pp. xvi., 234 : 1 Plate. [With a Topographical Catalogue and an Alphabetical Index.] 1857, 8vo. 3*s.*

Catalogue of the Coleopterous Insects of the Canaries in the Collection of the British Museum. By T. Vernon Wollaston, M.A., F.L.S. Pp. xiii., 648. [With Topographical and Alphabetical Indexes.] 1864, 8vo. 10*s.* 6*d.*

Catalogue of Halticidæ in the Collection of the British Museum. By the Rev. Hamlet Clark, M.A., F.L.S. Physapodes and Œdipodes. Part I. Pp. xii., 301. Frontispiece and 9 Plates. 1860, 8vo. 7*s.*

Catalogue of Hispidæ in the Collection of the British Museum. By Joseph S. Baly, M.E.S., &c. Part I. Pp. x., 172. 9 Plates. [With an Alphabetical Index.] 1858, 8vo. 6*s.*

Hymenopterous Insects.

Catalogue of Hymenopterous Insects in the Collection of the British Museum. By Frederick Smith. 12mo. :—

Part I. Andrenidæ and Apidæ. Pp. 197. 6 Plates. 1853, 2*s.* 6*d.*

Part II. Apidæ. Pp. 199–465. 6 Plates. [With an Alphabetical Index.] 1854. 6*s.*

Catalogue of Hymenopterous Insects in the British Museum—*continued.*

Part III. Mutillidæ and Pompilidæ. Pp. 206. 6 Plates. 1855. 6*s.*

Part IV. Sphegidæ, Larridæ, and Crabronidæ. Pp. 207–497. 6 Plates. [With an Alphabetical Index.] 1856. 6*s.*

Part V. Vespidæ. Pp. 147. 6 Plates. [With an Alphabetical Index.] 1857. 6*s.*

Part VI. Formicidæ. Pp. 216. 14 Plates. [With an Alphabetical Index.] 1858. 6*s.*

Part VII. Dorylidæ and Thynnidæ. Pp. 76. 3 Plates. [With an Alphabetical Index.] 1859. 2*s.*

List of Hymenoptera, with descriptions and figures of the Typical Specimens in the British Museum. Vol. I., Tenthredinidæ and Siricidæ. By W. F. Kirby. Pp. xxviii., 450. 16 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1882, 8vo. 1*l.* 18*s.*

Dipterous Insects.

List of the Specimens of Dipterous Insects in the Collection of the British Museum. By Francis Walker, F.L.S.

Part VII. Supplement III. Asilidæ. Pp. ii., 507–775. 1855, 12mo. 3*s.* 6*d.*

A Monograph of the Culicidæ, or Mosquitoes. Mainly compiled from the Collections received at the British Museum from various parts of the world in connection with the Investigation into the cause of Malaria conducted by the Colonial Office and the Royal Society. By Fred. V. Theobald, M.A., &c. :—

Vols. I., II. (pp. xviii., 424; viii., 391 : 318 woodcuts), and Atlas of 37 coloured and 5 collotype plates (pp. viii., with explanations of plates). *Special paper edition.* 1901, 8vo. 3*l.* 15*s.*

Vol. III. Pp. xvii., 359 : 17 plates, 1 diagram, and 193 illustrations in text. 1903, 8vo. 1*l.* 1*s.*

A Monograph of the Tsetse-Flies (Genus Glossina, Westwood), based on the Collection in the British Museum. By Ernest Edward Austen. With a chapter on Mouth-parts by H. J. Hansen, Phil. Doc. Pp. ix., 319 : 9 plates (7 coloured), 16 woodcuts, 1 map. 1903, Roy. 8vo. 15*s.*

Lepidopterous Insects.

Catalogue of the Lepidoptera Phalænæ in the British Museum. By Sir George F. Hampson, Bart. :—

Vol. I. Catalogue of the Syntomidæ in the Collection of the British Museum. Pp. xxi., 559 : 285 woodcuts. [With Systematic and Alphabetical Indexes.] 1898, 8vo. 15*s.*

——Atlas of 17 Coloured Plates, 8vo. 15*s.*

Vol. II. Catalogue of the Arctiadæ (Nolinæ, Lithosianæ) in the Collection of the British Museum. Pp. xx., 589 : 411 woodcuts. [With Systematic and Alphabetical Indexes.] 1900, 8vo. 18*s.*

——Atlas of 18 Coloured Plates (xviii.-xxxv.), 8vo. 15*s.*

Vol. III. Catalogue of the Arctiadæ (Arctianæ) and Agaristidæ in the Collection of the British Museum. Pp. xix., 690 : 294 woodcuts. [With Systematic and Alphabetical Indexes.] 1901, 8vo. 15*s.*

——Atlas of 19 Coloured Plates (xxxvi–liv.), 8vo. 16*s.*

Vol. IV. Catalogue of the Noctuidæ [Agrotinæ]. Pp. xx., 689 : 125 woodcuts. [With Systematic and Alphabetical Indexes.] 1903, 8vo. 15*s.*

——Atlas of 23 Coloured Plates (lv.—lxxvii), 8vo. 16*s.*

Vol. V. Catalogue of the Noctuidæ [Hadeninæ]. Pp. xvi., 634 : 172 woodcuts. [With Systematic and Alphabetical Indexes.] 1905, 8vo. 15*s.*

——Atlas of 18 Coloured Plates (lxxviii.–xcv.), 8vo. 15*s.*

Illustrations of Typical Specimens of Lepidoptera Heterocera in the Collection of the British Museum :—

Part V. By Arthur Gardiner Butler. Pp. xii., 74. 78–100 Coloured Plates. [With a Systematic Index.] 1881, 4to. 2*l.* 10*s.*

Part VI. By Arthur Gardiner Butler. Pp. xv., 89. 101–120 Coloured Plates. [With a Systematic Index.] 1886, 4to. 2*l.* 4*s.*

Part VII. By Arthur Gardiner Butler. Pp. iv., 124. 121–138 Coloured Plates. [With a Systematic List.] 1889, 4to. 2*l.*

Part VIII. The Lepidoptera Heterocera of the Nilgiri District. By George Francis Hampson. Pp. iv., 144. 139–156 Coloured Plates. [With a Systematic List.] 1891, 4to. 2*l.*

Part IX. The Macrolepidoptera Heterocera of Ceylon By George Francis Hampson. Pp. v., 182. 157–176 Coloured Plates. [With a General Systematic List of Species collected in, or recorded from, Ceylon.] 1893, 4to. 2*l.* 2*s.*

Catalogue of the Collection of Palæarctic Butterflies formed by the late John Henry Leech, and presented to the Trustees of the British Museum by his Mother, Mrs. Eliza Leech. By Richard South, F.E.S. Pp. vi., 228. 2 Coloured Plates. With a Portrait and Biographical Memoir of Mr. Leech. 1902, 4to. 1*l.*

Catalogue of Diurnal Lepidoptera described by Fabricius in the Collection of the British Museum. By Arthur Gardiner Butler, F.L.S., &c. Pp. iv., 303. 3 Plates. 1869, 8vo. 7*s.* 6*d.*

List of the Specimens of Lepidopterous Insects in the Collection of the British Museum. By Francis Walker. 12mo. :—

Part XXII. Geometrites. Pp. 499–755. 1861, 3*s.* 6*d.*

Part XXIII. ———— Pp. 756–1020. 1861, 3*s.* 6*d.*

Part XXV. ———— Pp. 1281–1477. 1862, 3*s.*

Part XXVI. ———— Pp. 1478–1796. [With an Alphabetical Index to Parts XX.–XXVI.] 1862, 4*s.* 6*d.*

Part XXVII. Crambites and Tortricites. Pp. 1–286. 1863, 4*s.*

Part XXVIII. Tortricites and Tineites. Pp. 287–561. 1863, 4*s.*

Part XXIX. Tineites. Pp. 562–835. 1864, 4*s.*

Part XXX. ——— Pp. 836–1096. [With an Alphabetical Index to Parts XXVII.–XXX.] 1864, 4*s.*

Part XXXI. Supplement. Pp. 1–321. 1864, 5*s.*

Part XXXII. ———— Part 2. Pp. 322–706. 1865, 5*s.*

Part XXXIII. ———— Part 3. Pp. 707–1120. 1865, 6*s.*

Part XXXIV. ———— Part 4. Pp. 1121–1533. 1865, 5*s.* 6*d.*

Part XXXV. ———— Part 5. Pp. 1534–2040. [With an Alphabetical Index to Parts XXXI.–XXXV.] 1866, 7*s.*

Neuropterous Insects.

Catalogue of the Specimens of Neuropterous Insects in the Collection of the British Museum. By Francis Walker. 12mo. :—

Part II. Sialidæ—Nemopterides. Pp. ii., 193–476. 1853, 3*s.* 6*d.*

Catalogue of the Specimens of Neuropterous Insects in the Collection of the British Museum. By Dr. H. Hagen. Part I. Termitina. Pp. 34. 1858, 12mo. 6*d.*

Orthopterous Insects.

Catalogue of Orthopterous Insects in the Collection of the British Museum. Part I. Phasmidæ. By John Obadiah Westwood, F.L.S., &c. Pp. 195. 48 Plates. [With an Alphabetical Index.] 1859, 4to. 3*l.*

Catalogue of the Specimens of Blattariæ in the Collection of the British Museum. By Francis Walker, F.L.S., &c. Pp. 239. [With an Alphabetical Index.] 1868, 8vo. 5*s.* 6*d.*

Catalogue of the Specimens of Dermaptera Saltatoria in the Collection of the British Museum. By Francis Walker, F.L.S., &c. :—

Part II. Locustidæ (continued). Pp. 225–423. [With an Alphabetical Index.] 1869, 8vo. 4*s.* 6*d.*

Part III. Locustidæ (continued).—Acrididæ. Pp. 425–604. [With an Alphabetical Index.] 1870, 8vo. 4*s.*

Part IV. Acrididæ (continued). Pp. 605–809. [With an Alphabetical Index.] 1870, 8vo. 6*s.*

Part V. Tettigidæ.—Supplement to the Catalogue of Blattariæ.—Supplement to the Catalogue of Dermaptera Saltatoria (with remarks on the Geographical Distribution of Dermaptera). Pp. 811–850; 43; 116. [With Alphabetical Indexes.] 1870, 8vo. 6*s.*

Synonymic Catalogue of Orthoptera. By W. F. Kirby. Vol. I. Orthoptera Euplexoptera, Cursoria, et Gressoria. (Forficulidæ, Hemimeridæ, Blattidæ, Mantidæ, Phasmidæ.) Pp. x., 501. [With Index.] 1904, 8vo. 10*s.*

Hemipterous Insects.

Catalogue of the Specimens of Heteropterous Hemiptera in the Collection of the British Museum. By Francis Walker, F.L.S., &c. 8vo. :—

Part IV. Pp. 211. [With Alphabetical Index.] 1871. 6*s.*

Part V. Pp. 202. [With Alphabetical Index.] 1872. 5*s.*

Part VI. Pp. 210. [With Alphabetical Index.] 1873. 5*s.*

Part VII. Pp. 213. [With Alphabetical Index.] 1873. 6*s.*

Part VIII. Pp. 220. [With Alphabetical Index.] 1873. [6*s.* 6*d.*

VERMES.

Catalogue of the Species of Entozoa, or Intestinal Worms, contained in the Collection of the British Museum. By Dr. Baird. Pp. iv., 132. 2 Plates. [With an Index of the Animals in which the Entozoa mentioned in the Catalogue are found, and an Index of Genera and Species.] 1853, 12mo. 2*s.*

ANTHOZOA.

Catalogue of Sea-pens or Pennatulariidæ in the Collection of the British Museum. By J. E. Gray, F.R.S., &c. Pp. iv., 40. 2 Woodcuts. 1870, 8vo. 1*s.* 6*d.*

Catalogue of Lithophytes or Stony Corals in the Collection of the British Museum. By J. E. Gray, F.R.S., &c. Pp. iv., 51. 14 Woodcuts. 1870, 8vo. 3*s.*

Catalogue of the Madreporarian Corals in the British Museum (Natural History) :—

Vol. I. The Genus Madrepora. By George Brook. Pp. xi., 212. 35 Collotype Plates. [With Systematic and Alphabetical Indexes, and Explanation of the Plates.] 1893, 4to. 1*l.* 4*s.*

Vol. II. The Genus Turbinaria; the Genus Astræopora. By Henry M. Bernard, M.A. Cantab., F.L.S., F.Z.S. Pp. iv., 106. 30 Collotype and 3 Lithographic Plates. [With Index of Generic and Specific Names, and Explanation of the Plates.] 1896, 4to. 18*s.*

Vol. III. The Genus Montipora; the Genus Anacropora. By Henry M. Bernard, M.A. Pp. vii., 192. 30 Collotype and 4 Lithographic Plates. [With Systematic Index, Index of Generic and Specific Names, and Explanation of the Plates.] 1897, 4to. 1*l.* 4*s.*

Vol. IV. The Family Poritidæ. I.—The Genus Goniopora. By Henry M. Bernard, M.A. Pp. viii., 206. 12 Collotype and 4 Lithographic Plates. [With Index of Generic and Specific Names, and Explanation of the Plates.] 1903, 4to. 1*l.*

Vol. V. The Family Poritidæ. II.—The Genus Porites. Part I.—Porites of the Indo-Pacific Region. By Henry M. Bernard, M.A. Pp. vi., 303. 35 Plates. [With Index of Generic and Specific Names, and Explanation of the Plates.] 1905, 4to. 35*s.*

BRITISH ANIMALS.

Catalogue of British Birds in the Collection of the British Museum. By George Robert Gray, F.L.S., F.Z.S., &c. Pp. xii., 248. [With a List of Species.] 1863, 8vo. 3*s.* 6*d.*

Catalogue of British Hymenoptera in the Collection of the British Museum. Second edition. Part I. Andrenidæ and Apidæ. By Frederick Smith, M.E.S. New Issue. Pp. xi., 236. 11 Plates. [With Systematic and Alphabetical Indexes.] 1891, 8vo. 6*s.*

Catalogue of British Fossorial Hymenoptera, Formicidæ, and Vespidæ in the Collection of the British Museum. By Frederick Smith, V.P.E.S. Pp. 236. 6 Plates. [With an Alphabetical Index.] 1858, 12mo. 6*s.*

A Catalogue of the British Non-parasitical Worms in the Collection of the British Museum. By George Johnston, M.D., Edin., F.R.C.L., Ed., LL.D., Marischal Coll., Aberdeen, &c. Pp. 365. Woodcuts and 24 Plates. [With an Alphabetical Index.] 1865, 8vo. 7*s.*

Catalogue of the British Echinoderms in the British Museum (Natural History). By F. Jeffrey Bell, M.A. Pp. xvii., 202. Woodcuts and 16 Plates (2 Coloured). [With Table of Contents, Tables of Distribution, Alphabetical Index, Description of the Plates, &c.] 1892, 8vo. 12*s.* 6*d.*

List of the Specimens of British Animals in the Collection of the British Museum; with Synonyma and References to figures. 12mo.:—

Part V. Lepidoptera. By J. F. Stephens. 2nd Edition. Revised by H. T. Stainton and E. Shepherd. Pp. iv., 224. 1856. 1*s.* 9*d.*

Part VI. Hymenoptera. By F. Smith. Pp. 134. 1851. 2*s.*

Part VII. Mollusca, Acephala and Brachiopoda. By Dr. J. E. Gray. Pp. iv., 167. 1851. 3*s.* 6*d.*

Part VIII. Fish. By Adam White. Pp. xxiii., 164. (With Index and List of Donors.) 1851. 3*s.* 6*d.*

Part IX. Eggs of British Birds. By George Robert Gray. Pp. 143. 1852. 2*s.* 6*d.*

Part XI. Anoplura, or Parasitic Insects. By H. Denny. Pp. iv., 51. 1852. 1*s.*

Part XII. Lepidoptera (continued). By James F. Stephens. Pp. iv., 54. 1852. 9*d.*

Part XIII. Nomenclature of Hymenoptera. By Frederick Smith. Pp. iv., 74. 1853. 1*s.* 4*d.*

Part XIV. Nomenclature of Neuroptera. By Adam White. Pp. iv., 16. 1853. 6*d.*

Part XV. Nomenclature of Diptera, I. By Adam White. Pp. iv., 42. 1853. 1*s.*

Part XVI. Lepidoptera (completed). By H. T. Stainton. Pp. 199. [With an Index.] 1854. 3*s.*

PLANTS.

Illustrations of Australian Plants collected in 1770 during Captain Cook's Voyage round the World in H.M.S. "Endeavour." By the Right Hon. Sir Joseph Banks, Bart., K.B., P.R.S., and Dr. Daniel Solander, F.R.S. [Being a series of lithographic reproductions of copperplates engraved after paintings by F. P. Nodder, James Miller, J. F. Miller, and John Cleveley.] With Introduction and Determinations by James Britten, F.L.S., Senior Assistant, Department of Botany, British Museum :—

Part I.—101 Plates, with 31 pages of descriptive text. 1900, fol. 25*s.*

Part II.—142 Plates (pls. 101–243), with 41 pages of descriptive text (pp. 35–75). 1901, fol. 35*s.*

Part III.—77 Plates (pls. 244–318, 45A, and 122), with 26 pages of descriptive text, including Index to the whole work (pp. 77–102), and 3 maps. 1905, fol. 25*s.*

Catalogue of the African Plants collected by Dr. Friedrich Welwitsch in 1853–61 :—

Vol. I. Dicotyledons. By William Philip Hiern, M.A., F.L.S., &c. :—

Part I. [Ranunculaceæ to Rhizophoraceæ.] Pp. xxvi., 336. [With Portrait of Dr. Welwitsch. Introduction, Bibliography, and Index of Genera.] 1896, 8vo. 7*s.* 6*d.*

Part II. Combretaceæ to Rubiaceæ. Pp. 337–510. [With Index of Genera.] 1898, 8vo. 4*s.*

Part III. Dipsaceæ to Scrophulariaceæ. Pp. 511–784. [With Index of Genera.] 1898, 8vo. 5*s.*

Part IV. Lentibulariaceæ to Ceratophylleæ. Pp. 785–1035. [With Index.] 1900, 8vo. 5*s.*

Vol. II. Monocotyledons, Gymnosperms, and Cryptogams :—

Part I. Monocotyledons and Gymnosperms. By Alfred Barton Rendle, M.A., D.Sc. F.L.S., Assistant, Department of Botany. Pp. 260. [With Index of Genera.] 1899, 8vo. 6*s.*

Part II. Cryptogamia. Pp. 261–566. [With Table of Errata, and General Index to the whole work.] 1901, 8vo. 6*s.*

Vascular Cryptogams	By	William Carruthers, F.R.S.
Mosses	„	Antony Gepp, M.A., F.L.S.
Hepatics	„	F. Stephani.
Marine Algæ	„	Ethel S. Barton.
Freshwater Algæ	„	W. West, F.L.S., and G. S. West, B.A.
Diatomaceæ	„	Thomas Comber, F.L.S.
Lichenes	„	E. A. Wainio.
Fungi	„	Annie Lorrain Smith.
Mycetozoa	„	Arthur Lister, F.R.S.

A Monograph of Lichens found in Britain : being a Descriptive Catalogue of the Species in the Herbarium of the British Museum. By the Rev. James M. Crombie, M.A., F.L.S., F.G.S., &c. Part I. Pp. viii., 519 : 74 Woodcuts. [With Glossary, Synopsis, Tabular Conspectus, and Index.] 1894, 8vo. 16*s.*

A Monograph of the Mycetozoa : being a Descriptive Catalogue of the Species in the Herbarium of the British Museum. By Arthur Lister, F.L.S. Pp. 224. 78 Plates and 51 Woodcuts. [With Synopsis of Genera and List of Species, and Index.] 1894, 8vo. 15*s.*

List of British Diatomaceæ in the Collection of the British Museum, By the Rev. W. Smith, F.L.S., &c. Pp. iv., 55. 1859, 12mo. 1*s.*

FOSSILS.

Catalogue of the Fossil Mammalia in the British Museum (Natural History). By Richard Lydekker, B.A., F.G.S.:—

Part I. Containing the Orders Primates, Chiroptera, Insectivora, Carnivora, and Rodentia. Pp. xxx., 268. 33 Woodcuts. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 5*s.*

Part II. Containing the Order Ungulata, Suborder Artiodactyla. Pp. xxii., 324. 39 Woodcuts. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 6*s.*

Part III. Containing the Order Ungulata, Suborders Perissodactyla, Toxodontia, Condylarthra, and Amblypoda. Pp. xvi., 186. 30 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1886, 8vo. 4*s.*

Part IV. Containing the Order Ungulata, Suborder Proboscidea. Pp. xxiv., 235. 33 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1886, 8vo. 5*s.*

Part V. Containing the Group Tillodontia, the Orders Sirenia, Cetacea, Edentata, Marsupialia, Monotremata, and Supplement. Pp. xxxv., 345. 55 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1887, 8vo. 6*s.*

Catalogue of the Fossil Birds in the British Museum (Natural History). By Richard Lydekker, B.A. Pp. xxvii., 368. 75 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1891, 8vo. 10*s.* 6*d.*

Catalogue of the Fossil Reptilia and Amphibia in the British Museum (Natural History). By Richard Lydekker, B.A., F.G.S. :—

Part I. Containingthe Orders Ornithosauria, Crocodilia, Dinosauria, Squamata, Rhynchocephalia, and Proterosauria. Pp. xxviii., 309. 69 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1888, 8vo. 7*s.* 6*d.*

Part II. Containing the Orders Ichthyopterygia and Sauropterygia. Pp. xxi., 307. 85 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1889, 8vo. 7*s.* 6*d.*

Part III. Containing the Order Chelonia. Pp. xviii., 239. 53 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1889, 8vo. 7*s.* 6*d.*

Part IV. Containing the Orders Anomodontia, Ecaudata, Caudata, and Labyrinthodontia; and Supplement. Pp. xxiii., 295. 66 Woodcuts. [With Systematic Index, Alphabetical Index of Genera and Species, including Synonyms, and Alphabetical Index of Genera and Species to the entire work.] 1890, 8vo. 7*s.* 6*d.*

Catalogue of the Fossil Fishes in the British Museum (Natural History). By Arthur Smith Woodward, LL.D., F.R.S., F.G.S., &c.:—

Part I. Containing the Elasmobranchii. Pp. xlvii., 474. 13 Woodcuts and 17 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1889, 8vo. 21*s.*

Part II. Containing the Elasmobranchii (Acanthodii), Holocephali, Ichthyodorulites, Ostracodermi, Dipnoi, and Teleostomi (Crossopterygii and Chondrostean Actinopterygii). Pp. xliv., 567. 58 Woodcuts and 16 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1891, 8vo. 21*s.*

Part III. Containing the Actinopterygian Teleostomi of the Orders Chondrostei (concluded), Protospondyli, Aetheospondyli, and Isospondyli (in part). Pp. xlii., 544. 45 Woodcuts and 18 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1895, 8vo. 21*s.*

Part IV. Containing the Actinopterygian Teleostomi of the Suborders Isospondyli (in part), Ostariophysi, Apodes, Percesoces, Hemibranchii, Acanthopterygii, and Anacanthini. Pp. xxxix., 636. 22 Woodcuts and 19 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1901, 8vo. 21*s*

Systematic List of the Edwards Collection of British Oligocene and Eocene Mollusca in the British Museum (Natural History), with references to the type-specimens from similar horizons contained in other collections belonging to the Geological Department of the Museum. By Richard Bullen Newton, F.G.S. Pp. xxviii., 365. [With table of Families and Genera, Bibliography, Correlation-table, Appendix, and Alphabetical Index.] 1891, 8vo. 6*s*.

Catalogue of Tertiary Mollusca in the Department of Geology, British Museum (Natural History). Part I. The Australasian Tertiary Mollusca. By George F. Harris, F.G.S., &c. Pp. xxvi., 407. 8 Plates. [With Table of Families, Genera, and Sub-Genera, and Index.] 1897, 8vo. 10*s*.

Catalogue of the Fossil Cephalopoda in the British Museum (Natural History) :—

Part I. Containing part of the Suborder Nautiloidea, consisting of the families Orthoceratidæ, Endoceratidæ, Actinoceratidæ, Gomphoceratidæ, Ascoceratidæ, Poterioceratidæ, Cyrtoceratidæ, and Supplement. By Arthur H. Foord, F.G.S. Pp. xxxi., 344. 51 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1888, 8vo. 10*s*. 6*d*.

Part II. Containing the remainder of the Suborder Nautiloidea, consisting of the families Lituitidæ, Trochoceratidæ, Nautilidæ, and Supplement. By Arthur H. Foord, F.G.S. Pp. xxviii., 407. 86 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1891, 8vo. 15*s*.

Part III. Containing the Bactritidæ, and part of the Suborder Ammonoidea. By Arthur H. Foord, Ph.D., F.G.S., and George Charles Crick, A.R.S.M., F.G.S. Pp. xxxiii., 303. 146 Woodcuts. [With Systematic Index of Genera and Species, and Alphabetical Index.] 1897, 8vo. 12*s*. 6*d*.

List of the Types and Figured Specimens of Fossil Cephalopoda in the British Museum (Natural History). By G. C. Crick, F.G.S. Pp. 103. [With Index.] 1898, 8vo. 2*s*. 6*d*.

A Catalogue of British Fossil Crustacea, with their Synonyms and the Range in Time of each Genus and Order. By Henry Woodward, F.R.S. Pp. xii., 155. [With an Alphabetical Index.] 1877, 8vo. 5*s*.

Catalogue of the Fossil Bryozoa in the Department of Geology, British Museum (Natural History):—

The Jurassic Bryozoa. By J. W. Gregory, D.Sc., F.G.S., F.Z.S. Pp. [viii.,] 239 : 22 Woodcuts and 11 Plates [With List of Species and Distribution, Bibliography, Index, and Explanation of Plates.] 1896, 8vo. 10*s.*

The Cretaceous Bryozoa. Vol. I. By J. W. Gregory, D.Sc., F.G.S., F.Z.S. Pp. xiv., 457 : 64 Woodcuts and 17 Plates. [With Index and Explanation of Plates.] 1899, 8vo. 16*s.*

Catalogue of the Blastoidea in the Geological Department of the British Museum (Natural History), with an account of the morphology and systematic position of the group, and a revision of the genera and species. By Robert Etheridge, jun., of the Department of Geology, British Museum (Natural History), and P. Herbert Carpenter, D.Sc., F.R.S., F.L.S. (of Eton College). Pp. xv., 322. 20 Plates. [With Preface by Dr. H. Woodward, Table of Contents, General Index, Explanations of the Plates, &c.] 1886, 4to. 25*s.*

The Genera and Species of Blastoidea, with a List of the Specimens in the British Museum (Natural History). By F. A. Bather, M.A., F.G.S., of the Geological Department. Pp. x., 70. 1 Woodcut. 1899, 8vo. 3*s.*

Catalogue of the Palæozoic Plants in the Department of Geology and Palæontology, British Museum (Natural History). By Robert Kidston, F.G.S. Pp. viii., 288. [With a list of works quoted, and an Index.] 1886, 8vo. 5*s.*

Catalogue of the Mesozoic Plants in the Department of Geology, British Museum (Natural History). By A. C. Seward, M.A., F.R.S., F.G.S., University Lecturer in Botany and Fellow of Emanuel College, Cambridge :—

Part I. The Wealden Flora. Part I. Thallophyta—Pteridophyta. Pp. xxxviii., 179. 17 Woodcuts and 11 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1894, 8vo. 10*s.*

Part II. The Wealden Flora. Part II. Gymnospermæ. Pp. viii., 259. 9 Woodcuts and 20 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1895, 8vo. 15*s.*

Part III. The Jurassic Flora. Part I. The Yorkshire Coast. Pp. xii., 341. 53 Woodcuts and 21 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1900, 8vo. 20*s.*

Part IV. The Jurassic Flora. Part II. Liassic and Oolitic Floras of England (excluding the Inferior Oolite Plants of the Yorkshire Coast). Pp. xv., 192. 20 Woodcuts and 13 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1904, 8vo. 10*s.*

Catalogue of the Fossil Plants of the Glossopteris Flora in the Department of Geology, British Museum (Natural History). Being a Monograph of the Permo-carboniferous Flora of India and the Southern Hemisphere. By E. A. Newell Arber, M.A., F.L.S., F.G.S. Pp. lxxiv., 255: 51 Text-Figures and 8 Plates. [With Bibliography and Alphabetical Index.] 1905, 8vo. 12*s.* 6*d.*

GUIDE-BOOKS, Etc.

A General Guide to the British Museum (Natural History), Cromwell Road, London, S.W. With 58 Woodcuts, 2 Plans, 2 views of the building, and an illustrated cover. Pp. 119. 1903, 8vo. 3*d.*

Guide to the Galleries of Mammalia in the Department of Zoology of the British Museum (Natural History). 7th Edition. Pp. 126. 65 Woodcuts and 4 Plans. Index. 1902, 8vo. 6*d.*

Guide to the Gallery of Birds in the Department of Zoology of the British Museum (Natural History). [By W. R. Ogilvie Grant.] Pp. iv., 228. 24 Plates, and 7 Illustrations in text. With Index. 1905, roy. 8vo. 2*s.* 6*d.*

Guide to the Gallery of Birds in the Department of Zoology, British Museum (Natural History). Part I. General Series. [By W. R. Ogilvie Grant.] Pp. 149. With Index. 1905, roy. 8vo. 6*d.*

Guide to the Nesting Series of British Birds. Being Part II. of the Guide to the Gallery of Birds in the Department of Zoology, British Museum (Natural History). [By W. R. Ogilvie Grant.] Pp. 62. 4 Plates. Index. 1905, roy. 8vo. 4*d.*

Guide to the Shell and Starfish Galleries (Mollusca, Polyzoa, Brachiopoda, Tunicata, Echinoderma, and Worms), Department of Zoology, British Museum (Natural History). New Edition. Pp. iv., 129. 125 Woodcuts, Plan and Indexes. 1905, 8vo. 6*d.*

Guide to the Coral Gallery (Protozoa, Porifera or Sponges, Hydrozoa, and Anthozoa) in the Department of Zoology, British Museum (Natural History). Pp. [iv.,] 73. 82 Illustrations, Plan, and Index. 1902, 8vo. 1*s.*

A Guide to the Fossil Mammals and Birds in the Department of Geology and Palæontology in the British Museum (Natural History). 8th Edition. [By A. S. Woodward, LL.D., F.R.S.] Pp. xvi., 100. 6 Plates, 88 Woodcuts. [With List of Illustrations, Table of Stratified Rocks, and Index.] 1904, 8vo. 6*d.*

A Guide to the Fossil Reptiles, Amphibians, and Fishes in the Department of Geology and Palæontology in the British Museum (Natural History). 8th Edition. [By A. S. Woodward, LL.D., F.R.S.] Pp. xviii., 110. 8 Plates and 116 Text-Figures. [With List of Illustrations, Geological Time-Scale and Index.] 1896, 8vo. 6*d.*

A Guide to the Fossil Invertebrates and Plants in the Department of Geology and Palæontology in the British Museum (Natural History). [By Henry Woodward, LL.D., F.R.S.]

Part I. Mollusca to Bryozoa. Pp. xii., 64. 107 Woodcuts. [With List of Illustrations, Table of Stratified Rocks, and Introduction.] 1897, 8vo. 6*d.*

Part II. Insecta to Plants, &c. Pp. ix., 64*–158. Woodcuts 108–182. [With List of Illustrations and Index to the two parts.] 1897, 8vo. 6*d.*

Guide to Sowerby's Models of British Fungi in the Department of Botany, British Museum (Natural History). By Worthington G. Smith, F.L.S. Pp. 82. 93 Woodcuts. With Table of Diagnostic Characters, and Index. [Second Edition.] 1898, 8vo. 4*d.*

Guide to the British Mycetozoa exhibited in the Department of Botany, British Museum (Natural History). By Arthur Lister, F.R.S. [Second Edition, revised.] Pp. 48. 45 Woodcuts. Index. 1905, 8vo. 3*d.*

A Guide to the Mineral Gallery of the British Museum (Natural History). [By L. Fletcher, M.A., F.R.S.] Pp. 32. Plan. 1903, 8vo. 1*d.*

The Student's Index to the Collection of Minerals, British Museum (Natural History). [By L. Fletcher, M.A., F.R.S.] Pp. 36. With a Plan of the Mineral Gallery. 1905, 8vo. 2*d.*

An Introduction to the Study of Minerals, with a Guide to the Mineral Gallery of the British Museum (Natural History). By L. Fletcher, M.A., F.R.S. Pp. 123. 41 Woodcuts. With Plan of the Mineral Gallery and Index. 1903, 8vo. 6*d.*

An Introduction to the Study of Rocks. By L. Fletcher, M.A., F.R.S. Pp. 118. [With plan of the Mineral Gallery, Table of Contents, and Index.] 1898, 8vo. 6*d.*

An Introduction to the Study of Meteorites, with a List of the Meteorites represented in the Collection on January 1st, 1904. By L. Fletcher, M.A., F.R.S., &c. Pp. 109. [With a Plan of the Mineral Gallery, and an Index to the Meteorites represented in the Collection.] 1904, 8vo. 6*d.*

Guide to an Exhibition of Old Natural History Books, illustrating the origin and progress of the study of Natural History up to the time of Linnæus. [By B. B. Woodward.] Pp. 27. 1905, 8vo. 3*d*.

Handbook of Instructions for Collectors, issued by the British Museum (Natural History). With Illustrations. Third Edition. Pp. 144. Index. 1906, 8vo. 1*s*. 6*d*.

Hints on Removing and Preparing Skins of Mammals. [3rd Edition.] Pp. 12. Text illust. 1905, 8vo. 3*d*.

Instructions for the Preservation of Birds. [3rd Edition.] Pp. 10. 5 figures in text. 1904, 8vo. 3*d*.

Instructions for Collecting Reptiles, Batrachians, and Fishes. [2nd Edition.] Pp. 12. 1903, 8vo. 4*d*.

Instructions for Collecting Insects. [3rd Edition.] Pp. 10. Text illust. 1903, 8vo. 4*d*.

How to Collect Diptera (Two-winged Flies), with Notes on the Habits of the Perfect Insects and Larvæ. [2nd Edition.] Pp. 16. Text illust. 1903, 8vo. 4*d*.

How to Collect Mosquitoes (Culicidæ). [3rd Edition.] Pp. 8. 1 Plate, 1 figure in text. 1904, 8vo. 3*d*.

Blood-sucking Flies, Ticks, &c., and How to Collect them. By E. E. Austen. [2nd Edition.] Pp. 22: 13 figures in text. 1905, 8vo. 3*d*.

Instructions for Collecting Arachnida, Myriopoda and Peripatus. Pp. 3. 1900, 8vo. 4*d*.

Methods of Collecting and Preserving various Soft-bodied Invertebrate Animals; with Hints for Collecting and Preserving Shells of Molluscs. [2nd Edition.] Pp. 15. 1902, 8vo. 4*d*.

Directions for Collecting and Preserving Plants. [3rd Edition.] Pp. 8. 2 figures in text. 1903, 8vo. 4*d*.

Suggestions as to Collecting and Preserving Fossils and Minerals. [2nd Edition.] Pp. 9. 1903, 8vo. 4*d*.

E. RAY LANKESTER,
Director.

British Museum
(Natural History),
Cromwell Road,
London, S.W.

February 1st, 1906.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1906.

966

PLEASE DO NOT REMOVE
CARDS OR SLIPS FROM THIS POCKET

UNIVERSITY OF TORONTO LIBRARY